

(19)



Eur päis hes Pat ntamt
Eur pean Patent Office
Office eur péen des brevets



(11)

EP 0 786 519 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
30.07.1997 Bulletin 1997/31

(51) Int Cl.⁶: **C12N 15/00**

(21) Application number: **97100117.7**

(22) Date of filing: **07.01.1997**

cited in the European Search
Report of EP 37 90 3936.9
You Ref.: 09010/0167P1

(84) Designated Contracting States:
**AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE**
Designated Extension States:
AL LT LV RO SI

(30) Priority: **05.01.1996 US 9861**

(71) Applicant: **HUMAN GENOME SCIENCES, INC.**
Rockville, MD 20850-3338 (US)

(72) Inventors:
• **Kunsch, Charles A.**
Gaithersburg, Maryland 20882 (US)

- **Choi, Gil H.**
Rockville, Maryland 20850 (US)
- **Barash, Steven C.**
Rockville, Maryland 20850 (US)
- **Dillon, Patrick J.**
Gaithersburg, Maryland 20879 (US)
- **Fannon, Michael R.**
Silver Spring, Maryland 20906 (US)
- **Rosen, Craig A.**
Laytonsville, Maryland 20882 (US)

(74) Representative: **VOSSIUS & PARTNER**
Postfach 86 07 67
81634 München (DE)

(54) Staphylococcus aureus polynucleotides and sequences

(57) The present invention provides polynucleotide sequences of the genome of *Staphylococcus aureus*, polypeptide sequences encoded by the polynucleotide sequences, corresponding polynucleotides and polypeptides, vectors and hosts comprising the polynu-

cleotides, and assays and other uses thereof. The present invention further provides polynucleotide and polypeptide sequence information stored on computer readable media, and computer-based systems and methods which facilitate its use.

EP 0 786 519 A2

Descripti n

The present invention relates to the field of molecular biology. In particular, it relates to, among other things, nucleotide sequences of *Staphylococcus aureus*, contigs, ORFs, fragments, probes, primers and related polynucleotides thereof, peptides and polypeptides encoded by the sequences, and uses of the polynucleotides and sequences thereof, such as in fermentation, polypeptide production, assays and pharmaceutical development, among others.

The genus *Staphylococcus* includes at least 20 distinct species. (For a review see Novick, R. P., *The Staphylococcus* as a Molecular Genetic System, Chapter 1, pgs. 1-37 in *MOLECULAR BIOLOGY OF THE STAPHYLOCOCCI*, R. Novick, Ed., VCH Publishers, New York (1990)). Species differ from one another by 80% or more, by hybridization kinetics, whereas strains within a species are at least 90% identical by the same measure.

The species *Staphylococcus aureus*, a gram-positive, facultatively aerobic, clump-forming cocci, is among the most important etiological agents of bacterial infection in humans, as discussed briefly below.

Human Health and *S. Aureus*

Staphylococcus aureus is a ubiquitous pathogen. (See, for instance, Mims *et al.*, *MEDICAL MICROBIOLOGY*, Mosby-Year Book Europe Limited, London, UK (1993)). It is an etiological agent of a variety of conditions, ranging in severity from mild to fatal. A few of the more common conditions caused by *S. aureus* infection are burns, cellulitis, eyelid infections, food poisoning, joint infections, neonatal conjunctivitis, osteomyelitis, skin infections, surgical wound infection, scalded skin syndrome and toxic shock syndrome, some of which are described further below.

Burns

Burn wounds generally are sterile initially. However, they generally compromise physical and immune barriers to infection, cause loss of fluid and electrolytes and result in local or general physiological dysfunction. After cooling, contact with viable bacteria results in mixed colonization at the injury site. Infection may be restricted to the non-viable debris on the burn surface ("eschar"), it may progress into full skin infection and invade viable tissue below the eschar and it may reach below the skin, enter the lymphatic and blood circulation and develop into septicemia. *S. aureus* is among the most important pathogens typically found in burn wound infections. It can destroy granulation tissue and produce severe septicemia.

Cellulitis

Cellulitis, an acute infection of the skin that expands from a typically superficial origin to spread below the cutaneous layer, most commonly is caused by *S. aureus* in conjunction with *S. pyogenes*. Cellulitis can lead to systemic infection. In fact, cellulitis can be one aspect of synergistic bacterial gangrene. This condition typically is caused by a mixture of *S. aureus* and microaerophilic streptococci. It causes necrosis and treatment is limited to excision of the necrotic tissue. The condition often is fatal.

Eyelid infections

S. aureus is the cause of styes and of sticky eye* in neonates, among other eye infections. Typically such infections are limited to the surface of the eye, and may occasionally penetrate the surface with more severe consequences.

Food poisoning

Some strains of *S. aureus* produce one or more of five serologically distinct, heat and acid stable enterotoxins that are not destroyed by digestive process of the stomach and small intestine (enterotoxins A-E). Ingestion of the toxin, in sufficient quantities, typically results in severe vomiting, but not diarrhoea. The effect does not require viable bacteria. Although the toxins are known, their mechanism of action is not understood.

Joint infections

S. aureus infects bone joints causing diseases such osteomyelitis.

Osteomyelitis

S. aureus is the most common causative agent of haematogenous osteomyelitis. The disease tends to occur in

children and adolescents more than adults and it is associated with non-penetrating injuries to bones. Infection typically occurs in the long end of growing bone, hence its occurrence in physically immature populations. Most often, infection is localized in the vicinity of sprouting capillary loops adjacent to epiphyseal growth plates in the end of long, growing bones.

Skin infections

S. aureus is the most common pathogen of such minor skin infections as abscesses and boils. Such infections often are resolved by normal host response mechanisms, but they also can develop into severe internal infections. Recurrent infections of the nasal passages plague nasal carriers of *S. aureus*.

Surgical Wound Infections

Surgical wounds often penetrate far into the body. Infection of such wound thus poses a grave risk to the patient. *S. aureus* is the most important causative agent of infections in surgical wounds. *S. aureus* is unusually adept at invading surgical wounds; sutured wounds can be infected by far fewer *S. aureus* cells than are necessary to cause infection in normal skin. Invasion of surgical wound can lead to severe *S. aureus* septicaemia. Invasion of the blood stream by *S. aureus* can lead to seeding and infection of internal organs, particularly heart valves and bone, causing systemic diseases, such as endocarditis and osteomyelitis.

Scalded Skin Syndrome

S. aureus is responsible for "scalded skin syndrome" (also called toxic epidermal necrosis, Ritter's disease and Lyell's disease). This disease occurs in older children, typically in outbreaks caused by flowering of *S. aureus* strains produce exfoliation (also called scalded skin syndrome toxin). Although the bacteria initially may infect only a minor lesion, the toxin destroys intercellular connections, spreads epidermal layers and allows the infection to penetrate the outer layer of the skin, producing the desquamation that typifies the disease. Shedding of the outer layer of skin generally reveals normal skin below, but fluid lost in the process can produce severe injury in young children if it is not treated properly.

Toxic Shock Syndrome

Toxic shock syndrome is caused by strains of *S. aureus* that produce the so-called toxic shock syndrome toxin. The disease can be caused by *S. aureus* infection at any site, but it is too often erroneously viewed exclusively as a disease solely of women who use tampons. The disease involves toxemia and septicaemia, and can be fatal.

Nocosomal Infections

In the 1984 National Nosocomial Infection Surveillance Study ("NNIS") *S. aureus* was the most prevalent agent of surgical wound infections in many hospital services, including medicine, surgery, obstetrics, pediatrics and newborns.

Resistance to drugs of *S. aureus* strains

Prior to the introduction of penicillin the prognosis for patients seriously infected with *S. aureus* was unfavorable. Following the introduction of penicillin in the early 1940s even the worst *S. aureus* infections generally could be treated successfully. The emergence of penicillin-resistant strains of *S. aureus* did not take long, however. Most strains of *S. aureus* encountered in hospital infections today do not respond to penicillin; although, fortunately, this is not the case for *S. aureus* encountered in community infections.

It is well known now that penicillin-resistant strains of *S. aureus* produce a lactamase which converts penicillin to penicilloic acid, and thereby destroys antibiotic activity. Furthermore, the lactamase gene often is propagated episomally, typically on a plasmid, and often is only one of several genes on an episomal element that, together, confer multidrug resistance.

Methicillins, introduced in the 1960s, largely overcame the problem of penicillin resistance in *S. aureus*. These compounds conserve the portions of penicillin responsible for antibiotic activity and modify or alter other portions that make penicillin a good substrate for inactivating lactamases. However, methicillin resistance has emerged in *S. aureus*, along with resistance to many other antibiotics effective against this organism, including aminoglycosides, tetracycline, chloramphenicol, macrolides and lincosamides. In fact, methicillin-resistant strains of *S. aureus* generally are multiply drug resistant.

The molecular genetics of most types of drug resistance in *S. aureus* has been elucidated (See Lyön *et al.*, *Microbiology Reviews* 51: 88-134 (1987)). Generally, resistance is mediated by plasmids, as noted above regarding penicillin resistance; however, several stable forms of drug resistance have been observed that apparently involve integration of a resistance element into the *S. aureus* genome itself.

Thus far each new antibiotic gives rise to resistance strains, strains emerge that are resistance to multiple drugs and increasingly persistent forms of resistance begin to emerge. Drug resistance of *S. aureus* infections already poses significant treatment difficulties, which are likely to get much worse unless new therapeutic agents are developed.

Molecular Genetics of *Staphylococcus Aureus*

Despite its importance in, among other things, human disease, relatively little is known about the genome of this organism.

Most genetic studies of *S. aureus* have been carried out using the strain NCTC8325, which contains prophages psi11 psi12 and psi13, and the UV-cured derivative of this strain, 8325-4 (also referred to as RN450), which is free of the prophages.

These studies revealed that the *S. aureus* genome, like that of other *staphylococci*, consists of one circular, covalently closed, double-stranded DNA and a collection of so-called variable accessory genetic elements, such as prophages, plasmids, transposons and the like.

Physical characterization of the genome has not been carried out in any detail. Pattee *et al.* published a low resolution and incomplete genetic and physical map of the chromosome of *S. aureus* strain NCTC 8325. (Pattee *et al.* Genetic and Physical Mapping of Chromosome of *Staphylococcus aureus* NCTC 8325, Chapter 11, pgs. 163-169 in. MOLECULAR BIOLOGY OF THE STAPHYLOCOCCI, R.P. Novick, Ed., VCH Publishers, New York, (1990) The genetic map largely was produced by mapping insertions of Tn551 and Tn4001, which, respectively, confer erythromycin and gentamicin resistance, and by analysis of Smal-digested DNA by Pulsed Field Gel Electrophoresis ("PFGE").

The map was of low resolution; even estimating the physical size of the genome was difficult, according to the investigators. The size of the largest Smal chromosome fragment, for instance, was too large for accurate sizing by PFGE. To estimate its size, additional restriction sites had to be introduced into the chromosome using a transposon containing a Smal recognition sequence.

In sum, most physical characteristics and almost all of the genes of *Staphylococcus aureus* are unknown. Among the few genes that have been identified, most have not been physically mapped or characterized in detail. Only a very few genes of this organism have been sequenced. (See, for instance Thornsberry, J., *Antimicrobial Chemotherapy* 21 Suppl C: 9-16 (1988), current versions of GENBANK and other nucleic acid databases, and references that relate to the genome of *S. aureus* such as those set out elsewhere herein.)

It is clear that the etiology of diseases mediated or exacerbated by *S. aureus* infection involves the programmed expression of *S. aureus* genes, and that characterizing the genes and their patterns of expression would add dramatically to our understanding of the organism and its host interactions. Knowledge of *S. aureus* genes and genomic organization would dramatically improve understanding of disease etiology and lead to improved and new ways of preventing, ameliorating, arresting and reversing diseases. Moreover, characterized genes and genomic fragments of *S. aureus* would provide reagents for, among other things, detecting, characterizing and controlling *S. aureus* infections. There is a need therefore to characterize the genome of *S. aureus* and for polynucleotides and sequences of this organism.

The present invention is based on the sequencing of fragments of the *Staphylococcus aureus* genome. The primary nucleotide sequences which were generated are provided in SEQ ID NOS: 1-5,191.

The present invention provides the nucleotide sequence of several thousand contigs of the *Staphylococcus aureus* genome, which are listed in tables below and set out in the Sequence Listing submitted herewith, and representative fragments thereof, in a form which can be readily used, analyzed, and interpreted by a skilled artisan. In one embodiment, the present invention is provided as contiguous strings of primary sequence information corresponding to the nucleotide sequences depicted in SEQ ID NOS:1-5,191.

The present invention further provides nucleotide sequences which are at least 95%, preferably 99% and most preferably 99.9%, identical to the nucleotide sequences of SEQ ID NOS:1-5,191.

The nucleotide sequence of SEQ ID NOS:1-5,191, a representative fragment thereof, or a nucleotide sequence which is at least 95%, preferably 99% and most preferably 99.9%, identical to the nucleotide sequence of SEQ ID NOS:1-5,191 may be provided in a variety of mediums to facilitate its use. In one application of this embodiment, the sequences of the present invention are recorded on computer readable media. Such media includes, but is not limited to: magnetic storage media, such as floppy discs, hard disc storage medium, and magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these categories such as magnetic/optical storage media.

The present invention further provides systems, particularly computer-based systems which contain the sequence

information herein described stored in a data storage means. Such systems are designed to identify commercially important fragments of the *Staphylococcus aureus* genome.

Another embodiment of the present invention is directed to fragments, preferably isolated fragments, of the *Staphylococcus aureus* genome having particular structural or functional attributes. Such fragments of the *Staphylococcus aureus* genome of the present invention include, but are not limited to, fragments which encode peptides, hereinafter referred to as open reading frames or ORFs,* fragments which modulate the expression of an operably linked ORF, hereinafter referred to as expression modulating fragments or EMFs,* and fragments which can be used to diagnose the presence of *Staphylococcus aureus* in a sample, hereinafter referred to as diagnostic fragments or "DFs."

Each of the ORFs in fragments of the *Staphylococcus aureus* genome disclosed in Tables 1-3, and the EMFs found 5' to the ORFs, can be used in numerous ways as polynucleotide reagents. For instance, the sequences can be used as diagnostic probes or amplification primers for detecting or determining the presence of a specific microbe in a sample, to selectively control gene expression in a host and in the production of polypeptides, such as polypeptides encoded by ORFs of the present invention, particular those polypeptides that have a pharmacological activity.

The present invention further includes recombinant constructs comprising one or more fragments of the *Staphylococcus aureus* genome of the present invention. The recombinant constructs of the present invention comprise vectors, such as a plasmid or viral vector, into which a fragment of the *Staphylococcus aureus* has been inserted.

The present invention further provides host cells containing any of the isolated fragments of the *Staphylococcus aureus* genome of the present invention. The host cells can be a higher eukaryotic host cell, such as a mammalian cell, a lower eukaryotic cell, such as a yeast cell, or a procaryotic cell such as a bacterial cell.

The present invention is further directed to polypeptides and proteins, preferably isolated polypeptides and proteins, encoded by ORFs of the present invention. A variety of methods, well known to those of skill in the art, routinely may be utilized to obtain any of the polypeptides and proteins of the present invention. For instance, polypeptides and proteins of the present invention having relatively short, simple amino acid sequences readily can be synthesized using commercially available automated peptide synthesizers. Polypeptides and proteins of the present invention also may be purified from bacterial cells which naturally produce the protein. Yet another alternative is to purify polypeptide and proteins of the present invention can from cells which have been altered to express them.

The invention further provides polypeptides, preferably isolated polypeptides, comprising *Staphylococcus aureus* epitopes and vaccine compositions comprising such polypeptides. Also provided are methods for vaccinating an individual against *Staphylococcus aureus* infection.

The invention further provides methods of obtaining homologs of the fragments of the *Staphylococcus aureus* genome of the present invention and homologs of the proteins encoded by the ORFs of the present invention. Specifically, by using the nucleotide and amino acid sequences disclosed herein as a probe or as primers, and techniques such as PCR cloning and colony/plaque hybridization, one skilled in the art can obtain homologs.

The invention further provides antibodies which selectively bind polypeptides and proteins of the present invention. Such antibodies include both monoclonal and polyclonal antibodies.

The invention further provides hybridomas which produce the above-described antibodies. A hybridoma is an immortalized cell line which is capable of secreting a specific monoclonal antibody.

The present invention further provides methods of identifying test samples derived from cells which express one of the ORFs of the present invention, or a homolog thereof. Such methods comprise incubating a test sample with one or more of the antibodies of the present invention, or one or more of the DFs or antigens of the present invention, under conditions which allow a skilled artisan to determine if the sample contains the ORF or product produced therefrom.

In another embodiment of the present invention, kits are provided which contain the necessary reagents to carry out the above-described assays.

Specifically, the invention provides a compartmentalized kit to receive, in close confinement, one or more containers which comprises: (a) a first container comprising one of the antibodies, antigens, or one of the DFs of the present invention; and (b) one or more other containers comprising one or more of the following: wash reagents, reagents capable of detecting presence of bound antibodies, antigens or hybridized DFs.

Using the isolated proteins of the present invention, the present invention further provides methods of obtaining and identifying agents capable of binding to a polypeptide or protein encoded by one of the ORFs of the present invention. Specifically, such agents include, as further described below, antibodies, peptides, carbohydrates, pharmaceutical agents and the like. Such methods comprise steps of: (a) contacting an agent with an isolated protein encoded by one of the ORFs of the present invention; and (b) determining whether the agent binds to said protein.

The present genomic sequences of *Staphylococcus aureus* will be of great value to all laboratories working with this organism and for a variety of commercial purposes. Many fragments of the *Staphylococcus aureus* genome will be immediately identified by similarity searches against GenBank or protein databases and will be of immediate value to *Staphylococcus aureus* researchers and for immediate commercial value for the production of proteins or to control gene expression.

The methodology and technology for elucidating extensive genomic sequences of bacterial and other genomes

has and will greatly enhance the ability to analyze and understand chromosomal organization. In particular, sequenced contigs and genomes will provide the models for developing tools for the analysis of chromosome structure and function, including the ability to identify genes within large segments of genomic DNA, the structure, position, and spacing of regulatory elements, the identification of genes with potential industrial applications, and the ability to do comparative genomic and molecular phylogeny.

FIGURE 1 is a block diagram of a computer system (102) that can be used to implement computer-based systems of present invention.

FIGURE 2 is a schematic diagram depicting the data flow and computer programs used to collect, assemble, edit and annotate the contigs of the *Staphylococcus aureus* genome of the present invention. Both Macintosh and Unix platforms are used to handle the AB 373 and 377 sequence data files, largely as described in Kerlavage *et al.*, *Proceedings of the Twenty-Sixth Annual Hawaii International Conference on System Sciences*, 585, IEEE Computer Society Press, Washington D.C. (1993). Factura (AB) is a Macintosh program designed for automatic vector sequence removal and end-trimming of sequence files. The program Loadis runs on a Macintosh platform and parses the feature data extracted from the sequence files by Factura to the Unix based *Staphylococcus aureus* relational database. Assembly of contigs (and whole genome sequences) is accomplished by retrieving a specific set of sequence files and their associated features using extrseq, a Unix utility for retrieving sequences from an SQL database. The resulting sequence file is processed by seq_filter to trim portions of the sequences with more than 2% ambiguous nucleotides. The sequence files were assembled using TIGR Assembler, an assembly engine designed at The Institute for Genomic Research (TIGR) for rapid and accurate assembly of thousands of sequence fragments. The collection of contigs generated by the assembly step is loaded into the database with the lassie program. Identification of open reading frames (ORFs) is accomplished by processing contigs with zorf. The ORFs are searched against *S. aureus* sequences from Genbank and against all protein sequences using the BLASTN and BLASTP programs, described in Altschul *et al.*, *J. Mol. Biol.* 215: 403-410 (1990)). Results of the ORF determination and similarity searching steps were loaded into the database. As described below, some results of the determination and the searches are set out in Tables 1-3.

The present invention is based on the sequencing of fragments of the *Staphylococcus aureus* genome and analysis of the sequences. The primary nucleotide sequences generated by sequencing the fragments are provided in SEQ ID NOS:1-5,191. (As used herein, the "primary sequence" refers to the nucleotide sequence represented by the IUPAC nomenclature system.)

In addition to the aforementioned *Staphylococcus aureus* polynucleotide and polynucleotide sequences, the present invention provides the nucleotide sequences of SEQ ID NOS:1-5,191, or representative fragments thereof, in a form which can be readily used, analyzed, and interpreted by a skilled artisan.

As used herein, a "representative fragment of the nucleotide sequence depicted in SEQ ID NOS:1-5,191" refers to any portion of the SEQ ID NOS:1-5,191 which is not presently represented within a publicly available database. Preferred representative fragments of the present invention are *Staphylococcus aureus* open reading frames (ORFs), expression modulating fragment (EMFs) and fragments which can be used to diagnose the presence of *Staphylococcus aureus* in sample ("DFs"). A non-limiting identification of preferred representative fragments is provided in Tables 1-3.

As discussed in detail below, the information provided in SEQ ID NOS:1-5,191 and in Tables 1-3 together with routine cloning, synthesis, sequencing and assay methods will enable those skilled in the art to clone and sequence all "representative fragments" of interest, including open reading frames encoding a large variety of *Staphylococcus aureus* proteins.

While the presently disclosed sequences of SEQ ID NOS:1-5,191 are highly accurate, sequencing techniques are not perfect and, in relatively rare instances, further investigation of a fragment or sequence of the invention may reveal a nucleotide sequence error present in a nucleotide sequence disclosed in SEQ ID NOS:1-5,191. However, once the present invention is made available (*i.e.*, once the information in SEQ ID NOS:1-5,191 and Tables 1-3 has been made available), resolving a rare sequencing error in SEQ ID NOS:1-5,191 will be well within the skill of the art. The present disclosure makes available sufficient sequence information to allow any of the described contigs or portions thereof to be obtained readily by straightforward application of routine techniques. Further sequencing of such polynucleotide may proceed in like manner using manual and automated sequencing methods which are employed ubiquitous in the art. Nucleotide sequence editing software is publicly available. For example, Applied Biosystem's (AB) AutoAssembler can be used as an aid during visual inspection of nucleotide sequences. By employing such routine techniques potential errors readily may be identified and the correct sequence then may be ascertained by targeting further sequencing effort, also of a routine nature, to the region containing the potential error.

Even if all of the very rare sequencing errors in SEQ ID NOS:1-5,191 were corrected, the resulting nucleotide sequences would still be at least 95% identical, nearly all would be at least 99% identical, and the great majority would be at least 99.9% identical to the nucleotide sequences of SEQ ID NOS:1-5,191.

As discussed elsewhere herein, polynucleotides of the present invention readily may be obtained by routine application of well known and standard procedures for cloning and sequencing DNA. Detailed methods for obtaining

libraries and for sequencing are provided below, for instance. A wide variety of *Staphylococcus aureus* strains that can be used to prepare *S. aureus* genomic DNA for cloning and for obtaining polynucleotides of the present invention are available to the public from recognized depository institutions, such as the American Type Culture Collection (ATCC®).

The nucleotide sequences of the genomes from different strains of *Staphylococcus aureus* differ somewhat. However, the nucleotide sequences of the genomes of all *Staphylococcus aureus* strains will be at least 95% identical, in corresponding part, to the nucleotide sequences provided in SEQ ID NOS:1-5,191. Nearly all will be at least 99% identical and the great majority will be 99.9% identical.

Thus, the present invention further provides nucleotide sequences which are at least 95%, preferably 99% and most preferably 99.9% identical to the nucleotide sequences of SEQ ID NOS:1-5,191, in a form which can be readily used, analyzed and interpreted by the skilled artisan.

Methods for determining whether a nucleotide sequence is at least 95%, at least 99% or at least 99.9% identical to the nucleotide sequences of SEQ ID NOS:1-5,191 are routine and readily available to the skilled artisan. For example, the well known fasta algorithm described in Pearson and Lipman, *Proc. Natl. Acad. Sci. USA* 85: 2444 (1988) can be used to generate the percent identity of nucleotide sequences. The BLASTN program also can be used to generate an identity score of polynucleotides compared to one another.

COMPUTER RELATED EMBODIMENTS

The nucleotide sequences provided in SEQ ID NOS:1-5,191, a representative fragment thereof, or a nucleotide sequence at least 95%, preferably at least 99% and most preferably at least 99.9% identical to a polynucleotide sequence of SEQ ID NOS:1-5,191 may be "provided" in a variety of mediums to facilitate use thereof. As used herein, "provided" refers to a manufacture, other than an isolated nucleic acid molecule, which contains a nucleotide sequence of the present invention; i.e., a nucleotide sequence provided in SEQ ID NOS:1-5,191, a representative fragment thereof, or a nucleotide sequence at least 95%, preferably at least 99% and most preferably at least 99.9% identical to a polynucleotide of SEQ ID NOS:1-5,191. Such a manufacture provides a large portion of the *Staphylococcus aureus* genome and parts thereof (e.g., a *Staphylococcus aureus* open reading frame (ORF)) in a form which allows a skilled artisan to examine the manufacture using means not directly applicable to examining the *Staphylococcus aureus* genome or a subset thereof as it exists in nature or in purified form.

In one application of this embodiment, a nucleotide sequence of the present invention can be recorded on computer readable media. As used herein, "computer readable media" refers to any medium which can be read and accessed directly by a computer. Such media include, but are not limited to: magnetic storage media, such as floppy discs, hard disc storage medium, and magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these categories, such as magnetic/optical storage media. A skilled artisan can readily appreciate how any of the presently known computer readable mediums can be used to create a manufacture comprising computer-readable-medium having recorded thereon a nucleotide sequence of the present invention. Likewise, it will be clear to those of skill how additional computer readable media that may be developed also can be used to create analogous manufactures having recorded thereon a nucleotide sequence of the present invention.

As used herein, "recorded" refers to a process for storing information on computer readable medium. A skilled artisan can readily adopt any of the presently known methods for recording information on computer readable medium to generate manufactures comprising the nucleotide sequence information of the present invention.

A variety of data storage structures are available to a skilled artisan for creating a computer readable medium having recorded thereon a nucleotide sequence of the present invention. The choice of the data storage structure will generally be based on the means chosen to access the stored information. In addition, a variety of data processor programs and formats can be used to store the nucleotide sequence information of the present invention on computer readable medium. The sequence information can be represented in a word processing text file, formatted in commercially-available software such as WordPerfect and MicroSoft Word, or represented in the form of an ASCII file, stored in a database application, such as DB2, Sybase, Oracle, or the like. A skilled artisan can readily adapt any number of data-processor structuring formats (e.g., text file or database) in order to obtain computer readable medium having recorded thereon the nucleotide sequence information of the present invention.

Computer software is publicly available which allows a skilled artisan to access sequence information provided in a computer readable medium. Thus, by providing in computer readable form the nucleotide sequences of SEQ ID NOS:1-5,191, a representative fragment thereof, or a nucleotide sequence at least 95%, preferably at least 99% and most preferably at least 99.9% identical to a sequence of SEQ ID NOS:1-5,191 the present invention enables the skilled artisan routinely to access the provided sequence information for a wide variety of purposes.

The examples which follow demonstrate how software which implements the BLAST (Altschul *et al.*, *J. Mol. Biol.* 215:403-410 (1990)) and BLAZE (Brutlag *et al.*, *Comp. Chem.* 17:203-207 (1993)) search algorithms on a Sybase system was used to identify open reading frames (ORFs) within the *Staphylococcus aureus* genome which contain homology to ORFs or proteins from both *Staphylococcus aureus* and from other organisms. Among the ORFs discussed

herein are protein encoding fragments of the *Staphylococcus aureus* genome useful in producing commercially important proteins, such as enzymes used in fermentation reactions and in the production of commercially useful metabolites.

The present invention further provides systems, particularly computer-based systems, which contain the sequence information described herein. Such systems are designed to identify, among other things, commercially important fragments of the *Staphylococcus aureus* genome.

As used herein, "a computer-based system" refers to the hardware means, software means, and data storage means used to analyze the nucleotide sequence information of the present invention. The minimum hardware means of the computer-based systems of the present invention comprises a central processing unit (CPU), input means, output means, and data storage means. A skilled artisan can readily appreciate that any one of the currently available computer-based system are suitable for use in the present invention.

As stated above, the computer-based systems of the present invention comprise a data storage means having stored therein a nucleotide sequence of the present invention and the necessary hardware means and software means for supporting and implementing a search means.

As used herein, "data storage means" refers to memory which can store nucleotide sequence information of the present invention, or a memory access means which can access manufactures having recorded thereon the nucleotide sequence information of the present invention.

As used herein, "search means" refers to one or more programs which are implemented on the computer-based system to compare a target sequence or target structural motif with the sequence information stored within the data storage means. Search means are used to identify fragments or regions of the present genomic sequences which match a particular target sequence or target motif. A variety of known algorithms are disclosed publicly and a variety of commercially available software for conducting search means are and can be used in the computer-based systems of the present invention. Examples of such software includes, but is not limited to, MacPattern (EMBL), BLASTN and BLASTX (NCBIA). A skilled artisan can readily recognize that any one of the available algorithms or implementing software packages for conducting homology searches can be adapted for use in the present computer-based systems.

As used herein, a "target sequence" can be any DNA or amino acid sequence of six or more nucleotides or two or more amino acids. A skilled artisan can readily recognize that the longer a target sequence is, the less likely a target sequence will be present as a random occurrence in the database. The most preferred sequence length of a target sequence is from about 10 to 100 amino acids or from about 30 to 300 nucleotide residues. However, it is well recognized that searches for commercially important fragments, such as sequence fragments involved in gene expression and protein processing, may be of shorter length.

As used herein, "a target structural motif," or "target motif," refers to any rationally selected sequence or combination of sequences in which the sequence(s) are chosen based on a three-dimensional configuration which is formed upon the folding of the target motif. There are a variety of target motifs known in the art. Protein target motifs include, but are not limited to, enzymic active sites and signal sequences. Nucleic acid target motifs include, but are not limited to, promoter sequences, hairpin structures and inducible expression elements (protein binding sequences).

A variety of structural formats for the input and output means can be used to input and output the information in the computer-based systems of the present invention. A preferred format for an output means ranks fragments of the *Staphylococcus aureus* genomic sequences possessing varying degrees of homology to the target sequence or target motif. Such presentation provides a skilled artisan with a ranking of sequences which contain various amounts of the target sequence or target motif and identifies the degree of homology contained in the identified fragment.

A variety of comparing means can be used to compare a target sequence or target motif with the data storage means to identify sequence fragments of the *Staphylococcus aureus* genome. In the present examples, implementing software which implement the BLAST and BLAZE algorithms, described in Altschul *et al.*, *J. Mol. Biol.* 215: 403-410 (1990), was used to identify open reading frames within the *Staphylococcus aureus* genome. A skilled artisan can readily recognize that any one of the publicly available homology search programs can be used as the search means for the computer-based systems of the present invention. Of course, suitable proprietary systems that may be known to those of skill also may be employed in this regard.

Figure 1 provides a block diagram of a computer system illustrative of embodiments of this aspect of present invention. The computer system 102 includes a processor 106 connected to a bus 104. Also connected to the bus 104 are a main memory 108 (preferably implemented as random access memory, RAM) and a variety of secondary storage devices 110, such as a hard drive 112 and a removable medium storage device 114. The removable medium storage device 114 may represent, for example, a floppy disk drive, a CD-ROM drive, a magnetic tape drive, *etc.* A removable storage medium 116 (such as a floppy disk, a compact disk, a magnetic tape, *etc.*) containing control logic and/or data recorded therein may be inserted into the removable medium storage device 114. The computer system 102 includes appropriate software for reading the control logic and/or the data from the removable medium storage device 114, once it is inserted into the removable medium storage device 114.

A nucleotide sequence of the present invention may be stored in a well known manner in the main memory 108, any of the secondary storage devices 110, and/or a removable storage medium 116. During execution, software for

accessing and processing the genomic sequence (such as search tools, comparing tools, etc.) reside in main memory 108, in accordance with the requirements and operating parameters of the operating system, the hardware system and the software program or programs.

BIOCHEMICAL EMBODIMENTS

Other embodiments of the present invention are directed to fragments of the *Staphylococcus aureus* genome, preferably to isolated fragments. The fragments of the *Staphylococcus aureus* genome of the present invention include, but are not limited to fragments which encode peptides, hereinafter open reading frames (ORFs), fragments which modulate the expression of an operably linked ORF, hereinafter expression modulating fragments (EMFs) and fragments which can be used to diagnose the presence of *Staphylococcus aureus* in a sample, hereinafter diagnostic fragments (DFs).

As used herein, an "isolated nucleic acid molecule" or an "isolated fragment of the *Staphylococcus aureus* genome" refers to a nucleic acid molecule possessing a specific nucleotide sequence which has been subjected to purification means to reduce, from the composition, the number of compounds which are normally associated with the composition. Particularly, the term refers to the nucleic acid molecules having the sequences set out in SEQ ID NOS:1-5,191, to representative fragments thereof as described above, to polynucleotides at least 95%, preferably at least 99% and especially preferably at least 99.9% identical in sequence thereto, also as set out above.

A variety of purification means can be used to generate the isolated fragments of the present invention. These include, but are not limited to methods which separate constituents of a solution based on charge, solubility, or size.

In one embodiment, *Staphylococcus aureus* DNA can be mechanically sheared to produce fragments of 15-20 kb in length. These fragments can then be used to generate an *Staphylococcus aureus* library by inserting them into lambda clones as described in the Examples below. Primers flanking, for example, an ORF, such as those enumerated in Tables 1-3 can then be generated using nucleotide sequence information provided in SEQ ID NOS: 1-5,191. Well known and routine techniques of PCR cloning then can be used to isolate the ORF from the lambda DNA library of *Staphylococcus aureus* genomic DNA. Thus, given the availability of SEQ ID NOS:1-5,191, the information in Tables 1, 2 and 3, and the information that may be obtained readily by analysis of the sequences of SEQ ID NOS:1-5,191 using methods set out above, those of skill will be enabled by the present disclosure to isolate any ORF-containing or other nucleic acid fragment of the present invention.

The isolated nucleic acid molecules of the present invention include, but are not limited to single stranded and double stranded DNA, and single stranded RNA.

As used herein, an "open reading frame," ORF, means a series of triplets coding for amino acids without any termination codons and is a sequence translatable into protein.

Tables 1, 2 and 3 list ORFs in the *Staphylococcus aureus* genomic contigs of the present invention that were identified as putative coding regions by the GeneMark software using organism-specific second-order Markov probability transition matrices. It will be appreciated that other criteria can be used, in accordance with well known analytical methods, such as those discussed herein, to generate more inclusive, more restrictive or more selective lists.

Table 1 sets out ORFs in the *Staphylococcus aureus* contigs of the present invention that are at least 80 amino acids long and over a continuous region of at least 50 bases which are 95% or more identical (by BLAST analysis) to an *S. aureus* nucleotide sequence available through Genbank in November 1996.

Table 2 sets out ORFs in the *Staphylococcus aureus* contigs of the present invention that are not in Table 1 and match, with a BLASTP probability score of 0.01 or less, a polypeptide sequence available through Genbank by September 1996.

Table 3 sets out ORFs in the *Staphylococcus aureus* contigs of the present invention that do not match significantly, by BLASTP analysis, a polypeptide sequence available through Genbank by September 1996.

In each table, the first and second columns identify the ORF by, respectively, contig number and ORF number within the contig; the third column indicates the reading frame, taking the first 5' nucleotide of the contig as the start of the +1 frame; the fourth column indicates the first nucleotide of the ORF, counting from the 5' end of the contig strand; and the fifth column indicates the length of each ORF in nucleotides.

In Tables 1 and 2, column six, lists the Reference* for the closest matching sequence available through Genbank. These reference numbers are the databases entry numbers commonly used by those of skill in the art, who will be familiar with their denominators. Descriptions of the nomenclature are available from the National Center for Biotechnology Information. Column seven in Tables 1 and 2 provides the gene name* of the matching sequence; column eight provides the BLAST identity* score from the comparison of the ORF and the homologous gene; and column nine indicates the length in nucleotides of the highest scoring segment pair* identified by the BLAST identity analysis.

In Table 3, the last column, column six, indicates the length of each ORF in amino acid residues.

The concepts of percent identity and percent similarity of two polypeptide sequences is well understood in the art. For example, two polypeptides 10 amino acids in length which differ at three amino acid positions (e.g., at positions

1, 3 and 5) are said to have a percent identity of 70%. However, the same two polypeptides would be deemed to have a percent similarity of 80% if, for example at position 5, the amino acids moieties, although not identical, were "similar" (i.e., possessed similar biochemical characteristics). Many programs for analysis of nucleotide or amino acid sequence similarity, such as fasta and BLAST specifically list per cent identity of a matching region as an output parameter. Thus, for instance, Tables 1 and 2 herein enumerate the per cent identity* of the highest scoring segment pair* in each ORF and its listed relative. Further details concerning the algorithms and criteria used for homology searches are provided below and are described in the pertinent literature highlighted by the citations provided below.

It will be appreciated that other criteria can be used to generate more inclusive and more exclusive listings of the types set out in the tables. As those of skill will appreciate, narrow and broad searches both are useful. Thus, a skilled artisan can readily identify ORFs in contigs of the *Staphylococcus aureus* genome other than those listed in Tables 1-3, such as ORFs which are overlapping or encoded by the opposite strand of an identified ORF in addition to those ascertainable using the computer-based systems of the present invention.

As used herein, an "expression modulating fragment," EMF, means a series of nucleotide molecules which modulates the expression of an operably linked ORF or EMF.

As used herein, a sequence is said to "modulate the expression of an operably linked sequence" when the expression of the sequence is altered by the presence of the EMF. EMFs include, but are not limited to, promoters, and promoter modulating sequences (inducible elements). One class of EMFs are fragments which induce the expression or an operably linked ORF in response to a specific regulatory factor or physiological event.

EMF sequences can be identified within the contigs of the *Staphylococcus aureus* genome by their proximity to the ORFs provided in Tables 1-3. An intergenic segment, or a fragment of the intergenic segment, from about 10 to 200 nucleotides in length, taken from any one of the ORFs of Tables 1-3 will modulate the expression of an operably linked ORF in a fashion similar to that found with the naturally linked ORF sequence. As used herein, an "intergenic segment" refers to fragments of the *Staphylococcus aureus* genome which are between two ORF(s) herein described. EMFs also can be identified using known EMFs as a target sequence or target motif in the computer-based systems of the present invention. Further, the two methods can be combined and used together.

The presence and activity of an EMF can be confirmed using an EMF trap vector. An EMF trap vector contains a cloning site linked to a marker sequence. A marker sequence encodes an identifiable phenotype, such as antibiotic resistance or a complementing nutrition auxotrophic factor, which can be identified or assayed when the EMF trap vector is placed within an appropriate host under appropriate conditions. As described above, a EMF will modulate the expression of an operably linked marker sequence. A more detailed discussion of various marker sequences is provided below.

A sequence which is suspected as being an EMF is cloned in all three reading frames in one or more restriction sites upstream from the marker sequence in the EMF trap vector. The vector is then transformed into an appropriate host using known procedures and the phenotype of the transformed host is examined under appropriate conditions. As described above, an EMF will modulate the expression of an operably linked marker sequence.

As used herein, a "diagnostic fragment," DF, means a series of nucleotide molecules which selectively hybridize to *Staphylococcus aureus* sequences. DFs can be readily identified by identifying unique sequences within contigs of the *Staphylococcus aureus* genome, such as by using well-known computer analysis software, and by generating and testing probes or amplification primers consisting of the DF sequence in an appropriate diagnostic format which determines amplification or hybridization selectivity.

The sequences falling within the scope of the present invention are not limited to the specific sequences herein described, but also include allelic and species variations thereof. Allelic and species variations can be routinely determined by comparing the sequences provided in SEQ ID NOS:1-5,191, a representative fragment thereof, or a nucleotide sequence at least 95%, preferably 99% and most preferably 99.9% identical to SEQ ID NOS:1-5,191, with a sequence from another isolate of the same species.

Furthermore, to accomodate codon variability, the invention includes nucleic acid molecules coding for the same amino acid sequences as do the nucleic acid sequences mentioned above. In other words, in the coding region of an ORF, substitution of one codon for another which encodes the same amino acid is expressly contemplated.

Any specific sequence disclosed herein can be readily screened for errors by resequencing a particular fragment, such as an ORF, in both directions (i.e., sequence both strands). Alternatively, error screening can be performed by sequencing corresponding polynucleotides of *Staphylococcus aureus* origin isolated by using part or all of the fragments in question as a probe or primer.

Each of the ORFs of the *Staphylococcus aureus* genome disclosed in Tables 1, 2 and 3, and the EMFs found 5' to the ORFs, can be used as polynucleotide reagents in numerous ways. For example, the sequences can be used as diagnostic probes or diagnostic amplification primers to detect the presence of a specific microbe in a sample, particular *Staphylococcus aureus*. Especially preferred in this regard are ORF such as those of Table 3, which do not match previously characterized sequences from other organisms and thus are most likely to be highly selective for *Staphylococcus aureus*. Also particularly preferred are ORFs that can be used to distinguish between strains of *Sta-*

Staphylococcus aureus, particularly those that distinguish medically important strain, such as drug-resistant strains.

In addition, the fragments of the present invention, as broadly described, can be used to control gene expression through triple helix formation or antisense DNA or RNA, both of which methods are based on the binding of a polynucleotide sequence to DNA or RNA. Triple helix-formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. Information from the sequences of the present invention can be used to design antisense and triple helix-forming oligonucleotides. Polynucleotides suitable for use in these methods are usually 20 to 40 bases in length and are designed to be complementary to a region of the gene involved in transcription, for triple-helix formation, or to the mRNA itself, for antisense inhibition. Both techniques have been demonstrated to be effective in model systems, and the requisite techniques are well known and involve routine procedures. Triple helix techniques are discussed in, for example, Lee *et al.*, *Nucl. Acids Res.* **6**: 3073 (1979); Cooney *et al.*, *Science* **241**: 456 (1988); and Dervan *et al.*, *Science* **251**: 1360 (1991). Antisense techniques in general are discussed in, for instance, Okano, *J. Neurochem.* **56**: 560 (1991) and OLIGODEOXYNUCLEOTIDES AS ANTISENSE INHIBITORS OF GENE EXPRESSION, CRC Press, Boca Raton, FL (1988).

The present invention further provides recombinant constructs comprising one or more fragments of the *Staphylococcus aureus* genomic fragments and contigs of the present invention. Certain preferred recombinant constructs of the present invention comprise a vector, such as a plasmid or viral vector, into which a fragment of the *Staphylococcus aureus* genome has been inserted, in a forward or reverse orientation. In the case of a vector comprising one of the ORFs of the present invention, the vector may further comprise regulatory sequences, including for example, a promoter, operably linked to the ORF. For vectors comprising the EMFs of the present invention, the vector may further comprise a marker sequence or heterologous ORF operably linked to the EMF.

Large numbers of suitable vectors and promoters are known to those of skill in the art and are commercially available for generating the recombinant constructs of the present invention. The following vectors are provided by way of example. Useful bacterial vectors include phagescript, PsiX174, pBluescript SK and KS (+ and -), pNH8a, pNH16a, pNH18a, pNH46a (available from Stratagene); pTrc99A, pKK223-3, pKK233-3, pDR540, pRIT5 (available from Pharmacia). Useful eukaryotic vectors include pWLneo, pSV2cat, pOG44, pXT1, pSG (available from Stratagene) pSVK3, pBPV, pMSG, pSVL (available from Pharmacia).

Promoter regions can be selected from any desired gene using CAT (chloramphenicol transferase) vectors or other vectors with selectable markers. Two appropriate vectors are pKK232-8 and pCM7. Particular named bacterial promoters include lacI, lacZ, T3, T7, gpt, lambda PR, and trc. Eukaryotic promoters include CMV immediate early, HSV thymidine kinase, early and late SV40, LTRs from retrovirus, and mouse metallothionein-I. Selection of the appropriate vector and promoter is well within the level of ordinary skill in the art.

The present invention further provides host cells containing any one of the isolated fragments of the *Staphylococcus aureus* genomic fragments and contigs of the present invention, wherein the fragment has been introduced into the host cell using known methods. The host cell can be a higher eukaryotic host cell, such as a mammalian cell, a lower eukaryotic host cell, such as a yeast cell, or a procaryotic cell, such as a bacterial cell.

A polynucleotide of the present invention, such as a recombinant construct comprising an ORF of the present invention, may be introduced into the host by a variety of well established techniques that are standard in the art, such as calcium phosphate transfection, DEAE, dextran mediated transfection and electroporation, which are described in, for instance, Davis, L. *et al.*, BASIC METHODS IN MOLECULAR BIOLOGY (1986).

A host cell containing one of the fragments of the *Staphylococcus aureus* genomic fragments and contigs of the present invention, can be used in conventional manners to produce the gene product encoded by the isolated fragment (in the case of an ORF) or can be used to produce a heterologous protein under the control of the EMF.

The present invention further provides isolated polypeptides encoded by the nucleic acid fragments of the present invention or by degenerate variants of the nucleic acid fragments of the present invention. By "degenerate variant" is intended nucleotide fragments which differ from a nucleic acid fragment of the present invention (e.g., an ORF) by nucleotide sequence but, due to the degeneracy of the Genetic Code, encode an identical polypeptide sequence.

Preferred nucleic acid fragments of the present invention are the ORFs depicted in Tables 2 and 3 which encode proteins.

A variety of methodologies known in the art can be utilized to obtain any one of the isolated polypeptides or proteins of the present invention. At the simplest level, the amino acid sequence can be synthesized using commercially available peptide synthesizers. This is particularly useful in producing small peptides and fragments of larger polypeptides. Such short fragments as may be obtained most readily by synthesis are useful, for example, in generating antibodies against the native polypeptide, as discussed further below.

In an alternative method, the polypeptide or protein is purified from bacterial cells which naturally produce the polypeptide or protein. One skilled in the art can readily employ well-known methods for isolating polypeptides and proteins to isolate and purify polypeptides or proteins of the present invention produced naturally by a bacterial strain, or by other methods. Methods for isolation and purification that can be employed in this regard include, but are not limited to, immunochromatography, HPLC, size-exclusion chromatography, ion-exchange chromatography, and immu-

no-affinity chromatography.

The polypeptides and proteins of the present invention also can be purified from cells which have been altered to express the desired polypeptide or protein. As used herein, a cell is said to be altered to express a desired polypeptide or protein when the cell, through genetic manipulation, is made to produce a polypeptide or protein which it normally does not produce or which the cell normally produces at a lower level. Those skilled in the art can readily adapt procedures for introducing and expressing either recombinant or synthetic sequences into eukaryotic or prokaryotic cells in order to generate a cell which produces one of the polypeptides or proteins of the present invention.

Any host/vector system can be used to express one or more of the ORFs of the present invention. These include, but are not limited to, eukaryotic hosts such as HeLa cells, CV-1 cell, COS cells, and Sf9 cells, as well as prokaryotic host such as *E. coli* and *B. subtilis*. The most preferred cells are those which do not normally express the particular polypeptide or protein or which expresses the polypeptide or protein at low natural level.

"Recombinant," as used herein, means that a polypeptide or protein is derived from recombinant (e.g., microbial or mammalian) expression systems. "Microbial" refers to recombinant polypeptides or proteins made in bacterial or fungal (e.g., yeast) expression systems. As a product, "recombinant microbial" defines a polypeptide or protein essentially free of native endogenous substances and unaccompanied by associated native glycosylation. Polypeptides or proteins expressed in most bacterial cultures, e.g., *E. coli*, will be free of glycosylation modifications; polypeptides or proteins expressed in yeast will have a glycosylation pattern different from that expressed in mammalian cells.

"Nucleotide sequence" refers to a heteropolymer of deoxyribonucleotides. Generally, DNA segments encoding the polypeptides and proteins provided by this invention are assembled from fragments of the *Staphylococcus aureus* genome and short oligonucleotide linkers, or from a series of oligonucleotides, to provide a synthetic gene which is capable of being expressed in a recombinant transcriptional unit comprising regulatory elements derived from a microbial or viral operon.

"Recombinant expression vehicle or vector" refers to a plasmid or phage or virus or vector, for expressing a polypeptide from a DNA (RNA) sequence. The expression vehicle can comprise a transcriptional unit comprising an assembly of (1) a genetic regulatory elements necessary for gene expression in the host, including elements required to initiate and maintain transcription at a level sufficient for suitable expression of the desired polypeptide, including, for example, promoters and, where necessary, an enhancers and a polyadenylation signal; (2) a structural or coding sequence which is transcribed into mRNA and translated into protein, and (3) appropriate signals to initiate translation at the beginning of the desired coding region and terminate translation at its end. Structural units intended for use in yeast or eukaryotic expression systems preferably include a leader sequence enabling extracellular secretion of translated protein by a host cell. Alternatively, where recombinant protein is expressed without a leader or transport sequence, it may include an N-terminal methionine residue. This residue may or may not be subsequently cleaved from the expressed recombinant protein to provide a final product.

"Recombinant expression system" means host cells which have stably integrated a recombinant transcriptional unit into chromosomal DNA or carry the recombinant transcriptional unit extra chromosomally. The cells can be prokaryotic or eukaryotic. Recombinant expression systems as defined herein will express heterologous polypeptides or proteins upon induction of the regulatory elements linked to the DNA segment or synthetic gene to be expressed.

Mature proteins can be expressed in mammalian cells, yeast, bacteria, or other cells under the control of appropriate promoters. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA constructs of the present invention. Appropriate cloning and expression vectors for use with prokaryotic and eukaryotic hosts are described in Sambrook *et al.*, MOLECULAR CLONING: A LABORATORY MANUAL, 2nd Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York (1989), the disclosure of which is hereby incorporated by reference in its entirety.

Generally, recombinant expression vectors will include origins of replication and selectable markers permitting transformation of the host cell, e.g., the ampicillin resistance gene of *E. coli* and *S. cerevisiae* TRP1 gene, and a promoter derived from a highly expressed gene to direct transcription of a downstream structural sequence. Such promoters can be derived from operons encoding glycolytic enzymes such as 3-phosphoglycerate kinase (PGK), alpha-factor, acid phosphatase, or heat shock proteins, among others. The heterologous structural sequence is assembled in appropriate phase with translation initiation and termination sequences, and preferably, a leader sequence capable of directing secretion of translated protein into the periplasmic space or extracellular medium. Optionally, the heterologous sequence can encode a fusion protein including an N-terminal identification peptide imparting desired characteristics, e.g., stabilization or simplified purification of expressed recombinant product.

Useful expression vectors for bacterial use are constructed by inserting a structural DNA sequence encoding a desired protein together with suitable translation initiation and termination signals in operable reading phase with a functional promoter. The vector will comprise one or more phenotypic selectable markers and an origin of replication to ensure maintenance of the vector and, when desirable, provide amplification within the host.

Suitable prokaryotic hosts for transformation include strains of *Staphylococcus aureus*, *E. coli*, *B. subtilis*, *Salmonella typhimurium* and various species within the genera *Pseudomonas*, *Streptomyces*, and *Staphylococcus*. Others

may, also be employed as a matter of choice.

As a representative but non-limiting example, useful expression vectors for bacterial use can comprise a selectable marker and bacterial origin of replication derived from commercially available plasmids comprising genetic elements of the well known cloning vector pBR322 (ATCC 37017). Such commercial vectors include, for example, pKK223-3 (available from Pharmacia Fine Chemicals, Uppsala, Sweden) and GEM 1 (available from Promega Biotec, Madison, WI, USA). These pBR322 "backbone" sections are combined with an appropriate promoter and the structural sequence to be expressed.

Following transformation of a suitable host strain and growth of the host strain to an appropriate cell density, the selected promoter, where it is inducible, is derepressed or induced by appropriate means (e.g., temperature shift or chemical induction) and cells are cultured for an additional period to provide for expression of the induced gene product. Thereafter cells are typically harvested, generally by centrifugation, disrupted to release expressed protein, generally by physical or chemical means, and the resulting crude extract is retained for further purification.

Various mammalian cell culture systems can also be employed to express recombinant protein. Examples of mammalian expression systems include the COS-7 lines of monkey kidney fibroblasts, described in Gluzman, *Cell* 23: 175 (1981), and other cell lines capable of expressing a compatible vector, for example, the C127, 3T3, CHO, HeLa and BHK cell lines.

Mammalian expression vectors will comprise an origin of replication, a suitable promoter and enhancer, and also any necessary ribosome binding sites, polyadenylation site, splice donor and acceptor sites, transcriptional termination sequences, and 5' flanking nontranscribed sequences. DNA sequences derived from the SV40 viral genome, for example, SV40 origin, early promoter, enhancer, splice, and polyadenylation sites may be used to provide the required nontranscribed genetic elements.

Recombinant polypeptides and proteins produced in bacterial culture is usually isolated by initial extraction from cell pellets, followed by one or more salting-out, aqueous ion exchange or size exclusion chromatography steps. Microbial cells employed in expression of proteins can be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents. Protein refolding steps can be used, as necessary, in completing configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for final purification steps.

An additional aspect of the invention includes *Staphylococcus aureus* polypeptides which are useful as immunodiagnostic antigens and/or immunoprotective vaccines, collectively "immunologically useful polypeptides". Such immunologically useful polypeptides may be selected from the ORFs disclosed herein based on techniques well known in the art and described elsewhere herein. The inventors have used the following criteria to select several immunologically useful polypeptides:

As is known in the art, an amino terminal type I signal sequence directs a nascent protein across the plasma and outer membranes to the exterior of the bacterial cell. Such outer membrane polypeptides are expected to be immunologically useful. According to Izard, J. W. et al., *Mol. Microbiol.* 13, 765-773; (1994), polypeptides containing type I signal sequences contain the following physical attributes: The length of the type I signal sequence is approximately 15 to 25 primarily hydrophobic amino acid residues with a net positive charge in the extreme amino terminus; the central region of the signal sequence must adopt an alpha-helical conformation in a hydrophobic environment; and the region surrounding the actual site of cleavage is ideally six residues long, with small side-chain amino acids in the -1 and -3 positions.

Also known in the art is the type IV signal sequence which is an example of the several types of functional signal sequences which exist in addition to the type I signal sequence detailed above. Although functionally related, the type IV signal sequence possesses a unique set of biochemical and physical attributes (Strom, M. S. and Lory, S., *J. Bacteriol.* 174, 7345-7351; 1992)). These are typically six to eight amino acids with a net basic charge followed by an additional sixteen to thirty primarily hydrophobic residues. The cleavage site of a type IV signal sequence is typically after the initial six to eight amino acids at the extreme amino terminus. In addition, all type IV signal sequences contain a phenylalanine residue at the +1 site relative to the cleavage site.

Studies of the cleavage sites of twenty-six bacterial lipoprotein precursors has allowed the definition of a consensus amino acid sequence for lipoprotein cleavage. Nearly three-fourths of the bacterial lipoprotein precursors examined contained the sequence L-(A,S)-(G,A)-C at positions -3 to +1, relative to the point of cleavage (Hayashi, S. and Wu, H. C. *Lipoproteins in bacteria*. *J. Bioenerg. Biomembr.* 22; 451-471; 1990).

It well known that most anchored proteins found on the surface of gram-positive bacteria possess a highly conserved carboxy terminal sequence. More than fifty such proteins from organisms such as *S. pyogenes*, *S. mutans*, *E. faecalis*, *S. pneumoniae*, and others, have been identified based on their extracellular location and carboxy terminal amino acid sequence (Fischetti, V. A. *Gram-positive commensal bacteria deliver antigens to elicit mucosal and systemic immunity*. *ASM News* 62, 405410; 1996). The conserved region is comprised of six charged amino acids at the extreme carboxy terminus coupled to 15-20 hydrophobic amino acids presumed to function as a transmembrane domain. Immediately adjacent to the transmembrane domain is a six amino acid sequence conserved in nearly all proteins ex-

aminated. The amino acid sequence of this region is L-P-X-T-G-X, where X is any amino acid.

Amino acid sequence similarities to proteins of known function by BLAST enables the assignment of putative functions to novel amino acid sequences and allows for the selection of proteins thought to function outside the cell wall. Such proteins are well known in the art and include "lipoprotein", "periplasmic", or "antigen".

5 An algorithm for selecting antigenic and immunogenic *Staphylococcus aureus* polypeptides including the foregoing criteria was developed by the present inventors. Use of the algorithm by the inventors to select immunologically useful *Staphylococcus aureus* polypeptides resulted in the selection of several ORFs which are predicted to be outermembrane-associated proteins. These proteins are identified in Table 4, below, and shown in the Sequence Listing as SEQ ID NOS:5,192 to 5,255. Thus the amino acid sequence of each of several antigenic *Staphylococcus aureus* polypeptides listed in Table 4 can be determined, for example, by locating the amino acid sequence of the ORF in the Sequence Listing. Likewise the polynucleotide sequence encoding each ORF can be found by locating the corresponding polynucleotide SEQ ID in Tables 1, 2, or 3, and finding the corresponding nucleotide sequence in the sequence listing.

10 As will be appreciated by those of ordinary skill in the art, although a polypeptide representing an entire ORF may be the closest approximation to a protein found *in vivo*, it is not always technically practical to express a complete ORF *in vitro*. It may be very challenging to express and purify a highly hydrophobic protein by common laboratory methods. As a result, the immunologically useful polypeptides described herein as SEQ ID NOS:5,192-5,255 may have been modified slightly to simplify the production of recombinant protein, and are the preferred embodiments. In general, nucleotide sequences which encode highly hydrophobic domains, such as those found at the amino terminal signal sequence, are excluded for enhanced *in vitro* expression of the polypeptides. Furthermore, any highly hydrophobic amino acid sequences occurring at the carboxy terminus are also excluded. Such truncated polypeptides include for example the mature forms of the polypeptides expected to exist in nature.

20 Those of ordinary skill in the art can identify soluble portions the polypeptide identified in Table 4, and in the case of truncated polypeptides sequences shown as SEQ ID NOS:5,192-5,255, may obtain the complete predicted amino acid sequence of each polypeptide by translating the corresponding polynucleotides sequences of the corresponding ORF listed in Tables 1,2 and 3 and found in the sequence listing.

25 Accordingly, polypeptides comprising the complete amino acid of an immunologically useful polypeptide selected from the group of polypeptides encoded by the ORFs identified in Table 4, or an amino acid sequence at least 95% identical thereto, preferably at least 97% identical thereto, and most preferably at least 99% identical thereto form an embodiment of the invention; in addition polypeptides comprising an amino acid sequence selected from the group of amino acid sequences shown in the sequence listing as SEQ ID NOS:5,191-5,255, or an amino acid sequence at least 95% identical thereto, preferably at least 97% identical thereto and most preferably at least 99% identical thereto, form an embodiment of the invention. Polynucleotides encoding the foregoing polypeptides also form part of the present invention.

35 In another aspect, the invention provides a peptide or polypeptide comprising an epitope-bearing portion of a polypeptide of the invention, particularly those epitope-bearing portions (antigenic regions) identified in Table 4. The epitope-bearing portion is an immunogenic or antigenic epitope of a polypeptide of the invention. An "immunogenic epitope" is defined as a part of a protein that elicits an antibody response when the whole protein is the immunogen. On the other hand, a region of a protein molecule to which an antibody can bind is defined as an "antigenic epitope." The number of immunogenic epitopes of a protein generally is less than the number of antigenic epitopes. See, for instance, Geysen et al., Proc. Natl. Acad. Sci. USA 81:3998- 4002 (1983).

40 As to the selection of peptides or polypeptides bearing an antigenic epitope (i.e., that contain a region of a protein molecule to which an antibody can bind), it is well known in that art that relatively short synthetic peptides that mimic part of a protein sequence are routinely capable of eliciting an antiserum that reacts with the partially mimicked protein. See, for instance, Sutcliffe, J. G., Shinnick, T. M., Green, N. and Leamer, R. A. (1983) "Antibodies that react with predetermined sites on proteins", Science, 219:660-666. Peptides capable of eliciting protein-reactive sera are frequently represented in the primary sequence of a protein, can be characterized by a set of simple chemical rules, and are confined neither to immunodominant regions of intact proteins (i.e., immunogenic epitopes) nor to the amino or carboxyl terminals. Antigenic epitope-bearing peptides and polypeptides of the invention are therefore useful to raise antibodies, including monoclonal antibodies, that bind specifically to a polypeptide of the invention. See, for instance, Wilson et al., Cell 37:767-778 (1984) at 777.

45 Antigenic epitope-bearing peptides and polypeptides of the invention preferably contain a sequence of at least seven, more preferably at least nine and most preferably between about 15 to about 30 amino acids contained within the amino acid sequence of a polypeptide of the invention. Non-limiting examples of antigenic polypeptides or peptides that can be used to generate *S. aureus* specific antibodies include: a polypeptide comprising peptides shown in Table 4 below. These polypeptide fragments have been determined to bear antigenic epitopes of indicated *S. aureus* proteins by the analysis of the Jameson-Wolf antigenic index, a representative sample of which is shown in Figure 3.

55 The epitope-bearing peptides and polypeptides of the invention may be produced by any conventional means. See, e.g., Houghten, R. A. (1985) General method for the rapid solid-phase synthesis of large numbers of peptides:

specificity of antigen-antibody interaction at the level of individual amino acids. Proc. Natl. Acad. Sci. USA 82: 5131-5135; this "Simultaneous Multiple Peptide Synthesis (SMPS)" process is further described in U.S. Patent No. 4,631,211 to Houghten et al. (1986). Epitope-bearing peptides and polypeptides of the invention are used to induce antibodies according to methods well known in the art. See, for instance, Sutcliffe et al., supra; Wilson et al., supra; Chow, M. et al., Proc. Natl. Acad. Sci. USA 82:910-914; and Bittle, F. J. et al., J. Gen. Virol. 66:2347-2354 (1985).

Immunogenic epitope-bearing peptides of the invention, i.e., those parts of a protein that elicit an antibody response when the whole protein is the immunogen, are identified according to methods known in the art. See, for instance, Geysen et al., supra. Further still, U.S. Patent No. 5,194,392 to Geysen (1990) describes a general method of detecting or determining the sequence of monomers (amino acids or other compounds) which is a topological equivalent of the epitope (i.e., a "mimotope") which is complementary to a particular paratope (antigen binding site) of an antibody of interest. More generally, U.S. Patent No. 4,433,092 to Geysen (1989) describes a method of detecting or determining a sequence of monomers which is a topographical equivalent of a ligand which is complementary to the ligand binding site of a particular receptor of interest. Similarly, U.S. Patent No. 5,480,971 to Houghten, R. A. et al. (1996) on Per-alkylated Oligopeptide Mixtures discloses linear C1-C7-alkyl peralkylated oligopeptides and sets and libraries of such peptides, as well as methods for using such oligopeptide sets and libraries for determining the sequence of a per-alkylated oligopeptide that preferentially binds to an acceptor molecule of interest. Thus, non-peptide analogs of the epitope-bearing peptides of the invention also can be made routinely by these methods.

Table 4 lists immunologically useful polypeptides identified by an algorithm which locates novel *Staphylococcus aureus* outermembrane proteins, as is described above. Also listed are epitopes or "antigenic regions" of each of the identified polypeptides. The antigenic regions, or epitopes, are delineated by two numbers x-y, where x is the number of the first amino acid in the open reading frame included within the epitope and y is the number of the last amino acid in the open reading frame included within the epitope. For example, the first epitope in ORF 168-6 is comprised of amino acids 36 to 45 of SEQ ID NO:5,192, as is described in Table 4. The inventors have identified several epitopes for each of the antigenic polypeptides identified in Table 4. Accordingly, forming part of the present invention are polypeptides comprising an amino acid sequence of one or more antigenic regions identified in Table 4. The invention further provides polynucleotides encoding such polypeptides.

The present invention further includes isolated polypeptides, proteins and nucleic acid molecules which are substantially equivalent to those herein described. As used herein, substantially equivalent can refer both to nucleic acid and amino acid sequences, for example a mutant sequence, that varies from a reference sequence by one or more substitutions, deletions, or additions, the net effect of which does not result in an adverse functional dissimilarity between reference and subject sequences. For purposes of the present invention, sequences having equivalent biological activity, and equivalent expression characteristics are considered substantially equivalent. For purposes of determining equivalence, truncation of the mature sequence should be disregarded.

The invention further provides methods of obtaining homologs from other strains of *Staphylococcus aureus*, of the fragments of the *Staphylococcus aureus* genome of the present invention and homologs of the proteins encoded by the ORFs of the present invention. As used herein, a sequence or protein of *Staphylococcus aureus* is defined as a homolog of a fragment of the *Staphylococcus aureus* fragments or contigs or a protein encoded by one of the ORFs of the present invention, if it shares significant homology to one of the fragments of the *Staphylococcus aureus* genome of the present invention or a protein encoded by one of the ORFs of the present invention. Specifically, by using the sequence disclosed herein as a probe or as primers, and techniques such as PCR cloning and colony/plaque hybridization, one skilled in the art can obtain homologs.

As used herein, two nucleic acid molecules or proteins are said to "share significant homology" if the two contain regions which possess greater than 85% sequence (amino acid or nucleic acid) homology. Preferred homologs in this regard are those with more than 90% homology. Especially preferred are those with 93% or more homology. Among especially preferred homologs those with 95% or more homology are particularly preferred. Very particularly preferred among these are those with 97% and even more particularly preferred among those are homologs with 99% or more homology. The most preferred homologs among these are those with 99.9% homology or more. It will be understood that, among measures of homology, identity is particularly preferred in this regard.

Region specific primers or probes derived from the nucleotide sequence provided in SEQ ID NOS:1-5,191 or from a nucleotide sequence at least 95%, particularly at least 99%, especially at least 99.5% identical to a sequence of SEQ ID NOS:1-5,191 can be used to prime DNA synthesis and PCR amplification, as well as to identify colonies containing cloned DNA encoding a homolog. Methods suitable to this aspect of the present invention are well known and have been described in great detail in many publications such as, for example, Innis et al., PCR PROTOCOLS, Academic Press, San Diego, CA (1990)).

When using primers derived from SEQ ID NOS:1-5,191 or from a nucleotide sequence having an aforementioned identity to a sequence of SEQ ID NOS:1-5,191, one skilled in the art will recognize that by employing high stringency conditions (e.g., annealing at 50-60°C in 6X SSPE and 50% formamide, and washing at 50-65°C in 0.5X SSPE) only sequences which are greater than 75% homologous to the primer will be amplified. By employing lower stringency

conditions (e.g., hybridizing at 35-37°C in 5X SSPE and 40-45% formamide, and washing at 42°C in 0.5X SSPE), sequences which are greater than 40-50% homologous to the primer will also be amplified.

When using DNA probes derived from SEQ ID NOS:1-5,191, or from a nucleotide sequence having an aforementioned identity to a sequence of SEQ ID NOS:1-5,191, for colony/plaque hybridization, one skilled in the art will recognize that by employing high stringency conditions (e.g., hybridizing at 50-65°C in 5X SSPE and 50% formamide, and washing at 50-65°C in 0.5X SSPE), sequences having regions which are greater than 90% homologous to the probe can be obtained, and that by employing lower stringency conditions (e.g., hybridizing at 35-37°C in 5X SSPE and 40-45% formamide, and washing at 42°C in 0.5X SSPE), sequences having regions which are greater than 35-45% homologous to the probe will be obtained.

Any organism can be used as the source for homologs of the present invention so long as the organism naturally expresses such a protein or contains genes encoding the same. The most preferred organism for isolating homologs are bacteria which are closely related to *Staphylococcus aureus*.

ILLUSTRATIVE USES OF COMPOSITIONS OF THE INVENTION

Each ORF provided in Tables 1 and 2 is identified with a function by homology to a known gene or polypeptide. As a result, one skilled in the art can use the polypeptides of the present invention for commercial, therapeutic and industrial purposes consistent with the type of putative identification of the polypeptide. Such identifications permit one skilled in the art to use the *Staphylococcus aureus* ORFs in a manner similar to the known type of sequences for which the identification is made; for example, to ferment a particular sugar source or to produce a particular metabolite. A variety of reviews illustrative of this aspect of the invention are available, including the following reviews on the industrial use of enzymes, for example, BIOCHEMICAL ENGINEERING AND BIOTECHNOLOGY HANDBOOK, 2nd Ed., Macmillan Publications, Ltd. NY (1991) and BIOCATALYSTS IN ORGANIC SYNTHESIS, Tramper *et al.*, Eds., Elsevier Science Publishers, Amsterdam, The Netherlands (1985). A variety of exemplary uses that illustrate this and similar aspects of the present invention are discussed below.

1. Biosynthetic Enzymes

Open reading frames encoding proteins involved in mediating the catalytic reactions involved in intermediary and macromolecular metabolism, the biosynthesis of small molecules, cellular processes and other functions includes enzymes involved in the degradation of the intermediary products of metabolism, enzymes involved in central intermediary metabolism, enzymes involved in respiration, both aerobic and anaerobic, enzymes involved in fermentation, enzymes involved in ATP proton motor force conversion, enzymes involved in broad regulatory function, enzymes involved in amino acid synthesis, enzymes involved in nucleotide synthesis, enzymes involved in cofactor and vitamin synthesis, can be used for industrial biosynthesis.

The various metabolic pathways present in *Staphylococcus aureus* can be identified based on absolute nutritional requirements as well as by examining the various enzymes identified in Table 1-3 and SEQ ID NOS:1-5,191.

Of particular interest are polypeptides involved in the degradation of intermediary metabolites as well as non-macromolecular metabolism. Such enzymes include amylases, glucose oxidases, and catalase.

Proteolytic enzymes are another class of commercially important enzymes. Proteolytic enzymes find use in a number of industrial processes including the processing of flax and other vegetable fibers, in the extraction, clarification and depectinization of fruit juices, in the extraction of vegetables' oil and in the maceration of fruits and vegetables to give unicellular fruits. A detailed review of the proteolytic enzymes used in the food industry is provided in Rombouts *et al.*, *Symbiosis* 21: 79 (1986) and Voragen *et al.* in BIOCATALYSTS IN AGRICULTURAL BIOTECHNOLOGY, Whitaker *et al.*, Eds., *American Chemical Society Symposium Series* 389: 93 (1989).

The metabolism of sugars is an important aspect of the primary metabolism of *Staphylococcus aureus*. Enzymes involved in the degradation of sugars, such as, particularly, glucose, galactose, fructose and xylose, can be used in industrial fermentation. Some of the important sugar transforming enzymes, from a commercial viewpoint, include sugar isomerases such as glucose isomerase. Other metabolic enzymes have found commercial use such as glucose oxidases which produces ketogulonic acid (KGA). KGA is an intermediate in the commercial production of ascorbic acid using the Reichstein's procedure, as described in Krueger *et al.*, *Biotechnology* 6(A), Rhine *et al.*, Eds., Verlag Press, Weinheim, Germany (1984).

Glucose oxidase (GOD) is commercially available and has been used in purified form as well as in an immobilized form for the deoxygenation of beer. See, for instance, Hartmeir *et al.*, *Biotechnology Letters* 1: 21 (1979). The most important application of GOD is the industrial scale fermentation of gluconic acid. Market for gluconic acids which are used in the detergent, textile, leather, photographic, pharmaceutical, food, feed and concrete industry, as described, for example, in Bigelis *et al.*, beginning on page 357 in GENE MANIPULATIONS AND FUNGI; Benett *et al.*, Eds., Academic Press, New York (1985). In addition to industrial applications, GOD has found applications in medicine for

quantitative determination of glucose in body fluids recently in biotechnology for analyzing syrups from starch and cellulose hydrosylates. This application is described in Owusu *et al.*, *Biochem. et Biophysica. Acta.* 872: 83 (1986), for instance.

The main sweetener used in the world today is sugar which comes from sugar beets and sugar cane. In the field of industrial enzymes, the glucose isomerase process shows the largest expansion in the market today. Initially, soluble enzymes were used and later immobilized enzymes were developed (Krueger *et al.*, *Biotechnology, The Textbook of Industrial Microbiology*, Sinauer Associated Incorporated, Sunderland, Massachusetts (1990)). Today, the use of glucose- produced high fructose syrups is by far the largest industrial business using immobilized enzymes. A review of the industrial use of these enzymes is provided by Jorgensen, *Starch* 40:307 (1988).

Proteinases, such as alkaline serine proteinases, are used as detergent additives and thus represent one of the largest volumes of microbial enzymes used in the industrial sector. Because of their industrial importance, there is a large body of published and unpublished information regarding the use of these enzymes in industrial processes. (See Faultman *et al.*, *Acid Proteases Structure Function and Biology*, Tang, J., ed., Plenum Press, New York (1977) and Godfrey *et al.*, *Industrial Enzymes*, MacMillan Publishers, Surrey, UK (1983) and Hepner *et al.*, *Report Industrial Enzymes by 1990*, Hel Hepner & Associates, London (1986)).

Another class of commercially usable proteins of the present invention are the microbial lipases, described by, for instance, Macrae *et al.*, *Philosophical Transactions of the Chiral Society of London* 310:227 (1985) and Poserke, *Journal of the American Oil Chemist Society* 61:1758 (1984). A major use of lipases is in the fat and oil industry for the production of neutral glycerides using lipase catalyzed inter-esterification of readily available triglycerides. Application of lipases include the use as a detergent additive to facilitate the removal of fats from fabrics in the course of the washing procedures.

The use of enzymes, and in particular microbial enzymes, as catalyst for key steps in the synthesis of complex organic molecules is gaining popularity at a great rate. One area of great interest is the preparation of chiral intermediates. Preparation of chiral intermediates is of interest to a wide range of synthetic chemists particularly those scientists involved with the preparation of new pharmaceuticals, agrochemicals, fragrances and flavors. (See Davies *et al.*, *Recent Advances in the Generation of Chiral Intermediates Using Enzymes*, CRC Press, Boca Raton, Florida (1990)). The following reactions catalyzed by enzymes are of interest to organic chemists: hydrolysis of carboxylic acid esters, phosphate esters, amides and nitriles, esterification reactions, trans-esterification reactions, synthesis of amides, reduction of alkanones and oxoalkanates, oxidation of alcohols to carbonyl compounds, oxidation of sulfides to sulfoxides, and carbon bond forming reactions such as the aldol reaction.

When considering the use of an enzyme encoded by one of the ORFs of the present invention for biotransformation and organic synthesis it is sometimes necessary to consider the respective advantages and disadvantages of using a microorganism as opposed to an isolated enzyme. Pros and cons of using a whole cell system on the one hand or an isolated partially purified enzyme on the other hand, has been described in detail by Bud *et al.*, *Chemistry in Britain* (1987), p. 127.

Amino transferases, enzymes involved in the biosynthesis and metabolism of amino acids, are useful in the catalytic production of amino acids. The advantages of using microbial based enzyme systems is that the amino transferase enzymes catalyze the stereo- selective synthesis of only L-amino acids and generally possess uniformly high catalytic rates. A description of the use of amino transferases for amino acid production is provided by Roselle-David, *Methods of Enzymology* 136:479 (1987).

Another category of useful proteins encoded by the ORFs of the present invention include enzymes involved in nucleic acid synthesis, repair, and recombination. A variety of commercially important enzymes have previously been isolated from members of *Staphylococcus aureus*. These include Sau3A and Sau96I.

2. Generation of Antibodies

As described here, the proteins of the present invention, as well as homologs thereof, can be used in a variety of procedures and methods known in the art which are currently applied to other proteins. The proteins of the present invention can further be used to generate an antibody which selectively binds the protein. Such antibodies can be either monoclonal or polyclonal antibodies, as well fragments of these antibodies, and humanized forms.

The invention further provides antibodies which selectively bind to one of the proteins of the present invention and hybridomas which produce these antibodies. A hybridoma is an immortalized cell line which is capable of secreting a specific monoclonal antibody.

In general, techniques for preparing polyclonal and monoclonal antibodies as well as hybridomas capable of producing the desired antibody are well known in the art (Campbell, A. M., *MONOCLONAL ANTIBODY TECHNOLOGY: LABORATORY TECHNIQUES IN BIOCHEMISTRY AND MOLECULAR BIOLOGY*, Elsevier Science Publishers, Amsterdam, The Netherlands (1984); St. Groth *et al.*, *J. Immunol. Methods* 35: 1-21 (1980), Kohler and Milstein, *Nature* 256: 495-497 (1975)), the trioma technique, the human B- cell hybridoma technique (Kozbor *et al.*, *Immunology Today*

4: 72 (1983), pgs. 77-96 of Cole *et al.*, in MONOCLONAL ANTIBODIES AND CANCER THERAPY, Alan R. Liss, Inc. (1985)).

Any animal (mouse, rabbit, *etc.*) which is known to produce antibodies can be immunized with the pseudogene polypeptide. Methods for immunization are well known in the art. Such methods include subcutaneous or interperitoneal injection of the polypeptide. One skilled in the art will recognize that the amount of the protein encoded by the ORF of the present invention used for immunization will vary based on the animal which is immunized, the antigenicity of the peptide and the site of injection.

The protein which is used as an immunogen may be modified or administered in an adjuvant in order to increase the protein's antigenicity. Methods of increasing the antigenicity of a protein are well known in the art and include, but are not limited to coupling the antigen with a heterologous protein (such as globulin or galactosidase) or through the inclusion of an adjuvant during immunization.

For monoclonal antibodies, spleen cells from the immunized animals are removed, fused with myeloma cells, such as SP2/0-Ag14 myeloma cells, and allowed to become monoclonal antibody producing hybridoma cells.

Any one of a number of methods well known in the art can be used to identify the hybridoma cell which produces an antibody with the desired characteristics. These include screening the hybridomas with an ELISA assay, western blot analysis, or radioimmunoassay (Lutz *et al.*, *Exp. Cell Res.* 175: 109-124 (1988)).

Hybridomas secreting the desired antibodies are cloned and the class and subclass is determined using procedures known in the art (Campbell, A. M., *Monoclonal Antibody Technology: Laboratory Techniques in Biochemistry and Molecular Biology*, Elsevier Science Publishers, Amsterdam, The Netherlands (1984)).

Techniques described for the production of single chain antibodies (U. S. Patent 4,946,778) can be adapted to produce single chain antibodies to proteins of the present invention.

For polyclonal antibodies, antibody containing antisera is isolated from the immunized animal and is screened for the presence of antibodies with the desired specificity using one of the above-described procedures.

The present invention further provides the above-described antibodies in detectably labelled form. Antibodies can be detectably labelled through the use of radioisotopes, affinity labels (such as biotin, avidin, *etc.*), enzymatic labels (such as horseradish peroxidase, alkaline phosphatase, *etc.*) fluorescent labels (such as FITC or rhodamine, *etc.*), paramagnetic atoms, *etc.* Procedures for accomplishing such labelling are well-known in the art, for example see Sternberger *et al.*, *J. Histochem. Cytochem.* 18:315 (1970); Bayer, E. A. *et al.*, *Meth. Enzym.* 62:308 (1979); Engval, E. *et al.*, *Immunol.* 109:129 (1972); Goding, J. W. J. *Immunol. Meth.* 13:215 (1976)).

The labeled antibodies of the present invention can be used for *in vitro*, *in vivo*, and in situ assays to identify cells or tissues in which a fragment of the *Staphylococcus aureus* genome is expressed.

The present invention further provides the above-described antibodies immobilized on a solid support. Examples of such solid supports include plastics such as polycarbonate, complex carbohydrates such as agarose and sepharose, acrylic resins and such as polyacrylamide and latex beads. Techniques for coupling antibodies to such solid supports are well known in the art (Weir, D. M. *et al.*, "Handbook of Experimental Immunology" 4th Ed., Blackwell Scientific Publications, Oxford, England, Chapter 10 (1986); Jacoby, W. D. *et al.*, *Meth. Enzym.* 34 Academic Press, N. Y. (1974)). The immobilized antibodies of the present invention can be used for *in vitro*, *in vivo*, and in situ assays as well as for immunoaffinity purification of the proteins of the present invention.

3. Diagnostic Assays and Kits

The present invention further provides methods to identify the expression of one of the ORFs of the present invention, or homolog thereof, in a test sample, using one of the DFs, antigens or antibodies of the present invention.

In detail, such methods comprise incubating a test sample with one or more of the antibodies, or one or more of the DFs, or one or more antigens of the present invention and assaying for binding of the DFs, antigens or antibodies to components within the test sample.

Conditions for incubating a DF, antigen or antibody with a test sample vary. Incubation conditions depend on the format employed in the assay, the detection methods employed, and the type and nature of the DF or antibody used in the assay. One skilled in the art will recognize that any one of the commonly available hybridization, amplification or immunological assay formats can readily be adapted to employ the DFs, antigens or antibodies of the present invention. Examples of such assays can be found in Chard, T., *An Introduction to Radioimmunoassay and Related Techniques*, Elsevier Science Publishers, Amsterdam, The Netherlands (1986); Bullock, G. R. *et al.*, *Techniques in Immunocytochemistry*, Academic Press, Orlando, FL Vol. 1 (1982), Vol. 2 (1983), Vol. 3 (1985); Tijssen, P., *Practice and Theory of Enzyme Immunoassays: Laboratory Techniques in Biochemistry*, PCT publication WO95/32291, and *Molecular Biology*, Elsevier Science Publishers, Amsterdam, The Netherlands (1985), all of which are hereby incorporated herein by reference.

The test samples of the present invention include cells, protein or membrane extracts of cells, or biological fluids such as sputum, blood, serum, plasma, or urine. The test sample used in the above-described method will vary based

on the assay format, nature of the detection method and the tissues, cells or extracts used as the sample to be assayed. Methods for preparing protein extracts or membrane extracts of cells are well known in the art and can be readily be adapted in order to obtain a sample which is compatible with the system utilized.

In another embodiment of the present invention, kits are provided which contain the necessary reagents to carry out the assays of the present invention.

Specifically, the invention provides a compartmentalized kit to receive, in close confinement, one or more containers which comprises: (a) a first container comprising one of the Dfs, antigens or antibodies of the present invention; and (b) one or more other containers comprising one or more of the following: wash reagents, reagents capable of detecting presence of a bound DF, antigen or antibody.

In detail, a compartmentalized kit includes any kit in which reagents are contained in separate containers. Such containers include small glass containers, plastic containers or strips of plastic or paper. Such containers allows one to efficiently transfer reagents from one compartment to another compartment such that the samples and reagents are not cross-contaminated, and the agents or solutions of each container can be added in a quantitative fashion from one compartment to another. Such containers will include a container which will accept the test sample, a container which contains the antibodies used in the assay, containers which contain wash reagents (such as phosphate buffered saline, Tris-buffers, etc.), and containers which contain the reagents used to detect the bound antibody, antigen or DF.

Types of detection reagents include labelled nucleic acid probes, labelled secondary antibodies, or in the alternative, if the primary antibody is labelled, the enzymatic, or antibody binding reagents which are capable of reacting with the labelled antibody. One skilled in the art will readily recognize that the disclosed Dfs, antigens and antibodies of the present invention can be readily incorporated into one of the established kit formats which are well known in the art.

4. Screening Assay for Binding Agents

Using the isolated proteins of the present invention, the present invention further provides methods of obtaining and identifying agents which bind to a protein encoded by one of the ORFs of the present invention or to one of the fragments and the *Staphylococcus aureus* fragment and contigs herein described.

In general, such methods comprise steps of:

- (a) contacting an agent with an isolated protein encoded by one of the ORFs of the present invention, or an isolated fragment of the *Staphylococcus aureus* genome; and
- (b) determining whether the agent binds to said protein or said fragment.

The agents screened in the above assay can be, but are not limited to, peptides, carbohydrates, vitamin derivatives, or other pharmaceutical agents. The agents can be selected and screened at random or rationally selected or designed using protein modeling techniques.

For random screening, agents such as peptides, carbohydrates, pharmaceutical agents and the like are selected at random and are assayed for their ability to bind to the protein encoded by the ORF of the present invention.

Alternatively, agents may be rationally selected or designed. As used herein, an agent is said to be "rationally selected or designed" when the agent is chosen based on the configuration of the particular protein. For example, one skilled in the art can readily adapt currently available procedures to generate peptides, pharmaceutical agents and the like capable of binding to a specific peptide sequence in order to generate rationally designed antipeptide peptides, for example see Hurby *et al.*, Application of Synthetic Peptides: Antisense Peptides," In Synthetic Peptides, A User's Guide, W. H. Freeman, NY (1992), pp. 289-307, and Kaspczak *et al.*, Biochemistry 28:9230-8 (1989), or pharmaceutical agents, or the like.

In addition to the foregoing, one class of agents of the present invention, as broadly described, can be used to control gene expression through binding to one of the ORFs or EMFs of the present invention. As described above, such agents can be randomly screened or rationally designed/selected. Targeting the ORF or EMF allows a skilled artisan to design sequence specific or element specific agents, modulating the expression of either a single ORF or multiple ORFs which rely on the same EMF for expression control.

One class of DNA binding agents are agents which contain base residues which hybridize or form a triple helix by binding to DNA or RNA. Such agents can be based on the classic phosphodiester, ribonucleic acid backbone, or can be a variety of sulfhydryl or polymeric derivatives which have base attachment capacity.

Agents suitable for use in these methods usually contain 20 to 40 bases and are designed to be complementary to a region of the gene involved in transcription (triple helix - see Lee *et al.*, Nucl. Acids Res. 6:3073 (1979); Cooney *et al.*, Science 241:456 (1988); and Dervan *et al.*, Science 251: 1360 (1991)) or to the mRNA itself (antisense - Okano, J. Neurochem. 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988)). Triple helix-formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. Both techniques have been demonstrated

to be effective in model systems. Information contained in the sequences of the present invention can be used to design antisense and triple helix-forming oligonucleotides, and other DNA binding agents.

5. Pharmac utical Compositions and Vaccines

The present invention further provides pharmaceutical agents which can be used to modulate the growth or pathogenicity of *Staphylococcus aureus*, or another related organism, *in vivo* or *in vitro*. As used herein, a "pharmaceutical agent" is defined as a composition of matter which can be formulated using known techniques to provide a pharmaceutical compositions. As used herein, the "pharmaceutical agents of the present invention" refers the pharmaceutical agents which are derived from the proteins encoded by the ORFs of the present invention or are agents which are identified using the herein described assays.

As used herein, a pharmaceutical agent is said to "modulate the growth or pathogenicity of *Staphylococcus aureus* or a related organism, *in vivo* or *in vitro*," when the agent reduces the rate of growth, rate of division, or viability of the organism in question. The pharmaceutical agents of the present invention can modulate the growth or pathogenicity of an organism in many fashions, although an understanding of the underlying mechanism of action is not needed to practice the use of the pharmaceutical agents of the present invention. Some agents will modulate the growth or pathogenicity by binding to an important protein thus blocking the biological activity of the protein, while other agents may bind to a component of the outer surface of the organism blocking attachment or rendering the organism more prone to act the bodies nature immune system. Alternatively, the agent may comprise a protein encoded by one of the ORFs of the present invention and serve as a vaccine. The development and use of vaccines derived from membrane associated polypeptides are well known in the art. The inventors have identified particularly preferred immunogenic *Staphylococcus aureus* polypeptides for use as vaccines. Such immunogenic polypeptides are described above and summarized in Table 4, below.

As used herein, a "related organism" is a broad term which refers to any organism whose growth or pathogenicity can be modulated by one of the pharmaceutical agents of the present invention. In general, such an organism will contain a homolog of the protein which is the target of the pharmaceutical agent or the protein used as a vaccine. As such, related organisms do not need to be bacterial but may be fungal or viral pathogens.

The pharmaceutical agents and compositions of the present invention may be administered in a convenient manner, such as by the oral, topical, intravenous, intraperitoneal, intramuscular, subcutaneous, intranasal or intradermal routes. The pharmaceutical compositions are administered in an amount which is effective for treating and/or prophylaxis of the specific indication. In general, they are administered in an amount of at least about 1 mg/kg body weight and in most cases they will be administered in an amount not in excess of about 1 g/kg body weight per day. In most cases, the dosage is from about 0.1 mg/kg to about 10 g/kg body weight daily, taking into account the routes of administration, symptoms, etc.

The agents of the present invention can be used in native form or can be modified to form a chemical derivative. As used herein, a molecule is said to be a "chemical derivative" of another molecule when it contains additional chemical moieties not normally a part of the molecule. Such moieties may improve the molecule's solubility, absorption, biological half life, etc. The moieties may alternatively decrease the toxicity of the molecule, eliminate or attenuate any undesirable side effect of the molecule, etc. Moieties capable of mediating such effects are disclosed in, among other sources, REMINGTON'S PHARMACEUTICAL SCIENCES (1980) cited elsewhere herein.

For example, such moieties may change an immunological character of the functional derivative, such as affinity for a given antibody. Such changes in immunomodulation activity are measured by the appropriate assay, such as a competitive type immunoassay. Modifications of such protein properties as redox or thermal stability, biological half-life, hydrophobicity, susceptibility to proteolytic degradation or the tendency to aggregate with carriers or into multimers also may be effected in this way and can be assayed by methods well known to the skilled artisan.

The therapeutic effects of the agents of the present invention may be obtained by providing the agent to a patient by any suitable means (e.g., inhalation, intravenously, intramuscularly, subcutaneously, enterally, or parenterally). It is preferred to administer the agent of the present invention so as to achieve an effective concentration within the blood or tissue in which the growth of the organism is to be controlled. To achieve an effective blood concentration, the preferred method is to administer the agent by injection. The administration may be by continuous infusion, or by single or multiple injections.

In providing a patient with one of the agents of the present invention, the dosage of the administered agent will vary depending upon such factors as the patient's age, weight, height, sex, general medical condition, previous medical history, etc. In general, it is desirable to provide the recipient with a dosage of agent which is in the range of from about 1 pg/kg to 10 mg/kg (body weight of patient), although a lower or higher dosage may be administered. The therapeutically effective dose can be lowered by using combinations of the agents of the present invention or another agent.

As used herein, two or more compounds or agents are said to be administered "in combination" with each other when either (1) the physiological effects of each compound, or (2) the serum concentrations of each compound can

be measured at the same time. The composition of the present invention can be administered concurrently with, prior to, or following the administration of the other agent.

The agents of the present invention are intended to be provided to recipient subjects in an amount sufficient to decrease the rate of growth (as defined above) of the target organism.

The administration of the agent(s) of the invention may be for either a "prophylactic" or "therapeutic" purpose. When provided prophylactically, the agent(s) are provided in advance of any symptoms indicative of the organisms growth. The prophylactic administration of the agent(s) serves to prevent, attenuate, or decrease the rate of onset of any subsequent infection. When provided therapeutically, the agent(s) are provided at (or shortly after) the onset of an indication of infection. The therapeutic administration of the compound(s) serves to attenuate the pathological symptoms of the infection and to increase the rate of recovery.

The agents of the present invention are administered to a subject, such as a mammal, or a patient, in a pharmaceutically acceptable form and in a therapeutically effective concentration. A composition is said to be "pharmacologically acceptable" if its administration can be tolerated by a recipient patient. Such an agent is said to be administered in a "therapeutically effective amount" if the amount administered is physiologically significant. An agent is physiologically significant if its presence results in a detectable change in the physiology of a recipient patient.

The agents of the present invention can be formulated according to known methods to prepare pharmaceutically useful compositions, whereby these materials, or their functional derivatives, are combined in admixture with a pharmaceutically acceptable carrier vehicle. Suitable vehicles and their formulation, inclusive of other human proteins, *e. g.*, human serum albumin, are described, for example, in REMINGTON'S PHARMACEUTICAL SCIENCES, 16th Ed., Osol, A., Ed., Mack Publishing, Easton PA (1980). In order to form a pharmaceutically acceptable composition suitable for effective administration, such compositions will contain an effective amount of one or more of the agents of the present invention, together with a suitable amount of carrier vehicle.

Additional pharmaceutical methods may be employed to control the duration of action. Control release preparations may be achieved through the use of polymers to complex or absorb one or more of the agents of the present invention. The controlled delivery may be effectuated by a variety of well known techniques, including formulation with macromolecules such as, for example, polyesters, polyamino acids, polyvinyl, pyrrolidone, ethylenevinylacetate, methylcellulose, carboxymethylcellulose, or protamine, sulfate, adjusting the concentration of the macromolecules and the agent in the formulation, and by appropriate use of methods of incorporation, which can be manipulated to effectuate a desired time course of release. Another possible method to control the duration of action by controlled release preparations is to incorporate agents of the present invention into particles of a polymeric material such as polyesters, polyamino acids, hydrogels, poly(lactic acid) or ethylene vinylacetate copolymers. Alternatively, instead of incorporating these agents into polymeric particles, it is possible to entrap these materials in microcapsules prepared, for example, by coacervation techniques or by interfacial polymerization with, for example, hydroxymethylcellulose or gelatine-microcapsules and poly(methylmethacrylate) microcapsules, respectively, or in colloidal drug delivery systems, for example, liposomes, albumin microspheres, microemulsions, nanoparticles, and nanocapsules or in macroemulsions. Such techniques are disclosed in REMINGTON'S PHARMACEUTICAL SCIENCES (1980).

The invention further provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration.

In addition, the agents of the present invention may be employed in conjunction with other therapeutic compounds.

6. Shot-Gun Approach to Megabase DNA Sequencing

The present invention further demonstrates that a large sequence can be sequenced using a random shotgun approach. This procedure, described in detail in the examples that follow, has eliminated the up front cost of isolating and ordering overlapping or contiguous subclones prior to the start of the sequencing protocols.

Certain aspects of the present invention are described in greater detail in the examples that follow. The examples are provided by way of illustration. Other aspects and embodiments of the present invention are contemplated by the inventors, as will be clear to those of skill in the art from reading the present disclosure.

ILLUSTRATIVE EXAMPLES**LIBRARIES AND SEQUENCING****1. Shotgun Sequencing Probability Analysis**

The overall strategy for a shotgun approach to whole genome sequencing follows from the Lander and Waterman (Landerman and Waterman, *Genomics* 2: 231 (1988)) application of the equation for the Poisson distribution. According to this treatment, the probability, P_0 , that any given base in a sequence of size L , in nucleotides, is not sequenced after a certain amount, n , in nucleotides, of random sequence has been determined can be calculated by the equation $P_0 = e^{-m}$, where m is L/n , the fold coverage.* For instance, for a genome of 2.8 Mb, $m=1$ when 2.8 Mb of sequence has been randomly generated (1X coverage). At that point, $P_0 = e^{-1} = 0.37$. The probability that any given base has not been sequenced is the same as the probability that any region of the whole sequence L has not been determined and, therefore, is equivalent to the fraction of the whole sequence that has yet to be determined. Thus, at one-fold coverage, approximately 37% of a polynucleotide of size L , in nucleotides has not been sequenced. When 14 Mb of sequence has been generated, coverage is 5X for a 2.8 Mb and the unsequenced fraction drops to .0067 or 0.67%. 5X coverage of a 2.8 Mb sequence can be attained by sequencing approximately 17,000 random clones from both insert ends with an average sequence read length of 410 bp.

Similarly, the total gap length, G , is determined by the equation $G = Le^{-m}$, and the average gap size, g , follows the equation, $g = L/n$. Thus, 5X coverage leaves about 240 gaps averaging about 82 bp in size in a sequence of a polynucleotide 2.8 Mb long.

The treatment above is essentially that of Lander and Waterman, *Genomics* 2: 231 (1988).

2. Random Library Construction

In order to approximate the random model described above during actual sequencing, a nearly ideal library of cloned genomic fragments is required. The following library construction procedure was developed to achieve this end.

Staphylococcus aureus DNA was prepared by phenol extraction. A mixture containing 600 ug DNA in 3.3 ml of 300 mM sodium acetate, 10 mM Tris-HCl, 1 mM Na-EDTA, 30% glycerol was sonicated for 1 min. at 0°C in a Branson Model 450 Sonicator at the lowest energy setting using a 3 mm probe. The sonicated DNA was ethanol precipitated and redissolved in 500 ul TE buffer.

To create blunt-ends, a 100 ul aliquot of the resuspended DNA was digested with 5 units of BAL31 nuclease (New England BioLabs) for 10 min at 30°C in 200 ul BAL31 buffer. The digested DNA was phenol-extracted, ethanol-precipitated, redissolved in 100 ul TE buffer, and then size-fractionated by electrophoresis through a 1.0% low melting temperature agarose gel. The section containing DNA fragments 1.6-2.0 kb in size was excised from the gel, and the LGT agarose was melted and the resulting solution was extracted with phenol to separate the agarose from the DNA. DNA was ethanol precipitated and redissolved in 20 ul of TE buffer for ligation to vector.

A two-step ligation procedure was used to produce a plasmid library with 97% inserts, of which >99% were single inserts. The first ligation mixture (50 ul) contained 2 ug of DNA fragments, 2 ug pUC18 DNA (Pharmacia) cut with SmaI and dephosphorylated with bacterial alkaline phosphatase, and 10 units of T4 ligase (GIBCO/BRL) and was incubated at 14°C for 4 hr. The ligation mixture then was phenol extracted and ethanol precipitated, and the precipitated DNA was dissolved in 20 ul TE buffer and electrophoresed on a 1.0% low melting agarose gel. Discrete bands in a ladder were visualized by ethidium bromide-staining and UV illumination and identified by size as insert (i), vector (v), v+i, v+2i, v+3i, etc. The portion of the gel containing v+i DNA was excised and the v+i DNA was recovered and resuspended into 20 ul TE. The v+i DNA then was blunt-ended by T4 polymerase treatment for 5 min. at 37° C in a reaction mixture (50 ul) containing the v+i linears, 500 uM each of the 4 dNTPs, and 9 units of T4 polymerase (New England BioLabs), under recommended buffer conditions. After phenol extraction and ethanol precipitation the repaired v+i linears were dissolved in 20 ul TE. The final ligation to produce circles was carried out in a 50 ul reaction containing 5 ul of v+i linears and 5 units of T4 ligase at 14°C overnight. After 10 min. at 70°C the following day, the reaction mixture was stored at -20°C.

This two-stage procedure resulted in a molecularly random collection of single-insert plasmid recombinants with minimal contamination from double-insert chimeras (<1%) or free vector (<3%).

Since deviation from randomness can arise from propagation the DNA in the host, *E.coli* host cells deficient in all recombination and restriction functions (A. Greener, *Strategies* 3 (1):5 (1990)) were used to prevent rearrangements, deletions, and loss of clones by restriction. Furthermore, transformed cells were plated directly on antibiotic diffusion plates to avoid the usual broth recovery phase which allows multiplication and selection of the most rapidly growing cells.

Plating was carried out as follows. A 100 ul aliquot of Epicurian Coli SURE II Supercompetent Cells (Stratagene 200152) was thawed on ice and transferred to a chilled Falcon 2059 tube on ice. A 1.7 ul aliquot of 1.42 M beta-

mercaptoethanol was added to the aliquot of cells to a final concentration of 25 mM. Cells were incubated on ice for 10 min. A 1 µl aliquot of the final ligation was added to the cells and incubated on ice for 30 min. The cells were heat pulsed for 30 sec. at 42° C and placed back on ice for 2 min. The outgrowth period in liquid culture was eliminated from this protocol in order to minimize the preferential growth of any given transformed cell. Instead the transformation mixture was plated directly on a nutrient rich SOB plate containing a 5 ml bottom layer of SOB agar (5% SOB agar: 20 g tryptone, 5 g yeast extract, 0.5 g NaCl, 1.5% Difco Agar per liter of media). The 5 ml bottom layer is supplemented with 0.4 ml of 50 mg/ml ampicillin per 100 ml SOB agar. The 15 ml top layer of SOB agar is supplemented with 1 ml X-Gal (2%), 1 ml MgCl₂ (1 M), and 1 ml MgSO₄/100 ml SOB agar. The 15 ml top layer was poured just prior to plating. Our titer was approximately 100 colonies/10 µl aliquot of transformation.

All colonies were picked for template preparation regardless of size. Thus, only clones lost due to "poison" DNA or deleterious gene products would be deleted from the library, resulting in a slight increase in gap number over that expected.

3. Random DNA Sequencing

High quality double stranded DNA plasmid templates were prepared using an alkaline lysis method developed in collaboration with 5Prime → 3Prime Inc. (Boulder, CO). Plasmid preparation was performed in a 96-well format for all stages of DNA preparation from bacterial growth through final DNA purification. Average template concentration was determined by running 25% of the samples on an agarose gel. DNA concentrations were not adjusted.

Templates were also prepared from a *Staphylococcus aureus* lambda genomic library. An unamplified library was constructed in Lambda DASH II vector (Stratagene). *Staphylococcus aureus* DNA (> 100 kb) was partially digested in a reaction mixture (200 µl) containing 50 µg DNA, 1X Sau3AI buffer, 20 units Sau3AI for 6 min. at 23 C. The digested DNA was phenol-extracted and centrifuges over a 10- 40% sucrose gradient. Fractions containing genomic DNA of 15-25 kb were recovered by precipitation. One µl of fragments was used with 1 µl of DASHII vector (Stratagene) in the recommended ligation reaction. One µl of the ligation mixture was used per packaging reaction following the recommended protocol with the Gigapack II XL Packaging Extract Phage were plated directly without amplification from the packaging mixture (after dilution with 500 µl of recommended SM buffer and chloroform treatment). Yield was about 2.5x10⁹ pfu/µl.

An amplified library was prepared from the primary packaging mixture according to the manufacturer's protocol. The amplified library is stored frozen in 7% dimethylsulfoxide. The phage titer is approximately 1x10⁹ pfu/ml.

Mini-liquid lysates (0.1 µl) are prepared from randomly selected plaques and template is prepared by long range PCR. Samples are PCR amplified using modified T3 and T7 primers, and Elongase Supermix (LTI).

Sequencing reactions are carried out on plasmid templates using a combination of two workstations (BIOMEK 1000 and Hamilton Microlab 2200) and the Perkin-Elmer 9600 thermocycler with Applied Biosystems PRISM Ready Reaction Dye Primer Cycle Sequencing Kits for the M13 forward (M13-21) and the M13 reverse (M13RP1) primers.

Dye terminator sequencing reactions are carried out on the lambda templates on a Perkin-Elmer 9600 Thermocycler using the Applied Biosystems Ready Reaction Dye Terminator Cycle Sequencing kits. Modified T7 and T3 primers are used to sequence the ends of the inserts from the Lambda DASH II library. Sequencing reactions are on a combination of AB 373 DNA Sequencers and ABI 377 DNA sequencers. All of the dye terminator sequencing reactions are analyzed using the 2X 9 hour module on the AB 377. Dye primer reactions are analyzed on a combination of ABI 373 and ABI 377 DNA sequencers. The overall sequencing success rate very approximately is about 85% for M13-21 and M13RP1 sequences and 65% for dye-terminator reactions. The average usable read length is 485 bp for M13-21 sequences, 445bp for M13RP1 sequences, and 375 bp for dye-terminator reactions.

4. Protocol for Automated Cycle Sequencing

The sequencing was carried out using Hamilton Microstation 2200, Perkin Elmer 9600 thermocyclers, ABI 373 and ABI 377 Automated DNA Sequencers. The Hamilton combines pre-aliquoted templates and reaction mixes consisting of deoxy- and dideoxynucleotides, the thermostable Taq DNA polymerase, fluorescently-labelled sequencing primers, and reaction buffer. Reaction mixes and templates were combined in the wells of a 96-well thermocycling plate and transferred to the Perkin Elmer 9600 thermocycler. Thirty consecutive cycles of linear amplification (i.e., one primer synthesis) steps were performed including denaturation, annealing of primer and template, and extension; i.e., DNA synthesis. A heated lid with rubber gaskets on the thermocycling plate prevents evaporation without the need for an oil overlay.

Two sequencing protocols were used: one for dye-labelled primers and a second for dye-labelled dideoxy chain terminators. The shotgun sequencing involves use of four dye-labelled sequencing primers, one for each of the four terminator nucleotide. Each dye-primer was labelled with a different fluorescent dye, permitting the four individual reactions to be combined into one lane of the 373 or 377 DNA Sequencer for electrophoresis, detection, and base-

calling. ABI currently supplies premixed reaction mixes in bulk packages containing all the necessary non-template reagents for sequencing. Sequencing can be done with both plasmid and PCR-generated templates with both dye-primers and dye-terminators with approximately equal fidelity, although plasmid templates generally give longer usable sequences.

Thirty-two reactions were loaded per ABI 373 Sequencer each day and 96 samples can be loaded on an ABI 377 per day. Electrophoresis was run overnight (ABI 373) or for 2 1/2 hours (ABI 377) following the manufacturer's protocols. Following electrophoresis and fluorescence detection, the ABI 373 or ABI 377 performs automatic lane tracking and base-calling. The lane-tracking was confirmed visually. Each sequence electropherogram (or fluorescence lane trace) was inspected visually and assessed for quality. Trailing sequences of low quality were removed and the sequence itself was loaded via software to a Sybase database (archived daily to 8mm tape). Leading vector polylinker sequence was removed automatically by a software program. Average edited lengths of sequences from the standard ABI 373 or ABI 377 were around 400 bp and depend mostly on the quality of the template used for the sequencing reaction.

INFORMATICS

1. Data Management

A number of information management systems for a large-scale sequencing lab have been developed. (For review see, for instance, Kerlavage *et al.*, *Proceedings of the Twenty-Sixth Annual Hawaii International Conference on System Sciences*, IEEE Computer Society Press, Washington D. C., 585 (1993)) The system used to collect and assemble the sequence data was developed using the Sybase relational database management system and was designed to automate data flow wherever possible and to reduce user error. The database stores and correlates all information collected during the entire operation from template preparation to final analysis of the genome. Because the raw output of the ABI 373 Sequencers was based on a Macintosh platform and the data management system chosen was based on a Unix platform, it was necessary to design and implement a variety of multi-user, client-server applications which allow the raw data as well as analysis results to flow seamlessly into the database with a minimum of user effort.

2. Assembly

An assembly engine (TIGR Assembler) developed for the rapid and accurate assembly of thousands of sequence fragments was employed to generate contigs. The TIGR assembler simultaneously clusters and assembles fragments of the genome. In order to obtain the speed necessary to assemble more than 10^4 fragments, the algorithm builds a hash table of 12 bp oligonucleotide subsequences to generate a list of potential sequence fragment overlaps. The number of potential overlaps for each fragment determines which fragments are likely to fall into repetitive elements. Beginning with a single seed sequence fragment, TIGR Assembler extends the current contig by attempting to add the best matching fragment based on oligonucleotide content. The contig and candidate fragment are aligned using a modified version of the Smith-Waterman algorithm which provides for optimal gapped alignments (Waterman, M. S., *Methods in Enzymology* 164: 765 (1988)). The contig is extended by the fragment only if strict criteria for the quality of the match are met. The match criteria include the minimum length of overlap, the maximum length of an unmatched end, and the minimum percentage match. These criteria are automatically lowered by the algorithm in regions of minimal coverage and raised in regions with a possible repetitive element. The number of potential overlaps for each fragment determines which fragments are likely to fall into repetitive elements. Fragments representing the boundaries of repetitive elements and potentially chimeric fragments are often rejected based on partial mismatches at the ends of alignments and excluded from the current contig. TIGR Assembler is designed to take advantage of clone size information coupled with sequencing from both ends of each template. It enforces the constraint that sequence fragments from two ends of the same template point toward one another in the contig and are located within a certain range of base pairs (definable for each clone based on the known clone size range for a given library).

3. Identifying Genes

The predicted coding regions of the *Staphylococcus aureus* genome were initially defined with the program zorf, which finds ORFs of a minimum length. The predicted coding region sequences were used in searches against a database of all *Staphylococcus aureus* nucleotide sequences from GenBank (release 92.0), using the BLASTN search method to identify overlaps of 50 or more nucleotides with at least a 95% identity. Those ORFs with nucleotide sequence matches are shown in Table 1. The ORFs without such matches were translated to protein sequences and compared to a non-redundant database of known proteins generated by combining the Swiss-prot, PIR and GenPept databases. ORFs of at least 80 amino acids that matched a database protein with BLASTP probability less than or equal to 0.01 are shown in Table 2. The table also lists assigned functions based on the closest match in the databases.

ORFs of at least 120 amino acids that did not match protein or nucleotide sequences in the databases at these levels are shown in Table 3.

ILLUSTRATIVE APPLICATIONS

1. Production of an Antibody to a *Staphylococcus aureus* Protein

Substantially pure protein or polypeptide is isolated from the transfected or transformed cells using any one of the methods known in the art. The protein can also be produced in a recombinant prokaryotic expression system, such as *E. coli*, or can be chemically synthesized. Concentration of protein in the final preparation is adjusted, for example, by concentration on an Amicon filter device, to the level of a few micrograms/ml. Monoclonal or polyclonal antibody to the protein can then be prepared as follows.

2. Monoclonal Antibody Production by Hybridoma Fusion

Monoclonal antibody to epitopes of any of the peptides identified and isolated as described can be prepared from murine hybridomas according to the classical method of Kohler, G. and Milstein, C., Nature 256:495 (1975) or modifications of the methods thereof. Briefly, a mouse is repetitively inoculated with a few micrograms of the selected protein over a period of a few weeks. The mouse is then sacrificed, and the antibody producing cells of the spleen isolated. The spleen cells are fused by means of polyethylene glycol with mouse myeloma cells, and the excess unfused cells destroyed by growth of the system on selective media comprising aminopterin (HAT media). The successfully fused cells are diluted and aliquots of the dilution placed in wells of a microtiter plate where growth of the culture is continued. Antibody-producing clones are identified by detection of antibody in the supernatant fluid of the wells by immunoassay procedures, such as ELISA, as originally described by Engvall, E., Meth. Enzymol. 70:419 (1980), and modified methods thereof. Selected positive clones can be expanded and their monoclonal antibody product harvested for use. Detailed procedures for monoclonal antibody production are described in Davis, L. *et al.* Basic Methods in Molecular Biology Elsevier, New York. Section 21-2 (1989).

3. Polyclonal Antibody Production by Immunization

Polyclonal antiserum containing antibodies to heterogenous epitopes of a single protein can be prepared by immunizing suitable animals with the expressed protein described above, which can be unmodified or modified to enhance immunogenicity. Effective polyclonal antibody production is affected by many factors related both to the antigen and the host species. For example, small molecules tend to be less immunogenic than other and may require the use of carriers and adjuvant. Also, host animals vary in response to site of inoculations and dose, with both inadequate or excessive doses of antigen resulting in low titer antisera. Small doses (ng level) of antigen administered at multiple intradermal sites appears to be most reliable. An effective immunization protocol for rabbits can be found in Vaitukaitis, J. *et al.*, J. Clin. Endocrinol. Metab. 33:988-991 (1971).

Booster injections can be given at regular intervals, and antiserum harvested when antibody titer thereof, as determined semi-quantitatively, for example, by double immunodiffusion in agar against known concentrations of the antigen, begins to fall. See, for example, Ouchterlony, O. *et al.*, Chap. 19 in: Handbook of Experimental Immunology, Wier, D., ed, Blackwell (1973). Plateau concentration of antibody is usually in the range of 0.1 to 0.2 mg/ml of serum (about 12M). Affinity of the antisera for the antigen is determined by preparing competitive binding curves, as described, for example, by Fisher, D., Chap. 42 in: Manual of Clinical Immunology, second edition, Rose and Friedman, eds., Amer. Soc. For Microbiology, Washington, D. C. (1980).

Antibody preparations prepared according to either protocol are useful in quantitative immunoassays which determine concentrations of antigen-bearing substances in biological samples; they are also used semi-quantitatively or qualitatively to identify the presence of antigen in a biological sample. In addition, they are useful in various animal models of Staphylococcal disease known to those of skill in the art as a means of evaluating the protein used to make the antibody as a potential vaccine target or as a means of evaluating the antibody as a potential immunotherapeutic reagent.

3. Preparation of PCR Primers and Amplification of DNA

Various fragments of the *Staphylococcus aureus* genome, such as those of Tables 1-3 and SEQ ID NOS:1-5,191 can be used, in accordance with the present invention, to prepare PCR primers for a variety of uses. The PCR primers are preferably at least 15 bases, and more preferably at least 18 bases in length. When selecting a primer sequence, it is preferred that the primer pairs have approximately the same G/C ratio, so that melting temperatures are approxi-

mately the same. The PCR primers and amplified DNA of this Example find use in the Examples that follow.

4. Gene expression from DNA Sequences Corresponding to ORFs

A fragment of the *Staphylococcus aureus* genome provided in Tables 1-3 is introduced into an expression vector using conventional technology. Techniques to transfer cloned sequences into expression vectors that direct protein translation in mammalian, yeast, insect or bacterial expression systems are well known in the art. Commercially available vectors and expression systems are available from a variety of suppliers including Stratagene (La Jolla, California), Promega (Madison, Wisconsin), and Invitrogen (San Diego, California). If desired, to enhance expression and facilitate proper protein folding, the codon context and codon pairing of the sequence may be optimized for the particular expression organism, as explained by Hatfield *et al.*, U. S. Patent No. 5,082,767, incorporated herein by this reference.

The following is provided as one exemplary method to generate polypeptide(s) from cloned ORFs of the *Staphylococcus aureus* genome fragment. Bacterial ORFs generally lack a poly A addition signal. The addition signal sequence can be added to the construct by, for example, splicing out the poly A addition sequence from pSG5 (Stratagene) using BglI and SalI restriction endonuclease enzymes and incorporating it into the mammalian expression vector pXT1 (Stratagene) for use in eukaryotic expression systems. pXT1 contains the LTRs and a portion of the gag gene of Moloney Murine Leukemia Virus. The positions of the LTRs in the construct allow efficient stable transfection. The vector includes the Herpes Simplex thymidine kinase promoter and the selectable neomycin gene. The *Staphylococcus aureus* DNA is obtained by PCR from the bacterial vector using oligonucleotide primers complementary to the *Staphylococcus aureus* DNA and containing restriction endonuclease sequences for PstI incorporated into the 5' primer and BglII at the 5' end of the corresponding *Staphylococcus aureus* DNA 3' primer, taking care to ensure that the *Staphylococcus aureus* DNA is positioned such that its followed with the poly A addition sequence. The purified fragment obtained from the resulting PCR reaction is digested with PstI, blunt ended with an exonuclease, digested with BglII, purified and ligated to pXT1, now containing a poly A addition sequence and digested BglII.

The ligated product is transfected into mouse NIH 3T3 cells using Lipofectin (Life Technologies, Inc., Grand Island, New York) under conditions outlined in the product specification. Positive transfectants are selected after growing the transfected cells in 600 ug/ml G418 (Sigma, St. Louis, Missouri). The protein is preferably released into the supernatant. However if the protein has membrane binding domains, the protein may additionally be retained within the cell or expression may be restricted to the cell surface. Since it may be necessary to purify and locate the transfected product, synthetic 15-mer peptides synthesized from the predicted *Staphylococcus aureus* DNA sequence are injected into mice to generate antibody to the polypeptide encoded by the *Staphylococcus aureus* DNA.

Alternatively and if antibody production is not possible, the *Staphylococcus aureus* DNA sequence is additionally incorporated into eukaryotic expression vectors and expressed as, for example, a globin fusion. Antibody to the globin moiety then is used to purify the chimeric protein. Corresponding protease cleavage sites are engineered between the globin moiety and the polypeptide encoded by the *Staphylococcus aureus* DNA so that the latter may be freed from the formed by simple protease digestion. One useful expression vector for generating globin chimerics is pSG5 (Stratagene). This vector encodes a rabbit globin. Intron II of the rabbit globin gene facilitates splicing of the expressed transcript, and the polyadenylation signal incorporated into the construct increases the level of expression. These techniques are well known to those skilled in the art of molecular biology. Standard methods are published in methods texts such as Davis *et al.*, cited elsewhere herein, and many of the methods are available from the technical assistance representatives from Stratagene, Life Technologies, Inc., or Promega. Polypeptides of the invention also may be produced using *in vitro* translation systems such as *in vitro* Express™ Translation Kit (Stratagene).

While the present invention has been described in some detail for purposes of clarity and understanding, one skilled in the art will appreciate that various changes in form and detail can be made without departing from the true scope of the invention.

All patents, patent applications and publications referred to above are hereby incorporated by reference.

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP nt length	ORF nt length
1	1	1419	757	[emb]X17301 SAMB	S. aureus DNA for hld gene and for part of agr gene	100	663	663
1	2	3273	2452	[emb]X52543 SAAG	S. aureus agrA, agrB and hld genes	99	809	822
1	5	6418	5631	[dbj]D14711 STAH	Staphylococcus aureus HSP10 and HSP60 genes	98	223	768
5	1	807	439	[emb]X72700 SAPV	S. aureus genes for S and F components of Panton-Valentine leucocidins	81	216	369
5	4	5031	3571	[emb]X72700 SAPV	S. aureus genes for S and F components of Panton-Valentine leucocidins	95	424	1461
10	1	86	904	[gb]L25288	Staphylococcus aureus gyrase-like protein alpha and beta subunit (grIA and grIB) genes, complete cds	98	715	819
16	5	5302	6246	[gb]U35773	Staphylococcus aureus prolipoprotein diacylglycerol transferase (lgt) gene, complete cds	94	251	945
16	6	6249	7091	[gb]U35773	Staphylococcus aureus prolipoprotein diacylglycerol transferase (lgt) gene, complete cds	99	843	843
16	7	7084	7584	[gb]U35773	Staphylococcus aureus prolipoprotein diacylglycerol transferase (lgt) gene, complete cds	99	342	501
20	1	995	549	[gb]L19300	Staphylococcus aureus DNA sequence encoding three ORFs, complete cds; prophage phi-11 sequence homology, 5' flank	100	443	447
20	2	1011	841	[gb]L19300	Staphylococcus aureus DNA sequence encoding three ORFs, complete cds; prophage phi-11 sequence homology, 5' flank	91	137	171
20	3	2010	1798	[gb]L19300	Staphylococcus aureus DNA sequence encoding three ORFs, complete cds; prophage phi-11 sequence homology, 5' flank	100	110	213
20	4	5300	3825	[gb]M16714	Staphylococcus aureus peptidoglycan hydrolase gene, complete cds	100	948	1476
20	5	4748	4282	[gb]M16714	Staphylococcus aureus peptidoglycan hydrolase gene, complete cds	100	309	507
26	1	2	145	[gb]U41072	Staphylococcus aureus isoleucyl-tRNA synthetase (lles) gene, partial cds	100	126	144
26	2	84	557	[gb]U41072	Staphylococcus aureus isoleucyl-tRNA synthetase (lles) gene, partial cds	99	430	474
26	3	763	3531	[emb]X74219 SAIL	S. aureus gene for isoleucyl-tRNA synthetase	99	2769	2769
29	3	1261	4392	[gb]U66665	Staphylococcus aureus DNA fragment with class II promoter activity	100	117	3132
31	14	14977	13463	[emb]X73889 SAP1	S. aureus genes P1 and P2	99	1351	1515
31	15	14241	13855	[emb]X73889 SAP1	S. aureus genes P1 and P2	98	258	387
38	17	14284	13312	[gb]M12715	S. aureus gdh gene encoding lipase (glycerol ester hydrolase)	100	372	1173
38	19	13434	15518	[gb]M12715	S. aureus gdh gene encoding lipase (glycerol ester hydrolase)	100	2085	2085

TABLE I

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP nt length	ORF nt length
46	2	519	1727	[gb U73374]	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	98	1209	1209
46	3	1720	2295	[gb U73374]	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	98	576	576
46	4	2259	3182	[gb U73374]	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	97	924	924
46	5	3173	4498	[gb U73374]	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	98	1283	1326
46	6	4536	5720	[gb U73374]	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	98	1185	1185
46	7	6455	6120	[gb U73374]	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	99	278	336
48	1	2	955	[gb U25893]	Staphylococcus aureus recA gene, complete cds	99	954	954
50	3	4465	2924	[emb X85029 SAAR]	S. aureus hpc gene	100	88	1342
50	4	4108	3515	[emb X85029 SAAR]	S. aureus hpc gene	98	540	594
54	3	5074	3392	[emb X62992 SAFN]	S. aureus fnbD gene for fibronectin binding protein B	100	1668	1683
54	4	4865	4122	[emb X62992 SAFN]	S. aureus fnbB gene for fibronectin binding protein B	99	720	744
54	5	5056	4562	[emb X62992 SAFN]	S. aureus fnbA gene for fibronectin binding protein B	100	463	495
54	6	11386	8300	[gb J04151]	S. aureus fibronectin-binding protein (fnbA) mRNA, complete cds	100	3087	3087
58	3	1743	2819	[emb X87104 SADN]	S. aureus mdr, pbp4 and taqD genes (SDS11-55 isolate)	89	68	1077
58	4	2858	3280	[emb X91786 SAPB]	S. aureus abcA, ppp4, and tagD genes	99	423	423
58	5	6005	4701	[emb X91786 SAPB]	S. aureus abcA, ppp4, and tagD genes	99	1305	1305
58	6	5677	5378	[gb U29478]	Staphylococcus aureus ABC transporter-like protein AbcA (abcA) gene, partial cds	100	300	300
58	7	5086	6840	[emb X91786 SAPB]	S. aureus abcA, ppp4, and tagD genes	99	1755	1755
72	1	888	445	[gb U21854]	S. aureus agr gene encoding an accessory gene regulator protein, complete cds	100	444	444
72	2	2457	1453	[emb X52543 SAG]	S. aureus agrA, agrB and hid genes	99	673	1005

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP nt length	ORF nt length
82	1	357	3917	emb X64172 SARP	S.aureus rplL, orf202, rpoB(orf1) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	99	2396	3561
82	2	4027	7677	emb X89233 SARP	S.aureus DNA for rpoC gene	99	3171	3651
82	3	7745	8068	gb U20869	Staphylococcus aureus ribosomal protein S12 (rpsL) gene, complete cds, ribosomal protein S7 (rpsG) and ORF 1 genes, partial cds	100	320	324
82	4	8103	8579	gb U20869	Staphylococcus aureus ribosomal protein S12 (rpsL) gene, complete cds, ribosomal protein S7 (rpsG) and ORF 1 genes, partial cds	100	477	477
82	5	8618	8821	gb U20869	Staphylococcus aureus ribosomal protein S12 (rpsL) gene, complete cds, ribosomal protein S7 (rpsG) and ORF 1 genes, partial cds	100	154	204
84	1	18	191	gb U73374	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	98	164	174
84	2	189	893	gb U73374	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	94	705	705
84	3	887	1660	nb U73374	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	99	774	774
84	4	1584	3503	gb U73374	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	98	1920	1920
84	5	3394	4521	gb U73374	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	97	1128	1128
84	6	4519	5643	gb U73374	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	97	1125	1125
96	2	1245	3896	emb Z18852 SACF	S.aureus gene for clumping factor	83	660	2652
97	2	625	882	gb U41072	Staphylococcus aureus isoleucyl-tRNA synthetase (ileS) gene, partial cds	97	68	258
111	1	3	452	gb L41499	Staphylococcus aureus ORF1, partial cds, ORF2, ORF3, autolysin (atl) genes, complete cds	100	450	450
111	2	526	1041	gt L41499	Staphylococcus aureus ORF1, partial cds, ORF2, ORF3, autolysin (atl) genes, complete cds	99	516	516
117	2	1278	1958	gb H83994	Staphylococcus aureus prolipoprotein signal peptidase (lsp) gene, complete cds	100	61	681

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP nt length	ORF nt length
118	4	3787	4254	[dbj U0690 STAN]	Staphylococcus aureus genes for ORF37; HSP20; HSP70; HSP10; ORF35, complete cds	99	467	468
130	4	2597	3640	[emb X13290 SATN]	Staphylococcus aureus multi-resistance plasmid pSKI DNA containing transposon Tn4003	78	956	1044
130	5	3813	4265	[emb Z16422 SAD1]	S. aureus dfrB gene for dihydrofolate reductase	98	416	453
130	6	4309	5172	[emb Z16422 SAD1]	S. aureus dfrB gene for dihydrofolate reductase	98	607	864
136	4	5296	6207	[emb X71437 SAGY]	S. aureus genes gyrB, gyrA and recF (partial)	97	838	912
136	5	11680	8987	[dbj D10489 STAG]	Staphylococcus aureus genes for DNA gyrase A and B, complete cds	100	2694	2694
136	6	12886	10940	[dbj U10489 STAG]	Staphylococcus aureus genes for DNA gyrase A and B, complete cds	99	1947	1947
136	7	12592	11765	[gb S77055]	recF cluster: dnaA-replisome assembly protein...gyrB-DNA gyrase beta subunit [Staphylococcus aureus, Y8886, Genomic, 5 genes, 3573 nt]	99	822	828
143	3	4171	2867	[gb U36379]	Staphylococcus aureus S-adenosylmethionine synthetase gene, complete cds	99	1305	1305
143	4	3100	4281	[gb U42943]	Staphylococcus aureus (clone KIN50) phosphoenolpyruvate carboxykinase (pckA) gene, complete cds	100	1170	1182
143	5	4254	4718	[gb U51133]	Staphylococcus aureus phosphoenolpyruvate carboxykinase (pckA) gene, complete cds	100	449	465
143	9	6977	7261	[gb U51132]	Staphylococcus aureus o-succinylbenzoic acid CoA ligase (menc), and o-succinylbenzoic acid synthetase (menc) genes, complete cds	100	75	285
143	10	9464	8361	[gb U51132]	Staphylococcus aureus o-succinylbenzoic acid CoA ligase (menc), and o-succinylbenzoic acid synthetase (menc) genes, complete cds	100	1104	1104
143	11	11232	9748	[gb U51132]	Staphylococcus aureus o-succinylbenzoic acid CoA ligase (menc), and o-succinylbenzoic acid synthetase (menc) genes, complete cds	100	1485	1485
143	12	10739	10320	[gb U51132]	Staphylococcus aureus o-succinylbenzoic acid CoA ligase (menc), and o-succinylbenzoic acid synthetase (menc) genes, complete cds	100	332	420
152	5	2454	3437	[emb X58434 SAPD]	S. aureus pdhB, pdhC and pdhD genes for pyruvate decarboxylase, dihydroliipoamide acetyltransferase and dihydroliipoamide dehydrogenase	99	305	984
152	6	3513	4820	[emb X58434 SAPD]	S. aureus pdhB, pdhC and pdhD genes for pyruvate decarboxylase, dihydroliipoamide acetyltransferase and dihydroliipoamide dehydrogenase	98	1308	1308
152	7	4818	6230	[emb X58434 SAPD]	S. aureus pdhB, pdhC and pdhD genes for pyruvate decarboxylase, dihydroliipoamide acetyltransferase and dihydroliipoamide dehydrogenase	99	1413	1413
153	1	387	1526	[gb S77055]	recF cluster: dnaA-replisome assembly protein...gyrB-DNA gyrase beta subunit [Staphylococcus aureus, Y8886, Genomic, 5 genes, 3573 nt]	99	1140	1140
153	2	1877	2152	[gb S77055]	recF cluster: dnaA-replisome assembly protein...gyrB-DNA gyrase beta subunit [Staphylococcus aureus, Y8886, Genomic, 5 genes, 3573 nt]	100	276	276

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	ORF nt length
153	3	2143	2289	gb J77055	ref cluster: dnaA-replisome assembly protein...gyrB-DNA gyrase beta subunit [Staphylococcus aureus, Y8886, Genomic, 5 genes, 3573 nt]	99	113
154	10	10792	9314	gb U06451	Staphylococcus aureus proline permease homolog (putP) gene, complete cds	91	154
154	11	9935	9615	gb U06451	Staphylococcus aureus proline permease homolog (putP) gene, complete cds	99	229
154	12	9943	10167	gb U06451	Staphylococcus aureus proline permease homolog (putP) gene, complete cds	94	123
154	13	10089	11501	gb U06451	Staphylococcus aureus proline permease homolog (putP) gene, complete cds	99	1326
159	2	2195	1212	dbj D28879 STAP	Staphylococcus aureus gene for penicillin-binding protein 1, complete cds	100	71
161	3	2596	2270	gb H83994	Staphylococcus aureus prolipoprotein signal peptidase (lsp) gene, complete cds	92	203
162	1	1406	705	gb U21221	Staphylococcus aureus hyaluronate lyase (hysA) gene, complete cds	100	702
163	4	1263	1772	gb U19770	Staphylococcus aureus pyrrolidone carboxyl peptidase (pcp) gene, complete cds	96	127
164	7	4774	9117	dbj D86727 D867	Staphylococcus aureus DNA for DNA polymerase III, complete cds	99	3470
168	7	7448	6447	gb U21636	Staphylococcus aureus cmp-binding-factor 1 (cbf1) and ORF X genes, complete cds	100	1002
168	8	9538	7961	gb U21636	Staphylococcus aureus cmp-binding-factor 1 (cbf1) and ORF X genes, complete cds	99	1158
173	6	9240	7801	gb J03479	S.aureus enzyme III-lac (lacF), enzyme II-lac (lacE), and phospho-beta-galactosidase (lacG) genes, complete cds	100	1440
173	7	11252	9522	gb J03479	S.aureus enzyme III-lac (lacF), enzyme II-lac (lacE), and phospho-beta-galactosidase (lacG) genes, complete cds	99	1731
173	8	8285	8704	gb J03479	S.aureus enzyme III-lac (lacF), enzyme II-lac (lacE), and phospho-beta-galactosidase (lacG) genes, complete cds	100	420
173	9	10168	9839	gb J03479	S.aureus enzyme III-lac (lacF), enzyme II-lac (lacE), and phospho-beta-galactosidase (lacG) genes, complete cds	100	330
173	10	11815	10829	emb X14827 SALA	Staphylococcus aureus lacC and lacD genes	100	987
173	11	11271	11174	emb X14827 SALA	Staphylococcus aureus lacC and lacD genes	100	948
173	12	12838	12305	gb M64724	S.aureus tagatose 6-phosphate isomerase gene, complete cds	100	534
173	13	13243	12773	gb H32103	Staphylococcus aureus lac repressor (lacR) gene, complete cds and lacA repressor (lacA), partial cds	100	471
173	14	14633	13866	gb H32103	Staphylococcus aureus lac repressor (lacR) gene, complete cds and lacA repressor (lacA), partial cds	100	768

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP nt length	ORF nt length
178	1	2	655	[gb U52961]	Staphylococcus aureus holin-like protein LrgA (lrgA) and LrgB (lrgB) genes, complete cds	100	115	654
178	2	2201	1482	[gb U52961]	Staphylococcus aureus holin-like protein LrgA (lrgA) and LrgB (lrgB) genes, complete cds	100	720	720
178	3	2361	1909	[gb U52961]	Staphylococcus aureus holin-like protein LrgA (lrgA) and LrgB (lrgB) genes, complete cds	100	453	453
178	4	1551	1653	[gb U52961]	Staphylococcus aureus holin-like protein LrgA (lrgA) and LrgB (lrgB) genes, complete cds	100	303	303
178	5	3541	2777	[gb U42945]	Staphylococcus aureus lytS and lytR genes, complete cds	99	765	765
178	6	3294	3025	[gb U42945]	Staphylococcus aureus lytS and lytR genes, complete cds	99	270	270
181	1	1114	590	[gb M61177]	S. aureus sigma factor (plac) gene, complete cds	99	499	525
182	1	3	341	[emb X61307 SASP]	Staphylococcus aureus spa gene for protein A	98	277	339
182	2	690	2312	[gb J01786]	S. aureus spa gene coding for protein A, complete cds	97	1332	1623
182	3	5861	4251	[emb X61307 SASP]	Staphylococcus aureus spa gene for protein A	99	119	1611
185	1	3	824	[gb U31979]	Staphylococcus aureus chorismate synthase (aroC) and nucleoside diphosphate kinase (ndk) genes, complete cds, dehydroascorbate synthase (aroB) and geranylgeranyl pyrophosphate synthase homolog (gerCC) genes, partial cds	90	132	822
191	3	841	2760	[emb X17679 SACO]	Staphylococcus aureus coa gene for coagulase	99	1920	1920
191	4	2967	3143	[emb X16457 SAST]	Staphylococcus aureus gene for staphylocoagulase	99	177	177
191	5	5768	4566	[emb X16457 SAST]	Staphylococcus aureus gene for staphylocoagulase	99	250	1203
196	1	1741	872	[gb U36472]	Staphylococcus aureus lysyl-tRNA synthetase gene, complete cds, transfer RNA (tRNA) genes, 5S ribosomal RNA (5S rRNA) gene, 16S ribosomal RNA (16S rRNA) gene, 23S ribosomal RNA (23S rRNA) gene	99	870	870
198	3	1688	2011	[emb X91205 SAPT]	S. aureus ptaiH and ptai genes	99	324	324
198	4	2005	2310	[emb X91205 SAPT]	S. aureus ptaiH and ptai genes	97	304	306
202	1	163	1305	[emb X97985 SA12]	S. aureus orfs 1, 2, 3 & 4	99	1143	1143
202	2	1303	2175	[emb X73889 SAP1]	S. aureus genes P1 and P2	94	464	873
210	1	3114	1558	[dbj D17366 STAA]	Staphylococcus aureus atl gene for autolysin, complete cds and other ORFs	99	1552	1557
210	2	2939	2232	[gb U41499]	Staphylococcus aureus ORF1, partial cds, ORF2, ORF3, autolysin (atl) genes, complete cds	99	684	708
214	11	7429	7770	[dbj D86240 D862]	Staphylococcus aureus gene for unknown function and dlt operon dltA, dltB, dltC and dltD genes, complete cds	96	157	342

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP nt length	ORF nt length
216	3	398	1318	emb X72700 SAPV	S. aureus genes for S and F components of Panton-Valentine leucocidins	88	265	921
219	2	1810	1073	dbj D30690 STAN	Staphylococcus aureus genes for ORF37; HSP20; HSP70; HSP40; ORF35, complete cds	100	60	738
219	3	2979	2035	dbj D30690 STAN	Staphylococcus aureus genes for ORF37; HSP20; HSP70; HSP40; ORF35, complete cds	99	945	945
219	4	4359	3196	dbj D30690 STAN	Staphylococcus aureus genes for ORF37; HSP20; HSP70; HSP40; ORF35, complete cds	99	1164	1164
219	5	7044	5116	dbj D30690 STAN	Staphylococcus aureus genes for ORF37; HSP20; HSP70; HSP40; ORF35, complete cds	98	1869	1869
219	6	6557	5883	dbj D30690 STAN	Staphylococcus aureus genes for ORF37; HSP20; HSP70; HSP40; ORF35, complete cds	99	675	675
219	7	6801	6334	dbj D30690 STAN	Staphylococcus aureus genes for ORF37; HSP20; HSP70; HSP40; ORF35, complete cds	98	468	468
221	8	10816	10034	gb U19298	Staphylococcus aureus phosphatidylinositol-specific phospholipase C (plc) gene, complete cds	91	67	783
223	1	2855	1506	gb U73374	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	99	102	1350
234	1	2	1357	emb X97985 SA12	S. aureus orfs 1,2,3 & 4	100	176	1356
234	2	1694	2485	emb X97985 SA12	S. aureus orfs 1,2,3 & 4	100	792	792
234	3	2648	3148	emb X97985 SA12	S. aureus orfs 1,2,3 & 4	99	501	501
234	4	3120	4604	emb X97985 SA12	S. aureus orfs 1,2,3 & 4	99	1305	1485
236	6	3826	5322	gb U48826	Staphylococcus aureus elastin binding protein (ebpS) gene, complete cds	96	648	1497
248	1	2	403	emb X62288 SAPE	S. aureus DNA for penicillin-binding protein 2	100	103	402
248	2	388	852	gb U35426	Staphylococcus aureus penicillin-binding protein 2 (pbp2) gene, complete cds	99	465	465
253	2	1539	1093	gb U46541	Staphylococcus aureus sara gene, complete cds	96	447	447
254	2	150	1835	gb U57060	Staphylococcus aureus scdA gene, complete cds	94	142	1686
254	3	1973	2728	gb U57060	Staphylococcus aureus scdA gene, complete cds	99	756	756
260	1	2	1900	gb U90693	Staphylococcus aureus glycerol ester hydrolase (lip) gene, complete cds	99	1213	1899
265	1	1	942	dbj D21131 STAS	Staphylococcus aureus gene for a participant in homogeneous expression of high-level methicillin resistance, complete cds	99	941	942

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	Percent ident	HSP nt length	ORF nt length
265	2	688	476	[dbj D21131 STAS	Staphylococcus aureus gene for a participant in homogeneous expression of high-level methicillin resistance, complete cds	99	213	213
265	3	2418	1765	[dbj D21131 STAS	Staphylococcus aureus gene for a participant in homogeneous expression of high-level methicillin resistance, complete cds	98	69	654
266	1	2	1018	[dbj D14711 STAH	Staphylococcus aureus HSP10 and HSP60 genes	98	743	1017
282	1	1	525	[gb F72488	hemA- <i>porphobilinogen synthase</i> (Staphylococcus aureus, SA1959, Genomic, 1087 nt)	100	110	525
282	2	516	1502	[gb S72488	hemA- <i>porphobilinogen synthase</i> (Staphylococcus aureus, SA1959, Genomic, 1087 nt)	100	952	987
284	1	3	170	[gb M63176	Staphylococcus aureus helicase required for T181 replication (pcrA) gene, complete cds	98	84	168
284	2	282	1034	[gb M63176	Staphylococcus aureus helicase required for T181 replication (pcrA) gene, complete cds	100	712	753
284	3	1028	2026	[gb M63176	Staphylococcus aureus helicase required for T181 replication (pcrA) gene, complete cds	99	979	999
284	4	1990	2202	[gb M63176	Staphylococcus aureus helicase required for T181 replication (pcrA) gene, complete cds	98	187	213
289	3	1516	1991	[gb M32470	S. aureus Sau3AI-restriction-enzyme and Sau3AI-modification-enzyme genes, complete cds	99	338	456
303	1	2	868	[gb L01055	Staphylococcus aureus gamma-hemolysin components A, B and C (hlgA, hlgB, hlgC) genes, complete cds	99	867	867
303	2	1409	2383	[gb L01055	Staphylococcus aureus gamma-hemolysin components A, B and C (hlgA, hlgB, hlgC) genes, complete cds	100	975	975
303	3	2367	3161	[gb L01055	Staphylococcus aureus gamma-hemolysin components A, B and C (hlgA, hlgB, hlgC) genes, complete cds	99	793	795
305	1	2707	1355	[dbj D17366 STAA	Staphylococcus aureus atl gene for autolysin, complete cds and other ORFs	99	1343	1353
311	1	2628	1315	[gb L42945	Staphylococcus aureus lylS and lylR genes, complete cds	98	1314	1314
312	6	7019	7870	[gb L14017	Staphylococcus aureus methicillin-resistance protein (mecR) gene and unknown ORF, complete cds	74	351	852
323	1	1998	1003	[gb U31175	Staphylococcus aureus D-specific D-2-hydroxyacid dehydrogenase (ddh) gene, complete cds	98	996	996
326	1	1	237	[emb Y00356 SASP	Staphylococcus aureus V8 serine protease gene	100	108	237
338	1	687	388	[emb X64389 SALE	S. aureus leuF-P83 gene for F component of leucocidin R	98	259	300
338	2	1828	1086	[emb X64389 SALE	S. aureus leuF-P83 gene for F component of leucocidin R	97	137	741

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP nt length	ORF nt length
342	2	579	1754	[gb U06462]	Staphylococcus aureus SA4 fts2 (fts2) gene, complete cds	100	1176	1176
344	2	517	1248	[emb V01281 SNU]	S. aureus mRNA for nuclease	98	732	732
349	1	457	230	[gb M20193]	S. aureus bacteriophage phi-11 attachment site (atcB)	96	172	228
353	1	1016	516	[gb HM3994]	Staphylococcus aureus prolipoprotein signal peptidase (lsp) gene, complete cds	100	187	501
353	2	1582	1046	[gb HM3994]	Staphylococcus aureus prolipoprotein signal peptidase (lsp) gene, complete cds	99	537	537
356	1	3	674	[gb U20503]	Staphylococcus aureus MIC class II analog gene, complete cds	75	671	672
361	1	1	903	[gb L19298]	Staphylococcus aureus phosphatidylinositol-specific phospholipase C (plc) gene, complete cds	98	747	903
361	2	1103	1507	[gb L19298]	Staphylococcus aureus phosphatidylinositol-specific phospholipase C (plc) gene, complete cds	97	68	405
373	1	3	1148	[emb X62288 SAPE]	S. aureus DNA for penicillin-binding protein 2	99	1146	1146
389	3	1904	1248	[emb X62282 SATS]	S. aureus target site DNA for IS431 insertion	97	349	657
400	1	1	540	[emb X61716 SAILL]	S. aureus hlb gene encoding sphingomyelinase	99	389	540
400	2	1693	1187	[emb X13404 SAHL]	Staphylococcus aureus hlb gene for beta-hemolysin	99	178	507
408	1	1810	1049	[gb S76213]	asp23-alkaline shock protein 23 (methicillin resistant) [Staphylococcus aureus, 912, Genomic, 1360 nt]	99	163	762
418	1	2	217	[gb A1499]	Staphylococcus aureus ORF1, partial cds, ORF2, autolysin (atl) genes, complete cds	100	216	216
418	2	854	639	[dbj D17366 STAA]	Staphylococcus aureus atl gene for autolysin, complete cds and other ORFs	100	188	216
421	2	1262	2509	[gb L43098]	Transposon Tn5404 and insertion sequences IS1181 and IS1182 (from Staphylococcus aureus) DNA	99	1248	1248
422	1	2	325	[gb K02985]	S. aureus (strain RN450) transposon Tn554 insertion site	96	200	374
427	1	865	434	[dbj D28879 STAP]	Staphylococcus aureus gene for penicillin-binding protein 1, complete cds	100	432	432
427	2	1829	1122	[dbj D28879 STAP]	Staphylococcus aureus gene for penicillin-binding protein 1, complete cds	100	151	708
435	1	2	808	[dbj D86240 D862]	Staphylococcus aureus gene for unknown function and dit operon dltA, dltC, dltD and dltD genes, complete cds	100	556	807
435	2	832	999	[dbj D86240 D862]	Staphylococcus aureus gene for unknown function and dit operon dltA, dltC, dltD and dltD genes, complete cds	100	134	168
436	1	1341	685	[emb X17688 SAFE]	S. aureus factor essential for expression of methicillin resistance (femA) gene, complete cds, and trpA gene, 3' end	97	657	657

TABLE I

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP nt length	ORF nt length
436	2	2403	1657	[emb]X17688 SAFE	S.aureus factor essential for expression of methicillin resistance (fema) gene, complete cds, and trpA gene, 3' and	100	294	747
442	1	347	1300	[emb]X72700 SAPV	S.aureus genes for S and F components of Pantone-Valentine leucocidins	86	204	954
445	2	1906	2178	[gb]L01055	Staphylococcus aureus gamma-hemolysin components A, B and C (hlgA, hlgB, hlgC) genes, complete cds	98	187	273
447	1	167	1078	[gb]U19770	Staphylococcus aureus pyrrolidone carboxyl peptidase (pcp) gene, complete cds	100	511	912
447	2	1176	1784	[gb]U19770	Staphylococcus aureus pyrrolidone carboxyl peptidase (pcp) gene, complete cds	96	597	609
454	3	7309	4319	[emb]Z18852 SACF	S.aureus gene for clumping factor	75	653	2991
472	4	7896	5479	[gb]L25288	Staphylococcus aureus gyrase-like protein alpha and beta subunit (gria and griB) genes, complete cds	99	2418	2418
472	5	8120	6792	[gb]L25288	Staphylococcus aureus gyrase-like protein alpha and beta subunit (gria and griB) genes, complete cds	99	1328	1329
475	2	566	889	[emb]X52543 SAGC	S.aureus agrA, agrB and hid genes	100	76	324
481	4	1922	1560	[emb]X64172 SARP	S.aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	100	250	363
481	5	1244	1534	[emb]X64172 SARP	S.aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	100	224	291
487	2	1388	1188	[gb]H83994	Staphylococcus aureus prolipoprotein signal peptidase (lsp) gene, complete cds	98	72	201
489	1	2737	1370	[gb]U21221	Staphylococcus aureus hyaluronate lyase (hyla) gene, complete cds	99	1368	1368
503	2	1135	653	[gb]H83994	Staphylococcus aureus prolipoprotein signal peptidase (lsp) gene, complete cds	100	108	483
511	3	1613	2242	[gb]L14017	Staphylococcus aureus methicillin-resistance protein (mecR) gene and unknown ORF, complete cds	84	323	630
511	4	3122	2700	[gb]S76213	asp23=alkaline shock protein 23 (methicillin resistant) [Staphylococcus aureus, 912, Genomic, 1360 nt]	96	423	421
520	2	758	1297	[emb]X72014 SAFI	S.aureus fib gene for fibrinogen-binding protein	99	540	540
520	3	1436	1801	[emb]X72013 SAFI	S.aureus fib gene for fibrinogen-binding protein	99	221	366
526	1	2150	1092	[db]U17366 STAA	Staphylococcus aureus atl gene for autolysin, complete cds and other ORFs	99	641	1059

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	percent ident	HSP nt length	ORF nt length
528	2	58	963	gb U19300	Staphylococcus aureus DNA sequence encoding three ORFs, complete cds; prophage phi-11 sequence homology, 5' flank	99	260	906
528	3	1098	2870	gb U19300	Staphylococcus aureus DNA sequence encoding three ORFs, complete cds; prophage phi-11 sequence homology, 5' flank	99	866	1773
530	1	3	434	gb U11979	Staphylococcus aureus chorismate synthase (aroC) and nucleoside diphosphate kinase (ndk) genes, complete cds, dehydroquinase synthase (aroB) and geranylgeranyl pyrophosphate synthetase homolog (gerCC) genes, partial cds	99	432	432
530	2	1211	2395	gb U11979	Staphylococcus aureus chorismate synthase (aroC) and nucleoside diphosphate kinase (ndk) genes, complete cds, dehydroquinase synthase (aroB) and geranylgeranyl pyrophosphate synthetase homolog (gerCC) genes, partial cds	91	1185	1185
530	3	2409	2801	gb U11979	Staphylococcus aureus chorismate synthase (aroC) and nucleoside diphosphate kinase (ndk) genes, complete cds, dehydroquinase synthase (aroB) and geranylgeranyl pyrophosphate synthetase homolog (gerCC) genes, partial cds	88	181	393
530	4	2690	3484	gb L05004	Staphylococcus aureus dehydroquinase synthase (aroB) gene, 3' end cds; 3-phosphoshikimate-1-carboxyvinyltransferase (aroA) gene, complete cds; ORF3, complete cds	100	75	795
530	5	3482	4792	gb L05004	Staphylococcus aureus dehydroquinase synthase (aroB) gene, 3' end cds; 3-phosphoshikimate-1-carboxyvinyltransferase (aroA) gene, complete cds; ORF3, complete cds	99	905	1311
530	6	4790	5380	gb L05004	Staphylococcus aureus dehydroquinase synthase (aroB) gene, 3' end cds; 3-phosphoshikimate-1-carboxyvinyltransferase (aroA) gene, complete cds; ORF3, complete cds	100	196	591
539	1	3	338	emb X76490 SAGL	S. aureus (bb270) glnA and glnR genes	99	336	336
539	2	336	527	emb X76490 SAGL	S. aureus (bb270) glnA and glnR genes	100	189	192
554	1	727	365	gb U73374	Staphylococcus aureus type 8 capsula genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	100	54	363
554	2	2175	1252	gb U73374	Staphylococcus aureus type 8 capsula genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	99	918	924
554	3	1574	1374	gb U73374	Staphylococcus aureus type 8 capsula genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	96	122	201
584	2	1019	705	gb U21221	Staphylococcus aureus hyaluronate lyase (hysA) gene, complete cds	99	306	315
587	3	1475	4288	emb 218852 SACF	S. aureus gene for clumping factor	98	2588	2814
598	1	3881	1953	dbj D28879 STAP	Staphylococcus aureus gene for penicillin-binding protein 1, complete cds	99	1873	1929

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP nt length	ORF nt length
605	1	2	745	[blj]D86240[D862]	Staphylococcus aureus gene for unknown function and dlt operon dltA, dltB, dltC and dltD genes, complete cds	98	338	744
609	1	1628	816	[emb]X76490[SAGL]	S. aureus (bb270) glnA and glnR genes	100	495	813
614	1	1280	642	[gb]M32103]	Staphylococcus aureus lac repressor (lacR) gene, complete cds and lacA repressor (lacA), partial cds	99	639	639
626	1	2508	1255	[gb]M63176]	Staphylococcus aureus helicase required for T181 replication (pctrA) gene, complete cds	100	225	1254
626	2	3315	2284	[gb]M63176]	Staphylococcus aureus helicase required for T181 replication (pctrA) gene, complete cds	99	838	1032
629	1	1999	1001	[emb]X17688[SAFE]	S. aureus factor essential for expression of methicillin resistance (femA) gene, complete cds, and trpA gene, 3' end	99	990	999
629	2	1407	1195	[emb]X17688[SAFE]	S. aureus factor essential for expression of methicillin resistance (femA) gene, complete cds, and trpA gene, 3' end	98	194	210
631	2	5126	3228	[emb]Z18832[SACF]	S. aureus gene for clumping factor	82	489	1899
632	1	3	551	[emb]Z30588[SAST]	S. aureus (RN4220) genes for potential ABC transporter and potential membrane spanning protein	99	549	549
632	2	529	1323	[emb]Z30588[SAST]	S. aureus (RN4220) genes for potential ABC transporter and potential membrane spanning protein	99	795	795
651	1	1909	1070	[gb]L19300]	Staphylococcus aureus DNA sequence encoding three ORFs, complete cds; prophage phi-11 sequence homology, 5' flank	99	478	840
657	2	1800	1105	[gb]L14017]	Staphylococcus aureus methicillin-resistance protein (mecR) gene and unknown ORF, complete cds	84	456	696
662	1	908	456	[emb]X13404[SAHL]	Staphylococcus aureus hlb gene for beta-hemolysin	100	369	453
662	2	230	475	[emb]X13404[SAHL]	Staphylococcus aureus hlb gene for beta-hemolysin	100	246	246
662	3	746	1399	[emb]X13404[SAHL]	Staphylococcus aureus hlb gene for beta-hemolysin	99	653	654
682	1	956	480	[gb]M63177]	S. aureus sigma factor (plac) gene, complete cds	100	136	477
685	1	1182	592	[gb]U65000]	Staphylococcus aureus type-1 signal peptidase SpasA (spasA) gene, and type-1 signal peptidase SpasB (spasB) gene, complete cds	98	534	591
685	2	1716	1153	[gb]U65000]	Staphylococcus aureus type-1 signal peptidase SpasA (spasA) gene, and type-1 signal peptidase SpasB (spasB) gene, complete cds	96	564	564
697	1	3	527	[gb]M63177]	S. aureus sigma factor (plac) gene, complete cds	100	395	525
697	2	485	784	[gb]M63177]	S. aureus sigma factor (plac) gene, complete cds	97	280	300

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	percent ident	HSP nt length	ORF nt length
710	1	15	503	[dbj DRC240 DRC240.1]	Staphylococcus aureus gene for unknown function and dlt operon dltA, dltB, dltC and dltD genes, complete cds	99	217	489
733	1	26	205	[gb HR0252]	Staphylococcus aureus norA1199 gene (which mediates active efflux of fluoroquinolones), complete cds	97	140	180
741	1	1736	1197	[dbj U83951 STAL]	Staphylococcus aureus DNA for LukM component, LukF-PV like component, complete cds	81	522	540
752	1	1	636	[emb Y00356 SASP]	Staphylococcus aureus V8 serine protease gene	99	618	636
752	2	588	956	[emb Y00356 SASP]	Staphylococcus aureus V8 serine protease gene	99	340	369
756	1	1308	709	[emb X01645 SATO]	Staphylococcus aureus (Wood 46) gene for alpha-toxin	98	567	600
777	1	1582	950	[emb Z49245 SA42]	S. aureus partial sod gene for superoxide dismutase	99	429	633
780	1	1111	537	[gb U20503]	Staphylococcus aureus MHC class II analog gene, complete cds	86	550	555
784	1	73	687	[gb U63529]	Staphylococcus aureus novel antigen gene, complete cds	99	568	615
797	1	182	544	[dbj D14711 STAH]	Staphylococcus aureus HSP10 and HSP60 genes	98	363	363
798	1	532	302	[emb X58434 SNPD]	S. aureus pdaB, pdaC and pdaD genes for pyruvate decarboxylase, dihydrolysoamide acetyltransferase and dihydrolysoamide dehydrogenase	99	156	465
823	1	3	467	[gb S77055]	ecf cluster: dnaA, replisome assembly protein...gyrB-DNA gyrase beta subunit (Staphylococcus aureus, YB886, Genomic, 5 genes, 3573 nt)	99	174	174
848	1	348	175	[gb L25288]	Staphylococcus aureus gyrase-like protein alpha and beta subunit (gria and grib) genes, complete cds	99	131	159
848	2	476	318	[gb L25288]	Staphylococcus aureus gyrase-like protein alpha and beta subunit (gria and grib) genes, complete cds	99	131	159
866	1	792	397	[emb X64172 SARP]	S. aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	99	395	396
883	1	1	285	[dbj D90119 STAN]	S. aureus nraA gene	99	131	285
884	1	606	334	[emb X52543 SAAG]	S. aureus agrA, agrB and hid genes	98	265	273
884	2	716	522	[emb X52543 SAAG]	S. aureus agrA, agrB and hid genes	100	195	195
912	2	517	681	[emb Z30588 SAST]	S. aureus (RN4220) genes for potential ABC transporter and potential membrane spanning protein	99	163	165
917	1	2	265	[gb M64724]	S. aureus tagatase 6-phosphate isomerase gene, complete cds	99	247	264
917	2	238	396	[gb M64724]	S. aureus tagatase 6-phosphate isomerase gene, complete cds	95	147	159
918	1	2426	1215	[emb X93205 SAPT]	S. aureus ptaH and ptaI genes	99	1212	1212

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	ORF nt length
967	1	1	411	[dbj U90119 STAM	S. aureus norA gene	97	395
991	1	672	337	[emb X52543 SAG	S. aureus agrA, agrB and hld genes	99	336
1000	1	1117	845	[gb L14017	Staphylococcus aureus methicillin-resistance protein (mecR) gene and unknown ORF, complete cds	78	190
1001	1	498	265	[dbj D86240 D862	Staphylococcus aureus gene for unknown function and dlt operon dltA, dltB, dltC and dltD genes, complete cds	99	234
1010	1	1	285	[gb U21221	Staphylococcus aureus hyaluronate lyase (hysA) gene, complete cds	99	224
1046	1	656	330	[emb X72700 SAPV	S. aureus genes for S and F components of Pantone-Valentine leucocidins	85	205
1060	1	480	286	[emb X58434 SAPD	S. aureus pdhA, pdhC and pdhD genes for pyruvate decarboxylase, dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase	99	180
1073	1	1176	589	[gb K02985	S. aureus (strain RN450) transposon Tn554 insertion site	100	131
1079	1	3	230	[dbj D86240 D862	Staphylococcus aureus gene for unknown function and dlt operon dltA, dltB, dltC and dltD genes, complete cds	99	228
1079	2	218	484	[dbj D86240 D862	Staphylococcus aureus gene for unknown function and dlt operon dltA, dltB, dltC and dltD genes, complete cds	100	267
1079	3	400	645	[dbj D86240 D862	Staphylococcus aureus gene for unknown function and dlt operon dltA, dltB, dltC and dltD genes, complete cds	100	186
1092	1	289	146	[emb X58434 SAPD	S. aureus pdhA, pdhC and pdhD genes for pyruvate decarboxylase, dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase	98	124
1143	1	1	243	[gb H63177	S. aureus sigma factor (plac) gene, complete cds	99	243
1157	1	2	136	[emb Z48003 SADN	S. aureus gene for DNA polymerase III	97	127
1189	1	720	361	[gb S74031	norA-norA (ISP794) [Staphylococcus aureus, NCTC 8325, insertion, 1820 nt]	99	360
1190	1	2	283	[gb H21854	S. aureus agr gene encoding an accessory gene regulator protein, complete cds	100	282
1190	2	1127	888	[emb X52543 SAG	S. aureus agrA, agrB and hld genes	100	240
1225	1	2	163	[emb X17679 SACO	Staphylococcus aureus coa gene for coagulase	97	124
1243	1	2	529	[dbj D86240 D862	Staphylococcus aureus gene for unknown function and dlt operon dltA, dltB, dltC and dltD genes, complete cds	99	495
1244	1	1	210	[gb S74031	norA-norA (ISP794) [Staphylococcus aureus, NCTC 8325, insertion, 1820 nt]	100	210
1201	1	41	472	[emb X76490 ZAGL	S. aureus (bb270) glnA and glnR genes	99	299

TABLE 1

5. aureus - coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP nt length	ORF nt length
1315	1	18	326	[emj]X64172 SARP	S.aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta 4, beta' chains	98	277	309
1319	1	2	175	[dhj]D28879 STAP	Staphylococcus aureus gene for penicillin-binding protein 1, complete cds	98	139	174
1663	1	1346	675	[dbj]D86240 D862	Staphylococcus aureus gene for unknown function and dlt operon dltA, dltB, dltC and dltD genes, complete cds	98	672	672
1797	1	644	324	[gbj]U73374	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	99	321	321
1857	1	1	192	[gbj]H90336	Staphylococcus aureus alpha-hemolysin gene, 3' end	98	192	192
1923	1	2	181	[emb]X17688 SAFE	S.aureus factor essential for expression of methicillin resistance (femA) gene, complete cds, and trpA gene, 3' end	100	180	180
1957	1	2	346	[gbj]U60589	Staphylococcus aureus novel antigen gene, complete cds	99	345	345
1988	1	1	402	[dbj]D86240 D862	Staphylococcus aureus gene for unknown function and dlt operon dltA, dltB, dltC and dltD genes, complete cds	100	402	402
2100	1	414	208	[gbj]H63177	S.aureus sigma factor (plac) gene, complete cds	99	207	207
2199	1	1	402	[ghj]U66664	Staphylococcus aureus DNA fragment with class II promoter activity	99	131	402
2537	1	308	156	[emb]X17688 SAFE	S.aureus factor essential for expression of methicillin resistance (femA) gene, complete cds, and trpA gene, 3' end	99	153	153
2891	1	2	400	[ghj]J25426	Staphylococcus aureus penicillin-binding protein 2 (pbp2) gene, complete cds	99	399	399
2950	1	778	398	[dbj]D30690 STAN	Staphylococcus aureus genes for ORF37; HSP70; HSP40; ORF35, complete cds	100	358	381
2971	1	3	398	[gbj]U51132	Staphylococcus aureus o-succinylbenzoic acid CoA ligase (mehc), and o-succinylbenzoic acid synthetase (menc) genes, complete cds	97	272	396
2978	1	618	328	[gbj]U31979	Staphylococcus aureus chorismate synthase (aroC) and nucleoside diphosphate kinase (ndk) genes, complete cds, dehydroquinase synthase (aroB) and geranylgeranyl pyrophosphate synthetase homolog (gerCC) genes, partial cds	98	250	291
2985	1	832	464	[emb]X17679 SACO	Staphylococcus aureus coa gene for coagulase	98	347	369
3006	1	2170	1784	[gbj]U11779	Staphylococcus aureus methicillin-resistant ATCC 33952 clone RANV30 16S-23S rRNA spacer region	87	82	387
3008	1	474	238	[dbj]D30690 STAN	Staphylococcus aureus genes for ORF37; HSP70; HSP40; ORF35, complete cds	88	178	237
3008	2	451	281	[dbj]U30690 STAN	Staphylococcus aureus genes for ORF37; HSP70; HSP40; ORF35, complete cds	97	120	171

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP length	ORF nt length
3011	1	793	398	[emb]X62992 SAFN	S. aureus fnbB gene for fibronectin binding protein B	93	72	396
3019	1	2	235	[gb]J034791	S. aureus enzyme III-lac (lacF), enzyme II-lac (lacE), and phospho-beta-galactosidase (lacG) genes, complete cds	97	234	234
3023	1	81	233	[gb]U064511	Staphylococcus aureus proline permease homolog (putP) gene, complete cds	87	100	153
3029	1	90	287	[gb]U0511331	Staphylococcus aureus phosphoenolpyruvate carboxylase (pckA) gene, complete cds	100	135	198
3039	1	18	164	[gb]U0511331	Staphylococcus aureus phosphoenolpyruvate carboxylase (pckA) gene, complete cds	97	135	147
3039	2	70	327	[gb]U0511331	Staphylococcus aureus phosphoenolpyruvate carboxylase (pckA) gene, complete cds	77	183	258
3056	1	3	215	[emb]X64172 SARP	S. aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	99	213	213
3059	1	1	261	[dbj]D30690 STAN	Staphylococcus aureus genes for ORF37; HSP70; HSP40; ORF35, complete cds	98	234	261
3073	1	27	284	[gb]U064511	Staphylococcus aureus proline permease homolog (putP) gene, complete cds	99	229	258
3074	1	2	397	[emb]X64172 SARP	S. aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	96	250	396
3088	1	3	239	[dbj]D86727 D867	Staphylococcus aureus DNA for DNA polymerase III, complete cds	95	215	237
3097	1	444	244	[emb]Z18003 SAH11	S. aureus gene for DNA polymerase III	97	160	201
3102	1	307	155	[gb]J034791	S. aureus enzyme III-lac (lacF), enzyme II-lac (lacE), and phospho-beta-galactosidase (lacG) genes, complete cds	97	142	153
3121	1	568	398	[emb]X58434 SAPD	S. aureus pdhA, pdhC and pdhD genes for pyruvate decarboxylase, dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase	100	88	171
3125	1	463	233	[emb]A89233 SAMP	S. aureus DNA for rpoC gene	98	192	231
3133	1	2	175	[emb]Z18852 SACF	S. aureus gene for clumping factor	96	154	174
3160	1	420	211	[dbj]J010489 STAG	Staphylococcus aureus genes for DNA gyrase A and B, complete cds	89	197	210
3176	1	1	378	[emb]J36434 SAPD	S. aureus pdhA, pdhC and pdhD genes for pyruvate decarboxylase, dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase	96	91	378
3192	1	420	211	[gb]J034791	S. aureus enzyme III-lac (lacF), enzyme II-lac (lacE), and phospho-beta-galactosidase (lacG) genes, complete cds	98	72	210
3210	1	3	143	[gb]J1767141	Staphylococcus aureus peptidoglycan hydrolase gene, complete cds	96	141	141

TABLE I

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	percent ident	ORF nt length
3232	3	2106	1282	[gb L14017]	Staphylococcus aureus methicillin-resistance protein (mecR) gene and unknown ORF, complete cds	71	257
353A	1	2	394	[emb X89233 SARP]	S. aureus DNA for rpoC gene	99	393
3543	1	392	634	[gb L11530]	Staphylococcus aureus transfer RNA sequence with two rRNAs	99	102
3555	1	637	320	[emb 218652 SACF]	S. aureus gene for clumping factor	99	307
3559	1	3	182	[emb X17679 SACO]	Staphylococcus aureus coa gene for coagulase	100	141
3559	2	95	313	[emb X17679 SACO]	Staphylococcus aureus coa gene for coagulase	98	314
3563	1	278	141	[gb U35773]	Staphylococcus aureus proliprotein diacylglycerol transferase (lgt) gene, complete cds	100	79
3563	2	527	363	[gb U35773]	Staphylococcus aureus proliprotein diacylglycerol transferase (lgt) gene, complete cds	98	162
3566	1	3	422	[emb X16457 SAST]	Staphylococcus aureus gene for staphylocoagulase	98	375
3588	1	2	262	[gb L43098]	Transposon Tn3404 and insertion sequences IS1181 and IS1182 (from Staphylococcus aureus) DNA	99	253
3600	1	758	381	[emb 218852 SACF]	S. aureus gene for clumping factor	72	346
3602	1	788	396	[emb 218852 SACF]	S. aureus gene for clumping factor	98	319
3656	1	1013	528	[emb 218852 SACF]	S. aureus gene for clumping factor	84	403
3682	1	3	236	[emb X64172 SARP]	S. aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	100	231
3682	2	224	415	[emb X64172 SARP]	S. aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	100	112
3693	1	758	423	[emb X62992 SAFH]	S. aureus fmbB gene for fibronectin binding protein B	100	229
3702	1	593	154	[gb L11530]	Staphylococcus aureus transfer RNA sequence with two rRNAs	54	81
3725	1	924	463	[emb 218852 SACF]	S. aureus gene for clumping factor	71	367
3761	1	809	450	[gb L14017]	Staphylococcus aureus methicillin-resistance protein (mecR) gene and unknown ORF, complete cds	85	333
3767	1	1	402	[emb X64172 SARP]	S. aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	98	387

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	Percent ident	ORF nt length
3775	1	2	286	emb X64172 SARP	S.aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	100	227
3786	1	456	229	dbj D10489 STAG	Staphylococcus aureus genes for DNA gyrase A and B, complete cds	100	204
3786	2	512	366	dbj D10489 STAG	Staphylococcus aureus genes for DNA gyrase A and B, complete cds	95	123
3798	1	3	251	emb X17679 SACO	Staphylococcus aureus coa gene for coagulase	99	249
3813	1	793	398	gb J04151	S.aureus fibronectin-binding protein (fnbA) mRNA, complete cds	98	396
3819	1	184	402	emb X68425 SA23	S.aureus gene for 23S rRNA	99	161
3844	1	932	468	gb U58826	Staphylococcus aureus elastin binding protein (ebpS) gene, complete cds	87	204
3845	1	1	381	emb X58434 SAPD	S.aureus pdhB, pdhC and pdhD genes for pyruvate decarboxylase, dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase	94	356
3856	1	798	400	gb U14017	Staphylococcus aureus methicillin-resistance protein (mecA) gene and unknown ORF, complete cds	76	192
3859	1	1049	573	emb Z18852 SACF	S.aureus gene for clumping factor	85	347
3871	1	630	327	gb U76714	Staphylococcus aureus peptidoglycan hydrolase gene, complete cds	100	299
3876	1	2	253	dbj D10489 STAG	Staphylococcus aureus genes for DNA gyrase A and B, complete cds	100	217
3877	1	572	268	gb U03479	S.aureus enzyme III-lac (lacP), enzyme II-lac (lacE), and phospho-beta-galactosidase (lacO) genes, complete cds	97	209
3878	1	1	237	emb X58434 SAPD	S.aureus pdhB, pdhC and pdhD genes for pyruvate decarboxylase, dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase	96	155
3888	1	3	173	emb X16457 SAST	Staphylococcus aureus gene for staphylocoagulase	98	171
3893	1	1	183	emb X89233 SARP	S.aureus DNA for rpoC gene	100	170
3893	2	181	357	emb X89233 SARP	S.aureus DNA for rpoC gene	98	79
3894	1	3	485	emb X64172 SARP	S.aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	99	450
3895	1	836	420	gb J04151	S.aureus fibronectin-binding protein (fnbA) mRNA, complete cds	99	411
3905	1	48	239	gb U05004	Staphylococcus aureus dehydroquinase synthase (aroB) gene, 3' end cds; 3-phosphoshikimate-1-carboxyvinyltransferase (aroA) gene, complete cds; ORF3, complete cds	100	159
3905	2	188	400	gb U05004	Staphylococcus aureus dehydroquinase synthase (aroB) gene, 3' end cds; 3-phosphoshikimate-1-carboxyvinyltransferase (aroA) gene, complete cds; ORF3, complete cds	97	88

TABLE I

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP nt length	ORF nt length
3910	1	3	359	[emb]X58434 SAPD	S. aureus pdhB, pdhC and pdhD genes for pyruvate decarboxylase, dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase	99	278	357
3915	1	1	330	[gb]L14017	Staphylococcus aureus methicillin-resistance protein (mecR) gene and unknown ORF, complete cds	75	175	330
3964	1	691	347	[emb]Z48003 SADN	S. aureus gene for DNA polymerase III	100	295	345
4007	1	199	390	[emb]X16457 SAST	Staphylococcus aureus gene for staphylocoagulase	98	163	192
4036	1	3	371	[dbj]U0489 STAG	Staphylococcus aureus genes for DNA gyrase A and B, complete cds	99	339	369
4046	1	692	348	[emb]Z18852 SACF	S. aureus gene for clumping factor	87	221	345
4060	1	1	375	[emb]Z18852 SACF	S. aureus gene for clumping factor	96	271	375
4061	1	860	432	[emb]Z48003 SADN	S. aureus gene for DNA polymerase III	99	429	429
4062	1	606	304	[gb]L14017	Staphylococcus aureus methicillin-resistance protein (mecR) gene and unknown ORF, complete cds	75	198	303
4085	1	58	402	[gb]U11786	Staphylococcus aureus methicillin-resistant ATCC 33552 clone RUMV42 16S-23S rRNA spacer region	98	177	345
4088	1	2	301	[gb]L14098	Transposon Tn5404 and insertion sequences IS1181 and IS1182 (from Staphylococcus aureus) DNA	99	227	300
4093	1	2	277	[emb]X58434 SAPD	S. aureus pdhB, pdhC and pdhD genes for pyruvate decarboxylase, dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase	99	276	276
4097	1	1	402	[emb]Z18852 SACF	S. aureus gene for clumping factor	74	307	402
4116	1	22	402	[gi]L05004	Staphylococcus aureus dehydroquinase synthase (aroN) gene, 3' end cds; 3-phosphoshikimate-1-carboxyvinyltransferase (aroA) gene, complete cds; ORF3, complete cds	98	157	381
4125	1	240	401	[gb]U73374	Staphylococcus aureus type 8 capsule genes, cap8A, cap8B, cap8C, cap8D, cap8E, cap8F, cap8G, cap8H, cap8I, cap8J, cap8K, cap8L, cap8M, cap8N, cap8O, cap8P, complete cds	100	46	162
4149	1	35	247	[gb]J04151	S. aureus fibronectin-binding protein (fnbA) mRNA, complete cds	99	200	213
4151	1	629	366	[gb]L14017	Staphylococcus aureus methicillin-resistance protein (mecR) gene and unknown ORF, complete cds	87	150	264
4154	1	754	398	[emb]X64172 SARP	S. aureus rplL, orf202, rpoB(rlf) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	99	297	357
4179	1	1	294	[emb]X64172 SARP	S. aureus rplL, orf202, rpoB(rlf) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	98	240	294

TABLE I

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	percent ident	HSP nt length	ORF nt length
4203	1	1	255	emb X89233 SARP	S. aureus DNA for rpoC gene	99	239	255
4206	1	1	303	emb Z18852 SACF	S. aureus gene for clumping factor	100	236	303
4206	2	195	344	emb Z18852 SACF	S. aureus gene for clumping factor	95	65	150
4208	1	108	314	emb X58434 SAPD	S. aureus pdhB, pdhC and pdhD genes for pyruvate decarboxylase, dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase	89	76	207
4216	1	656	330	emb X58434 SAPD	S. aureus pdhB, pdhC and pdhD genes for pyruvate decarboxylase, dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase	98	126	327
4226	1	594	298	gb U11530	Staphylococcus aureus transfer RNA sequence with two rRNAs	97	132	297
4260	1	216	383	gb U11784	Staphylococcus aureus methicillin-resistant ATCC 33952 clone RRV40 16S-23S rRNA spacer region	83	141	168
4272	1	355	179	emb Z48003 SADN	S. aureus gene for DNA polymerase III	100	164	177
4276	1	4	177	emb X16457 SAST	Staphylococcus aureus gene for staphylocoagulase	99	150	174
4277	1	1	270	emb X64172 SARP	S. aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	99	265	270
4282	1	691	377	emb X64172 SARP	S. aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	98	282	315
4291	1	379	191	emb X64172 SARP	S. aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	99	183	189
4295	1	3	329	emb X16457 SAST	Staphylococcus aureus gene for staphylocoagulase	94	144	327
4313	1	435	280	gb U11530	Staphylococcus aureus transfer RNA sequence with two rRNAs	100	94	156
4315	1	3	185	gb J03479	S. aureus enzyme III-lac (lacF), enzyme II-lac (lacE), and phospho-beta-galactosidase (lacG) genes, complete cds	100	158	183
4315	2	101	310	gb J03479	S. aureus enzyme III-lac (lacF), enzyme II-lac (lacE), and phospho-beta-galactosidase (lacG) genes, complete cds	98	75	210
4327	1	1	294	gb U143098	Transposon Tn5404 and insertion sequences IS1181 and IS1182 (Iron Staphylococcus aureus) DNA	98	294	294
4360	1	603	319	gb U02910	Staphylococcus aureus ATCC 25923 16S rRNA gene, partial sequence	100	116	285
4364	1	3	146	emb X64172 SARP	S. aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	95	140	144
4388	1	167	310	emb X62992 SAPN	S. aureus fnbB gene for fibronectin binding protein B	73	119	144

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	percent ident	HSP nt length	ORF nt length
4401	1	2	313	emb X62992 SAFN	S.aureus fnbB gene for fibronectin binding protein B	97	243	312
4421	1	36	281	dbj D13572 STA2	Staphylococcus aureus rna gene for 23S ribosomal RNA	100	112	246
4426	1	3	293	emb Z18852 SACF	S.aureus gene for clumping factor	85	185	291
4428	1	493	248	emb X64172 SARP	S.aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	100	139	246
4462	1	2	271	emb X64172 SARP	S.aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	99	270	270
4466	1	1	240	emb Z18852 SACF	S.aureus gene for clumping factor	99	231	240
4469	1	1	312	gb J03479	S.aureus enzyme III-lac (lacF), enzyme II-lac (lacE), and phospho-beta-galactosidase (lacG) genes, complete cds	99	265	312
4485	1	3	263	gb L43098	Transposon Tn5404 and insertion sequences IS1181 and IS1182 (from Staphylococcus aureus) DNA	98	259	261
4492	1	74	400	gb H86227	Staphylococcus aureus DNA gyrase B subunit (gyrB) RecF homologue (recF) and DNA gyrase A subunit (gyrA) gene, complete cds	85	104	327
4497	1	515	269	emb Z18852 SACF	S.aureus gene for clumping factor	99	213	267
4529	1	2	172	emb X64172 SARP	S.aureus rplL, orf202, rpoB(rif) and rpoC genes for ribosomal protein L7/L12, hypothetical protein ORF202, DNA-directed RNA polymerase beta & beta' chains	100	151	171
4547	1	1	300	emb X62992 SAFN	S.aureus fnbB gene for fibronectin binding protein B	100	157	300
4554	1	318	160	emb Z18852 SACF	S.aureus gene for clumping factor	84	126	159
4565	1	9	227	emb Z18852 SACF	S.aureus gene for clumping factor	84	213	219
4569	1	79	223	emb Z18852 SACF	S.aureus gene for clumping factor	98	127	144
4608	1	22	216	emb X58434 SAPD	S.aureus pdhB, pdhC and pdhD genes for pyruvate decarboxylase, dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase	92	168	195
4614	1	464	234	emb Z18852 SACF	S.aureus gene for clumping factor	86	169	231
4623	1	105	302	gb J04151	S.aureus fibronectin-binding protein (fnbA) mRNA, complete cds	99	152	198
4632	1	18	206	gb J03479	S.aureus enzyme III-lac (lacF), enzyme II-lac (lacE), and phospho-beta-galactosidase (lacG) genes, complete cds	98	183	189
4646	1	1	222	emb Z18852 SACF	S.aureus gene for clumping factor	84	100	222
4687	1	2	166	gb J04151	S.aureus fibronectin-binding protein (fnbA) mRNA, complete cds	98	156	165

TABLE 1

S. aureus - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	percent ident	HSP nt length	ORF nt length
4695	1	313	158	gb U14017	Staphylococcus aureus methicillin-resistance protein (mecR) gene and unknown ORF, complete cds	75	155	156
4703	1	1	153	emb X58434 SAPD	S. aureus pdhB, pdhC and pdhD genes for pyruvate decarboxylase, dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase	98	103	153

TABLE I

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
20	6	5089	4679	gi 511839	ORF1 [Staphylococcus bacteriophage phi 11]	100	100	411
149	3	2032	1577	pir 849703 B497	int gene activator Rina - bacteriophage phi 11	100	100	456
149	5	2109	1912	gi 166161	Bacteriophage phi-11 int gene activator [Staphylococcus acteriophage phi 11]	100	100	198
349	2	558	409	gi 166159	integrase (int) [Staphylococcus bacteriophage phi 11]	100	100	150
398	1	1372	707	gi 166159	integrase (int) [Staphylococcus bacteriophage phi 11]	100	99	666
398	2	783	1001	gi 455128	oxolinase (xla) [Staphylococcus bacteriophage phi 11]	100	100	219
502	4	1914	1744	gi 1204912	H. influenzae predicted coding region W10660 [Haemophilus influenzae]	100	71	171
849	1	2	242	gi 1373002	polyprotein [bean common mosaic virus]	100	46	261
1349	1	277	140	gi 143359	protein synthesis initiation factor 2 (inf2) [Bacillus subtilis] gi 49319	100	82	138
2880	1	21	308	gi 862933	protein kinase C inhibitor-1 [Homo sapiens]	100	98	288
3085	1	428	216	gi 1334211	per112-like protein [Bacillus subtilis]	100	100	213
4168	2	571	398	gi 1334211	per112-like protein [Bacillus subtilis]	100	100	174
331	1	2	247	gi 426473	nusG gene product [Staphylococcus carnosus]	98	95	246
207	2	1272	1463	gi 460259	enolase [Bacillus subtilis]	97	90	192
311	2	395	450	gi 581638	111 protein [Staphylococcus carnosus]	97	93	456
366	1	39	215	gi 66161	Bacteriophage phi-11 int gene activator [Staphylococcus acteriophage phi 11]	97	95	177
680	3	718	936	gi 426473	nusG gene product [Staphylococcus carnosus]	97	97	219
3578	1	284	144	gi 1339950	large subunit of NAMH-dependent glutamate synthase [Plectonoma boryanum]	97	79	141
157	1	321	518	gi 1022726	unknown [Staphylococcus haemolyticus]	96	88	198
205	33	16470	16147	gi 1165302	S10 [Bacillus subtilis]	96	91	324
3919	1	48	401	gi 971784	Cip-like ATP-dependent protease binding subunit [Bos taurus]	96	81	354
4133	1	830	417	gi 1022726	unknown [Staphylococcus haemolyticus]	96	84	414
4168	1	708	355	gi 1334211	per112-like protein [Bacillus subtilis]	96	95	354
4207	1	312	157	gi 402031	similar to trimethylamine DH [Mycoplasma capricolum] pir 849950 S49950 probable trimethylamine dehydrogenase (EC 5.99.7) - Mycoplasma capricolum (SDC3) (fragment)	96	86	156

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
4227	2	152	331	gi 871784	[CIP-like ATP-dependent protease binding subunit (Bos taurus)]	96	81	180
4416	1	570	286	gi 1022726	[unknown (Staphylococcus haemolyticus)]	96	84	285
22	1	858	430	gi 1511070	[ureD (Staphylococcus xylosus)]	95	88	429
22	7	4362	4036	gi 1581787	[urease gamma subunit (Staphylococcus xylosus)]	95	79	327
82	6	8794	9114	gi JC0008 JC00	[ribosomal protein S7 - Bacillus stearothermophilus]	95	83	321
154	9	9280	7838	gi 1354211	[pET112-like protein (Bacillus subtilis)]	95	92	1443
186	3	2798	2055	gi 1514656	[serine O-acetyltransferase (Staphylococcus xylosus)]	95	87	744
205	5	4406	4014	gi 142462	[ribosomal protein S11 (Bacillus subtilis)]	95	85	393
205	7	5017	4793	gi 142459	[initiation factor 1 (Bacillus subtilis)]	95	84	225
205	21	11365	10991	gi 1044974	[ribosomal protein L14 (Bacillus subtilis)]	95	93	375
259	5	7288	6644	sp P47995 YSEA_	[HYPOTHETICAL PROTEIN IN SECA 5'-REGION (ORF1) (FRAGMENT)]	95	85	645
302	3	795	1097	gi 40186	[homologous to E.coli ribosomal protein L27 (Bacillus subtilis) gi 43592 L27 ribosomal protein (Bacillus subtilis) fr C21895 C21895 ribosomal protein L27 - Bacillus subtilis p PU5657 RL27_DACSU 50S RIBOSOMAL PROTEIN L27 (BL20) (BL24). gi 40175 L24 gene prod	95	89	303
310	1	579	1523	gi 1177684	[chorismate mutase (Staphylococcus xylosus)]	95	92	945
414	1	2	163	gi C48396 C483	[ribosomal protein L34 - Bacillus stearothermophilus]	95	90	162
4185	2	125	277	gi 1276841	[glutamate synthase (GOGAT) (Porphyra purpurea)]	95	86	153
22	2	1028	723	gi 1511069	[UreF (Staphylococcus xylosus)]	94	91	306
22	5	5046	3310	gi 410516	[urease alpha subunit (Staphylococcus xylosus)]	94	85	1737
60	4	815	1372	gi 666116	[glucose kinase (Staphylococcus xylosus)]	94	87	558
205	18	10012	9536	gi 1044978	[ribosomal protein S8 (Bacillus subtilis)]	94	78	477
326	4	3378	2542	gi 557492	[dihydroxyphenolacetic acid (DHNA) synthetase (Bacillus subtilis) gi 43186 dihydroxyphenolacetic acid (DHNA) synthetase (Bacillus subtilis)]	94	85	837
414	3	737	955	gi 467386	[thiophen and furan oxidation (Bacillus subtilis)]	94	77	219
426	3	2260	1823	gi 3263908	[putative (Staphylococcus epidermidis)]	94	87	438
534	1	2	355	gi 633650	[enzyme II (mannitol) (Staphylococcus carnosus)]	94	84	354
1017	1	2	229	gi 149435	[putative (Lactococcus lactis)]	94	73	228
3098	1	330	184	gi 413952	[ipa-28d gene product (Bacillus subtilis)]	94	50	147

TABLE 2

5. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
3232	1	630	316	gi 1022725	unknown [Staphylococcus haemolyticus]	94	84	315
42	5	2089	2259	gi B40396 B403	ribosomal protein L33 - Bacillus stearothermophilus	93	81	171
101	2	1745	1303	gi 155345	arsenic efflux pump protein [Plasmid pSX267]	93	82	363
205	24	12227	11865	sp P14577 RL16_	50S RIBOSOMAL PROTEIN L16.	93	83	363
259	4	8291	5673	gi 499335	secA protein [Staphylococcus carnosus]	93	85	2619
275	1	2226	1114	gi 633650	enzyme II (mammal) [Staphylococcus carnosus]	93	86	1113
444	6	6207	5773	gi 1022726	unknown [Staphylococcus haemolyticus]	93	81	435
491	1	152	622	gi 46912	ribosomal protein L13 [Staphylococcus carnosus]	93	88	471
607	6	1674	2033	gi 1022726	unknown [Staphylococcus haemolyticus]	93	83	360
653	1	973	488	gi 580890	translation initiation factor IF3 (AA 1-172) [Bacillus stearothermophilus]	93	77	486
1864	1	3	194	gi 306553	ribosomal protein small subunit (Homo sapiens)	93	93	192
2997	1	28	300	gi 143390	carbamyl phosphate synthetase [Bacillus subtilis]	93	82	273
3232	2	907	596	gi 1022725	unknown [Staphylococcus haemolyticus]	93	84	312
3761	2	794	621	gi 1022725	unknown [Staphylococcus haemolyticus]	93	88	174
16	1	3	374	gi 142781	putative cytoplasmic protein; putative [Bacillus subtilis] sp P37954 DVRB_BACSU EXCINUCLEASE ABC SUBUNIT B (DNA PROTEIN) FRAGMENT)	92	83	372
31	7	5915	6124	gi 1136430	KIAA0185 protein (Homo sapiens)	92	46	210
56	19	2683	27391	gi 467401	unknown [Bacillus subtilis]	92	80	909
59	6	5882	6130	gi 530200	ttphoblastin [Ovis aries]	92	53	249
145	3	2568	2038	gi 1022725	unknown [Staphylococcus haemolyticus]	92	80	531
171	3	2760	2362	gi 517475	D-amino acid transaminase [Staphylococcus haemolyticus]	92	86	399
205	12	7495	6962	gi 49189	secY gene product [Staphylococcus carnosus]	92	85	534
205	19	10812	10255	gi 1044976	ribosomal protein L5 [Bacillus subtilis]	92	82	558
219	1	710	357	gi 1303812	yqaV [Bacillus subtilis]	92	88	354
344	3	1575	1805	gi 1405474	CspC protein [Bacillus cereus]	92	85	231
699	1	20	361	gi 413999	lipa-75d gene product [Bacillus subtilis]	92	81	342
1343	1	2	160	gi A45434 A454	ribosomal protein L19 - Bacillus stearothermophilus	92	84	159

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
1958	1	524	264	gi 407908	EF1ac [Staphylococcus xyloosus]	92	80	261
3578	2	718	386	gi 133950	large subunit of NADH-dependent glutamate synthase [Plectonema boryanum]	92	78	333
3585	1	644	324	gi 133950	large subunit of NADH-dependent glutamate synthase [Plectonema boryanum]	92	81	321
3640	3	4	402	gi 1022726	unknown [Staphylococcus haemolyticus]	92	81	399
4362	1	14	178	gi 450688	hadM gene of Ecoprrj gene product [Escherichia coli] pir S38437 S38437 hadM protein - Escherichia coli pir S09629 S09629 hypothetical protein A - Escherichia coli (SUB 40-520)	92	76	165
4446	1	358	182	gi 1022725	unknown [Staphylococcus haemolyticus]	92	82	177
4549	1	462	232	gi 1022726	unknown [Staphylococcus haemolyticus]	92	80	231
4626	1	3	224	gi 1022725	unknown [Staphylococcus haemolyticus]	92	84	222
2	4	3980	4531	gi 535349	codM [Bacillus subtilis]	91	74	552
28	1	2	1126	gi 1001376	hypothetical protein [Synchocystis sp.]	91	78	1125
60	5	1354	1701	gi 1228043	orf2 downstream of glucose kinase [Staphylococcus xyloosus]	91	80	348
101	1	1989	1036	gi 150728	arsenic efflux pump protein [Plasmid p1258]	91	80	954
187	2	412	1194	gi 142559	ATP synthase alpha subunit [Bacillus megaterium]	91	79	783
205	22	11579	11298	gi 40149	ISI7 protein (AA 1-87) [Bacillus subtilis]	91	83	282
206	7	8184	10262	gi 1072418	glcA gene product [Staphylococcus carnosus]	91	83	2079
306	2	3885	2326	gi 143012	GMP synthetase [Bacillus subtilis]	91	78	1560
306	3	5319	3826	gi 467399	IMP dehydrogenase [Bacillus subtilis]	91	79	1494
310	3	2194	3207	gi 117685	ecpA gene product [Staphylococcus xyloosus]	91	81	1014
343	4	2974	3150	gi 949974	sucrose repressor [Staphylococcus xyloosus]	91	82	177
480	3	1606	3042	gi 433991	ATP synthase subunit beta [Bacillus subtilis]	91	85	1437
536	3	2026	1280	gi 143366	adenylosuccinate lyase (Pur-B) [Bacillus subtilis] pir C29326 WZBSDS adenylosuccinate lyase (EC 4.3.2.2) - Bacillus subtilis	91	79	747
552	1	1064	615	gi 297874	fructose-bisphosphate aldolase [Staphylococcus carnosus] pir A49943 A49943 fructose-bisphosphate aldolase (EC 4.1.2.13) - taphylococcus carnosus (strain TH300)	91	79	450
637	1	1	1536	gi 143597	CTP synthetase [Bacillus subtilis]	91	79	1536
859	1	21	359	gi 385178	unknown [Bacillus subtilis]	91	66	339

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	Length (nt)
1327	1	339	530	gi 496558	orfK (Bacillus subtilis)	91	71	192
2515	1	466	275	gi 511070	ureG (Staphylococcus xylosus)	91	85	192
2594	1	2	202	gi 146824	beta-cyathionase (Escherichia coli)	91	75	201
3764	1	847	425	gi 1022725	unknown (Staphylococcus haemolyticus)	91	78	423
4011	1	127	495	gi 1022726	unknown (Staphylococcus haemolyticus)	91	79	369
4227	1	1	177	gi 296464	ATPase (Lactococcus lactis)	91	66	177
42	3	815	1033	gi 520401	catalase (Haemophilus influenzae)	90	86	219
51	8	3717	4607	gi 580899	topP gene product (Bacillus subtilis)	90	74	891
129	3	5317	4001	gi 1146206	glutamate dehydrogenase (Bacillus subtilis)	90	76	1317
164	17	16628	116933	pspP05766 RS15_	30S RIBOSOMAL PROTEIN S15 (BS18)	90	74	306
171	5	2983	2819	gi 517475	ID-amino acid transaminase (Staphylococcus haemolyticus)	90	78	165
205	4	4497	3550	gi 142463	rna polymerase alpha-core-subunit (Bacillus subtilis)	90	76	948
205	6	4748	4410	gi 1044989	ribosomal protein S13 (Bacillus subtilis)	90	73	339
205	10	7165	6004	gi 49189	secY gene product (Staphylococcus carnosus)	90	81	762
205	11	6645	6472	gi 49189	secY gene product (Staphylococcus carnosus)	90	78	174
205	127	13692	13345	gi 786157	ribosomal protein S19 (Bacillus subtilis)	90	79	348
205	31	15858	15496	gi 1165303	U3 (Bacillus subtilis)	90	79	363
240	5	7023	5773	gi 1161380	icaA (Staphylococcus epidermidis)	90	78	1251
299	6	3378	3947	gi 467440	phosphoribosylpyrophosphate synthetase (Bacillus subtilis) gi 40218 PRPP synthetase (AA 1-317) (Bacillus subtilis)	90	78	570
320	2	1025	1717	gi 312443	carbamoyl-phosphate synthase (glutamine-hydrolysing) (Bacillus aldolyticus)	90	75	693
330	4	1561	1769	gi 986963	beta-tubulin (Sporidiobolus pararoseus)	90	80	189
369	1	954	523	pir S14762 S347	L-serine dehydratase beta chain - Clostridium sp.	90	77	432
557	1	3	188	gi 1511589	H. jamaachii predicted coding region WJ1624 (Methanococcus jamaachii)	90	54	186
663	2	667	1200	gi 143786	tryptophanyl-tRNA synthetase (EC 6.1.1.2) (Bacillus subtilis) pir J70481 YWD5 tryptophan--tRNA ligase (EC 6.1.1.2) - Bacillus ubcilla	90	73	534
717	1	1	261	gi 143065	hubA (Bacillus stearothermophilus)	90	79	261
745	4	1059	865	gi 1205433	H. influenzae predicted coding region H11190 (Haemophilus influenzae)	90	81	195

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
1007	1	386	565	gi143366	adenylosuccinate lyase (Pur-8) (Bacillus subtilis) pir[C29J26]W285DS adenylosuccinate lyase (EC 4.3.2.2) - Bacillus subtilis	90	77	180
1054	1	579	331	gi11033122	ORF_729 (Escherichia coli)	90	50	249
1156	1	117	707	gi1477776	CipP (Bacillus subtilis)	90	80	591
1180	1	408	205	gi1377831	unknown (Bacillus subtilis)	90	74	204
1253	1	1	462	gi140046	phosphoglucose isomerase A (AA 1-449) (Bacillus stearothermophilus) Ir S15936 NUBSSA glucose-6-phosphate isomerase (EC 5.3.1.9) A - cillus stearothermophilus	90	75	462
2951	1	3	269	gi144816	formyltetrahydrofolate synthetase (FHFS) (ttg start codon) (EC 3.4.3) (Mooralla thermocetica)	90	76	267
3140	1	327	166	gi1070014	protein-dependent (Bacillus subtilis)	90	52	162
4594	1	3	233	gi1871784	Cip-like ATP-dependent protease binding subunit (Bos taurus)	90	76	231
87	1	1028	1750	gi1467327	unknown (Bacillus subtilis)	89	75	723
112	1	2	505	gi153741	ATP-binding protein (Streptococcus mutans)	89	77	504
118	1	120	398	gi1303804	YqeQ (Bacillus subtilis)	89	75	279
128	4	3545	3757	gi1460257	triose phosphate isomerase (Bacillus subtilis)	89	84	213
164	12	11667	12755	gi139954	IF2 (aa 1-741) (Bacillus stearothermophilus)	89	80	1089
205	13	7875	7405	gi1216338	ORF for L15 ribosomal protein (Bacillus subtilis)	89	76	471
205	12	16152	15823	gi1165303	LJ3 (Bacillus subtilis)	89	80	330
270	3	2407	2207	pir C41902 C419	arsenate reductase (EC 1.-.-.-) - Staphylococcus xyloos plasmid PSX267	89	81	201
395	2	157	672	gi1520574	glutamate racemase (Staphylococcus haemolyticus)	89	80	516
494	1	3	839	gi1396259	protease (Staphylococcus epidermidis)	89	77	837
510	1	1	444	gi140046	phosphoglucose isomerase A (AA 1-449) (Bacillus stearothermophilus) Ir S15936 NUBSSA glucose-6-phosphate isomerase (EC 5.3.1.9) A - cillus stearothermophilus	89	74	444
615	1	2124	1210	gi1303812	YqeV (Bacillus subtilis)	89	74	915
841	1	18	341	gi1165303	LJ3 (Bacillus subtilis)	89	80	324
1111	1	352	813	gi147146	thymonuclease (Staphylococcus intermedius)	89	70	462
1875	1	2	256	gi1203108	ATP-dependent protease binding subunit (Haemophilus influenzae)	89	82	255
2963	1	11	367	gi1467458	cell division protein (Bacillus subtilis)	89	83	357

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
3020	1	90	362	[gi1239988]	hypothetical protein [Bacillus subtilis]	89	66	273
3565	1	2	400	[gi1256635]	dihydroxy-acid dehydratase [Bacillus subtilis]	89	75	399
3586	1	105	314	[gi1580832]	ATP synthase subunit gamma [Bacillus subtilis]	89	82	210
3829	1	794	399	[gi1009366]	Respiratory nitrate reductase [Bacillus subtilis]	89	78	396
3688	1	2	400	[gi1146206]	glutamate dehydrogenase [Bacillus subtilis]	89	75	399
3699	1	794	399	[gi1339950]	large subunit of NADH-dependent glutamate synthase [Plectonema boryanum]	89	75	396
4016	1	428	216	[gi1009366]	Respiratory nitrate reductase [Bacillus subtilis]	89	71	213
4177	1	471	301	[gi1149426]	putative [Lactococcus lactis]	89	76	171
4436	1	601	302	[gi1022725]	unknown [Staphylococcus haemolyticus]	89	80	300
4635	1	320	162	[gi1022725]	unknown [Staphylococcus haemolyticus]	89	73	159
2	2	1330	2676	[gi1520754]	putative [Bacillus subtilis]	88	76	1347
42	2	466	848	[sp142321]CATA_	CATALASE (EC 1.11.1.6)	88	76	381
53	5	6369	4722	[gi1474177]	alpha-D-1,4-glucosidase [Staphylococcus xylosum]	88	80	1668
56	16	18018	18617	[gi1467411]	recombination protein [Bacillus subtilis]	88	77	600
60	3	376	843	[gi1666116]	glucose kinase [Staphylococcus xylosum]	88	77	468
70	2	1583	1245	[gi144095]	replication initiator protein [Listeria monocytogenes]	88	74	339
82	8	11514	12719	[gi1460663]A606	translation elongation factor Tu - Bacillus subtilis	88	79	1206
103	7	4179	4391	[gi1167181]	serine/threonine kinase receptor [Brassica napus]	88	77	213
114	6	7732	8232	[gi1022726]	unknown [Staphylococcus haemolyticus]	88	72	501
118	2	308	2011	[gi1303804]	YqeQ [Bacillus subtilis]	88	77	1704
141	3	657	1136	[gi1405446]	transketolase [Bacillus subtilis]	88	72	480
148	7	5871	6116	[gi1118002]	dihydropterate synthase [Staphylococcus haemolyticus]	88	78	246
165	3	1428	2231	[gi140053]	phenylalanyl-tRNA synthetase alpha subunit [Bacillus subtilis] [r151730]YrbsA phenylalanine--tRNA ligase (EC 6.1.1.20) alpha ein - Bacillus subtilis	88	80	804
205	28	15027	14185	[gi1145306]	L2 [Bacillus subtilis]	88	82	843
225	1	1569	898	[gi1303840]	Yqfs [Bacillus subtilis]	88	78	672
235	1	2	1975	[gi1452309]	valyl-tRNA synthetase [Bacillus subtilis]	88	76	1974

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
339	3	2060	1566	gi 1118002	[dihydropterolate synthase (Staphylococcus haemolyticus)	88	73	495
443	4	4325	2928	gi 558559	[pyrimidine nucleoside phosphorylase (Bacillus subtilis)	88	73	1398
532	1	3	419	gi 143797	[valyl-tRNA synthetase (Bacillus stearothermophilus) sp P11931 SVU_BACST (VALRS). (VALRS).	88	78	417
534	3	2504	2968	gi 153049	[mannitol-specific enzyme III (Staphylococcus carnosus) pir JQ0088 JQ0088 phosphotransferase system enzyme II (EC 7.1.69), mannitol-specific factor III - Staphylococcus carnosus sp P17876 PTMA_STACA PTS SYSTEM, MANNITOL-SPECIFIC IIA COMPONENT E11A-MTL) (88	82	465
705	2	584	399	gi 710018	[nitrite reductase (nirB) (Bacillus subtilis)	88	70	186
1000	2	1824	1309	gi 1022726	[unknown (Staphylococcus haemolyticus)	88	78	516
1399	1	587	324	gi 401786	[phosphomannomutase (Mycoplasma plenum)	88	55	264
1341	2	170	400	gi 39963	[ribosomal protein L20 (AA 1-119) (Bacillus stearothermophilus) ir S05348 RS520 ribosomal protein L20 - Bacillus stearothermophilus	88	82	231
1386	1	41	214	pir B47154 B471	[signal recognition particle 5K chain homolog pfh - Bacillus subtilis	88	71	174
1386	2	183	533	pir B47154 B471	[signal recognition particle 5K chain homolog pfh - Bacillus subtilis	88	73	351
2949	1	704	399	gi 535350	[CodX (Bacillus subtilis)	88	73	306
2984	1	5	169	gi 1218277	[O-acetylserine(thiol) lyase (Spinacia oleracea)	88	70	165
3035	1	1	138	gi 493083	[dihydroxyacetone kinase (Citrobacter freundii)	88	67	138
3089	1	3	152	gi 606055	[ORF_f746 (Escherichia coli)	88	88	150
3917	1	817	410	gi 143378	[pyruvate decarboxylase (Z-1) beta subunit (Bacillus subtilis) gi 1377836 pyruvate decarboxylase E-1 beta subunit (Bacillus subtilis)	88	77	408
4199	1	680	342	gi 1405454	[aconitase (Bacillus subtilis)	88	82	339
4201	1	734	369	gi 515938	[glutamate synthase (ferredoxin) (Synechocystis sp.) pir S46957 S46957 glutamate synthase (ferredoxin) (EC 1.4.7.1) - Synechocystis sp.	88	84	366
4274	1	1	336	gi 515938	[glutamate synthase (ferredoxin) (Synechocystis sp.) pir S46957 S46957 glutamate synthase (ferredoxin) (EC 1.4.7.1) - Synechocystis sp.	88	84	336
4308	1	794	399	gi 146206	[glutamate dehydrogenase (Bacillus subtilis)	88	71	396
2	5	4570	6000	gi 535350	[CodX (Bacillus subtilis)	87	70	1431
52	8	6781	6482	gi 1064791	[function unknown (Bacillus subtilis)	87	66	300

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
73	3	1584	2480	gi 142992	glycerol kinase (gpk) (EC 2.7.1.30) [Bacillus subtilis] p1r B45868 B45868	87	72	897
					glycerol kinase (EC 2.7.1.30) - Bacillus subtilis sp p18157 GLPK_BACSU			
					GLYCEROL KINASE (EC 2.7.1.30) (ATP:GLYCEROL - PHOSPHOTRANSFERASE) (GLYCEROKINASE) (GK).			
98	12	8813	9100	gi 467433	unknown [Bacillus subtilis]	87	62	288
124	4	4265	2988	gi 556886	serine hydroxymethyltransferase [Bacillus subtilis] p1r S49363 S49363	87	77	1278
					serine hydroxymethyltransferase - Bacillus ubtilis			
124	6	4457	4032	gi 556883	unknown [Bacillus subtilis]	87	66	426
148	5	3741	4559	gi 467460	unknown [Bacillus subtilis]	87	70	819
164	13	12710	13810	gi 39954	IF2 (aa 1-741) [Bacillus stearothermophilus]	87	72	1101
177	2	1104	2126	gi 467385	unknown [Bacillus subtilis]	87	78	1023
199	1	1982	1158	gi 141527	iron-sulfur protein [Bacillus subtilis]	87	77	825
199	2	4717	2933	p1r A27763 A277	succinate dehydrogenase (EC 1.3.99.1) flavoprotein - Bacillus subtilis	87	80	1785
205	23	11782	11543	gi 1044972	ribosomal protein L29 [Bacillus subtilis]	87	78	240
205	25	13275	12607	gi 1165309	S3 [Bacillus subtilis]	87	75	669
222	1	2033	1107	gi 1177249	rac233 gene product [Bacillus subtilis]	87	70	927
236	3	1635	1333	gi 1146198	[ferredoxin [Bacillus subtilis]	87	80	303
246	5	2585	2292	gi 467373	ribosomal protein S18 [Bacillus subtilis]	87	77	294
260	2	4189	3422	gi 1161382	ifcC [Staphylococcus epidermidis]	87	72	768
320	3	1696	2391	gi 312443	[carbamoyl-phosphate synthase (glutamine-hydrolysing) [Bacillus aldolyticus]	87	80	696
380	4	1165	1383	gi 142570	[ATP synthase c subunit [Bacillus firmus]	87	80	219
414	4	900	1073	gi 467386	[thiophen and furan oxidation [Bacillus subtilis]	87	77	174
425	2	1003	794	gi 1046166	[pilin repressor [Mycoplasma genitalium]	87	69	210
448	1	1255	722	gi 405134	[acetate kinase [Bacillus subtilis]	87	75	534
480	1	1	711	gi 142559	[ATP synthase alpha subunit [Bacillus megaterium]	87	79	711
481	1	2	352	sp Q06797 KUL_B	[50S RIBOSOMAL PROTEIN L1 (BL1).	87	72	351
677	2	359	955	gi 460911	[fructose-bisphosphate aldolase [Bacillus subtilis]	87	78	597
677	3	934	1284	gi 460911	[fructose-bisphosphate aldolase [Bacillus subtilis]	87	78	351
876	1	3	452	gi 1146247	[asparaginyl-tRNA synthetase [Bacillus subtilis]	87	79	450

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
1376	1	426	214	gi11065555	[F46H6.4 gene product (Caenorhabditis elegans)]	87	75	213
2206	1	3	374	gi1215098	[exclusionase (Bacteriophage 154a)]	87	72	372
2938	1	3	290	gi1508979	[GTP-binding protein (Bacillus subtilis)]	87	69	288
3081	2	126	308	gi1467399	[FMP dehydrogenase (Bacillus subtilis)]	87	72	183
3535	1	3	401	gi11405454	[aconitase (Bacillus subtilis)]	87	80	399
4238	1	547	275	gi1603769	[Hutu protein, urocanase (Bacillus subtilis)]	87	73	273
4	8	10427	8736	gi1603769	[Hutu protein, urocanase (Bacillus subtilis)]	86	72	1692
22	6	4190	3738	gi1410515	[urease beta subunit (Staphylococcus xylosum)]	86	73	453
54	2	2480	1572	gi1289287	[UDP-glucose pyrophosphorylase (Bacillus subtilis)]	86	70	909
124	3	2336	1713	gi1556887	[uracil phosphoribosyltransferase (Bacillus subtilis)] pif[549364][549364] [uracil phosphoribosyltransferase - Bacillus subtilis]	86	74	624
148	3	1349	3448	gi1467458	[cell division protein (Bacillus subtilis)]	86	75	2100
148	4	3638	3859	gi1467460	[unknown (Bacillus subtilis)]	86	73	222
152	3	1340	2086	gi1377035	[pyruvate decarboxylase E-1 alpha subunit (Bacillus subtilis)]	86	75	747
164	18	17347	19467	gi1184680	[polynucleotide phosphorylase (Bacillus subtilis)]	86	72	2121
180	2	554	1159	gi1143467	[ribosomal protein S4 (Bacillus subtilis)]	86	80	606
205	3	2966	2592	gi1142484	[ribosomal protein L17 (Bacillus subtilis)]	86	77	375
205	26	13364	12990	gi140107	[ribosomal protein L22 (Bacillus stearothermophilus)] ir[S10612][S10612] [ribosomal protein L22 - Bacillus stearothermophilus]	86	75	375
246	7	3463	3140	gi1467375	[ribosomal protein S6 (Bacillus subtilis)]	86	70	324
299	3	1196	1540	gi139656	[apoVG gene product (Bacillus megaterium)]	86	70	345
299	7	3884	4345	gi1467440	[phosphoribosylpyrophosphate synthetase (Bacillus subtilis)] gi[40218] PRPP synthetase (AA 1-317) (Bacillus subtilis)	86	78	462
304	5	2170	2523	gi1666983	[putative ATP binding subunit (Bacillus subtilis)]	86	65	354
310	2	1487	1678	gi1177684	[chorismate mutase (Staphylococcus xylosum)]	86	71	192
337	5	2086	3405	gi1487434	[isocitrate dehydrogenase (Bacillus subtilis)]	86	78	1320
339	2	1489	1109	gi1118003	[dihydropyrimidin aldolase (Staphylococcus haemolyticus)]	86	77	381
358	2	2124	3440	gi1146219	[38.2% of identity to the Escherichia coli GTP-binding protein Eca; putative (Bacillus subtilis)]	86	73	1317

TABLE 2

5. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
404	2	1015	2056	gi 1303817	YqfA [Bacillus subtilis]	86	78	1044
581	2	661	452	gi 40056	phop gene product [Bacillus subtilis]	86	71	210
642	2	338	1075	gi 1176399	SpIF [Staphylococcus epidermidis]	86	72	738
770	1	622	347	gi 143328	phop protein [put.]; putative [Bacillus subtilis]	86	69	276
865	1	1777	890	gi 1146247	asparaginyl-tRNA synthetase [Bacillus subtilis]	86	74	888
868	2	963	1133	gi 11002911	transmembrane protein [Saccharomyces cerevisiae]	86	69	171
904	1	1	162	gi 1303912	YqfW [Bacillus subtilis]	86	72	162
989	1	35	433	gi 1303993	YqfL [Bacillus subtilis]	86	76	399
1212	1	296	150	gi 414014	ipa-90d gene product [Bacillus subtilis]	86	70	147
1323	1	2	148	gi 40041	pyruvate dehydrogenase (liponate) [Bacillus stearothermophilus] ir S10798 DEBSPF pyruvate dehydrogenase (liponate) (EC 1.2.4.1) pha chain - Bacillus stearothermophilus	86	75	147
3085	2	540	310	gi 1354211	PEP112-like protein [Bacillus subtilis]	86	86	231
1847	1	1	228	gi 296464	ATPase [Lactococcus lactis]	86	63	228
4487	1	476	240	gi 1022726	unknown [Staphylococcus haemolyticus]	86	73	237
4583	1	372	187	gi 1022725	unknown [Staphylococcus haemolyticus]	86	79	186
25	5	4287	5039	gi 1502421	3-ketoacyl-acyl carrier protein reductase [Bacillus subtilis]	85	64	753
56	21	30627	29395	gi 1408507	pyrimidine nucleoside transport protein [Bacillus subtilis]	85	69	1233
68	2	332	1192	gi 467376	unknown [Bacillus subtilis]	85	74	861
73	2	880	1707	gi 142992	glycerol kinase (glpK) (EC 2.7.1.30) [Bacillus subtilis] pir B45868 B45868 glycerol kinase (EC 2.7.1.30) - Bacillus subtilis sp P18157 GLPK_BACSU GLYCEROL KINASE (EC 2.7.1.30) (ATP:GLYCEROL -PHOSPHOTRANSFERASE) (GLYCEROKINASE) (GK).	85	72	828
106	4	1505	3490	gi 143766	[thrSV] (EC 6.1.1.3) [Bacillus subtilis]	85	74	1986
128	2	1153	2202	gi 311924	glyceraldehyde-3-phosphate dehydrogenase [Clostridium pasteurianum] pir S34254 S34254 glyceraldehyde-3-phosphate dehydrogenase (EC 2.1.1.12) - Clostridium pasteurianum	85	75	1050
129	4	6466	5252	gi 1064807	ORTHINE AMINOTRANSFERASE [Bacillus subtilis]	85	73	1215
138	6	3475	5673	gi 1072419	glcB gene product [Staphylococcus carnosus]	85	74	2199
189	1	2	169	gi 467385	unknown [Bacillus subtilis]	85	65	168

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
205	15	8624	8106	gi 104981	ribosomal protein S5 (Bacillus subtilis)	85	75	519
205	20	10928	10596	gi A02819 RSBS	ribosomal protein L24 - Bacillus stearothermophilus	85	72	333
220	6	6490	6101	gi 48980	jaecA gene product (Bacillus subtilis)	85	66	390
231	4	4877	3159	gi 1002520	mutS (Bacillus subtilis)	85	70	1719
243	9	8013	8783	gi 414011	lpa-87r gene product (Bacillus subtilis)	85	72	771
249	2	5894	3186	gi 1405454	aconitase (Bacillus subtilis)	85	73	2709
302	1	140	475	gi 40173	homolog of E. coli ribosomal protein L21 (Bacillus subtilis) lr S18439 S18439 Ribosomal protein L21 - Bacillus subtilis p P26908 RL21_BACSU 50S RIBOSOMAL PROTEIN L21 (BL20)	85	72	336
333	1	5445	2968	gi 442360	ClpC adenosine triphosphatase (Bacillus subtilis)	85	69	2478
364	6	6082	8196	gi 871784	Clp-like ATP-dependent protease binding subunit (Bos taurus)	85	68	2115
448	2	1992	1339	gi 405134	acetate kinase (Bacillus subtilis)	85	68	634
747	1	1251	853	gi 1373157	orf-X; hypothetical protein; Method: conceptual translation supplied by author (Bacillus subtilis)	85	73	399
886	2	159	467	gi 541768	hemolysase (Yersinia enterocolitica)	85	55	309
1089	1	1208	606	gi 847154 B471	signal recognition particle 54K chain homolog Ffh - Bacillus subtilis	85	71	603
1163	1	816	409	gi 301155	4-aminopimelate decarboxylase (Bacillus methanolicus) sp P41023 DCDA_BACMT DIAMINOPIMELATE DECARBOXYLASE (EC 4.1.1.20) DAP DECARBOXYLASE	85	62	408
1924	1	487	251	gi 215098	exclusionase (Bacteriophage J54a)	85	73	237
2932	1	776	390	gi 1041099	Pyruvate Kinase (Bacillus licheniformis)	85	71	387
3030	1	3	275	gi 42370	pyruvate formate-lyase (AA 1-760) (Escherichia coli) lr S01788 S01788 formate C-acetyltransferase (EC 2.3.1.54) - chierichia coli	85	74	273
3111	1	595	299	gi 63568	limb deformity protein (Gallus gallus)	85	85	297
3778	1	630	316	gi 391840	beta-subunit of HDT (Pseudomonas fragi)	85	67	315
3835	1	1	387	gi 1204472	type I restriction enzyme ECOR124/3 I M protein (Haemophilus influenzae)	85	56	387
4042	1	3	386	gi 18178	formate acetyltransferase (Chlamydomonas reinhardtii) lr S24997 S24997 formate C-acetyltransferase (EC 2.3.1.54) - Chlamydomonas reinhardtii	85	70	384
4053	1	35	340	gi 1204472	type I restriction enzyme ECOR124/3 I M protein (Haemophilus influenzae)	85	56	306
4108	1	2	181	gi 1072418	glcA gene product (Staphylococcus carnosus)	85	61	180
4300	1	575	330	gi 151932	fructose enzyme II (Rhodospirillum rubrum)	85	59	246

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
4192	1	627	355	gi 1023725	unknown [Staphylococcus haemolyticus]	85	74	273
4408	1	2	235	gi 871784	lip-like ATP-dependent protease binding subunit (Bos taurus)	85	62	234
4430	1	578	291	gi 1009366	Respiratory nitrate reductase [Bacillus subtilis]	85	68	288
4555	1	2	253	gi 450688	hscM gene of Ecopri gene product [Escherichia coli] pIR[S38437]S38437 hscM protein - Escherichia coli pIR[S09629]S09629 hypothetical protein A - Escherichia coli (SUB 40-520)	85	52	252
4611	1	481	242	gi 1256635	dihydroxy-acid dehydratase [Bacillus subtilis]	85	65	240
4	10	10061	10591	gi 46982	foaB gene product [Staphylococcus epidermidis]	84	68	531
13	2	1348	1172	gi 142450	ehrC protein [Bacillus subtilis]	84	56	177
16	4	1803	4652	gi 1277198	DNA repair protein [Deinococcus radiodurans]	84	67	2850
22	3	1535	1128	gi 511069	ureF [Staphylococcus xylosus]	84	73	408
23	7	5055	5306	gi 603320	Yer082p [Saccharomyces cerevisiae]	84	61	252
53	11	11597	11145	gi 1303948	YqjW [Bacillus subtilis]	84	68	453
53	12	14059	12770	gi 142613	branched chain alpha-keto acid dehydrogenase E2 [Bacillus subtilis]	84	71	1290
70	1	1332	982	gi 46647	ORF (repE) [Staphylococcus aureus]	84	68	351
73	4	2512	4311	gi 142993	glycerol-3-phosphate dehydrogenase (gipD) (EC 1.1.99.5) [Bacillus subtilis]	84	74	1800
98	7	4324	6096	gi 467427	methionyl-tRNA synthetase [Bacillus subtilis]	84	66	1773
100	9	9501	8680	gi 1340128	ORF1 [Staphylococcus aureus]	84	78	822
117	3	1934	3208	gi 1237019	Srb [Bacillus subtilis]	84	68	1275
148	6	4720	5670	gi 467462	cysteine synthetase A [Bacillus subtilis]	84	69	951
152	4	2064	2456	gi 143377	pyruvate decarboxylase (E-1) alpha subunit [Bacillus subtilis]	84	70	393
				gi 836718 JBSA pyruvate dehydrogenase (lipoamide) (EC 1.2.4.1) lpha chain - Bacillus subtilis				
169	7	3634	3861	gi 1001342	hypothetical protein [Synecocystis sp.]	84	66	228
171	4	2992	2657	gi 517475	D-amino acid transaminase [Staphylococcus haemolyticus]	84	71	336
186	6	6941	6216	gi 467475	unknown [Bacillus subtilis]	84	70	726
205	9	6261	5692	gi 216340	ORF for adenylate kinase [Bacillus subtilis]	84	71	570
224	2	915	1391	gi 288269	beta-fructofuranosidase [Staphylococcus xylosus]	84	70	477

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
251	1	92	388	gi 1303790	YqeI [Bacillus subtilis]	84	65	297
282	3	1526	2836	gi 143040	glutamate-1-semialdehyde 2,1-aminotransferase [Bacillus subtilis] p1c D42728 D42728 glutamate-1-semialdehyde 2,1-aminotransferase (EC 4.3.8) - Bacillus subtilis	84	75	1311
307	5	3138	2959	gi 1070014	protein-dependent [Bacillus subtilis]	84	62	180
320	4	2343	4229	gi 143390	carbamyl phosphate synthetase [Bacillus subtilis]	84	70	1887
372	1	3	296	gi 1022725	unknown [Staphylococcus haemolyticus]	84	70	294
413	2	2201	1341	gi 1256146	YdbQ [Bacillus subtilis]	84	65	841
439	1	3	392	gi 1046173	osmotically inducible protein [Mycoplasma genitalium]	84	53	390
461	3	1362	2270	gi 40211	threonine synthase (thrC) (AA 1-352) [Bacillus subtilis] ir A25364 A25364 threonine synthase (EC 4.2.99.2) - Bacillus subtilis	84	69	909
487	1	3	299	gi 1144531	Integrin-like protein alpha Intlp [Candida albicans]	84	46	297
491	2	624	905	pir S08564 R385	ribosomal protein S9 - Bacillus stearothermophilus	84	69	282
491	3	816	1033	pir S08564 R385	ribosomal protein S9 - Bacillus stearothermophilus	84	77	198
548	1	3	341	gi 411231	muracil peptidase [Bacillus caldolyticus]	84	74	339
728	2	2701	1748	gi 1912445	DNA polymerase [Bacillus caldotenax]	84	68	954
769	1	3	257	gi 1510953	cobalamin biosynthesis protein N [Methanococcus jannaschii]	84	38	255
954	1	308	156	gi 1405454	aconitase [Bacillus subtilis]	84	57	151
957	1	3	395	gi 143402	recombination protein (ttg start codon) [Bacillus subtilis] gi 1303923 RecN [Bacillus subtilis]	84	68	393
975	1	3	452	gi 885934	ClpB [Synecococcus sp.]	84	70	450
1585	1	3	257	gi 510140	oligopeptidase F [Lactococcus lactis]	84	56	255
2954	1	3	323	gi 603769	HuU protein, urocanase [Bacillus subtilis]	84	73	321
2996	1	650	348	gi 18178	formate acetyltransferase [Chlamydomonas reinhardtii] ir S24997 S24997 formate C-acetyltransferase (EC 2.3.1.54) - Chlamydomonas reinhardtii	84	65	303
3766	1	737	375	gi 517205	167 kDa Myosin-crossreactive streptococcal antigen [Streptococcus pyogenes]	84	72	363
4022	1	2	169	gi 1146206	glutamate dehydrogenase [Bacillus subtilis]	84	54	168
4058	1	620	312	gi 151932	fructose enzyme II [Rhodospirillum rubrum]	84	71	309
4108	2	106	351	gi 1072418	glcA gene product [Staphylococcus carnosus]	84	77	246

TABLE 2

:: aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
4183	1	3	308	gi 603769	lucU protein, urocanase [Bacillus subtilis]	84	72	306
4726	1	55	234	gi 146208	glutamate synthase large subunit (EC 2.6.1.53) [Escherichia coli] pir A29617 A29617 glutamate synthase (NADPH) (EC 1.4.1.13) large chain - [Escherichia coli]	84	73	180
22	4	2043	1576	gi 393297	urease accessory protein [Bacillus sp.]	83	64	468
53	13	14722	13745	gi 142612	branched chain alpha-keto acid dehydrogenase E1-beta [Bacillus subtilis]	83	68	978
57	16	11357	12872	gi 143132	lactate dehydrogenase (AC 1.1.1.27) [Bacillus caldolyticus] pir B29704 B29704 L-lactate dehydrogenase (EC 1.1.1.27) - Bacillus caldolyticus	83	66	486
66	3	3119	2274	gi 1303894	YqjM [Bacillus subtilis]	83	63	846
66	5	6118	4643	gi 1212730	YqjK [Bacillus subtilis]	83	68	1476
70	3	1864	1523	gi 144095	replication initiator protein [Listeria monocytogenes]	83	73	342
90	1	377	1429	gi 155571	alcohol dehydrogenase I (adhA) (EC 1.1.1.1) [Zymomonas mobilis] pir A3260 A3260 alcohol dehydrogenase (EC 1.1.1.1) 1 - Zymomonas obilia	83	70	1053
95	2	708	2162	gi 506381	phospho-beta-glucosylase [Bacillus subtilis]	83	70	1455
137	1	68	694	gi 467391	initiation protein of replication [Bacillus subtilis]	83	77	627
140	4	3209	2742	gi 634107	kdsB [Escherichia coli]	83	65	468
142	3	3468	2989	gi 1212776	lumazine synthase (b-subunit) [Bacillus amyloliquefaciens]	83	69	480
161	12	5749	6696	gi 903307	ORF75 [Bacillus subtilis]	83	64	948
164	9	9880	11070	gi 49316	ORF2 gene product [Bacillus subtilis]	83	66	1191
164	14	14148	14346	gi 580902	ORF6 gene product [Bacillus subtilis]	83	60	399
170	2	3144	2467	gi 530844	orf4 [Bacillus subtilis]	83	64	678
186	2	2029	1370	gi 289284	cysteinyI-tRNA synthetase [Bacillus subtilis]	83	72	660
205	14	7822	7607	gi 216337	ORF for L30 ribosomal protein [Bacillus subtilis]	83	74	216
237	6	3683	4540	gi 1510488	limdase/lycoglycerol-phosphate synthase (cyclyase) [Methanococcus jannaschii]	83	60	858
301	1	985	636	gi 467419	unknown [Bacillus subtilis]	83	65	348
302	4	1421	2743	gi 508979	GTP-binding protein [Bacillus subtilis]	83	68	1323
321	4	3933	3571	gi 39844	fumase (cicG) (aa 1-462) [Bacillus subtilis]	83	68	363
367	1	2	352	gi 1039479	ORFU [Lactococcus lactis]	83	54	351

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
367	1	3	662	gi 806281	uia polymerase I (Bacillus stearothermophilus)	83	70	660
527	2	916	1566	gi 396259	protease (Staphylococcus epidermidis)	83	67	651
533	1	355	179	gi 142455	alanine dehydrogenase (EC 1.4.1.1) (Bacillus stearothermophilus)	83	66	177
536	4	1617	1438	gi 143366	adenylosuccinate lyase (PUR-B) (Bacillus subtilis)	83	67	180
652	1	2	859	gi 520753	adenylosuccinate lyase (EC 4.3.2.2) - Bacillus subtilis	83	67	858
774	2	200	361	gi 352265	M. jannaschii predicted coding region MJECL28 (Methanococcus jannaschii)	83	58	162
897	1	120	296	gi 1064807	ORTHOTIME AMINOTRANSFERASE (Bacillus subtilis)	83	76	177
1213	1	3	491	gi 289288	llexA (Bacillus subtilis)	83	67	489
2529	1	296	150	gi 143786	cryptophanyl-tRNA synthetase (EC 6.1.1.2) (Bacillus subtilis)	83	69	147
2973	1	649	326	gi 1109687	ProZ (Bacillus subtilis)	83	58	324
3009	1	728	366	gi 402532	ONF_0294 (Escherichia coli)	83	65	363
3035	2	45	305	gi 950062	hypothetical yeast protein 1 (Mycoplasma capricolum) p1r[S48578]S48578	83	59	261
3906	1	67	309	gi 1353197	hypothetical protein - Mycoplasma capricolum SCC3 (fragment)	83	61	243
4458	1	540	271	gi 397526	thioredoxin reductase (Eubacterium acidaminophilum)	83	78	270
4570	1	444	223	gi 1022726	clumping factor (Staphylococcus aureus)	83	74	222
4654	1	97	261	gi 1072419	unknown (Staphylococcus haemolyticus)	83	79	165
16	2	295	1191	gi 153854	g1cB gene product (Staphylococcus carnosus)	82	67	897
16	3	1193	1798	gi 153854	juv402 protein (Streptococcus pneumoniae)	82	70	606
38	12	9644	8724	gi 1204400	juv402 protein (Streptococcus pneumoniae)	82	58	921
42	4	988	2019	gi 841192	N-acetylneuraminate lyase (Haemophilus influenzae)	82	70	1037
51	6	2590	3489	gi 143607	catalase (Bacteroides fragilis)	82	69	900
56	11	12270	13925	gi 39431	sporulation protein (Bacillus subtilis)	82	60	1656
56	15	17673	18014	gi 467410	g1gU-1,6-glucosidase (Bacillus cereus)	82	66	342
61	2	881	3313	gi 143148	unknown (Bacillus subtilis)	82	70	233
					transfer RNA-Leu synthetase (Bacillus subtilis)			

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
82	7	9162	11318	gi 48240	elongation factor G (AA 1-691) [Thermus aquaticus thermophilus] 12/S15928 EFTHG translation elongation factor G - Thermus aquaticus p13551 EFG_THETH ELONGATION FACTOR G (EF-G)	82	64	2157
85	2	5470	3260	gi 43369	[phosphoribosylformyl glycylamide synthetase II (PUR-Q) [Bacillus subtilis]	82	66	2211
102	6	3662	5380	gi 1256635	[dihydroxy-acid dehydratase [Bacillus subtilis]	82	65	1719
117	4	3242	3493	pir A47154 A471	forf1 5' of Ffh - Bacillus subtilis	82	53	252
128	6	4377	5933	gi 460258	[phosphoglycerate mutase [Bacillus subtilis]	82	66	1557
129	2	1229	2182	gi 403373	[glycerophosphoryl diester phosphodiesterase [Bacillus subtilis] pir S37251 S37251 glycerophosphoryl diester phosphodiesterase - acillus subtilis	82	62	954
170	1	2	1441	gi 1377831	unknown [Bacillus subtilis]	82	67	1440
177	1	3	1094	gi 467386	[thiophen and furan oxidation [Bacillus subtilis]	82	65	1092
184	4	3572	4039	gi 153566	[ORF (19X protein) (Enterococcus faecalis)	82	59	468
189	8	4455	4225	gi 1001878	[CapL protein [Listeria monocytogenes]	82	73	231
206	19	21166	20707	gi 473916	[lipopeptide antibiotics Iturin A [Bacillus subtilis] ap P39144 LP14_BACSU LIPOPEPTIDE ANTIBIOTICS ITURIN A AND SURFACTIN BIOSYNTHESIS PROTEIN.	82	50	660
221	2	805	1722	gi 517205	[67 kDa Myosin-crossreactive streptococcal antigen [Streptococcus pyogenes]	82	63	918
223	4	3866	3651	gi 439619	[Salmonella typhimurium 15200 insertion sequence from SAR417, artial.], gene product [Salmonella typhimurium]	82	69	216
260	3	5207	4296	gi 1161381	[IcAB [Staphylococcus epidermidis]	82	61	912
315	3	4864	2855	gi 143397	[quinol oxidase [Bacillus subtilis]	82	67	2010
321	10	8520	7945	gi 142981	[ORF5: This ORF includes a region (aa23-103) containing a potential non- sulphur centre homologous to a region of Rhodospirillum rubrum nd Chromatium vinosum; putative [Bacillus stearothermophilus] pir PQ0299 PQ0299 hypothetical protein 5 (glda 3' region) -	82	62	576
331	3	1055	1342	gi 436574	[ribosomal protein L1 [Bacillus subtilis]	82	71	288
370	2	262	618	gi 1303793	[YqgL [Bacillus subtilis]	82	59	357
404	4	3053	4024	gi 1303821	[YqGE [Bacillus subtilis]	82	68	972
405	4	4440	3073	gi 1303913	[YqHX [Bacillus subtilis]	82	67	1368
436	3	4096	2864	gi 149521	[cryptophan synthase beta subunit [Lactococcus lactis] pir S35129 S35129 cryptophan synthase (EC 4.2.1.20) beta chain - actococcus lactis subsp. lactis	82	67	1233

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	Length (nt)
441	4	3394	2573	gi1142952	[glyceraledehyde-3-phosphate dehydrogenase (Bacillus stearothermophilus)]	82	67	822
444	12	10415	11227	gi11204354	[spore germination and vegetative growth protein (Haemophilus influenzae)]	82	67	813
446	1	3	191	gi1143387	[aspartate transcarbamylase (Bacillus subtilis)]	82	66	189
462	3	1007	1210	gi1142521	[deoxyribodipyrimidine photolyase (Bacillus subtilis)] p1r[A37192][A37192 uvrB protein - Bacillus subtilis sp[P14951]UVRC_BACSU EXCINUCLEASE ABC SUBUNIT C.	82	64	204
537	1	1560	784	gi11853767	[UDP-N-acetylglucosamine 1-carboxyvinyltransferase (Bacillus subtilis)]	82	61	777
680	2	407	700	gi11426472	[secE gene product (Staphylococcus carnosus)]	82	69	294
724	2	565	386	gi1143373	[phosphoribosyl aminoimidazole carboxy formyl ornyltransferase/inosine monophosphate cyclohydrolase (Pur-HiO)] Bacillus subtilis	82	68	180
763	1	422	213	gi11467458	[cell division protein (Bacillus subtilis)]	82	35	210
818	1	564	283	gi11064787	[function unknown (Bacillus subtilis)]	82	69	282
858	1	175	1176	gi1143043	[uroporphyrinogen decarboxylase (Bacillus subtilis)] p1r[A47045][B47045 uroporphyrinogen decarboxylase (EC 4.1.1.37) - acillus subtilis	82	71	1002
895	1	3	599	gi11027507	[ATP binding protein (Borrelia burgdorferi)]	82	72	597
939	1	10	399	gi1143795	[transfer RNA-Tyr synthetase (Bacillus subtilis)]	82	60	390
961	1	1	306	gi11577647	[gamma-hemolysin (Staphylococcus aureus)]	82	69	306
1192	1	307	155	gi1146974	[NH3-dependent NAD synthetase (Escherichia coli)]	82	71	153
1317	1	49	375	gi11407908	[E1acR (Staphylococcus xylosus)]	82	72	327
1341	1	1	150	gi1139962	[ribosomal protein L35 (AA 1-66) (Bacillus stearothermophilus)]	82	68	150
2990	2	567	349	gi11534855	[rS05347][R58535 ribosomal protein L35 - Bacillus stearothermophilus]	82	47	219
3024	1	45	224	gi11467402	[unknown (Bacillus subtilis)]	82	64	180
3045	1	276	139	gi11467335	[ribosomal protein L9 (Bacillus subtilis)]	82	60	138
3045	2	558	400	gi11467335	[ribosomal protein L9 (Bacillus subtilis)]	82	82	150
3091	1	474	238	gi11499335	[secA protein (Staphylococcus carnosus)]	82	78	237
3107	1	416	210	gi11546918	[orfY 3' of comK (Bacillus subtilis, E26, Peptide Partial, 140 aa)] p1r[A43612][S43612 hypothetical protein Y - Bacillus subtilis sp[P40398]VIND_BACSU HYPOTHETICAL PROTEIN IN COMK 3' REGION (ORFY FRAGMENT).	82	64	207

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	Length (nt)
4332	1	2	319	gi 42086	nitrate reductase alpha subunit [Escherichia coli] p P09152 NARO_ECOLI RESPIRATORY NITRATE REDUCTASE 1 ALPHA CHAIN (EC 7.99.4). (SUB 2-1247)	82	75	318
23	3	3275	2574	gi 1199573	spdB [Sphingomonas sp.]	81	64	702
42	1	636	321	gi 466778	lysine specific permease [Escherichia coli]	81	59	318
48	5	4051	4350	gi 1045937	M. genitalium predicted coding region NG246 [Mycoplasma genitalium]	81	62	300
51	4	1578	2579	gi 156649 S166	dclAC protein - Bacillus subtilis	81	55	1002
53	2	354	1494	gi 1303961	YqjJ [Bacillus subtilis]	81	67	1131
53	8	9419	7971	gi 146930	6-phosphogluconate dehydrogenase [Escherichia coli]	81	66	1449
54	9	10757	10119	gi 143016	permease [Bacillus subtilis]	81	65	639
54	10	13360	11786	gi 143015	glucuronate kinase [Bacillus subtilis]	81	64	1575
57	17	13983	13366	gi 1425805 A258	L-lactate dehydrogenase (EC 1.1.1.27) - Bacillus subtilis	81	74	618
81	2	2708	2217	gi 1122302	NitG-related protein [Haemophilus influenzae]	81	54	492
86	1	745	374	gi 1414017	lpa-93d gene product [Bacillus subtilis]	81	70	372
103	6	6438	4861	gi 1971342	nitrate reductase beta subunit [Bacillus subtilis] sp P42176 NARO_BACSU NITRATE REDUCTASE BETA CHAIN (EC 1.7.99.4).	81	64	1578
120	15	10845	12338	gi 1524392	GbsA [Bacillus subtilis]	81	67	1494
128	5	3676	4413	gi 143319	crfase phosphate isomerase [Bacillus megaterium]	81	64	718
131	9	10308	9280	gi 299163	alanine dehydrogenase [Bacillus subtilis]	81	68	1029
143	6	6088	5471	gi 1439619	[Salmonella typhimurium IS200 insertion sequence from SARA17, artia1.1, gene product [Salmonella typhimurium]	81	61	618
169	1	43	825	gi 897795	30S ribosomal protein (Pediococcus acidilactici) sp P49668 AS2_PEDAC 30S RIBOSOMAL PROTEIN S2.	81	65	783
230	1	450	226	gi 1125826	short region of weak similarity to tyrosine-protein kinase receptors in a fibronectin type III-like domain [Caenorhabditis elegans]	81	54	225
233	5	2000	2677	gi 467404	unknown [Bacillus subtilis]	81	63	678
241	2	3081	2149	gi 16510	succinate--CoA ligase (GDP-forming) [Arabidopsis thaliana] tr S10579 S10579 succinate--CoA ligase (GDP-forming) (EC 6.2.1.4) pha chain - Arabidopsis thaliana (fragment)	81	69	933
256	1	1	981	gi 509411 S094	spoIIIE protein - Bacillus subtilis	81	65	981
259	3	3752	2691	sp P28367 PF2_B	PROBABLE PEPTIDE CHAIN RELEASE FACTOR 2 (RF-2) (FRAGMENT).	81	65	1062

TABLE 2

3. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
275	2	1728	3581	gi 726480	L-glutamine-D-fructose-6-phosphate amidotransferase (Bacillus subtilis)	81	68	1854
285	1	1466	735	gi 1204844	H. influenzae predicted coding region H10394 (Haemophilus influenzae)	81	63	732
296	1	99	1406	gi 467328	adenylosuccinate synthetase (Bacillus subtilis)	81	67	1308
302	9	5590	5889	gi 147485	lqueA (Escherichia coli)	81	64	300
317	2	1137	1376	gi 154961	translase (Transposon Tn917)	81	57	240
343	2	1034	1342	gi 405955	lyeED (Escherichia coli)	81	60	309
360	2	1404	2471	gi 1204570	aspartyl-tRNA synthetase (Haemophilus influenzae)	81	67	1068
364	5	6251	5706	gi 1204652	methyated-DNA--protein-cysteine methyltransferase (Haemophilus influenzae)	81	63	546
372	2	1707	1135	gi 467416	unknown (Bacillus subtilis)	81	65	573
392	1	43	603	pir S09411 S094	spolIIE protein - Bacillus subtilis	81	65	561
404	9	5252	6154	gi 606745	baeX (Bacillus subtilis)	81	65	903
426	2	1727	1119	gi 39453	Manganese superoxide dismutase (Bacillus caldotenax) ir S22053 S22053 superoxide dismutase (EC 1.15.1.1) (Mn) - Bacillus licheniformis	81	66	609
480	7	5653	5889	pir C3708 C370	hypothetical protein II (open 3' region) - Salmonella typhimurium (fragment)	81	57	217
625	3	1105	2070	gi 1262360	protein kinase PknB (Mycobacterium leprae)	81	56	966
754	2	504	1064	gi 1303902	Yqhu (Bacillus subtilis)	81	71	561
842	1	86	430	gi 1403446	transketolase (Bacillus subtilis)	81	68	345
953	1	788	400	gi 1203429	di-peptide transport ATP-binding protein (Haemophilus influenzae)	81	57	399
961	2	252	401	gi 467486	aynergohymenotropic toxin (Staphylococcus intermedius) pir S44944 S44944 aynergohymenotropic toxin - Staphylococcus intermedius	81	72	150
1035	1	1	189	gi 1046138	M. genitalium predicted coding region MG423 (Mycoplasma genitalium)	81	43	189
1280	1	670	449	gi 1559164	helicase (Autographa californica nuclear polyhedrosis virus) sp P24307 v143_NPVAC HELICASE	81	43	222
3371	1	68	241	gi 1322245	mevalonate pyrophosphate decarboxylase (Rattus norvegicus)	81	62	174
3715	1	475	239	gi 1537137	ORF_1388 (Escherichia coli)	81	58	237
3908	1	2	325	gi 439619	(Salmonella typhimurium) IS200 insertion sequence from SARA17, artial.), gene product (Salmonella typhimurium)	81	68	324
3940	1	3	401	gi 1296464	ATPase (Lactococcus lactis)	81	69	399

TABLE 2

J. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
3954	1	1	318	gi 1224069	amidase [Morexella catarrhalis]	81	68	318
4049	1	337	170	gi 603768	MutI protein, imidazole-5-propanone hydrolase [Bacillus subtilis]	81	68	168
4209	1	1	324	gi 403373	glycerophosphoryl diester phosphodiesterase [Bacillus subtilis]	81	58	324
4371	1	627	322	gi 216677	indolepyruvate decarboxylase [Enterobacter cloacae] pir[S1601][S16013]	81	72	306
4387	1	19	228	gi 460689	TYO [Thermactinomyces vulgaris]	81	59	210
4491	1	581	306	gi 1524193	unknown [Mycobacterium tuberculosis]	81	67	276
4425	1	3	341	gi 143015	glucanase kinase [Bacillus subtilis]	81	66	339
9	1	1593	847	gi 1064786	[function unknown [Bacillus subtilis]]	80	62	747
17	1	544	311	gi 559164	halicase [Autographa californica nuclear polyhedrosis virus]	80	40	234
45	2	1159	2448	gi 1109684	ProV [Bacillus subtilis]	80	63	1290
45	5	4032	4733	gi 1109687	ProZ [Bacillus subtilis]	80	55	702
54	8	10266	9502	gi 563952	glucanase permease [Bacillus licheniformis]	80	62	765
62	12	8852	7545	gi 854655	Na/H antiporter system [Bacillus alcalophilus]	80	62	1308
62	14	8087	8683	gi 559713	ORF [Homo sapiens]	80	68	597
67	16	13781	14122	gi 305002	ORF_F356 [Escherichia coli]	80	65	342
70	13	11495	10296	gi 1303995	YqkN [Bacillus subtilis]	80	64	1200
98	9	6336	7130	gi 467428	unknown [Bacillus subtilis]	80	68	795
98	10	7294	7833	gi 467430	unknown [Bacillus subtilis]	80	64	540
98	11	7820	8737	gi 467431	high level kanamycin resistance [Bacillus subtilis]	80	61	918
109	16	14154	14813	gi 580875	lpa-57d gene product [Bacillus subtilis]	80	63	660
112	15	14294	16636	gi 1072361	pyruvate-formate-lyase [Clostridium pasteurianum]	80	65	2343
139	1	1448	726	gi 506699	CapC [Staphylococcus aureus]	80	58	723
139	2	2179	1448	gi 506698	CapB [Staphylococcus aureus]	80	59	732
174	4	3271	2870	gi 1146242	aspartate 1-decarboxylase [Bacillus subtilis]	80	61	402

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
177	3	2102	2842	gi 467385	unknown [Bacillus subtilis]	80	70	741
184	6	6124	5912	gi 161953	185-kDa surface antigen [Trypanosoma cruzi]	80	46	213
186	4	5368	3875	gi 289282	glutamyl-tRNA synthetase [Bacillus subtilis]	80	65	1494
205	30	15796	15140	gi 40103	ribosomal protein L4 [Bacillus stearothermophilus]	80	66	657
207	1	140	1315	gi 460259	fenolase [Bacillus subtilis]	80	67	1176
211	3	1078	1590	gi 410131	IONPX7 [Bacillus subtilis]	80	61	513
235	2	1962	2255	gi 143797	valyl-tRNA synthetase [Bacillus stearothermophilus] sp P11931 SYV_BACST VALYL-tRNA SYNTHETASE (EC 6.1.1.9) VALINE--TRNA LIGASE (VALRS)	80	55	294
239	1	1	1263	gi 143000	proton glutamate symport protein [Bacillus stearothermophilus] p1r S26247 S26247 glutamate/aspartate transport protein - Bacillus stearothermophilus	80	59	1263
272	5	2724	2461	gi 709993	hypothetical protein [Bacillus subtilis]	80	54	264
301	3	1446	1111	gi 467418	unknown [Bacillus subtilis]	80	58	336
310	4	5697	4501	gi 1177686	lacuC gene product [Staphylococcus xylosus]	80	67	1197
310	6	5258	7006	gi 348053	acetyl-CoA synthetase [Bacillus subtilis]	80	67	1749
310	7	7410	9113	gi 1103865	formyl-tetrahydrofolate synthetase [Streptococcus mutans]	80	67	1704
325	3	1114	1389	gi 310325	outer capsid protein [Rotavirus sp.1]	80	40	276
337	1	1268	636	gi 537049	ORF_0470 [Escherichia coli]	80	55	633
374	2	929	1228	gi 1405448	YneF [Bacillus subtilis]	80	70	300
375	5	3062	3331	gi 467448	unknown [Bacillus subtilis]	80	68	270
388	1	267	587	gi 1064791	function unknown [Bacillus subtilis]	80	65	321
394	1	9	659	gi 304976	matches PS00017: ATP-GTP_A and PS00301: EFACITOR_GTP: similar to longation factor G, TetM/tetO tetracycline-resistance proteins [Escherichia coli]	80	65	651
456	1	625	1263	gi 1146183	putative [Bacillus subtilis]	80	65	639
475	1	1	654	gi 288269	beta-fructofuranosidase [Staphylococcus xylosus]	80	66	654
544	2	1449	2240	gi 529754	ispeC [Streptococcus pyogenes]	80	50	792
622	4	1623	1871	gi 1483545	unknown [Mycobacterium tuberculosis]	80	65	249
719	1	1	1257	gi 1064791	function unknown [Bacillus subtilis]	80	68	1257
739	1	107	836	gi 666983	putative ATP binding subunit [Bacillus subtilis]	80	61	732

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
745	2	581	414	gi 1511600	coenzyme PQQ synthesis protein III [Methanococcus jannaschii]	80	61	168
822	1	17	679	gi 410141	ORF17 [Bacillus subtilis]	80	68	663
827	2	991	836	gi 1205301	leukotoxin secretion ATP-binding protein [Haemophilus influenzae]	80	54	136
1044	1	3	149	gi 160632	vp2 [Hamburg virus]	80	55	147
1220	2	571	413	gi A61072 EP5G	gallicidarin precursor - Staphylococcus gallinarum	80	74	159
2519	1	75	275	gi 147556	dpj [Escherichia coli]	80	45	201
2947	1	503	279	gi 1184680	polynucleotide phosphorylase [Bacillus subtilis]	80	62	225
3120	1	2	226	gi 1517205	67 kDa Myosin-crossreactive streptococcal antigen [Streptococcus yogenes]	80	65	225
3191	1	294	148	gi 151259	HMG-CoA reductase (EC 1.1.1.88) [Pseudomonas mvalonii] pif A44756 A44756 hydroxymethylglutaryl-CoA reductase (EC 1.1.1.88) Pseudomonas sp.	80	59	147
3560	2	285	434	gi 217130	photosystem 1 core protein B [Synchococcus vulcanus]	80	70	150
3655	1	47	346	gi 415855	deoxyribose aldolase [Mycoplasma hominis]	80	56	300
3658	2	324	584	gi 551531	2-nitropropane dioxygenase [Williopsis saturnus]	80	54	261
3769	1	794	400	gi 1339950	large subunit of NADH-dependent glutamate synthase [Plectonema boryanum]	80	68	399
3781	1	692	348	gi 166412	NADH-glutamate synthase [Medicago sativa]	80	62	345
3988	1	48	287	gi 1204696	fructose-permease IIBC component [Haemophilus influenzae]	80	69	240
4030	1	571	287	gi 1009366	respiratory nitrate reductase [Bacillus subtilis]	80	60	285
4092	1	547	275	gi 1370207	orf6 [Lactobacillus sake]	80	69	273
4103	1	680	342	gi 39956	IGIC [Bacillus subtilis]	80	65	339
4231	1	692	348	gi 289287	UDP-glucose pyrophosphorylase [Bacillus subtilis]	80	65	345
4265	1	595	299	gi 603768	hutI protein, imidazolone-5-propiolate hydrolase [Bacillus subtilis] gi 603768 hutI protein, imidazolone-5-propiolate hydrolase [Bacillus subtilis]	80	63	297
4504	1	498	250	gi 1339950	large subunit of NADH-dependent glutamate synthase [Plectonema boryanum]	80	68	249
2	6	5998	6798	gi 535351	CodY [Bacillus subtilis]	79	63	801
4	7	8295	7057	gi 603768	hutI protein, imidazolone-5-propiolate hydrolase [Bacillus subtilis] gi 603768 hutI protein, imidazolone-5-propiolate hydrolase [Bacillus subtilis]	79	64	1245
25	6	5273	5515	gi A36728 A367	acyl carrier protein - Rhizobium meliloti	79	65	243

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	Length (nt)
59	2	1173	1424	gi147923	threonine dehydratase 2 (EC 4.2.1.16) [Escherichia coli]	79	75	252
60	1	1	204	gi1666115	orf1 upstream of glucose kinase [Staphylococcus xylosum] pir[S52351]S52351 hypothetical protein 1 - Staphylococcus xylosum	79	60	204
81	1	3002	1590	gi1466882	[ppa1; 81496_C2.189 [Mycobacterium lepreae]	79	64	1413
85	7	7023	6505	gi143364	phosphoribosyl aminimidazole carboxylase I (PUR-E) [Bacillus subtilis]	79	60	519
89	6	5660	4554	gi144906	product homologous to E. coli thioredoxin reductase: J Biol. Chem. 1988; 263:9015-9019, and to P52a protein of alkyl hydroperoxide oxidase from S. typhimurium: J. Biol. Chem. (1990) 265:10535-10540; pen reading frame A [Clostridium pasteurianum]	79	35	1107
102	11	7489	8571	gi143093	keto-acid reductoisomerase [Bacillus subtilis] ap137253 ILVC_BACSU_KETOL-ACID_REDUCTOISOMERASE (EC 1.1.1.86) ACETOHYDROXY-ACID ISOMEROREDUCTASE) (ALPHA-KETO-BETA-HYDROXYLACIL EDUCTOISOMERASE)	79	64	1083
102	14	11190	12563	gi149428	putative [Lactococcus lactis]	79	65	1374
127	9	7792	9372	gi1458688	PrfC/RF3 [Dichelobacter nodosus]	79	68	1581
139	3	2540	1983	gi1506697	[CapA [Staphylococcus aureus]	79	55	558
144	2	1644	1156	gi1498296	peptide methionine sulfoxide reductase [Streptococcus pneumoniae]	79	47	489
148	2	529	1098	gi1467457	hypoxanthine-guanine phosphoribosyltransferase [Bacillus subtilis] gi1467457 hypoxanthine-guanine phosphoribosyltransferase [Bacillus subtilis]	79	59	570
150	1	965	591	gi1755602	unknown [Bacillus subtilis]	79	61	375
176	1	1039	587	gi1297874	[fructose-bisphosphate aldolase [Staphylococcus carnosus] pir[A19943]A19943 fructose-bisphosphate aldolase (EC 4.1.2.13) - Laphylococcus carnosus (strain TM300)]	79	65	453
186	7	7584	6874	gi1314298	ORF5; putative Sma protein; similar to Sma proteins from Haemophilus influenzae and Escherichia coli [Listeria monocytogenes]	79	64	711
205	16	RRR7	8498	gi11044980	ribosomal protein L18 [Bacillus subtilis]	79	70	390
211	1	1	519	gi1303994	[yqhM [Bacillus subtilis]	79	62	519
223	2	4183	2801	gi1488430	alcohol dehydrogenase 2 [Entamoeba histolytica]	79	60	1383
243	8	8915	7896	gi1580883	[ipa-8d gene product [Bacillus subtilis]	79	60	1020
279	4	3721	4329	gi1413930	[ipa-6d gene product [Bacillus subtilis]	79	59	609
300	1	11	1393	gi1403372	[glycerol 3-phosphate perase [Bacillus subtilis]	79	62	1383
307	3	2930	1935	gi1930062	hypothetical yeast protein 1 [Mycoplasma capricolum] pir[S48578]S48578 hypothetical protein - Mycoplasma capricolum SGC3) (fragment)	79	60	996

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
352	6	10106	8886	gi 216854	p47K [Pseudomonas chlororaphis]	79	59	1221
412	1	1153	578	gi 143177	putative [Bacillus subtilis]	79	51	576
481	3	621	1124	gi 786163	Ribosomal Protein L10 [Bacillus subtilis]	79	66	504
516	1	702	352	gi 805090	NisP [Lactococcus lactis]	79	48	351
525	2	2457	1426	gi 143371	phosphoribosyl aminimidazole synthetase (PUR-M) [Bacillus subtilis] pir H23126 ABSC1 phosphoribosylformylglycinamide cyclo-ligase EC 6.3.3.1 - Bacillus subtilis	79	61	1032
538	4	3448	2825	gi 1370207	orf6 [Lactobacillus sakei]	79	67	624
570	1	2	421	gi 476160	arginine permease substrate-binding subunit [Listeria monocytogenes]	79	61	420
645	8	2663	3241	gi 153898	transport protein [Salmonella typhimurium]	79	62	579
683	1	75	374	gi 1064795	function unknown [Bacillus subtilis]	79	62	300
816	3	4700	3987	gi 1407784	orf-1; novel antigen [Staphylococcus aureus]	79	62	714
2929	1	3	401	gi 3524397	glycine betaine transporter OpuD [Bacillus subtilis]	79	61	399
2937	1	357	202	pir S52915 S529	nitrate reductase alpha chain - Bacillus subtilis (fragment)	79	58	156
2940	1	768	385	gi 149429	putative [Lactococcus lactis]	79	72	384
2946	1	570	286	gi 143267	2-oxoglutarate dehydrogenase (odhA; EC 1.2.4.2) [Bacillus subtilis]	79	61	285
2999	1	3	212	gi 710020	nitrite reductase (nirB) [Bacillus subtilis]	79	59	210
3022	1	514	332	gi 450686	3-phosphoglycerate kinase [Thermotoga maritima]	79	61	183
3064	1	3	314	gi 1204436	pyruvate formate-lyase [Haemophilus influenzae]	79	60	312
3083	1	2	220	gi 1149662	hlyD gene product [Clostridium perfringens]	79	56	219
3126	1	701	411	gi 1339950	large subunit of NADH-dependent glutamate synthase [Plectonena boryanum]	79	55	291
3181	1	607	326	gi 1339950	large subunit of NADH-dependent glutamate synthase [Plectonema boryanum]	79	59	282
3345	1	3	476	gi 871784	Clp-like ATP-dependent protease binding subunit [Bos taurus]	79	63	474
3718	1	536	270	pir C36889 C368	leuB protein, inactive - Lactococcus lactis subsp. lactis (strain IL1403)	79	71	267
3724	2	159	401	gi 1009366	Respiratory nitrate reductase [Bacillus subtilis]	79	64	243
3836	1	608	312	gi 1524193	unknown [Mycobacterium tuberculosis]	79	65	297
3941	1	2	334	gi 415855	deoxyribose aldolase [Mycoplasma hominis]	79	54	333
4113	1	3	341	gi 143015	glucanate kinase [Bacillus subtilis]	79	63	339

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
4501	1	406	209	gi 1022726	unknown [Staphylococcus haemolyticus]	79	66	198
4612	1	2	238	gi 460889	[TVC [Thermococcus vulgaris]	79	58	237
2	1	2	1213	gi 520753	[DNA topoisomerase I [Bacillus subtilis]	78	64	1212
8	2	2266	1220	gi 216151	[DNA polymerase (gene L; ttg start codon) [Bacteriophage SP02] gi 579197 SP02 DNA polymerase (aa 1-648) [Bacteriophage SP02] pir A21098[QUBPS2 DNA- directed DNA polymerase (EC 2.7.7.7) - phage P02	78	72	1047
9	2	1340	1089	gi 1064787	[function unknown [Bacillus subtilis]	78	57	252
32	8	6803	7702	gi 146974	[NH3-dependent NAD synthetase [Escherichia coli]	78	63	900
36	4	2941	3138	gi 290503	[glutamate permease [Escherichia coli]	78	53	198
53	15	17684	16221	gi 1303941	[yqjV [Bacillus subtilis]	78	58	1464
57	14	10520	12067	gi 1072418	[glcA gene product [Staphylococcus carnosus]	78	65	1548
66	7	6798	5812	gi 1212729	[yqhJ [Bacillus subtilis]	78	67	987
67	4	4029	4376	gi 466612	[nlrA [Escherichia coli]	78	71	348
91	9	10058	10942	gi 467380	[stage 0 sporulation [Bacillus subtilis]	78	50	885
102	12	8774	10130	gi 149426	[putative [lactococcus lactis]	78	61	1557
112	6	3540	4463	gi 854234	[cymG gene product [Klebsiella oxytoca]	78	56	924
124	2	1888	1061	gi 405622	[unknown [Bacillus subtilis]	78	60	828
130	3	1805	2260	gi 1256636	[putative [Bacillus subtilis]	78	71	456
133	1	751	377	gi 168060	[lamB [Escherichia coli]	78	59	375
166	4	7125	6163	gi 451216	[mannosephosphate isomerase [Streptococcus mutans]	78	63	963
186	1	1586	795	gi 289284	[cysE1-1-trna synthetase [Bacillus subtilis]	78	63	792
195	4	2749	2315	gi 1353874	[unknown [Rhodospirillum rubrum]	78	58	435
199	3	4279	3623	gi 141325	[succinate dehydrogenase cytochrome b-558 subunit [Bacillus subtilis] pir A29843 DESSC succinate dehydrogenase (EC 1.3.99.1) cytochrome 558 - Bacillus subtilis	78	57	657
199	4	7209	5557	gi 142521	[deoxyribodipyrroline photolase [Bacillus subtilis] pir A37192 A37192 uvrB protein - Bacillus subtilis sp pi4951 UVR_C_BACSU EXCINUCLEASE ABC SUBUNIT C.	78	62	1653
223	3	3831	3523	gi 139596	[Escherichia coli IS200 insertion sequence from ECOR63, partial.), ene product [Escherichia coli]	78	47	309

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
299	4	1865	2149	gi1467439	temperature sensitive cell division [Bacillus subtilis]	78	62	285
321	9	7734	7315	gi1142979	ORF3 is homologous to an ORF downstream of the spot gene of E.coli; RF3 [Bacillus stearothermophilus]	78	55	420
352	4	3714	3944	gi1349050	actin 1 [Pneumocystis carinii]	78	42	231
352	5	7592	6093	gi1903587	NADH dehydrogenase subunit 5 [Bacillus subtilis] sp139755 [NDHF_BACSU NADH DEHYDROGENASE SUBUNIT 5 (EC 1.6.5.3) NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 5]	78	58	1500
376	1	2	583	gi1551693	lactobiolein synthase [Bacillus sphaericus]	78	34	582
424	2	1595	1768	gi1524117	alpha-acetolactate decarboxylase [Lactococcus lactis]	78	68	174
470	1	1914	988	gi11030068	NAD(P)H oxidoreductase, isoflavone reductase homologue [Solanum tuberosum]	78	63	927
558	1	762	562	gi1511588	bifunctional protein [Methanococcus jannaschii]	78	60	201
670	3	1152	1589	gi1122759	unknown [Bacillus subtilis]	78	64	438
714	1	64	732	gi143460	37 kd minor sigma factor (rpoF, sigB; tlg start codon) [Bacillus subtilis]	78	57	669
814	1	3	368	gi1377833	unknown [Bacillus subtilis]	78	59	366
981	1	1381	692	gi143802	Gerc2 [Bacillus subtilis]	78	64	690
995	2	978	727	gi1296947	uridine kinase [Escherichia coli]	78	64	252
1045	1	3	401	gi11407784	orf-1; novel antigen [Staphylococcus aureus]	78	61	399
1163	2	368	186	gi1410117	diaminopimelate decarboxylase [Bacillus subtilis]	78	54	181
2191	1	794	399	gi1215098	lecithinase [Bacteriophage 154a]	78	65	396
2933	1	2	181	gi1204436	pyruvate formate-lyase [Haemophilus influenzae]	78	73	180
3041	2	129	317	gi1624632	GltL [Escherichia coli]	78	53	189
3581	1	105	401	gi1763186	3-ketoacyl-CoA thiolase [Saccharomyces cerevisiae]	78	55	297
3709	1	3	230	gi1460689	TVC [Thermotactinomyces vulgaris]	78	58	228
3974	1	528	265	gi1558839	unknown [Bacillus subtilis]	78	65	264
3980	1	3	401	gi139956	flgGc [Bacillus subtilis]	78	62	399
4056	1	647	354	gi1256635	dihydroxy-acid dehydratase [Bacillus subtilis]	78	55	294
4114	1	630	316	pir150937215093	hypothetical protein - Trypanosoma brucei	78	62	315
4185	1	3	179	gi1339950	large subunit of NADH-dependent glutamate synthase [Plectonema boryanum]	78	58	177

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
4235	1	655	329	gi 558839	unknown [Bacillus subtilis]	78	60	327
4352	1	541	302	gi 603768	Hut1 protein, imidazolone-5-propionate hydrolase [Bacillus subtilis] gi 603768 Hut1 protein, imidazolone-5-propionate hydrolase [Bacillus subtilis]	78	63	240
4368	1	612	307	gi 3353678	heavy-metal transporting P-type ATPase [Proteus mirabilis]	78	59	306
4461	1	428	216	gi 1276841	glutamate synthase (GOGAT) [Porphyra purpurea]	78	36	213
4530	1	474	238	gi 19956	lig1c [Bacillus subtilis]	78	65	237
3	2	2969	2073	gi 1109684	ProV [Bacillus subtilis]	77	56	897
12	2	2426	1965	gi 467335	ribosomal protein L9 [Bacillus subtilis]	77	59	462
27	1	2	388	gi 3212728	YqhI [Bacillus subtilis]	77	63	387
39	2	590	1252	gi 40054	phenylalanyl-tRNA synthetase beta subunit (AA 1-804) [Bacillus subtilis]	77	60	663
42	6	2704	2931	gi 606241	30S ribosomal subunit protein S14 [Escherichia coli] sp P03370 RS14_ECOLI 30S RIBOSOMAL PROTEIN S14. (SUB 2-101)	77	65	228
46	1A	1459	16622	gi 297798	mitochondrial formate dehydrogenase precursor [Solanum tuberosum] p1rJ0272/2J0272 formate dehydrogenase (EC 1.2.1.2) precursor, mitochondrial - potato	77	55	1164
100	4	4562	4002	gi 1340128	ORF1 [Staphylococcus aureus]	77	54	561
102	8	5378	5713	gi 1311482	acetolactate synthase [Thermus aquaticus]	77	57	336
109	7	4742	5383	gi 710637	Unknown [Bacillus subtilis]	77	56	642
117	1	2	1228	gi 1237015	ORF4 [Bacillus subtilis]	77	53	1227
124	10	8323	7688	gi 405819	thymidine kinase [Bacillus subtilis]	77	63	636
147	3	1146	985	gi 849027	hypothetical 15.9-kDa protein [Bacillus subtilis]	77	37	162
152	10	7354	7953	gi 1205583	spermidine/putrescine transport ATP-binding protein [Haemophilus influenzae]	77	55	600
169	2	1004	1282	gi 473825	elongation factor EF-Ts [Escherichia coli]	77	58	279
184	2	380	1147	gi 216314	esterase [Bacillus stearothermophilus]	77	60	768
189	7	3296	3868	gi 853809	ORF3 [Clostridium perfringens]	77	48	573
193	1	132	290	gi 1303788	YgeH [Bacillus subtilis]	77	54	159
195	8	8740	8414	gi 1499620	M. jannaschii predicted coding region M30798 [Methanococcus jannaschii]	77	44	327
205	8	5428	5204	gi 216340	ORF for adenylate kinase [Bacillus subtilis]	77	61	225

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
205	29	14795	14502	gi 786155	Ribosomal Protein L23 (Bacillus subtilis)	77	62	294
211	5	1908	2084	gi 410132	OMPX8 (Bacillus subtilis)	77	47	177
217	5	3478	4416	gi 496254	Fibronectin/fibrinogen-binding protein (Streptococcus pyogenes)	77	54	939
232	1	267	998	gi 140784	orf-1; novel antigen (Staphylococcus aureus)	77	57	732
233	2	1819	1346	gi 467408	unknown (Bacillus subtilis)	77	61	474
243	3	2661	2299	gi 516155	unconventional myosin (Sus scrofa)	77	32	363
299	1	68	769	gi 467436	unknown (Bacillus subtilis)	77	54	702
301	4	1468	1283	gi 950071	ATP-bind. pyrimidine kinase (Mycoplasma capricolum) p1r[S48605] p1r[S48605] (fragment)	77	48	186
302	5	2741	3211	gi 508980	pheB (Bacillus subtilis)	77	57	471
302	7	3835	4863	gi 147783	ruvB protein (Escherichia coli)	77	60	1029
307	9	5402	4797	gi 1070015	protein-dependent (Bacillus subtilis)	77	60	606
312	1	99	1391	gi 143165	malic enzyme (EC 1.1.1.38) (Bacillus stearothermophilus) p1r[A3307] p1r[A3307] (fragment)	77	62	1293
312	2	1541	2443	gi 1399855	carboxyltransferase beta subunit (Synecoccus PCC7942)	77	58	903
321	5	5666	4596	gi 39844	glutamate (citG) (aa 1-462) (Bacillus subtilis)	77	65	1071
354	1	47	568	gi 134634	YnfR (Bacillus subtilis)	77	57	522
365	1	2	1021	gi 143374	phosphoribosyl glycine synthetase (PUR-D; gta start codon) Bacillus subtilis	77	62	1020
374	1	1	708	gi 1405446	transketolase (Bacillus subtilis)	77	61	708
385	1	1128	565	gi 533099	endonuclease III (Bacillus subtilis)	77	63	564
392	2	594	1940	gi 556014	UDP-N-acetyl muranate-alanine ligase (Bacillus subtilis) p1r[P40778] p1r[P40778] (fragment)	77	65	1347
405	5	4079	3570	gi 1303912	YnfM (Bacillus subtilis)	77	64	510
487	4	1302	1472	gi 432427	orf1 gene product (Acinetobacter calcoaceticus)	77	48	171
522	1	2	562	p1r[A01179] p1r[A01179] (fragment)	tyrosine--tRNA ligase (EC 6.1.1.1) - Bacillus stearothermophilus	77	63	561

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	Length (nt)
523	2	1587	1351	gi1387979	44% identity over 302 residues with hypothetical protein from <i>Synechocystis</i> sp. accession D64006_CD; expression induced by environmental stress; some similarity to glycoyl transferases; two potential membrane-spanning helices [Bacillus subtilis]	77	48	237
536	2	983	612	gi143366	adenylosuccinate lyase (Pur-B) [Bacillus subtilis] pir C29326 W28SDS	77	61	372
548	2	339	872	gi143387	adenylosuccinate lyase (EC 4.3.2.3) - Bacillus subtilis			
597	1	2	481	gi1904198	aspartate transcarbamylase [Bacillus subtilis]	77	56	534
633	2	1747	1313	gi1387577	hypothetical protein [Bacillus subtilis]	77	33	480
642	1	85	360	gi146971	ORF1A [Bacillus subtilis]	77	64	435
659	1	125	1219	gi1072381	epiP gene product [Staphylococcus epidermidis]	77	61	276
670	4	1587	1820	gi1122760	glutamy-aminopeptidase [Lactococcus lactis]	77	62	1095
789	1	2	391	gi1377823	unknown [Bacillus subtilis]	77	58	234
815	1	10	573	gi1303861	aminopeptidase [Bacillus subtilis]	77	65	390
849	1	1	235	gi1201844	YggN [Bacillus subtilis]	77	49	564
1083	1	3	188	gi1460828	III. Influenza predicted coding region II0594 [Haemophilus influenzae]	77	55	225
1942	1	415	209	gi1160047	8969 [Saccharomyces cerevisiae]	77	66	186
2559	1	1	171	gi11499034	p101/acidic basic repeat antigen (Plasmodium falciparum) pir A29232 A29232	77	38	207
2933	2	243	401	gi142370	101K malaria antigen precursor - Plasmodium falciparum (strain Camp)	77	72	159
2966	1	56	292	gi11524397	pyruvate formate-lyase (AA 1-760) [Escherichia coli] ir S01788 S01788	77	45	237
2976	1	614	309	gi140003	formate C-acetyltransferase (EC 2.3.1.54) - Chlamydia coli	77	60	306
2979	2	678	400	gi13204354	glycine betaine transporter Opud [Bacillus subtilis]	77	61	171
2988	1	601	377	gi1438465	oxoglutarate dehydrogenase (NADP+) [Bacillus subtilis] p e23125 ODO1_BACSU	77	55	225
2990	1	331	167	gi1142562	2-oxoglutarate dehydrogenase E1 component (EC 2.4.2) (ALPHA-KETOGLUTARATE DEHYDROGENASE)	77	63	165
3012	1	3	389	gi1488430	spore germination and vegetative growth protein [Haemophilus influenzae]	77	56	387
3057	1	1	195	gi1468764	Probable operon with orfP. Possible alternative initiation codon, asss 2151-2153. Homology with acetyltransferases: putative Bacillus subtilis	77	50	195

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
4008	1	726	400	gi 603768	Hucl protein, imidazolone-5-propionate hydrolase (Bacillus subtilis) gi 603768 Hucl protein, imidazolone-5-propionate hydrolase Bacillus subtilis	77	52	327
4048	1	703	386	gi 216278	Gramicidin S synthetase 1 (Bacillus brevis)	77	55	318
4110	1	3	368	pir S52915 S529	nitrate reductase alpha chain - Bacillus subtilis (fragment)	77	61	366
4115	1	1	348	gi 517205	167 kDa Myosin-crossreactive streptococcal antigen (Streptococcus yogenes)	77	65	348
4225	1	590	297	gi 1322245	mevalonate pyrophosphate decarboxylase (Rattus norvegicus)	77	60	294
4611	2	494	327	gi 508979	GTP-binding protein (Bacillus subtilis)	77	57	168
466A	1	361	182	pir S52915 S529	nitrate reductase alpha chain - Bacillus subtilis (fragment)	77	61	180
25	1	2	1627	gi 1150620	HnsA (Streptococcus pneumoniae)	76	58	1626
3A	5	1488	2537	pir A43577 A435	regulatory protein pfor - Clostridium perfringens	76	57	1050
52	5	2962	4041	gi 1161061	dioxigenase (Methylobacterium extorquens)	76	62	1080
56	20	27389	27955	gi 467402	unknown (Bacillus subtilis)	76	56	567
57	15	12046	12219	gi 1206040	weak similarity to keratin (Caenorhabditis elegans)	76	40	174
91	2	1062	2261	gi 475715	acetyl coenzyme A acetyltransferase (thiolase) [Clostridium acetobutylicum]	76	57	1200
9A	2	818	1626	gi 467422	unknown (Bacillus subtilis)	76	62	807
9A	5	2965	3228	gi 897793	ly98 gene product (Pediococcus acidilactici)	76	52	264
98	8	5922	6326	gi 467427	methionyl-tRNA synthetase (Bacillus subtilis)	76	53	405
104	3	1322	1885	gi 216151	DNA polymerase (gene U; ttg start codon) (Bacteriophage SP02) gi 579197 SP02 DNA polymerase (aa 1-648) (Bacteriophage SP02) pir A21498 DJBPS2 DNA- directed DNA polymerase (EC 2.7.7.7) - Phage P02	76	63	564
124	9	8134	7055	gi 853776	peptide chain release factor 1 (Bacillus subtilis) pir S55437 S55437 peptide chain release factor 1 - Bacillus ubtilis	76	58	1080
164	5	2832	3311	gi 1204976	prolyl-tRNA synthetase (Haemophilus influenzae)	76	53	480
168	2	2617	1841	gi 1177253	putative ATP-binding protein of ABC-type (Bacillus subtilis)	76	58	777
189	2	163	888	gi 467384	unknown (Bacillus subtilis)	76	63	726
235	3	2253	3518	gi 142936	folyl-polyglutamate synthetase (Bacillus subtilis) pir B40646 B40646 folC - Bacillus subtilis	76	53	1266
236	1	335	925	gi 1146197	putative (Bacillus subtilis)	76	54	591
237	8	5323	5541	gi 1279263	PI303.6 (Caenorhabditis elegans)	76	47	219

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
263	5	5490	4585	gi 1510348	[dihydrodipicolinate synthase (Methanococcus jannaschii)]	76	49	906
304	3	1051	1794	gi 666982	[putative membrane spanning subunit (Bacillus subtilis)] pfr 552382 552382	76	60	744
312	4	3611	4624	gi 143312	[probable membrane spanning protein - Bacillus subtilis]	76	56	1014
343	1	2	1016	gi 405556	[6-phospho-1-fructokinase (gtg start codon: EC 2.7.1.11) (Bacillus carotermophilus)]	76	59	1035
347	1	409	1701	gi 396304	[yeaE (Escherichia coli)]	76	72	1293
358	1	672	1907	gi 1146215	[acetylornithine deacetylase (Escherichia coli)]	76	58	1236
371	1	1	222	gi 537084	[39.0% identity to the Escherichia coli S1 ribosomal protein; putative (Bacillus subtilis)]	76	61	222
379	4	4331	4858	gi 143268	[alternate gene name mgt; CG Site No. 497 (Escherichia coli) pfr 556468 556468 mgtA protein - Escherichia coli]	76	61	528
404	5	4022	4492	gi 1303823	[dihydrolipoamide transsuccinylase (odhB; EC 2.3.1.61) (Bacillus subtilis)]	76	60	471
411	1	2	307	gi 146025	[yqgG (Bacillus subtilis)]	76	55	306
412	3	4356	2854	gi 1405464	[ORF YKL027w (Saccharomyces cerevisiae)]	76	57	1503
546	1	273	995	gi 153821	[Alat (Bacillus subtilis)]	76	36	723
588	1	1094	557	gi 1002520	[streptococcal pyrogenic exotoxin type C (speC) precursor (Streptococcus pyogenes)]	76	61	498
591	1	16	735	gi 885934	[MutS (Bacillus subtilis)]	76	44	720
602	2	175	798	gi 1486422	[CipB (Synechococcus sp.)]	76	52	624
619	2	547	290	gi 330613	[OppD homologue (Rhizobium sp.)]	76	47	258
660	4	2568	3302	gi 904199	[major capsid protein (Human cytomegalovirus)]	76	55	735
677	1	452	228	gi 40177	[hypothetical protein (Bacillus subtilis)]	76	58	225
962	1	24	206	gi 142443	[spoOF gene product (Bacillus subtilis)]	76	67	183
978	1	1158	580	gi 1511333	[adenylosuccinate synthetase (Bacillus subtilis)] sp P29726 PURA_BACSU ADENYLOSUCCINATE SYNTHETASE (EC 6.3.4.4) IMP-ASPARTATE LIGASE)	76	56	579
997	1	486	244	gi 467154	[M. jannaschii predicted coding region M3122 (Methanococcus jannaschii)]	76	38	243
1563	1	529	266	gi 1303984	[No definition line found (Mycobacterium leprae)]	76	52	264
2184	1	161	182	gi 506706	[yqkG (Bacillus subtilis)]	76	38	180
2572	1	1	387	gi 153898	[CapJ (Staphylococcus aureus)]	76	65	387
					[transport protein (Salmonella typhimurium)]			

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	RefSeq gene name	% sim	% ident	length (nt)
2942	1	29	400	gi 710020	Nitrite reductase (nirB) [Bacillus subtilis]	76	59	372
2957	1	377	216	gi 1511251	Hypothetical protein (SP-P42404) [Methanococcus jannaschii]	76	47	162
2980	1	554	279	gi 1403464	AlaT [Bacillus subtilis]	76	53	276
3015	1	649	326	gi 408115	ornithine acetyltransferase [Bacillus subtilis]	76	61	324
3124	1	13	174	gi 882705	ORF_0401 [Escherichia coli]	76	65	162
3179	1	3	161	gi 168477	ferredoxin-dependent glutamate synthase (Zea mays) pir[AJ8596]AJ8596 glutamate synthase (ferredoxin) (EC 1.4.7.1) - aize	76	53	159
3389	1	2	379	gi 39956	ilolc [Bacillus subtilis]	76	55	378
3692	1	3	314	gi 1510398	ferripyochelin binding protein [Methanococcus jannaschii]	76	52	312
3928	1	798	400	gi 143016	permease [Bacillus subtilis]	76	59	399
4159	1	757	386	sp P80544 MRSP_	METHICILLIN-RESISTANT SURFACE PROTEIN (FRAGMENTS)	76	66	372
4204	1	17	331	gi 296464	ATPase [Lactococcus lactis]	76	56	315
4398	1	494	249	gi 987255	Menkes disease gene (Homo sapiens)	76	48	246
4506	1	2	313	gi 216746	D-lactate dehydrogenase [Lactobacillus plantarum]	76	47	312
4546	1	477	247	gi 1339950	large subunit of NADH-dependent glutamate synthase [Plectonema boryanum]	76	61	231
4596	1	379	191	gi 360027	cellulose synthase [Acetobacter xylinum]	76	70	189
4	5	5257	4337	gi 882532	ORF_0294 [Escherichia coli]	75	59	921
6	1	164	952	gi 40960	otCase [Escherichia coli]	75	56	789
12	3	5935	3944	gi 467336	unknown [Bacillus subtilis]	75	57	1992
23	18	18272	17310	gi 1296433	O-acetylserine sulfhydrylase B [Alcaligenes eutrophus]	75	55	963
25	3	2356	3393	gi 1502419	Plax [Bacillus subtilis]	75	56	1038
36	8	5765	6037	gi 1256517	unknown [Schizosaccharomyces pombe]	75	45	273
46	13	11186	12058	gi 48972	Nitrate transporter [Synechococcus sp.]	75	46	873
51	7	3474	3677	gi 143607	sporulation protein [Bacillus subtilis]	75	61	204
53	16	16850	16590	gi 143402	recombination protein (ttg start codon) [Bacillus subtilis] gi J03923 RecN [Bacillus subtilis]	75	51	261
74	3	3572	2568	gi 1204847	ornithine carbamoyltransferase [Haemophilus influenzae]	75	61	1005

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
85	3	4628	3930	gi1143368	phosphoribosylformyl glycinamide synthetase I (PUR-L; gta start codon) (Bacillus subtilis)	75	63	699
85	5	5588	4878	gi1143367	phosphoribosyl aminimidazole succinocarboxamide synthetase (PUR-C; gta start codon) (Bacillus subtilis)	75	55	711
85	8	6625	7530	gi11303916	yglA (Bacillus subtilis)	75	53	906
87	3	2340	3590	gi11064813	homologous to sp:PHOR_BACSU (Bacillus subtilis)	75	56	1251
87	6	6084	6896	gi11064810	function unknown (Bacillus subtilis)	75	61	813
108	2	1844	1503	gi11001824	hypothetical protein (Synecocystis sp.)	75	51	342
110	3	1748	3727	gi1147593	putative ppgnp synthetase (Streptomyces coelicolor)	75	55	1980
110	7	4151	5252	gi1117251	clwD gene product (Bacillus subtilis)	75	75	900
120	14	11266	10649	gi11524394	ORF-2 upstream of gbaB operon (Bacillus subtilis)	75	55	618
121	5	2050	4221	gi11154632	hrdE (Bacillus subtilis)	75	54	2172
124	1	283	143	gi1405622	unknown (Bacillus subtilis)	75	56	141
128	1	81	1139	gi1143316	[gyp] gene products (Bacillus megaterium)	75	48	1059
130	8	5760	5903	gi11256654	54.8% identity with Neisseria gonorrhoeae regulatory protein pilB; putative (Bacillus subtilis)	75	62	143
136	2	4480	3185	gi1467403	laeryl-tRNA synthetase (Bacillus subtilis)	75	54	1296
161	10	5439	5798	gi11001195	hypothetical protein (Synecocystis sp.)	75	55	360
172	4	3819	2995	gi1755153	ATP-binding protein (Bacillus subtilis)	75	52	835
179	1	2024	1107	gi1143037	porphobilinogen deaminase (Bacillus subtilis)	75	58	918
195	10	9529	9374	gi125745 ycyn_	HYPOTHETICAL PROTEIN IN PURB 5' REGION (ORF-15) (FRAGMENT)	75	60	156
200	4	2605	4596	gi1142440	ATP-dependent nuclease (Bacillus subtilis)	75	56	1992
206	3	6900	5620	gi11256135	ybbP (Bacillus subtilis)	75	53	1281
216	2	159	389	gi11052800	unknown (Schizosaccharomyces pombe)	75	58	231
229	1	29	847	gi11205958	branched chain aa transport system II carrier protein (Haemophilus influenzae)	75	49	819
230	2	518	1714	gi1971337	nitrite extrusion protein (Bacillus subtilis)	75	53	1197
231	1	2240	1122	gi11002521	MutL (Bacillus subtilis)	75	54	1119
233	3	1314	1859	gi1467405	unknown (Bacillus subtilis)	75	59	546

TABLE 2

TABLE 2 - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
269	1	325	164	gi11511246	[methyl coenzyme M reductase system, component A2 (Methanococcus jannaschii)]	75	50	162
292	1	1389	772	gi11511604	[M. jannaschii predicted coding region MJ1651 (Methanococcus jannaschii)]	75	46	618
304	4	1773	2261	gi1205328	[surfactin (Haemophilus influenzae)]	75	55	489
312	3	2437	3387	gi1285621	[undefined open reading frame (Bacillus stearothermophilus)]	75	62	951
312	5	4622	6403	gi11041097	[Pyruvate Kinase (Bacillus psychrophilus)]	75	57	1782
319	1	353	877	gi11212728	[Yqhi (Bacillus subtilis)]	75	54	525
320	5	4321	5031	gi11070361	[OMP decarboxylase (Lactococcus lactis)]	75	56	711
320	6	5010	5642	gi1143394	[OMP-PRPP transferase (Bacillus subtilis)]	75	60	633
337	4	1519	2088	gi1487433	[citrate synthase II (Bacillus subtilis)]	75	58	570
394	2	669	1271	gi1304976	[matches PS00017: ATP-GTP_A and PS00301: EFACFOR_GTP; similar to longation factor G, TetM/TetO tetracycline-resistance proteins Escherichia coli]	75	51	603
423	1	127	570	gi11183839	[unknown (Pseudomonas aeruginosa)]	75	59	444
433	2	1603	1929	gi1149211	[acetolactate synthase (Klebsiella pneumoniae)]	75	63	327
446	2	176	1540	gi1312441	[dihydroorotase (Bacillus caldolyticus)]	75	62	1365
446	1	494	249	gi11149682	[potF gene product (Clostridium perfringens)]	75	55	246
446	1	3	794	gi1143582	[spoIIIEA protein (Bacillus subtilis)]	75	59	792
498	2	824	1504	gi1143328	[phoP protein (put.); putative (Bacillus subtilis)]	75	47	681
499	2	1061	1624	gi11387979	[44% identity over 302 residues with hypothetical protein from Synecocystis sp. accession D64006_CD; expression induced by environmental stress; some similarity to glycosyl transferases; two potential membrane-spanning helices (Bacillus subtilis)]	75	51	564
568	1	641	453	gi134110341	[triacylglycerol lipase (EC 3.1.1.3) 2 - Mycoplasma mycoides subsp. mycoides (SC3)]	75	50	189
613	2	430	233	gi1330993	[tegument protein (Saimirine herpesvirus 2)]	75	75	198
621	1	1	525	gi1529754	[speC (Streptococcus pyogenes)]	75	43	525
642	5	1809	2474	gi11176401	[EpIG (Staphylococcus epidermidis)]	75	51	666
646	2	454	657	gi1172442	[ribonuclease P (Saccharomyces cerevisiae)]	75	37	204
657	1	3	347	gi1882541	[OMF_0236 (Bacillus coli)]	75	47	345
750	1	1662	832	gi146971	[epIP gene product (Staphylococcus epidermidis)]	75	57	831

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
754	1	2	481	gi 1303901	YghT [Bacillus subtilis]	75	57	480
763	2	563	393	gi 1205145	multidrug resistance protein [Haemophilus influenzae]	75	51	171
775	1	961	482	pir B36889 D368	leuA protein, inactive - Lactococcus lactis subsp. lactis (strain IL1403)	75	63	480
793	1	1	180	gi 143316	[gap] gene products [Bacillus megaterium]	75	57	180
800	1	318	160	gi 509411	NPRA protein [Azorhizobium caulinodans]	75	34	159
811	1	1117	560	gi 143434	Rho Factor [Bacillus subtilis]	75	60	558
940	1	493	329	gi 1276985	arginase [Bacillus caldovelox]	75	50	165
971	2	37	252	gi 1001373	hypothetical protein [Synechocystis sp.]	75	58	216
1059	1	384	232	gi 726480	L-glutamine-D-fructose-6-phosphate amidotransferase [Bacillus subtilis]	75	67	153
1109	2	219	374	gi 143331	alkaline phosphatase regulatory protein [Bacillus subtilis] pir A2750 A27650 regulatory protein phoR - Bacillus subtilis sp P23545 PHOR_BACSU ALKALINE PHOSPHATASE SYNTHESIS SENSOR PROTEIN HOR (EC 2.7.3.-)	75	53	156
1268	1	271	137	gi 1304135	ornithine acetyltransferase [Bacillus stearothermophilus] sp Q07908 ARG3_BACST GLUTAMATE N-ACETYLTRANSFERASE (EC 2.3.1.35) ORNITHINE ACETYLTRANSFERASE) (ORNITHINE TRANSACETYLASE) (NATASE) / MINO-ACID ACETYLTRANSFERASE (EC 2.3.1.1) (N-ACETYLGLUTAMATE TMTIA	75	63	135
1500	1	324	163	gi 1205488	excinuclease AOC subunit B [Haemophilus influenzae]	75	57	162
1529	1	798	400	gi 1002521	MutL [Bacillus subtilis]	75	54	399
3010	1	770	387	gi 1204435	pyruvate formate-lyase activating enzyme [Haemophilus influenzae]	75	54	384
3105	1	1	180	gi 1041097	Pyruvate Kinase [Bacillus psychrophilus]	75	57	180
3117	1	45	212	gi 899317	peptide synthetase module [Microcystis aeruginosa] pir S4911 S49111 probable amino acid activating domain - Microcystis aeruginosa (fragment) (SUB 144-528)	75	42	168
3139	2	139	345	gi 145294	adenine phosphoribosyl-transferase [Escherichia coli]	75	66	207
3880	1	618	310	gi 1009366	Respiratory nitrate reductase [Bacillus subtilis]	75	58	309
3911	1	48	401	gi 1433991	ATP synthase subunit beta [Bacillus subtilis]	75	68	354
3957	1	2	379	pir B36889 D368	3-isopropylmalate dehydratase (EC 4.2.1.33) chain IuuC - Lactococcus lactis subsp. lactis (strain IL1403)	75	65	378
4005	1	5	259	gi 216746	D-lactate dehydrogenase [Lactobacillus plantarum]	75	48	255
4080	1	73	333	gi 1415655	deoxyribose aldolase [Mycoplasma hominis]	75	59	261

TABLE 2

S. aureus - putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
4111	1	1	339	gi1149435	putative [Lactococcus lactis]	75	57	339
4136	1	602	303	gi1450688	hslM gene of Ecopri gene product [Escherichia coli] pIR[S38437]S38437 hsdM protein - Escherichia coli pIR[S09629]S09629 hypothetical protein A - Escherichia coli (S08 40-520)	75	56	300
4144	1	668	336	gi148972	nitrate transporter [Synecococcus sp.]	75	49	333
4237	1	664	374	gi11339950	large subunit of NADH-dependent glutamate synthase [Plectonema boryanum]	75	55	291
4306	2	73	318	gi1294260	major surface glycoprotein [Pneumocystis carinii]	75	68	246
4343	1	715	359	gi11204652	methylated-DNA--protein-cysteine methyltransferase [Haemophilus influenzae]	75	52	357
4552	1	620	312	gi1296464	ATPase [Lactococcus lactis]	75	55	309
38	9	578	6126	gi1443793	hupC [Escherichia coli]	74	50	351
50	8	6910	6221	gi11239988	hypothetical protein [Bacillus subtilis]	74	55	690
56	9	10770	12221	gi11000451	TrpP [Bacillus subtilis]	74	57	1452
61	2	2266	1622	gi141015	aspartate-tRNA ligase [Escherichia coli]	74	57	645
66	6	5063	4848	gi11212729	YqjW [Bacillus subtilis]	74	47	216
67	18	14334	14897	gi11510631	endoglucanase [Methanococcus jannaschii]	74	52	564
102	15	12561	13136	gi1149429	putative [Lactococcus lactis]	74	67	576
102	16	13321	14419	gi1149435	putative [Lactococcus lactis]	74	57	1299
108	4	4873	3902	gi139478	ATP binding protein of transport ATPases [Bacillus firmus] tr[S15486]S15486 ATP-binding protein - Bacillus firmus pJ26946[YATR_BACFI HYPOTHETICAL ATP-BINDING TRANSPORT PROTEIN]	74	59	972
116	5	8574	7093	gi11205430	dipeptide transport system permease protein [Haemophilus influenzae]	74	49	1482
120	7	4342	4803	gi1146970	ribonucleoside triphosphate reductase [Escherichia coli] pIR[A47331]A47331 anaerobic ribonucleotide reductase - Escherichia coli	74	58	462
121	7	5961	6581	gi1107528	tig start [Campylobacter coli]	74	51	621
128	3	2320	3531	gi1140316	phosphoglycerate kinase [Bacillus megaterium]	74	57	1212
130	7	5237	5791	gi11256653	DNA-binding protein [Bacillus subtilis]	74	60	555
136	3	6745	5150	gi1143076	histidase [Bacillus subtilis]	74	58	1596
145	2	664	1368	gi1407773	devA gene product [Anabaena sp.]	74	45	705
152	1	552	277	gi11377833	unknown [Bacillus subtilis]	74	54	276

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	mapq gene name	% sim	% ident	length (nt)
164	10	11064	11375	gi 590900	ORF3 gene product [Bacillus subtilis]	74	52	312
175	2	3109	2624	gi 642656	unknown [Rhizobium meliloti]	74	34	486
175	9	6064	5612	gi 854656	Na/H antiporter system ORF2 [Bacillus alcalophilus]	74	46	453
195	11	11146	10339	gi 1204830	hypothetical protein (SP:25745) [Haemophilus influenzae]	74	55	1008
205	17	9619	9059	gi 1044979	ribosomal protein L6 [Bacillus subtilis]	74	64	561
236	7	5574	6710	gi 1146207	putative [Bacillus subtilis]	74	63	1137
241	3	4521	3334	gi 694121	malate thiokinase [Methylobacterium extorquens]	74	52	1188
246	6	3305	2799	gi 467374	single strand DNA binding protein [Bacillus subtilis]	74	64	507
249	4	6551	5313	gi 1524397	glycine betaine transporter OpvD [Bacillus subtilis]	74	55	1239
261	7	4389	4081	gi 809542	CbrA protein [Erwinia chrysanthemi]	74	42	309
278	6	5714	4665	gi 1204872	ATP-binding protein [Haemophilus influenzae]	74	54	1050
309	1	1220	666	gi 1205579	hypothetical protein (GB:U14001.302) [Haemophilus influenzae]	74	53	555
315	2	1473	862	gi 1143398	quinol oxidase [Bacillus subtilis]	74	57	612
320	1	1	1065	gi 343389	glucanase of carboxyl phosphate synthetase [Bacillus subtilis] pit[E39845]E39845 carbamoyl-phosphate synthase glutamine-hydrolyzing (EC 6.3.5.5), pyrimidine-repressible, small chain - Bacillus subtilis	74	60	1065
380	2	382	1128	gi 534857	ATPase subunit a [Bacillus stearothermophilus]	74	56	747
405	2	1742	1311	gi 1303915	YqhZ [Bacillus subtilis]	74	65	432
431	5	2503	3270	gi 473902	alpha-acetolactate synthase [Lactococcus lactis]	74	56	768
452	1	1	942	gi 413982	lpa-58r gene product [Bacillus subtilis]	74	52	942
461	1	3	1193	gi 558494	homoserine dehydrogenase [Bacillus subtilis]	74	51	1191
461	2	1174	1407	gi 40211	threonine synthase (thrC) (AA 1-352) [Bacillus subtilis] Ir[A25364]A25364 threonine synthase (EC 4.2.99.2) - Bacillus btilla	74	56	234
462	2	402	734	gi 142520	thioredoxin [Bacillus subtilis]	74	62	333
478	1	574	320	gi 1499005	glycyl-tRNA synthetase [Methanococcus jannaschii]	74	52	255
501	2	739	1740	gi 217040	acid glycoprotein [Streptococcus pyogenes]	74	58	1002
551	2	4083	2791	gi 143040	glutamate-1-semialdehyde 2,1-aminotransferase [Bacillus subtilis] pir[D42728]D42728 glutamate-1-semialdehyde 2,1-aminotransferase (EC 4.3.8) - Bacillus subtilis	74	51	1293

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
573	1	1	477	gi11006605	hypothetical protein [Synecocystis sp.]	74	45	477
596	2	1760	1298	gi1100853	YggF [Bacillus subtilis]	74	55	483
618	2	2924	1758	gi11146237	21.4% of identity to trans-acting transcription factor of <i>Saccharomyces cerevisiae</i> ; 25% of identity to sucrose synthase of <i>Zea mays</i> ; putative [Bacillus subtilis]	74	55	1167
659	2	1269	1595	gi1072380	ORF3 [Lactococcus lactis]	74	62	327
724	1	373	188	gi1143374	phosphoribosyl glycineamide synthetase (PUR-D, gtc start codon) <i>Bacillus subtilis</i>	74	58	186
743	2	604	1209	gi1153833	ORF1, putative [Streptococcus parasanguis]	74	50	606
836	1	2	259	gi1143458	ORF V [Bacillus subtilis]	74	47	258
989	2	443	724	gi11303994	YqkM [Bacillus subtilis]	74	46	282
1106	1	1	492	gi1146970	lepB gene product [Staphylococcus epidermidis]	74	54	492
1135	2	373	528	gi11413948	lpa-24d gene product [Bacillus subtilis]	74	48	156
1234	1	817	412	gi11495245	recJ gene product [Brwinia chrysanthemi]	74	36	366
2886	1	2	238	gi11149701	sbcC gene product [Clostridium perfringens]	74	62	237
2959	1	798	400	gi11405454	aconitase [Bacillus subtilis]	74	60	399
2962	1	650	363	gi11430686	3-phosphoglycerate kinase [Thermotoga maritima]	74	58	288
2983	1	3	191	gi11303893	YqkL [Bacillus subtilis]	74	56	189
3018	1	2	223	gi1143040	glutamate-1-semialdehyde 2,1-aminotransferase [Bacillus subtilis]	74	56	222
				pir1042728104728	glutamate-1-semialdehyde 2,1-aminomutase (EC 4.3.8) - <i>Bacillus subtilis</i>			
3038	1	510	256	pir105291515529	nitrate reductase alpha chain - <i>Bacillus subtilis</i> (fragment)	74	57	255
3062	1	374	189	gi1107528	btg start [Campylobacter coli]	74	51	186
4035	1	184	360	gi11022725	unknown [Staphylococcus haemolyticus]	74	64	177
4045	1	607	305	gi11510977	M. jannaschii predicted coding region M0938 [Methanococcus jannaschii]	74	41	303
4283	1	471	304	gi11520844	orf4 [Bacillus subtilis]	74	58	168
4449	1	3	221	gi11580910	peptide-synthetase ORF1 [Bacillus subtilis]	74	54	219
4587	1	458	231	gi11370207	orf6 [Lactobacillus sakei]	74	59	228

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
4603	1	29	214	gi146208	glutamate synthase large subunit (EC 2.6.1.53) [Escherichia coli] p1r[A29617]A29617 glutamate synthase (NADPH) (EC 1.4.1.13) large chain - Escherichia coli	74	60	186
4670	1	366	184	gi1256135	YbfF [Bacillus subtilis]	74	61	183
5	10	7953	7162	gi143727	putative [Bacillus subtilis]	73	42	792
11	2	2454	1372	gi1466338	dihydroxycrotonate dehydrogenase [Agrobacterium tumefaciens]	73	55	1083
14	1	2024	1020	gi143373	phosphoribosyl aminimidazole carboxy formyl ormyltransferase/inosine monophosphate cyclohydrolase (Pur-H/J) [Bacillus subtilis]	73	54	1005
23	5	5426	4635	gi1468939	meso-2,3-butanediol dehydrogenase (D-acetoin forming) [Klebsiella pneumoniae]	73	58	792
23	17	17379	16360	gi1297060	ornithine cyclodiaminase [Rhizobium meliloti]	73	37	1020
29	2	692	1273	gi1467442	stage V sporulation [Bacillus subtilis]	73	54	582
31	5	6467	4914	gi1414000	ipa-76d gene product [Bacillus subtilis]	73	55	1554
37	8	8658	7402	gi1429259	pepT gene product [Bacillus subtilis]	73	59	1257
37	9	7738	7562	gi1468367	alpha-isopropylmalate isomerase (put.) putative [Rhizomucor ircinellolides]	73	52	177
38	7	3931	4896	gi1405885	yeiN [Escherichia coli]	73	58	966
44	6	5041	4238	gi1508895	unknown [Bacillus subtilis]	73	53	804
44	11	7767	8306	gi142009	malB gene product [Escherichia coli]	73	50	540
45	3	2439	3080	gi13109685	ProW [Bacillus subtilis]	73	47	642
54	13	14036	13794	gi1413911	ipa-7d gene product [Bacillus subtilis]	73	61	243
59	4	1430	2248	gi1437923	threonine dehydratase 2 (EC 4.2.1.16) [Escherichia coli]	73	53	819
65	1	1458	730	gi1677944	AppF [Bacillus subtilis]	73	56	729
80	2	1375	860	gi1580932	murD gene product [Bacillus subtilis]	73	53	516
102	13	10124	11179	gi1580891	3-isopropylmalate dehydrogenase (AA 1 - 365) [Bacillus subtilis] p1r[A26522]A26522 3-isopropylmalate dehydrogenase (EC 1.1.1.85) - acillus subtilis	73	55	1056
109	2	3493	2600	gi1510849	M. jannaschii predicted coding region M0775 [Methanococcus jannaschii]	73	40	894
120	8	4782	5756	gi146970	ribonucleoside triphosphate reductase [Escherichia coli] p1r[A47331]A47331 anaerobic ribonucleotide reductase - Escherichia coli	73	56	975
120	9	5726	6223	gi11204333	anaerobic ribonucleoside-triphosphate reductase [Haemophilus influenzae]	73	62	498

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
132	5	4151	4363	gi 871048	HPSH2 - heavy chain potential motor protein [Giardia intestinalis]	73	43	213
140	6	5952	4324	gi 634107	kdb8 [Escherichia coli]			
142	6	7060	5919	gi 410125	rflv gene product [Bacillus subtilis]	73	59	1629
149	4	1866	1717	gi 460892	heparin binding protein-44, HBP-44 [mice, Peptide, 360 aa] p1c [JX0281] heparin-binding protein-44 precursor - mouse gi 220434 ORF [Mus musculus] (SUB 2-360)	73	53	150
158	1	1	1431	gi 882504	ORF_f560 [Escherichia coli]	73	57	1431
174	6	5352	4525	gi 1146240	ketopantoate hydroxymethyltransferase [Bacillus subtilis]	73	55	828
175	W	5537	5178	gi 854657	Na/H antiporter system ORF3 [Bacillus alcalophilus]	73	56	360
186	5	6593	5493	gi 467477	unknown [Bacillus subtilis]	73	48	1101
249	6	6283	5729	gi 1524397	glycine betaine transporter Opud [Bacillus subtilis]	73	56	555
265	4	1873	2280	gi 39848	j03 [Bacillus subtilis]	73	41	408
270	1	328	582	gi 780461	3220 kDa polypeptide [African swine fever virus]	73	53	255
278	4	4283	3618	gi 1208965	hypothetical 23.3 kD protein [Escherichia coli]	73	49	666
279	3	4984	3593	gi 1185288	isochorismate synthase [Bacillus subtilis]	73	58	1392
291	4	1207	1575	gi 1511440	glutamine--fructose-6-phosphate transaminase [Methanococcus jannaschii]	73	63	369
299	2	735	1166	gi 467437	unknown [Bacillus subtilis]	73	58	432
299	5	2050	3234	gi 467419	temperature sensitive cell division [Bacillus subtilis]	73	53	1185
334	1	1237	728	gi 536655	ORF_YBR244w [Saccharomyces cerevisiae]	73	43	510
336	2	1827	1036	gi 790943	urea amidolyase [Bacillus subtilis]	73	51	792
374	3	1389	1874	gi 1405451	Yned [Bacillus subtilis]	73	55	486
433	4	1916	2554	gi 473902	alpha-acetolactate synthase [Lactococcus lactis]	73	54	639
509	2	1795	1028	gi 467483	unknown [Bacillus subtilis]	73	56	768
513	1	1709	918	gi 1146220	NAD+ dependent glycerol-3-phosphate dehydrogenase [Bacillus subtilis]	73	56	792
533	2	239	733	gi 1510605	hypothetical protein (SP:P42297) [Methanococcus jannaschii]	73	44	495
546	2	1148	2815	gi 41748	hcdW protein (AA 1-520) [Escherichia coli]	73	52	1668
549	1	762	382	gi 1314847	ClnA [Bacillus subtilis]	73	57	381
567	1	1346	675	gi 410137	ORFX13 [Bacillus subtilis]	73	58	672

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
716	2	654	1112	gi 1256623	exodeoxyribonuclease [Bacillus subtilis]	73	56	459
772	1	3	677	gi 142010	Shows 70.2% similarity and 48.6% identity to the EnvK protein of almonella typhimurium [Anabaena sp.]	73	57	675
774	1	3	209	gi 409286	[barU [Bacillus subtilis]	73	52	207
782	1	1	402	gi 143320	[gap] gene products [Bacillus megaterium]	73	56	402
789	2	451	762	gi 1063246	low homology to P14 protein of Hemophilus influenzae and 14.2 kDa protein of Escherichia coli [Bacillus subtilis]	73	56	312
796	1	3	911	gi 453754	ABC transporter [Bacillus subtilis]	73	58	909
806	3	1209	949	gi 143786	[cryptophany]-tRNA synthetase (EC 6.1.1.2) [Bacillus subtilis] pir J70481 WMS tryptophan-tRNA ligase (EC 6.1.1.2) - Bacillus ubtillis	73	51	261
816	2	4839	3097	gi 41748	hshH protein (AA 1-520) [Escherichia coli]	73	52	1743
839	1	798	400	gi 886906	argininosuccinate synthetase [Streptomyces clavuligerus] pir S57659 S57659 argininosuccinate synthase (EC 6.3.4.5) - treptomycos clavuligerus	73	59	399
857	1	3	290	gi 348052	acetoin utilization protein [Bacillus subtilis]	73	50	288
1008	1	790	398	gi 40100	[rodc (tag)] polypeptide (AA 1-746) [Bacillus subtilis] lr S06049 S06049 rodc protein - Bacillus subtilis p P13485 TAOF_BACSU TECHOIC ACID BIOSYNTHESIS PROTEIN P.	73	41	393
1018	1	1	213	gi 529357	No definition line found [Caenorhabditis elegans] sp P46975 STT3_CABEL OLIGOSACCHARYL TRANSFERASE STT3 SUBUNIT ONOLOG.	73	53	213
1011	1	3	491	gi 142706	[conC] gene product [Bacillus subtilis]	73	51	489
1174	1	395	204	gi 1149513	[alpha2a subunit of laminin 5 (Homo sapiens)]	73	60	192
1175	1	655	329	gi 473817	[ORF' [Escherichia coli]	73	57	327
1187	1	3	209	gi 580870	[ipa-37d qoxA gene product [Bacillus subtilis]	73	52	207
1206	1	72	245	gi 144816	[formyltetrahydrofolate synthetase (THFS) (ttg start codon) (EC 3.4.3) [Mortella thermacetica]	73	43	174
1454	1	423	241	gi 1213253	[unknown [Schizosaccharomyces pombe]	73	53	183
1459	1	517	260	gi 1303787	[YgeQ [Bacillus subtilis]	73	55	258
1761	1	374	189	gi 91135	[Mst26Aa gene product [Drosophila simulans]	73	34	186
1849	1	467	243	gi 162307	[DNA topoisomerase II [Trypanosoma cruzi]	73	60	225
2055	1	2	400	gi 1559381	[P47K protein [Rhodococcus erythropolis]	73	34	399
2556	1	2	244	gi 145925	[fceb [Escherichia coli]	73	62	243

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	Length (nt)
2947	2	549	400	gi1184680	[polynucleotide phosphorylase [Bacillus subtilis]]	73	51	150
2956	1	746	375	gi143397	[guinol oxidase [Bacillus subtilis]]	73	58	372
3037	1	655	329	gi1143091	[acetylactate synthase [Bacillus subtilis]]	73	55	327
3115	1	385	194	gi1223866	[overlapping out-of-phase protein [Eggplant mosaic virus] sp P20129 V70K_EPHV 70 RD PROTEIN.	73	53	192
3603	2	700	527	gi11419521	[glutaryl-CoA dehydrogenase precursor [Mus musculus]]	73	48	174
3743	1	798	400	gi1450688	[hsc gene of Ecoprt1 gene product [Escherichia coli] pir S38437 S38437 hsdM protein - Escherichia coli pir S09629 S09629 hypothetical protein A - Escherichia coli (SUB 40-520)]	73	54	399
3752	1	640	359	gi11524193	[unknown [Mycobacterium tuberculosis]]	73	59	282
3852	1	2	181	gi1216746	[D-lactate dehydrogenase [Lactobacillus plantarum]]	73	68	180
3914	1	475	239	pir S13490 S134	[Hydroxymethylglutaryl-CoA synthase (EC 4.1.3.5) - Chicken (fragment)]	73	53	237
3914	2	570	343	gi1528991	[unknown [Bacillus subtilis]]	73	38	228
4069	1	2	316	gi140003	[oxoglutarate dehydrogenase (NADP+)] [Bacillus subtilis] p P23129 ODO1_BACSU 2-OXOGLUTARATE DEHYDROGENASE: EI COMPONENT (EC 2.4.2) (ALPHA- KETOGLUTARATE DEHYDROGENASE)	73	55	315
4165	1	715	365	gi11439521	[glutaryl-CoA dehydrogenase precursor [Mus musculus]]	73	48	351
4196	1	1	177	gi11809660	[deoxyribose-phosphate aldolase [Bacillus subtilis] pir S49455 S49455 deoxyribose-phosphate aldolase (EC 4.1.2.4) - Bacillus subtilis]	73	60	177
4202	1	572	378	gi1528991	[unknown [Bacillus subtilis]]	73	38	195
4314	1	2	193	gi1436797	[N-acyl-L-amino acid amidohydrolase [Bacillus stearothermophilus] sp P71112 AMA_BACST N-ACYL-L-AMINO ACID AMIDOHYDROLASE (EC 5.1.14) (AMINOACYLASE)]	73	47	192
4393	1	3	263	gi1216267	[orf2 [Bacillus megaterium]]	73	47	261
35	2	903	1973	gi11146196	[phosphoglycerate dehydrogenase [Bacillus subtilis]]	72	53	1071
38	22	19094	17877	gi1602031	[similar to trimethylamine DH [Mycoplasma capricolum] pir S49950 S49950 probable trimethylamine dehydrogenase (EC 5.99.7) - Mycoplasma capricolum (SOC3) (fragment)]	72	54	1218
38	23	18134	19162	gi1433968	[lpa-44d gene product [Bacillus subtilis]]	72	54	1029
44	19	11895	12953	gi1516272	[unknown [Bacillus subtilis]]	72	49	1059
48	7	6248	7117	gi1434899	[pyruvate synthase [Halobacterium halobium]]	72	49	870
50	7	6563	5691	gi11205399	[proton glutamate symport protein [Haemophilus influenzae]]	72	53	873

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
53	9	10521	9259	gi 1303956	YqjE [Bacillus subtilis]	72	52	1263
56	23	29549	29995	gi 467471	unknown [Bacillus subtilis]	72	47	447
69	4	5298	4123	gi 1354775	pfosR [Treponema pallidum]	72	46	1176
69	5	4377	4982	gi 904198	hypothetical protein [Bacillus subtilis]	72	43	606
73	1	2	856	gi 142997	glycerol uptake facilitator [Bacillus subtilis]	72	59	855
98	13	9371	10258	gi 467435	unknown [Bacillus subtilis]	72	50	888
127	1	1	1593	gi 1217144	alanine carrier protein [thermophilic bacterium PS3] pir[A45111][A45111]	72	56	1593
131	1	5197	2600	gi 153952	polymerase III polymerase subunit (dnaE) [Salmonella typhimurium] pir[A45915][A45915 DNA-directed DNA polymerase (EC 2.7.7.7) III alpha chain - Salmonella typhimurium]	72	53	2598
141	4	1040	1978	gi 1405446	transketolase [Bacillus subtilis]	72	54	939
149	8	2819	2535	gi 1606234	aeoY [Escherichia coli]	72	44	285
149	17	5472	5245	gi 1304472	DNA polymerase [Unidentified phycodnavirus clone OT04]	72	55	228
154	1	1	210	gi 1205620	ferritin like protein [Haemophilus influenzae]	72	40	210
155	1	2207	1320	gi 391610	larnesyl diphosphate synthase [Bacillus stearothermophilus] pir[JX0257][JX0257 geranyltransferase (EC 2.5.1.10) - Bacillus stearothermophilus]	72	57	888
180	1	2	328	gi 433630	Al80 [Saccharomyces carvisiae]	72	62	327
184	3	1145	3553	gi 1205110	virulence associated protein homolog [Haemophilus influenzae]	72	49	2409
195	2	1923	1279	gi 1001730	hypothetical protein [Synechocystis sp.]	72	45	645
206	13	14646	15869	gi 1064807	ORTMININE AMINOTRANSFERASE [Bacillus subtilis]	72	50	1224
209	2	462	932	gi 1204666	hypothetical protein (GB:X73124.53) [Haemophilus influenzae]	72	60	471
215	2	764	522	gi 681513	insulin receptor homolog [Drosophila melanogaster] pir[JS7245][JS7245 insulin receptor homolog - fruit fly (Drosophila melanogaster) (SUB 46-2146)]	72	63	243
224	1	2	790	gi 949974	sucrose repressor [Staphylococcus xylosum]	72	54	789
233	1	1526	765	gi 1408493	homologous to SwisProt:YIDA_ECOLI hypothetical protein [Bacillus subtilis]	72	52	762
240	1	220	1485	gi 537049	ORF_0470 [Escherichia coli]	72	52	1266
245	1	3	1340	gi 1204578	hypothetical protein (GB:U06949.1) [Haemophilus influenzae]	72	46	1338

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
259	2	2108	1245	gi 1340128	ORF1 [Staphylococcus aureus]	72	59	864
304	2	285	1094	gi 1205330	glutamine-binding periplasmic protein [Haemophilus influenzae]	72	52	810
307	10	5326	5039	gi 1070015	protein-dependent [Bacillus subtilis]	72	53	288
315	1	517	260	gi 143399	quinol oxidase [Bacillus subtilis]	72	55	258
316	11	9622	9308	gi 1204445	hypothetical protein (sp:P27857) [Haemophilus influenzae]	72	58	315
337	3	926	1609	gi 487433	citrate synthase II [Bacillus subtilis]	72	55	684
364	7	12538	10493	gi 1510643	ferrous iron transport protein B [Methanococcus jannaschii]	72	53	2046
409	2	340	1263	gi 1402944	orf891 gene product [Bacillus subtilis]	72	49	924
441	3	2177	1590	gi 312379	highly conserved among eubacteria [Clostridium acetobutylicum]	72	48	588
453	6	2654	2505	pir S00601 BXS	antibacterial protein 3 - Staphylococcus haemolyticus	72	70	150
460	1	2	625	gi 1016162	ABC transporter subunit [Cyanophora paradoxa]	72	51	624
463	1	3253	1628	gi 666014	The polymorphym (RUP) of this gene is associated with susceptibility to essential hypertension. The SA gene product has light homology to acetyl-CoA synthetase [Homo sapiens]	72	60	1626
480	4	3047	3466	gi 433992	ATP synthase subunit epsilon [Bacillus subtilis]	72	53	420
502	1	1086	586	gi 310859	ORF2 [Synechococcus sp.]	72	50	501
519	1	81	1184	gi 1303704	YrK [Bacillus subtilis]	72	54	1104
559	1	3	746	gi 1107530	ceup gene product [Campylobacter coli]	72	56	744
575	1	1142	573	gi 1303866	Vqgs [Bacillus subtilis]	72	56	570
671	1	2	592	gi 3204497	protein-export membrane protein [Haemophilus influenzae]	72	44	591
679	2	295	1251	gi 563258	virulence-associated protein E [Dichelobacter nodosus]	72	52	957
687	2	295	957	gi 1146214	44% identical amino acids with the Escherichia coli smba suppress; putative [Bacillus subtilis]	72	49	663
837	1	1	435	gi 1146183	putative [Bacillus subtilis]	72	54	435
868	1	150	788	gi 1377842	unknown [Bacillus subtilis]	72	55	639
922	1	130	432	gi 1088269	unknown protein [Acetobacter vinelandii]	72	58	303
941	1	2	238	gi 153929	NADPH-sulfite reductase [Salmonella typhimurium]	72	49	237
980	1	840	421	gi 853767	UDP-N-acetylglucosamine 1-carboxyvinyltransferase [Bacillus subtilis]	72	59	420

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
1209	1	383	213	gi1144735	neurotoxin type B (Clostridium botulinum)	72	44	171
1469	2	671	474	gi11205458	hypothetical protein (GB:026562.47) (Haemophilus influenzae)	72	63	198
1956	1	727	365	gi1154409	hexosephosphate transport protein (Salmonella typhimurium) p1r B41853 B41853 hexose phosphate transport system regulatory protein uhpB - Salmonella typhimurium	72	44	363
2101	1	3	401	gi11303950	YqjY (Bacillus subtilis)	72	50	399
2503	1	569	399	gi1149713	formate dehydrogenase (Methanobacterium formicicum) p1r A42712 A42712 formate dehydrogenase (EC 1.2.1.2) - ethanobacterium formicicum	72	56	171
2967	1	3	155	gi11212729	YqhJ (Bacillus subtilis)	72	46	153
3004	1	367	185	gi11645999	hypothetical protein (Bacillus subtilis)	72	55	183
3109	1	278	141	gi1413968	ipa-44d gene product (Bacillus subtilis)	72	45	138
3171	1	3	287	gi1515938	glutamate synthase (ferredoxin) (Synechocystis sp.) p1r S46957 S46957 glutamate synthase (ferredoxin) (EC 1.4.7.1) - Synechocystis sp.	72	52	285
3771	1	26	367	gi11408501	homologous to N-acetyl-L-amino acid amidohydrolase of Bacillus stearothermophilus (Bacillus subtilis)	72	63	342
3951	1	1	222	gi11500409	M. jannaschii predicted coding region M31519 (Methanococcus jannaschii)	72	36	222
4190	1	721	362	gi139956	tlgE (Bacillus subtilis)	72	57	360
4444	1	3	347	gi11009366	Respiratory nitrate reductase (Bacillus subtilis)	72	55	345
6	2	911	1200	gi1537095	ornithine carbamoyltransferase (Escherichia coli)	71	56	270
11	15	11350	10859	gi1532309	25 kDa protein (Escherichia coli)	71	47	492
19	2	1248	2435	gi11244574	D-alanine:D-alanine ligase (Enterococcus hirae)	71	52	1188
21	2	898	1488	gi1149629	anthranilate synthase component 2 (Leptospira biflexa) p1r C32840 C32840 anthranilate synthase (EC 4.1.3.27) component II Leptospira biflexa	71	45	591
34	1	1	567	gi11303983	YqjP (Bacillus subtilis)	71	59	567
37	3	3192	2806	gi11209681	glutamate-rich protein (Bacillus firmus)	71	50	387
38	18	12250	12462	gi1927645	arginyl endopeptidase (Porphyromonas gingivalis)	71	50	213
39	3	1246	4431	gi11509411 S094	spoIIIE protein - Bacillus subtilis	71	49	3186
53	14	15770	14760	gi1142611	branched chain alpha-keto acid dehydrogenase E1-alpha (Bacillus subtilis)	71	58	1011
54	11	13461	12625	gi1143014	gnt repressor (Bacillus subtilis)	71	46	837

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
57	7	7152	5860	gi 508175	ETIC domain of PTS-dependent Gac transport and phosphorylation Escherichia coli	71	48	1293
57	18	13897	14334	gi 1063247	high homology to flavohemoprotein (Haemoglobin-like protein) of Alcaligenes eutrophus and Saccharomyces cerevisiae (Bacillus subtilis)	71	56	438
62	16	9831	10955	gi 1303926	YqjG (Bacillus subtilis)	71	54	1125
70	12	8505	8966	gi 147198	pmsE protein (Escherichia coli)	71	38	462
86	5	2394	2089	gi 904205	hypothetical protein (Bacillus subtilis)	71	51	306
96	7	7601	8269	gi 709991	hypothetical protein (Bacillus subtilis)	71	49	669
100	6	4822	5931	gi 1060848	Opine dehydrogenase (Arthrobacter sp.)	71	45	1110
103	1	1062	532	gi 143089	lep protein (Bacillus subtilis)	71	41	531
109	18	15312	15695	gi 413985	lipa-61d gene product (Bacillus subtilis)	71	57	384
113	1	630	316	gi 663254	probable protein kinase (Saccharomyces cerevisiae)	71	57	315
114	5	6598	5603	gi 143156	membrane bound protein (Bacillus subtilis)	71	40	996
133	2	3087	1723	gi 1303913	YqjX (Bacillus subtilis)	71	53	1365
149	19	6335	5895	gi 529650	G40P (Bacteriophage SP21)	71	51	441
154	5	3635	3087	gi 425488	repressor protein (Streptococcus sobrinus)	71	47	549
164	11	11354	11689	gi 44318	ORF4 gene product (Bacillus subtilis)	71	52	316
169	5	1936	2745	gi 1403403	unknown (Mycobacterium tuberculosis)	71	56	810
193	2	272	1234	gi 1303788	YqjH (Bacillus subtilis)	71	49	963
205	1	1743	895	gi 1215694	GlnQ (Mycoplasma pneumoniae)	71	46	849
233	4	1849	2022	gi 433732	ORF1 (Campylobacter jejuni)	71	50	174
237	7	4501	5169	gi 149384	HistE (Lactococcus lactis)	71	54	669
272	4	2848	2273	gi 709993	hypothetical protein (Bacillus subtilis)	71	48	576
274	2	618	1496	gi 143035	NAD(PH):glutamate-transfer RNA reductase (Bacillus subtilis) pifA35252/A3552 5-aminolevulinate synthase (EC 2.3.1.37) - actillus subtilis	71	53	879
276	5	3349	2720	gi 1303562	ORF210 (Escherichia coli)	71	50	630
287	1	136	660	gi 110634	120 kDa protein (Streptococcus gordonii)	71	53	535
288	6	3322	2771	gi 1256625	putative (Bacillus subtilis)	71	47	552

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
301	6	3492	2461	gi 467417	similar to lysine decarboxylase [Bacillus subtilis]	71	57	1032
306	4	6607	5222	gi 1256618	transport protein [Bacillus subtilis]	71	56	1386
307	2	1536	925	gi 622683	orfC [Mycoplasma capricolum]	71	45	612
310	5	5793	5146	gi 348052	acetoin utilization protein [Bacillus subtilis]	71	51	648
322	1	2	1303	gi 1001819	hypothetical protein [Synechocystis sp.]	71	46	1302
333	4	4171	3995	gi 467473	unknown [Bacillus subtilis]	71	57	177
350	2	548	922	gi 551879	ORF 1 [Lactococcus lactis]	71	55	375
375	4	1860	3071	gi 467447	unknown [Bacillus subtilis]	71	57	1212
380	5	1560	2102	gi 142557	ATP synthase b subunit [Bacillus megaterium]	71	43	543
414	2	251	637	gi 580904	homologous to E.coli rnpA [Bacillus subtilis]	71	49	387
424	1	335	1334	gi 581305	L-lactate dehydrogenase [Lactobacillus plantarum]	71	57	1020
436	4	3701	3270	pir PN0501 PN05	phosphoribosylanthranilate isomerase (EC 5.3.1.24) - Bacillus subtilis (fragment)	71	66	432
482	1	3	1280	gi 410142	ORFX18 [Bacillus subtilis]	71	49	1278
525	3	2272	1844	gi 143370	phosphoribosylpyrophosphate amidotransferase (Pur-F; EC 2.4.2.14) Bacillus subtilis	71	56	429
529	4	2739	2047	gi 606150	ORF_3309 [Escherichia coli]	71	41	693
563	1	22	969	gi 1237035	ORF4 [Bacillus subtilis]	71	53	948
581	1	506	255	gi 1301730	72503.2 [Caenorhabditis elegans]	71	47	252
612	2	1068	913	gi 153968	fimbriae 2 [Salmonella typhimurium]	71	55	156
613	1	1	654	gi 466778	lysine specific permease [Escherichia coli]	71	50	654
618	1	1243	623	gi 1146238	poly(A) polymerase [Bacillus subtilis]	71	52	621
630	1	1170	586	gi 1486243	unknown [Bacillus subtilis]	71	53	585
691	1	1126	641	gi 289260	comE ORF1 [Bacillus subtilis]	71	51	486
694	2	149	427	gi 12971	NADH dehydrogenase subunit V (AA 1-605) [Gallus gallus] Ir(S10197/S10197	71	47	279
					NADH dehydrogenase (ubiquinone) [EC 1.6.5.3] chain - chicken mitochondrion (S0C1)			
715	2	169	777	gi 1303830	YqfL [Bacillus subtilis]	71	53	609
746	2	1473	970	gi 1377843	unknown [Bacillus subtilis]	71	52	504

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
748	1	1437	802	gi 1405459	[yaeS (Bacillus subtilis)]	71	49	636
753	1	1018	524	gi 1510389	[M. jannaschii predicted coding region M20296 (Methanococcus jannaschii)]	71	53	495
761	1	3	215	gi 475972	[pentafunctional enzyme (Pneumocystis carinii)]	71	47	213
783	1	1203	703	gi 536555	[ORF Y8244w (Saccharomyces cerevisiae)]	71	52	501
800	3	1292	987	gi 1204326	[rRNA delta(2)-isopentenylpyrophosphate transferase (Haemophilus influenzae)]	71	48	306
806	1	116	286	gi 1419075	[cbiM gene product (Methanobacterium thermoautotrophicum)]	71	50	171
931	1	973	488	gi 893358	[PgsA (Bacillus subtilis)]	71	56	486
1041	1	2	262	gi 1408507	[pyrimidine nucleoside transport protein (Bacillus subtilis)]	71	45	261
1070	1	2	172	gi 709993	[hypothetical protein (Bacillus subtilis)]	71	46	171
1176	1	57	365	gi 151259	[HMG-CoA reductase (EC 1.1.1.88) (Pseudomonas mavalonii) pir A4756 A44756 hydroxymethylglutaryl-CoA reductase (EC 1.1.1.88) Pseudomonas sp.]	71	49	309
1181	1	366	184	gi 146971	[epiP gene product (Staphylococcus epidermidis)]	71	50	183
1281	1	3	290	gi 153016	[ORF 419 protein (Staphylococcus aureus)]	71	50	288
1348	1	456	229	gi 602683	[orfC (Mycoplasmata capricolum)]	71	48	228
2002	1	756	379	gi 1008177	[ORF Y31046w (Saccharomyces cerevisiae)]	71	48	378
2119	1	2	217	gi 1046088	[arginyl-tRNA synthetase (Mycoplasmata genitalium)]	71	50	216
2418	1	3	320	gi 1499771	[M. jannaschii predicted coding region M20336 (Methanococcus jannaschii)]	71	57	318
2961	1	2	187	gi 312443	[carbamoyl-phosphate synthase (glutamine-hydrolyzing) (Bacillus aldolyticus)]	71	57	186
2995	2	67	306	gi 710020	[nitrite reductase (nirB) (Bacillus subtilis)]	71	43	240
3033	1	2	184	gi 1262335	[YnaA (Bacillus subtilis)]	71	57	183
3584	1	3	338	gi 1401716	[beta-isopropylmalate dehydrogenase (Neurospora crassa)]	71	55	336
3715	2	743	399	gi 563952	[gluconate permease (Bacillus licheniformis)]	71	59	345
3785	1	770	387	gi 47382	[acyl-CoA-dehydrogenase (Streptomyces purpurascens)]	71	57	384
3875	1	541	272	gi 1001541	[hypothetical protein (Synecocystis sp.)]	71	38	270
4135	1	637	320	gi 142695	[S-adenosyl-L-methionine:uroporphyrinogen III methyltransferase Bacillus megaterium]	71	52	318
4249	1	63	239	gi 1205363	[deoxyribose aldolase (Haemophilus influenzae)]	71	63	177
4508	1	530	267	gi 1197667	[vitalogenin (Anolis pulchellus)]	71	46	264

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
6	3	1237	2721	gi 1321788	l-arginine ornithine antiporter [Clostridium perfringens]	70	54	1485
11	11	6572	7486	gi 216854	P47K [Pseudomonas chlororaphis]	70	41	915
12	3	2890	1481	gi 467330	replicative DNA helicase [Bacillus subtilis]	70	49	1410
15	1	1756	893	gi 451216	mannosephosphate isomerase [Streptococcus mutans]	70	46	864
15	2	1277	1050	gi 476092	unknown [Bacillus subtilis]	70	50	228
17	2	2132	1350	gi 145402	choline dehydrogenase [Escherichia coli]	70	52	783
21	1	2	925	gi 149516	anthranilate synthase alpha subunit [Lactococcus lactis] pIR/SJS124 SJS124 anthranilate synthase (EC 4.1.3.27) alpha chain - lactococcus lactis subsp. lactis	70	50	924
25	7	5580	6251	gi 1389549	ORP3 [Bacillus subtilis]	70	52	672
33	6	6071	7423	gi 1303875	YqjB [Bacillus subtilis]	70	51	1353
36	2	959	1594	gi 500755	[methy] purine glycosylase [Mus musculus]	70	47	636
38	8	4901	5860	gi 1408507	pyrimidine nucleoside transport protein [Bacillus subtilis]	70	44	960
44	8	5312	5989	gi 1006620	hypothetical protein [Synchocystis sp.]	70	49	678
46	10	8950	10020	gi 1403126	lcsD gene product [Alcaligenes eutrophus]	70	45	1071
52	2	2727	1900	gi 1486247	unknown [Bacillus subtilis]	70	53	828
52	6	4048	4656	gi 244501	esterase II:carboxylesterase [EC 3.1.1.1] [Pseudomonas fluorescens, eptido, 218 aa]	70	50	609
56	8	8460	9962	gi 1339951	[small] subunit of HADH-dependent glutamate synthase [Plectonema boryanum]	70	51	1503
62	1	48	290	gi 142702	[A competence protein 2 [Bacillus subtilis]	70	47	243
64	1	1080	541	gi 1204377	hemolysin biosynthesis protein [Haemophilus influenzae]	70	47	540
70	5	5139	3595	gi 1204834	[2'-3'-cyclic-nucleotide 2'-phosphodiesterase [Haemophilus influenzae]	70	47	1545
91	4	7793	5466	gi 886471	methionine synthase [Catharanthus roseus]	70	56	2328
96	5	8754	7255	gi 130961390	alkaline phosphatase [EC 3.1.3.1] III precursor - Bacillus subtilis	70	54	1500
110	2	767	1300	gi 145294	adenine phosphoribosyl-transferase [Escherichia coli]	70	51	534
116	6	7026	7976	gi 143607	sporulation protein [Bacillus subtilis]	70	50	951
121	8	6401	6988	gi 1107528	[ctg start [Campylobacter coli]	70	45	588
131	8	6842	7936	gi 1150454	prolidase PepQ [Lactobacillus delbrueckii]	70	48	1095

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
135	1	2	1489	gi 1311309	putative membrane-bound protein with four times repetition of ro-Ser-Ale at the N-terminus; function unknown [Alcaligenes utrophus]	70	49	1488
138	3	418	714	gi 504181	hypothetical protein (Bacillus subtilis)	70	46	297
164	8	9344	9874	gi 149315	ORF1 gene product (Bacillus subtilis)	70	47	531
164	16	15626	16618	gi 1205212	hypothetical protein (GB:D10483_10) (Haemophilus influenzae)	70	50	993
205	2	2735	1803	gi 1215695	peptide transport system protein SapF homolog; SapF homolog (Mycoplasma pneumoniae)	70	47	933
209	3	910	1386	gi 1204665	hypothetical protein (GB:X73124_26) (Haemophilus influenzae)	70	48	477
246	3	340	756	gi 215098	lexicalonase (Bacteriophage 154a)	70	46	417
263	7	7876	6749	gi 142540	aspartokinase II (Bacillus sp.)	70	51	1128
268	3	3212	4117	gi 1340128	ORF1 (Staphylococcus aureus)	70	50	906
302	6	3201	3827	gi 147782	ruvA protein (gag start) (Escherichia coli)	70	46	627
302	10	5879	7051	gi 138530 C185	guanine tRNA-ribosyltransferase (EC 2.4.2.29) - Escherichia coli	70	55	1173
313	1	2520	1414	gi 1205934	aminopeptidase a/i (Haemophilus influenzae)	70	46	1107
355	2	379	669	gi 1070013	protein-dependent (Bacillus subtilis)	70	48	291
403	1	1255	629	gi 733147	GunF (Xanthomonas campestris)	70	33	627
444	10	8770	9273	gi 1204752	high affinity ribose transport protein (Haemophilus influenzae)	70	52	504
449	1	2	1243	gi 619724	MotE (Bacillus firmus)	70	44	1242
472	1	637	320	gi 727145	open reading frame; putative (Bacillus amyloquelaceans) pir[B25091 B25091 hypothetical protein (bga region) - Bacillus myoliquefaciens (fragment)	70	41	318
480	2	727	1608	gi 142560	ATP synthase gamma subunit (Bacillus megaterium)	70	44	882
524	1	2	307	gi 602292	RCH2 protein (Brassica napus)	70	45	306
525	1	823	413	gi 143372	phosphoribosyl glycineamide formyltransferase (PUR-N) (Bacillus subtilis)	70	52	411
565	4	3625	2552	gi 1881434	ORFP (Bacillus subtilis)	70	51	1074
607	4	829	1284	gi 151524	hypothetical protein (SP:P37002) (Methanococcus jannaschii)	70	50	456
633	1	1383	703	gi 1431231	uracil permease (Bacillus caldolyticus)	70	53	681
646	3	1683	1309	gi 1467340	unknown (Bacillus subtilis)	70	49	375
663	1	830	417	gi 1303873	Y172 (Bacillus subtilis)	70	40	414

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match	Accession	Match gene name	% sim	% ident	length (nt)
681	1	1488	781	gi 1001678		hypothetical protein (Synchocystis sp.)	70	53	708
708	1	2	448	sp P33940 YQJH_		HYPOTHEICAL 54.3 KD PROTEIN IN ECO-ALKB INTERGENIC REGION.	70	51	447
725	1	51	722	gi 1001644		HYPOTHEICAL P...tein (Synchocystis sp.)	70	48	672
776	1	1371	787	gi 145165		putative (Escherichia coli)	70	47	585
834	1	250	783	gi 552971		NADH dehydrogenase (ndhF) (Vicia faba)	70	47	534
865	2	1585	1379	gi 1204636		ATP-dependent helicase (Haemophilus influenzae)	70	45	207
894	1	535	269	gi 467364		DNA binding protein (probable) (Bacillus subtilis)	70	41	267
919	1	3	317	gi 1314847		ClnA (Bacillus subtilis)	70	40	315
944	1	3	572	gi 709991		hypothetical protein (Bacillus subtilis)	70	44	570
988	2	772	605	gi 142441		ORF 3: putative (Bacillus subtilis)	70	50	168
1055	1	3	335	gi 529755		apeC (Streptococcus pyogenes)	70	37	333
1093	1	2	904	gi 853754		ABC transporter (Bacillus subtilis)	70	49	903
1109	1	2	310	gi 1001827		hypothetical protein (Synchocystis sp.)	70	42	309
1220	1	488	235	pir S23416 S234		epiB protein - Staphylococcus epidermidis	70	40	234
1279	1	73	348	gi 153015		FemA protein (Staphylococcus aureus)	70	47	276
1336	1	195	542	sp P31776 PDBA_		PENICILLIN-BINDING PROTEIN 1A (PBP-1A) (PENICILLIN-BINDING PROTEIN A)	70	50	348
1537	2	232	402	gi 1146181		putative (Bacillus subtilis)	70	50	171
1574	1	451	272	gi 219630		endothelin-A receptor (Homo sapiens)	70	47	180
1640	1	690	346	gi 1146243		22.4% identity with Escherichia coli DNA-damage inducible protein ... putative (Bacillus subtilis)	70	46	345
2504	1	2	286	gi 495179		transmembrane protein (Lactococcus lactis)	70	51	285
3061	1	564	301	gi 508175		E2C domain of PTS-dependent Gal transport and phosphorylation Escherichia coli	70	44	264
3128	1	2	199	gi 1340096		unknown (Mycobacterium tuberculosis)	70	51	198
3218	1	3	488	gi 515938		glutamate synthase (ferredoxin) (Synchocystis sp.) pir S46957 S46957 glutamate synthase (ferredoxin) (EC 1.4.7.1) - ynechocystis sp.	70	50	486
3333	1	794	399	gi 1154891		ATP binding protein (Phormidium laminosum)	70	52	396
3679	1	599	399	gi 529385		chromosome condensation protein (Caenorhabditis elegans)	70	30	201

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
3841	1	706	398	gi1208965	hypothetical 23.3 kd protein [Escherichia coli]	70	47	309
3929	1	3	401	gi149435	putative [Lactococcus lactis]	70	49	399
4044	1	595	374	gi1602031	similar to trimethylamine DH [Mycoplasma capricolum] p1r[S49950]S49950 probable trimethylamine dehydrogenase [EC 5.99.7] - Mycoplasma capricolum (S0C3) (fragment)	70	40	222
4329	3	558	280	gi1339951	small subunit of NADH-dependent glutamate synthase [Plectonema boryanum]	70	49	279
4422	1	576	289	gi1296464	ATPase [Lactococcus lactis]	70	57	288
4647	1	361	200	gi146412	NADH-glutamate synthase [Medicago sativa]	70	59	162
16	8	7571	9031	gi1499620	M. jannaschii predicted coding region MJ0798 [Methanococcus jannaschii]	69	44	1461
16	9	9080	10033	gi1353197	chloroquin reductase [Eubacterium acidaminophilum]	69	54	954
30	1	1452	727	gi11204910	hypothetical protein (CB-U14003_302) [Haemophilus influenzae]	69	52	726
38	4	1023	1298	gi1407773	devA gene product [Anabaena sp.]	69	41	276
44	9	5987	6595	gi1205920	molybdate uptake system hydrophilic membrane-bound protein [Haemophilus influenzae]	69	45	609
62	35	9104	9475	gi1385178	unknown [Bacillus subtilis]	69	44	372
66	4	2402	2803	gi1303893	YqkL [Bacillus subtilis]	69	51	402
67	15	114124	13627	gi149647	ORF2 [Listeria monocytogenes]	69	37	494
67	17	14033	14382	gi1305002	ORF_1356 [Escherichia coli]	69	49	330
67	19	15130	15807	gi1109684	ProV [Bacillus subtilis]	69	45	678
78	3	1447	2124	gi1326633	putative [Bacillus subtilis]	69	53	678
78	4	4513	3725	gi1103958	YqjG [Bacillus subtilis]	69	32	789
85	4	4521	4213	gi1E29326 E293	hypothetical protein (pur operon) - Bacillus subtilis	69	32	309
86	6	3253	2654	gi1473332	OrfC [Bacillus subtilis]	69	50	600
95	1	96	710	gi1786464	4AII antigen, sperm tail membrane antigen-putative sucrose-specific phosphotransferase enzyme II homolog (mice, testis, Peptide Partial, 72 aa)	69	43	615
100	7	6023	7426	gi1205355	Na ⁺ /H ⁺ antiporter [Haemophilus influenzae]	69	39	1404
102	2	2678	1650	gi1561690	glucosyltransferase [Pasteurella haemolytica]	69	47	1029
103	8	12241	8537	gi1009366	Respiratory nitrate reductase [Bacillus subtilis]	69	54	3705
103	11	14987	12552	gi1710020	Nitrite reductase (nirB) [Bacillus subtilis]	69	51	2436

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
112	11	8708	10168	gi 154111	hexosephosphate transport protein [Salmonella typhimurium] pfr D1853 D1853 hexose phosphate transport system uhpt - salmonella typhimurium	69	51	1461
112	16	16644	17414	gi 1204435	pyruvate formate-lyase activating enzyme [Haemophilus influenzae]	69	50	771
113	2	33	953	gi 290509	o307 [Escherichia coli]	69	43	921
114	2	1537	1058	pfr A42771 A427	reticulocyte-binding protein 1 - Plasmodium vivax	69	39	480
121	6	4309	5310	gi 1154633	NrdF [Bacillus subtilis]	69	53	1002
125	2	267	854	gi 413931	ipa-7d gene product [Bacillus subtilis]	69	43	588
149	27	10666	10400	pfr S28089 S280	hypothetical protein A - yeast [Zygosaccharomyces bisporus] plasmid psu)	69	39	267
161	1	1598	813	gi 1205538	hypothetical protein [CB:U14003_302] [Haemophilus influenzae]	69	47	786
165	4	2222	4633	gi 140054	phenylalanyl-tRNA synthetase beta subunit (AA 1-804) [Bacillus subtilis]	69	52	2412
169	3	1210	1761	gi 296031	elongation factor Ts [Spirulina platensis]	69	45	552
175	12	8686	8339	gi 732682	F1ME protein [Escherichia coli]	69	69	348
190	2	484	1671	sp P17731 HIS8_	HISTIDINOL-PHOSPHATE AMINOTRANSFERASE (EC 2.6.1.9) [THIDAZOLE ACETOL-PHOSPHATE TRANSAMINASE]	69	48	1188
206	1	5551	2777	gi 41750	hadr protein (AA 1-1033) [Escherichia coli]	69	49	2775
206	4	6038	5796	gi 1256135	YuhF [Bacillus subtilis]	69	48	243
249	1	636	319	gi 140456	YnuP [Bacillus subtilis]	69	50	118
302	8	4820	5776	gi 1001768	hypothetical protein [Synecocystis sp.]	69	48	957
324	2	7384	3893	gi 1256798	pyruvate carboxylase [Rhizobium etli]	69	53	3492
351	3	2098	1808	gi 1491664	T04H1.4 [Caenorhabditis elegans]	69	30	291
369	3	2075	2305	gi 336458	ORF [Balaenoptera acutorostrata]	69	61	231
392	3	1999	2424	gi 556015	ORF1 [Bacillus subtilis]	69	45	426
410	1	87	779	gi 355611	phosphoglyceromutase [Zymomonas mobilis]	69	58	693
421	1	2085	1129	gi 1276985	arginase [Bacillus caldovelox]	69	54	957
444	8	6713	7741	gi 1221782	purine synthesis repressor [Haemophilus influenzae]	69	40	1029
453	1	828	415	gi 1122758	unknown [Bacillus subtilis]	69	57	434
469	2	3286	2246	gi 1458228	mutY homolog [Homo sapiens]	69	44	1041

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
509	3	1730	1371	gi 49224	JURF 4 [Synecococcus sp.]	69	39	360
520	5	3023	2823	gi 726427	similar to D. melanogaster HST101-2 protein (PIR:S34154) Caenorhabditis elegans	69	39	201
531	1	26	760	gi 509672	repressor protein [Bacteriophage Tuc2009]	69	33	735
589	1	107	253	gi 169101	17.9 kDa heat shock protein (hsp17.9) [Pisum sativum]	69	52	147
594	2	597	1391	gi 142783	DNA photolyase [Bacillus firmus]	69	48	795
604	4	2476	2114	gi 413930	lipa-6d gene product [Bacillus subtilis]	69	45	363
607	1	2	313	gi 1236103	W08D2.3 [Caenorhabditis elegans]	69	47	312
607	2	590	312	gi 536715	ORF YBR275c [Saccharomyces cerevisiae]	69	39	279
734	1	864	433	gi 467327	unknown [Bacillus subtilis]	69	44	432
759	1	3	338	gi 1009367	Respiratory nitrate reductase [Bacillus subtilis]	69	50	336
761	2	392	586	gi 13508	Leucyl-tRNA synthetase (cytoplasmic) [Saccharomyces cerevisiae]	69	46	195
802	1	72	1013	gi 143044	Ferrochelatase [Bacillus subtilis]	69	55	942
816	1	2573	1368	gi 1510268	restriction modification system S subunit [Methanococcus jannaschii]	69	45	1206
838	2	133	387	gi 1255371	coded for by C. elegans cDNA yk34a9.5; coded for by C. elegans cDNA yk34a9.3; Similar to guanylate kinase [Caenorhabditis elegans]	69	46	255
851	2	745	1005	gi 288998	secA gene product [Antilimonium sp.]	69	39	261
867	1	535	269	gi 1070014	protein-dependent [Bacillus subtilis]	69	47	267
995	1	954	478	gi 1205569	transcription elongation factor [Haemophilus influenzae]	69	53	477
999	1	1009	506	gi 899254	predicted trithorax protein [Drosophila virilis]	69	21	504
1127	1	1315	659	gi 1205434	H. influenzae predicted coding region H1191 [Haemophilus influenzae]	69	56	657
1138	1	248	460	gi 1510646	M. jannaschii predicted coding region M0568 [Methanococcus jannaschii]	69	48	213
2928	1	3	401	gi 200503	glutamate permease [Escherichia coli]	69	41	399
3090	1	444	223	gi 1204987	DNA polymerase III, alpha chain [Haemophilus influenzae]	69	36	222
3817	1	2	400	gi 1483199	peptide-synthetase [Anycotopsis mediterranei]	69	45	399
3833	1	667	335	gi 1524193	unknown [Mycobacterium tuberculosis]	69	46	333

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
4079	1	747	400	gi 546918	orfv 3' of comK [Bacillus subtilis, E26, Peptide Partial, 140 aa] pir S43612 S43612 hypothetical protein Y - Bacillus subtilis sp P40398 YHXD_BACSU HYPOTHETICAL PROTEIN IN COMK 3'REGION (ORFY) FRAGMENT)	69	64	348
4115	2	215	400	gi 517205	167 kDa Myosin-crossreactive streptococcal antigen [Streptococcus yogenes]	69	59	186
4139	1	1	333	gi 1208451	hypothetical protein [Symchocytis sp.]	69	36	333
4258	1	457	230	gi 496158	restriction-modification enzyme subunit M1 [Mycoplasma pulmonis] pir S49395 S49395 HrdM1 protein - Mycoplasma pulmonis [S0C3]	69	43	228
4317	1	90	374	gi 413967	lipa-43d gene product [Bacillus subtilis]	69	44	285
4465	1	1	293	gi 396296	similar to phosphotransferase system enzyme II [Escherichia coli] sp P12672 PTMC-ECOLI PTS SYSTEM, FRUCTOSE-LIKE-2 IIC COMPONENT PHOSPHOTRANSFERASE ENZYME II, C COMPONENT)	69	49	291
3	1	2102	1193	gi 1109685	ProW [Bacillus subtilis]	68	46	1110
15	4	2592	2074	gi 807973	unknown [Saccharomyces cerevisiae]	68	45	519
31	8	6328	8772	gi 290642	ATPase [Enterococcus hirae]	68	48	2445
40	2	1115	750	gi 606342	ORF_0522, reading frame open far upstream of start; possible rnaeshift, linking to previous ORF [Escherichia coli]	68	55	166
46	9	6886	8415	gi 155276	aldehyde dehydrogenase [Vibrio cholerae]	68	44	1530
48	3	3643	3404	gi 285608	241k polyprotein [Apple stem grooving virus]	68	47	240
48	4	3536	4132	gi 1045937	M. genitalium predicted coding region M0246 [Mycoplasma genitalium]	68	39	597
53	10	11671	10685	gi 1303952	VqJA [Bacillus subtilis]	68	46	987
70	9	7346	8155	gi 147198	phnE protein [Escherichia coli]	68	40	810
89	4	1899	2966	gi 145173	35 kDa protein [Escherichia coli]	68	43	1068
108	1	2187	1150	gi 38722	precursor (aa -20 to 381) [Acinetobacter calcoaceticus] ir A29277 A29277 aldose 1-epimerase [EC 5.1.3.3] - Acinetobacter calcoaceticus	68	57	1038
112	5	2666	3622	gi 153724	MalC [Streptococcus pneumoniae]	68	55	957
116	7	7865	8638	gi 143608	sporulation protein [Bacillus subtilis]	68	48	774
118	3	2484	3698	gi 1303805	YqeR [Bacillus subtilis]	68	46	1215
120	2	1424	1594	sp P38038 CYSJ_	SULFITE REDUCTASE (NADPH) FLAVOPROTEIN ALPHA-COMPONENT [EC 1.8.1.2] (SIR- FP)	68	45	171
129	1	1	1011	gi 396307	argininosuccinate lyase [Escherichia coli]	68	50	1011

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
132	3	1467	2739	gi 116267	ORF2 [Bacillus megaterium]	68	48	873
134	2	848	1012	gi 147545	DNA recombinase [Escherichia coli]	68	50	165
141	2	372	614	gi 872116	acti (stress inducible protein) (Glycine max)	68	36	243
149	7	2454	2260	gi 145774	hap70 protein (dnaK gene) [Escherichia coli]	68	48	195
155	2	1776	1534	gi 216583	ORF1 [Escherichia coli]	68	36	243
158	3	1826	3289	gi P33940 YQJH_	HYPOTHEICAL 54.3 KD PROTEIN IN ECO-ALAB INTERGENIC REGION.	68	51	1464
169	6	2749	3318	gi 1403402	unknown [Mycobacterium tuberculosis]	68	46	570
175	10	9158	7365	gi 1072395	phaA gene product [Rhizobium moliottii]	68	51	1794
188	7	4184	5434	gi 1173843	3-ketoacyl-ACP synthase II [Vibrio harveyi]	68	48	1251
189	3	907	1665	gi 467383	DNA binding protein (probable) [Bacillus subtilis]	68	55	759
206	5	7683	6709	gi 1256138	YbbI [Bacillus subtilis]	68	48	975
206	8	10425	12176	gi 452687	pyruvate decarboxylase [Saccharomyces cerevisiae]	68	48	1752
212	8	3421	3648	gi 1369941	ci gene product [Bacteriophage B1]	68	39	228
214	8	5457	6482	gi 1420467	ORF Y0A196c [Saccharomyces cerevisiae]	68	45	1036
237	4	2507	3088	gi 149381	HlsH [Lactococcus lactis]	68	46	582
243	5	5540	4542	gi 1235684	mevalonate pyrophosphate decarboxylase [Saccharomyces cerevisiae]	68	47	999
262	1	3	164	gi 150974	4-oxalocrotonate tautomerase [Pseudomonas putida]	68	42	182
262	2	1984	1118	gi 1147744	PSR [Enterococcus hirae]	68	49	867
276	6	3702	3139	isp P30750 ABC_E	ATP-BINDING PROTEIN ABC (FRAGMENT)	68	50	564
306	6	6345	5725	gi 1256617	adenine phosphoribosyltransferase [Bacillus subtilis]	68	53	621
333	3	4599	3850	gi 467473	unknown [Bacillus subtilis]	68	45	750
365	6	5017	4838	gi 1130643	72283.3 [Caenorhabditis elegans]	68	45	180
376	2	549	1646	gi 1277026	DAPA aminotransferase [Bacillus subtilis]	68	51	1098
405	1	1741	872	gi 1303917	YqjB [Bacillus subtilis]	68	47	870
406	2	853	539	gi 1511513	ABC transporter, probable ATP-binding subunit [Methanococcus jannaschii]	68	44	315
426	6	3558	3391	gi 624632	GlTc [Escherichia coli]	68	48	168
438	1	108	329	gi 146923	nitrogenase reductase [Escherichia coli]	68	43	222

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
443	1	476	240	gi 535810	hippuricase [Campylobacter jejuni]	68	42	237
443	2	518	1015	gi 1204742	H. influenzae predicted coding region H10491 [Haemophilus influenzae]	68	48	498
443	5	4447	3779	gi 84660	deoxyribose-phosphate aldolase [Bacillus subtilis] p1r[S49455]S49455 deoxyribose-phosphate aldolase [EC 4.1.2.4] - acillus subtilis	68	55	669
476	2	240	1184	gi 571345	unknown, similar to E.coli cardiolipin synthase [Bacillus subtilis] ap P45860 YWE_BACSU HYPOTHETICAL 58.2 PROTEIN IN NARI-ACDA NTERGENIC REGION.	68	45	945
486	2	1876	1046	gi 147328	transport protein [Escherichia coli]	68	41	831
517	3	1764	2084	gi 523809	orf2 [Bacteriophage A2]	68	64	321
572	1	2	571	ap P39237 Y05L	HYPOTHETICAL 6.8 KD PROTEIN IN NRDC-TK INTERGENIC REGION.	68	47	570
646	1	914	459	gi 413982	lipo-36r gene product [Bacillus subtilis]	68	52	456
659	3	1668	1901	gi 1107541	C33D9.8 [Caenorhabditis elegans]	68	36	234
864	5	1510	1716	gi 145774	hsp70 protein (dnaK gene) [Escherichia coli]	68	48	207
920	1	860	432	gi 110416	hypothetical protein (SP:P31466) [Methanococcus jannaschii]	68	54	429
952	1	1096	611	gi 103456	reductase [Leishmania major]	68	46	486
970	1	91	402	gi 1354775	pfos/R [Treponema pallidum]	68	46	312
1028	1	1064	534	gi 110117	diaminopimelate decarboxylase [Bacillus subtilis]	68	47	531
1029	1	428	216	gi 1135714	plasmodium falciparum mRNA for asparagine-rich antigen (clone 17C1) [Plasmodium falciparum]	68	31	211
1058	1	692	348	gi 101649	lepic gene product [Staphylococcus epidermidis]	68	46	345
1096	2	665	465	gi 143434	Rho factor [Bacillus subtilis]	68	43	201
1308	1	2	694	gi 169939	group B oligopeptidase PepB [Streptococcus agalactiae]	68	50	693
1679	1	2	238	gi 17205	167 kDa Myosin-crossreactive streptococcal antigen [Streptococcus yogenes]	68	53	237
2039	1	3	383	gi 153898	transport protein [Salmonella typhimurium]	68	51	381
2077	1	3	326	pir C33496 C334	hisc homolog - Bacillus subtilis	68	47	324
2112	1	613	374	gi 64884	lemin LII [Xenopus laevis]	68	50	240
2273	1	793	398	gi 581648	lepiA gene product [Staphylococcus epidermidis]	68	45	396
2948	1	2	385	gi 216869	branched-chain amino acid transport carrier [Pseudomonas aeruginosa] p1r[A38534]A38534 branched-chain amino acid transport protein braz [Pseudomonas aeruginosa]	68	41	384

TABLE 2

S. aureus - putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
2955	1	768	400	gi 504179	hypothetical protein [Bacillus subtilis]	68	49	369
2981	1	572	288	gi 508979	GTP-binding protein [Bacillus subtilis]	68	48	285
3014	1	584	294	gi 1524394	ORF-2 upstream of gbaB operon [Bacillus subtilis]	68	45	291
3082	1	336	169	gi 1204696	fructose-permease IIC component [Haemophilus influenzae]	68	53	168
3108	1	103	258	gi 1217855	heat-shock protein [Arabidopsis thaliana]	68	48	156
3639	1	919	461	gi 1510490	nitrate transport permease protein [Methanococcus jannaschii]	68	47	459
3657	1	1	330	gi 155369	PTS enzyme-II fructose [Xanthomonas campestris]	68	48	330
3923	1	780	391	gi 603768	Hut1 protein, imidazolone-5-propionate hydrolase [Bacillus subtilis]	68	54	390
3982	1	2	277	gi 149435	putative [Lactococcus lactis]	68	47	276
4051	1	1	342	gi 450688	hsdM gene of Ecoprr1 gene product [Escherichia coli] pir[S38437]S38437 hsdM protein - Escherichia coli pir[S09629]S09629 hypothetical protein A - Escherichia coli (SUB 40-520)	68	48	342
4089	1	12	209	gi 1353678	heavy-metal transporting P-type ATPase (Proteus mirabilis)	68	47	198
4143	1	47	187	gi 603769	HutU protein, ureocanase [Bacillus subtilis]	68	55	141
4148	1	2	352	gi 450688	hsdM gene of Ecoprr1 gene product [Escherichia coli] pir[S38437]S38437 hsdM protein - Escherichia coli pir[S09629]S09629 hypothetical protein A - Escherichia coli (SUB 40-520)	68	51	351
4173	1	2	382	gi 1041097	Pyruvate Kinase [Bacillus psychrophilus]	68	48	381
4182	1	498	250	gi 413968	lipa-44d gene product [Bacillus subtilis]	68	50	249
4362	2	148	318	gi 450688	hsdM gene of Ecoprr1 gene product [Escherichia coli] pir[S38437]S38437 hsdM protein - Escherichia coli pir[S09629]S09629 hypothetical protein A - Escherichia coli (SUB 40-520)	68	44	171
5	11	9493	8300	gi 183727	putative [Bacillus subtilis]	67	46	1194
31	11	10318	9833	gi 216746	D-lactate dehydrogenase [Lactobacillus plantarum]	67	41	486
32	3	1560	1155	gi 1098557	renal sodium/dicarboxylate cotransporter (Homo sapiens)	67	46	1596
32	5	4945	4145	gi 1510720	prophenate dehydratase [Methanococcus jannaschii]	67	51	801
36	5	5350	4268	gi 146216	45% identity with the product of the ORF6 gene from the Erwinia herbicola carotenoid biosynthesis cluster; putative [Bacillus subtilis]	67	58	1083
44	7	4492	5304	gi 1006621	hypothetical protein [Synecocystis sp.]	67	43	813

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
56	7	3943	8481	gi 354131	glutamate synthase large subunit precursor (Azospirillum brasilense) pif186602 86602 glutamate synthase (NADPH) (EC 1.4.1.13) alpha hain - Azospirillum brasilense	67	52	4539
56	12	33923	34678	gi 1000453	TrpR (Bacillus subtilis)	67	48	756
62	8	5092	4757	gi 1113949	orf3 (Bacillus, C-125, alkali-sensitive mutant 18224, Peptide Mutant, 112 aa)	67	45	336
62	10	7570	6338	gi 654655	Na/H antiporter system (Bacillus alcalophilus)	67	49	1233
99	3	2119	3321	gi 1204349	hypothetical protein (CB:GB:D90212_3) (Haemophilus influenzae)	67	50	1203
102	9	5695	7176	gi 149432	putative (Lactococcus lactis)	67	51	1482
103	13	14549	14049	gi 1408497	LPD gene product (Bacillus subtilis)	67	48	501
109	15	14821	13982	gi 413976	ipa-52r gene product (Bacillus subtilis)	67	49	840
109	17	14811	15194	gi 413983	ipa-59d gene product (Bacillus subtilis)	67	29	384
121	4	1713	2153	gi 1262335	YmaA (Bacillus subtilis)	67	54	441
122	1	1	1149	gi 143047	ORF8 (Bacillus subtilis)	67	35	1149
124	5	4060	3518	gi 556885	unknown (Bacillus subtilis)	67	47	543
131	2	4584	3589	gi 1046081	hypothetical protein (GB:D26185_10) (Mycoplasma genitalium)	67	30	996
140	3	2899	2297	gi 146549	kdpC (Escherichia coli)	67	45	603
142	4	5409	4198	gi 1212775	GTP cyclohydrolase II (Bacillus amyloquelaciens)	67	55	1212
147	5	2913	2374	gi 1303709	YrkJ (Bacillus subtilis)	67	44	540
152	8	6341	6673	gi 1377841	unknown (Bacillus subtilis)	67	48	333
161	4	2720	3763	gi 496319	SphX (Synechococcus sp.)	67	47	1044
163	6	1989	3428	gi 595681	2-oxoglutarate/malate translocator (Spinacia oleracea)	67	47	1440
193	3	1351	1626	gi 1511101	shikimate 5-dehydrogenase (Methanococcus jannaschii)	67	53	276
200	2	917	2179	gi 142439	ATP-dependent nuclease (Bacillus subtilis)	67	48	1263
206	10	12445	12801	isp P37347 YECD_	HYPOTHEICAL 21.8 KD PROTEIN IN ASPS 5' REGION.	67	47	357
206	11	13047	14432	gi 732813	branched-chain amino acid carrier (Lactobacillus delbrueckii)	67	46	1386
208	2	1321	809	gi 1033037	100 kDa heat shock protein (Hsp100) (Leishmania major)	67	36	513
238	3	1039	2052	gi 809542	CbrB protein (Erwinia chrysanthemi)	67	42	1014

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
246	2	176	367	gi 215098	exciationase [Bacteriophage 154a]	67	37	192
276	2	2260	1412	gi 303560	ORP271 [Escherichia coli]	67	50	849
297	6	2223	3056	gi 142784	ctaa protein [Bacillus firmus]	67	46	834
307	7	5220	4186	gi 1070013	protein-dependent [Bacillus subtilis]	67	43	1035
316	1	36	1028	gi 1161061	dipoygenase [Methylobacterium extorquens]	67	57	993
324	3	5650	5030	gi 1469784	putative cell division protein ftsW [Enterococcus hirae]	67	49	621
336	1	524	264	gi 173122	urea amidolyase [Saccharomyces cerevisiae]	67	45	261
360	1	108	1194	wp P30053 CYH1_S	HIISTIDYL--TRNA SYNTHETASE (EC 6.1.1.21) [HIISTIDINE--TRNA LIGASE] (HISKG)	67	47	1287
364	3	4890	3592	gi 151259	HM-CoA reductase (EC 1.1.1.88) [Pseudomonas mevalonii] pir A44756 A44756 hydroxymethylglutaryl-CoA reductase (EC 1.1.1.88) Pseudomonas sp.	67	46	1299
365	3	2940	2113	gi 1296823	orf2 gene product [Lactobacillus helveticus]	67	47	828
367	2	325	918	gi 1039479	ORFU [Lactococcus lactis]	67	47	594
395	3	666	1271	gi 1204516	hypothetical protein (GB:U00014_4) [Haemophilus influenzae]	67	55	606
415	1	1800	901	gi 282579	CQ Site No. 29739 [Escherichia coli]	67	46	900
419	1	1799	903	gi 520752	putative [Bacillus subtilis]	67	48	897
474	1	2	796	gi 466906	argininosuccinate synthetase [Streptomyces clavuligerus] pir S57659 S57659 argininosuccinate synthase (EC 6.3.4.5) - streptomyces clavuligerus	67	49	795
485	2	1921	2226	gi 143434	Rho Factor [Bacillus subtilis]	67	43	306
596	1	1728	865	gi 1303853	YqgF [Bacillus subtilis]	67	47	864
700	1	433	218	gi 1204628	hypothetical protein (SP:P21498) [Haemophilus influenzae]	67	47	216
806	2	249	647	gi 677917	AppC [Bacillus subtilis]	67	51	399
828	2	340	900	gi 777761	JirA [Synecococcus sp.]	67	37	561
833	1	1407	916	gi 142996	regulatory protein [Bacillus subtilis]	67	41	492
856	1	1555	779	gi 780324	2K970.2 [Caenorhabditis elegans]	67	38	777
888	1	1614	850	gi 437315	TTG start codon [Bacillus licheniformis]	67	40	765
1034	1	1190	597	gi 1205113	hypothetical protein (GB:U19201_15) [Haemophilus influenzae]	67	45	594
1062	1	636	319	gi 1303850	YqgC [Bacillus subtilis]	67	41	318
1067	1	918	460	pir A32950 A329	probable reductase protein - Leishmania major	67	54	459

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
1358	1	3	293	gi 1001369	hypothetical protein (Synecocystis sp.)	67	44	291
2181	1	3	302	gi 1510416	hypothetical protein (SP-P31466) (Methanococcus jannaschii)	67	48	300
3000	1	1	507	gi 517205	67 kDa Myosin-crossreactive streptococcal antigen (Streptococcus yogenes)	67	56	507
3066	1	464	234	gi 308861	OTG start codon (Lactococcus lactis)	67	46	231
3087	1	454	251	gi 1203366	oligopeptide transport ATP-binding protein (Haemophilus influenzae)	67	44	204
3101	1	2	256	gi 1531541	uroporphyrinogen III methyltransferase (Zea mays)	67	55	255
3598	1	728	393	gi 151259	HMG-CoA reductase (EC 1.1.1.88) (Pseudomonas nevalonii) pir[A44756]A44756 hydroxymethylglutaryl-CoA reductase (EC 1.1.1.88) Pseudomonas sp.	67	56	336
3765	2	584	366	gi 557489	menD (Bacillus subtilis)	67	45	219
3788	1	658	398	pir SS2915 S529	nitrate reductase alpha chain - Bacillus subtilis (fragment)	67	45	261
3883	1	2	265	gi 704397	cyathionine beta-lyase (Arabidopsis thaliana)	67	46	264
3926	1	2	340	gi 1463199	peptide-synthetase (Amycolatopsis mediterranei)	67	44	339
4417	1	82	396	gi 1203337	ribonucleotide transport ATP-binding protein (Haemophilus influenzae)	67	46	315
2	3	3075	3989	gi 535348	CodV (Bacillus subtilis)	66	42	915
15	6	2273	2542	gi 46491	SmtB (Synecococcus RCC7942)	66	37	270
11	9	8059	7826	gi 292046	mucln (Homo sapiens)	66	44	234
31	10	9014	9258	gi 1204545	mercury scavenger protein (Haemophilus influenzae)	66	48	224
32	6	6347	5253	gi 1988342	inducible nitric oxide synthase (Gallus gallus)	66	47	1095
44	13	8856	10124	gi 1510751	molybdenum cofactor biosynthesis moaA protein (Methanococcus jannaschii)	66	46	1269
48	2	1276	2868	gi 150209	ORF 1 (Mycoplasma mycoides)	66	40	1593
58	8	7178	8428	gi 665999	hypothetical protein (Bacillus subtilis)	66	47	1251
62	7	5143	4370	gi 1072398	phd gene product (Rhizobium meliloti)	66	40	774
70	14	11693	10998	gi 809660	deoxyribose-phosphate aldolase (Bacillus subtilis) pir S49455 S49455 deoxyribose-phosphate aldolase (EC 4.1.2.4) - acillus subtilis	66	55	696
76	1	1	1305	gi 142440	ATP-dependent nuclease (Bacillus subtilis)	66	42	1305
91	6	9236	8205	gi 704397	cyathionine beta-lyase (Arabidopsis thaliana)	66	43	1032
102	5	3810	3265	gi 1204323	hypothetical protein (SP-P31805) (Haemophilus influenzae)	66	41	546

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	Length (nt)
103	4	3418	2732	gi 971344	nitrate reductase gamma subunit [Bacillus subtilis] sp P42177 NARI_BACSU NITRATE REDUCTASE GAMMA CHAIN (EC 1.7.99.4). gi 1009369 Respiratory nitrate reductase [Bacillus subtilis] (SUB-160)	66	48	687
109	6	4243	4674	gi 1170886	glucosamine-6-phosphate deaminase [Candida albicans] pir A46652 A46652 glucosamine-6-phosphate isomerase (EC 5.3.1.10) - east (Candida albicans)	66	45	432
112	17	17491	17712	gi 1323179	ORF YGR11W [Saccharomyces cerevisiae]	66	33	222
116	2	4667	2637	gi 1491813	gamma-glutamyltranspeptidase [Bacillus subtilis]	66	43	2011
150	5	3189	2989	gi 1146224	putative [Bacillus subtilis]	66	30	201
172	5	3264	3662	gi 755152	highly hydrophobic integral membrane protein [Bacillus subtilis] sp P42953 TAGC_BACSU TEICHOIC ACID TRANSLOCATION PERMEASE PROTEIN AGG.	66	41	399
174	5	4592	3723	gi 1146241	penicillinase synthetase [Bacillus subtilis]	66	49	870
175	4	3209	2880	gi 1642655	unknown [Rhizobium meliloti]	66	29	330
175	11	8743	7994	gi 854655	Na/H antiporter system [Bacillus alcalophilus]	66	43	750
190	5	7079	5727	gi 451072	di-tripeptide transporter [Lactococcus lactis]	66	40	1353
195	15	13919	13713	gi 1322411	unknown [Mycobacterium tuberculosis]	66	42	207
217	3	2822	2595	gi 1143542	alternative stop codon [Nectus norvegicus]	66	36	228
233	9	7133	6135	gi 1458327	P08F3_4 gene product [Caenorhabditis elegans]	66	47	999
238	1	43	1041	gi 809541	ClpA protein [Klebsiella chryseolentis]	66	42	999
241	1	2102	1053	gi 153067	peptidoglycan hydrolase [Staphylococcus aureus]	66	53	1050
261	1	1178	648	gi 1510859	M. jannaschii predicted coding region M0790 [Methanococcus jannaschii]	66	40	531
263	3	3731	2973	gi 1205865	tetrahydrodipicolinate N-succinyltransferase [Haemophilus influenzae]	66	47	759
272	8	6548	5484	gi 882101	high affinity nickel transporter [Alcaligenes eutrophus] sp P23516 NOXA_ALCEU HIGH-AFFINITY NICKEL TRANSPORT PROTEIN.	66	44	1065
276	3	2805	2104	gi 1208965	hypothetical 23.3 kd protein [Escherichia coli]	66	47	702
278	2	2830	1784	gi 1488662	phosphatase-associated protein [Bacillus subtilis]	66	48	1047
278	3	3830	2952	gi 303560	ORF271 [Escherichia coli]	66	45	879
279	2	3894	2218	gi 1185289	2-succinyl-6-hydroxy-2,4-cyclohexadiene-1- carboxylate synthase [Bacillus subtilis]	66	48	1677
288	4	2535	2275	gi 1256625	putative [Bacillus subtilis]	66	42	261
292	2	1133	942	gi 1511604	M. jannaschii predicted coding region M1651 [Methanococcus jannaschii]	66	30	192

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
294	1	1116	gi 216314	esterase [Bacillus stearothermophilus]	66	45	558
297	4	2913	gi 994794	cytochrome a assembly factor [Bacillus subtilis] sp P24009 COXK_BACSU PROBABLE CYTOCHROME C OXIDASE ASSEMBLY FACTOR.	66	45	936
316	4	2053	gi 1107839	alginate lyase [Pseudomonas aeruginosa]	66	40	630
338	4	2460	gi 520750	biotin synthetase [Bacillus sphaericus]	66	59	159
339	1	1214	gi 467468	7, 8-dihydro-6-hydroxymethylpterin-pyrophosphokinase [Bacillus subtilis]	66	52	480
363	1	3	gi 581649	epic gene product [Staphylococcus epidermidis]	66	47	861
366	2	232	gi 1103505	unknown [Schizosaccharomyces pombe]	66	53	252
367	4	2468	sp P20692 TYRA_	PREPHENATE DEHYDROGENASE (EC 1.3.1.12) (PDH)	66	50	624
372	3	2150	gi 467416	unknown [Bacillus subtilis]	66	38	552
378	1	212	gi 147309	purine nucleoside phosphorylase [Escherichia coli]	66	50	798
401	1	1	gi 388263	p-aminobenzoic acid synthase [Streptomyces griseus] p JN0531 JN0531 p-aminobenzoic acid synthase - Streptomyces riseus	66	46	462
404	7	4826	gi 606744	cytidine deaminase [Bacillus subtilis]	66	51	429
411	2	1738	gi 1460081	unknown [Mycobacterium tuberculosis]	66	44	636
420	1	2	gi 1046024	Na+ ATPase subunit J [Mycoplasma genitalium]	66	49	540
431	1	1	gi 1500008	M. jannaschii predicted coding region MJ1154 [Methanococcus jannaschii]	66	50	1058
443	7	5679	gi 852076	MrgA [Bacillus subtilis]	66	46	381
444	3	3405	gi 153047	lysostaphin (ttg start codon) [Staphylococcus simulans] p A25881 A25881 lysostaphin precursor - Staphylococcus simulans sp P10547 LSTP_STASI LYSOSTAPHIN PRECURSOR (EC 3.5.1.-)	66	51	993
561	1	956	gi 11204905	DNA-3-methyladenine glycosidase I [Haemophilus influenzae]	66	45	477
562	3	1066	gi 1046082	M. genitalium predicted coding region HQ372 [Mycoplasma genitalium]	66	52	318
576	1	11	gi 305014	ORF_0234 [Escherichia coli]	66	43	714
577	3	1190	gi 1001353	hypothetical protein [Synecocystis sp.]	66	52	288
584	1	2	sp P24204 YEBB_	HYPOTHETICAL 46.7 KD PROTEIN IN MSBB-RUVB INTERGENIC REGION (ORF1)	66	48	330
592	1	1410	gi 928839	ORF266; putative [Lactococcus lactis phage BK5-7]	66	51	705
601	1	1433	gi 1488695	novel antigen: orf-2 [Staphylococcus aureus]	66	55	714

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
619	3	468	845	gi 746573	similar to M. musculus transport system membrane protein, Nramp PIR.A40739 and S. cerevisiae SMP1 protein (PIR.A45154) Caenorhabditis elegans	66	45	378
706	2	561	355	gi 804808	unknown protein (Rattus norvegicus)	66	46	207
734	2	673	512	gi 1519085	phosphatidylcholine binding immunoglobulin heavy chain IgM variable region (Mus musculus)	66	60	162
740	1	3	317	gi 1209272	argininosuccinate-lyase (Campylobacter jejuni)	66	47	315
764	1	310	747	gi 435296	alkaline phosphatase like protein (Lactococcus lactis) pIR S9339 S9339 alkaline phosphatase-like protein - Lactococcus actis	66	42	438
852	1	338	171	gi 536955	CG Site No. 361 (Escherichia coli)	66	43	168
886	1	3	158	gi 289272	ferrichrome-binding protein (Bacillus subtilis)	66	44	156
889	1	462	232	gi 833061	HCWVUL77 (AA 1-642) (human cytomegalovirus)	66	66	231
893	1	2	247	gi 149008	putative (Helicobacter pylori)	66	45	246
900	1	1425	733	gi 580842	FP3 (Bacillus subtilis)	66	51	693
906	2	2300	1473	gi 790945	larv-alcohol dehydrogenase (Bacillus subtilis)	66	53	828
947	1	79	549	gi 410117	diiminopimelate decarboxylase (Bacillus subtilis)	66	47	471
950	1	1100	552	gi 48713	orf145 (Staphylococcus aureus)	66	35	549
955	2	89	475	gi 1204390	uridine kinase (uridine monophosphokinase) (Haemophilus influenzae)	66	50	387
981	2	1308	997	gi 457146	rhodopy protein (Plasmodium yoelii)	66	38	312
986	1	25	315	gi 305002	ORF_8356 (Escherichia coli)	66	31	291
1057	1	3	203	gi 1303853	YqgF (Bacillus subtilis)	66	40	201
1087	1	1	294	gi 575913	unknown (Saccharomyces cerevisiae)	66	53	294
1105	1	1	231	gi 1045799	methylgalactoside permease ATP-binding protein (Mycoplasma genitalium)	66	46	231
1128	1	2	574	gi 1001493	hypothetical protein (Synechocystis sp.)	66	46	573
1150	1	498	250	gi 1499034	M. jannaschii predicted coding region MJO255 (Methanococcus jannaschii)	66	40	249
1180	2	707	453	gi 215908	DNA polymerase (g43) (Bacteriophage T4)	66	46	255
1208	1	1123	587	gi 1256653	DNA-binding protein (Bacillus subtilis)	66	58	537
1342	1	1	402	gi 1208474	hypothetical protein (Synechocystis sp.)	66	53	402
1761	2	589	398	gi 215811	tail fiber protein (Bacteriophage T3)	66	50	192

TABLE 2

S aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
1983	1	499	251	gi 1045935	DNA helicase II (Mycoplasma genitalium)	66	40	249
2103	2	176	400	gi 929798	precursor for the major merozoite surface antigen (Plasmodium aliciparum)	66	46	225
2341	1	373	188	gi 1256623	exodeoxyribonuclease (Bacillus subtilis)	66	38	186
2458	1	335	164	gi 1019410	unknown (Schizosaccharomyces pombe)	66	47	162
2505	1	468	235	gi 1510394	putative transcriptional regulator (Methanococcus jannaschii)	66	39	234
2525	1	558	280	gi 1000695	cytotoxin L (Clostridium sordellii)	66	44	279
2935	1	3	275	gi 765073	autolysin (Staphylococcus aureus)	66	47	273
3005	1	114	305	gi 1205784	heterocyst maturation protein (Haemophilus influenzae)	66	46	192
3088	1	80	277	gi 1303813	Yqew (Bacillus subtilis)	66	42	198
3071	1	1	189	gi 1070014	protein-dependent (Bacillus subtilis)	66	41	189
3081	1	404	225	gi 984212	unknown (Schizosaccharomyces pombe)	66	44	180
3090	2	580	386	gi 1204987	DNA polymerase III, alpha chain (Haemophilus influenzae)	66	48	195
3318	1	1	387	gi 1009366	respiratory nitrate reductase (Bacillus subtilis)	66	49	387
3739	1	798	400	gi 1109684	Prox (Bacillus subtilis)	66	47	399
3796	1	402	202	gi 853760	acyl-CoA dehydrogenase (Bacillus subtilis)	66	60	201
1924	1	524	347	gi 563952	glucanase putumase (Bacillus licheniformis)	66	46	249
4240	1	3	350	gi 1151259	HMG-CoA reductase (EC 1.1.1.88) (Pseudomonas mevalonii) p1r A44756 A44756 hydroxymethylglutaryl-CoA reductase (EC 1.1.1.88) Pseudomonas sp.	66	51	348
4604	1	7	234	p1r A26713 BWHC	hemocyanin subunit II - Atlantic horseshoe crab	66	46	228
4	9	8845	9750	gi 145646	cynR (Escherichia coli)	65	35	906
6	5	2708	3565	gi 887824	ORF_0310 (Escherichia coli)	65	47	858
13	1	1993	998	gi 143402	recombination protein (tsg start codon) (Bacillus subtilis) gi 1303923 RecN (Bacillus subtilis)	65	44	996
15	7	2493	3524	gi 1403126	cscD gene product (Alcaligenes eutrophus)	65	38	1032
18	3	1908	1372	gi 149187	acyltransferase (Saccharomyces cerevisiae)	65	50	537
21	3	1467	2492	gi 149518	phosphoribosyl anthranilate transferase (Lactococcus lactis) p1r S35126 S35126 anthranilate phosphoribosyltransferase (EC 4.2.18) - Lactococcus lactis subsp. lactis	65	52	1026
25	4	3374	4312	gi 1502420	malonyl-CoA:Acyl carrier protein transacylase (Bacillus subtilis)	65	44	939

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
27	2	390	626	gi 1212729	yghJ (Bacillus subtilis)	65	45	237
31	12	11040	10387	gi 509245	D-hydroxyisocaproate dehydrogenase (Lactobacillus delbrueckii)	65	41	654
38	24	19172	19528	gi 547	M-protein (Plasmodium falciparum)	65	41	357
44	2	790	1746	gi 405882	yekK (Escherichia coli)	65	46	957
44	12	9356	8832	gi 1205905	molybdenum cofactor biosynthesis protein (Haemophilus influenzae)	65	50	525
45	8	6635	7588	gi 493074	ApbA protein (Salmonella typhimurium)	65	46	954
51	2	580	1503	gi 580897	OppB gene product (Bacillus subtilis)	65	45	924
52	1	225	953	gi 1205518	NAD(P)H-flavin oxidoreductase (Haemophilus influenzae)	65	45	729
55	4	1339	1058	gi 144459 A444	tropomyosin beta Tm-5 - rabbit	65	41	282
67	9	7421	8272	gi 143607	sporulation protein (Bacillus subtilis)	65	42	852
73	5	4446	5375	gi 1204896	lysophospholipase L2 (Haemophilus influenzae)	65	37	930
74	1	954	478	gi 1204844	H. influenzae predicted coding region HI0594 (Haemophilus influenzae)	65	50	477
77	1	2	757	gi 1046082	M. genitalium predicted coding region MG372 (Mycoplasma genitalium)	65	46	756
77	2	795	1433	gi 1222116	permease (Haemophilus influenzae)	65	37	639
81	3	4728	3454	gi 1001708	hypothetical protein (Synechocystis sp.)	65	49	1275
91	7	8548	8357	gi 1399263	cystathionine beta-lyase (Emerella nidulans)	65	40	192
98	3	1608	1988	gi 467423	unknown (Bacillus subtilis)	65	38	381
98	4	2250	2987	gi 467424	unknown (Bacillus subtilis)	65	45	738
102	3	2598	2119	gi 1511532	N-terminal acetyltransferase complex, subunit ARD1 (Methanococcus jannaschii)	65	39	460
102	4	3647	2862	gi 1204637	H. influenzae predicted coding region HI0388 (Haemophilus influenzae)	65	32	786
103	9	10851	9841	gi 142695	S-adenosyl-L-methionine:uroporphyrinogen III methyltransferase Bacillus megaterium	65	47	1011
103	10	10439	10119	gi 1710031	nitrite reductase (nirD) (Bacillus subtilis)	65	51	321
106	2	262	1140	gi 39881	ORF 311 (AA 1-311) (Bacillus subtilis)	65	44	879
109	5	3909	4268	gi 1204399	glucosamine-6-phosphate deaminase protein (Haemophilus influenzae)	65	44	360
109	10	7165	8595	gi 1536955	ICD Site No. 361 (Escherichia coli)	65	41	1431

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
110	4	3688	3915	gi 407881	stringent response-like protein (Streptococcus equisimilis) p1r[SJ9975]SJ9975 stringent response-like protein - Streptococcus equisimilis	65	45	228
110	5	3882	4295	gi 407880	ORF1 (Streptococcus equisimilis)	65	50	414
110	6	4231	4380	gi 1139574	Orf2 (Streptomyces griseus)	65	56	150
112	10	9218	8640	gi 1204571	H. influenzae predicted coding region H0318 (Haemophilus influenzae)	65	52	579
112	12	12049	11288	gi 710496	transcriptional activator protein (Bacillus brevis)	65	32	762
125	1	2	202	gi 1151158	repeat organellar protein (Plasmodium chebaudi)	65	39	201
126	1	3	422	gi 37589	precursor (Homo sapiens)	65	46	420
127	11	10711	12658	gi 11064809	homologous to sp:UTRA_EC01 (Bacillus subtilis)	65	41	1926
143	8	7543	7004	gi 216513	mutator mutF (AT-OC transversion) (Escherichia coli)	65	56	540
145	5	3587	3838	gi 1209768	D02_orf569 (Mycoplasma pneumoniae)	65	27	252
150	4	3482	2841	gi 1146225	putative (Bacillus subtilis)	65	37	642
166	1	3858	1948	g 1148304	beta-1,4-N-acetylmuramoylhydrolase (Enterococcus hirae) p1r[A42296]A42296 lysosome 2 (EC 3.2.1.-) precursor - Enterococcus faecalis (ATCC 9790)	65	50	1911
188	6	3195	4178	gi 151943	ORF3, putative (Rhodospirillum rubrum)	65	46	984
189	9	4982	4785	gi 58812	ORF IV (AA 1-489) (Fibronectin mosaic virus)	65	40	198
195	6	7900	5272	nt 145220	alanyl-tRNA synthetase (Escherichia coli)	65	49	2637
195	7	10599	8104	gi 182711	endonuclease V alpha-subunit (Escherichia coli)	65	38	2496
206	16	16896	18191	g 1408115	ornithine acetyltransferase (Bacillus subtilis)	65	53	1296
217	4	3844	3215	gi 1205974	5'-guanylate kinase (Haemophilus influenzae)	65	41	630
220	4	5265	3751	gi 580920	rodD (gtaA) polypeptide (AA 1-673) (Bacillus subtilis) p1r[S06048]S06048 probable coiled protein - Bacillus subtilis sp P13084 TAGP_BACSU PROBABLE POLY(GLYCEROL-PHOSPHATE) LPHI-GLUCOSYLTRANSFERASE (EC 2.4.1.52) (TECHIOIC ACID BIOSYNTHESIS ROUTINE E)	65	40	1515
236	5	2327	3709	gi 1146200	DNA or RNA helicase, DNA-dependent ATPase (Bacillus subtilis)	65	46	1381
237	3	1902	2513	gi 149379	Hlaad (Lactococcus lactis)	65	46	612
241	4	4968	4195	gi 1205308	ribonuclease III (EC 3.1.264) (RNAse H11) (Haemophilus influenzae)	65	50	774
252	1	1278	940	gi 1204989	hypothetical protein (GB-U00022_9) (Haemophilus influenzae)	65	40	339
261	5	4780	3794	gi 145927	flecD (Escherichia coli)	65	43	987

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
274	1	3	278	gi1496538	orfX (Bacillus subtilis)	65	42	276
301	2	982	815	gi1167418	unknown (Bacillus subtilis)	65	45	168
307	4	3586	2864	gi11070014	protein-dependent (Bacillus subtilis)	65	40	723
335	2	2286	1399	gi1146913	N-acetylglucosamine transport protein (Escherichia coli) p1r 829895 WQEC2N phosphotransferase system enzyme II (EC 7.1.69), N-acetylglucosamine-specific - Escherichia coli sp P09323 PTAA_ECOLI PTS SYSTEM, N-ACETYLGLUCOSAMINE-SPECIFIC IIABC ORPHANT (ETIA)	65	50	888
338	5	4120	3170	gi11277029	biotin synthase (Bacillus subtilis)	65	49	951
343	3	1490	2800	gi1143264	membrane-associated protein (Bacillus subtilis)	65	48	1311
344	4	2761	2531	gi11050340	tRNA-glutamine synthetase (Lupinus luteus)	65	34	231
358	3	3421	3621	gi11146220	NAD-dependent glycerol-3-phosphate dehydrogenase (Bacillus subtilis)	65	47	201
364	1	238	699	gi11340128	ORF1 (Staphylococcus aureus)	65	51	462
379	1	1	576	gi1143331	alkaline phosphatase regulatory protein (Bacillus subtilis) p1r A37650 A37650 regulatory protein phor - Bacillus subtilis sp P23545 PHOR_BACSU ALKALINE PHOSPHATASE SYNTHESIS SENSOR PROTEIN HOR (EC 2.7.3.-)	65	40	576
379	3	3666	4346	gi1143268	dihydropyrimidine transuccinylase (odhB; EC 2.3.1.61) (Bacillus subtilis)	65	50	681
428	1	187	483	gi11420465	ORF YOR195w (Saccharomyces cerevisiae)	65	45	297
438	2	272	838	gi1143498	dugS protein (Bacillus subtilis)	65	38	567
444	11	9280	10215	gi11204756	ribokinase (Haemophilus influenzae)	65	47	936
449	2	1241	1531	gi1599848	Hla/H antiporter homolog (Lactococcus lactis)	65	41	291
478	2	1452	865	gi11045942	glycyl-tRNA synthetase (Mycoplasma genitalium)	65	39	588
479	1	1032	517	gi11498192	putative (Pseudomonas aeruginosa)	65	40	516
480	6	4312	5637	gi11415662	UDP-N-acetylglucosamine 1-carboxyvinyl transferase (Acinetobacter baumannii)	65	48	1326
484	1	2	430	gi1146551	transmembrane protein (kdpD) (Escherichia coli)	65	44	429
499	1	54	932	gi1603456	reductase (Leishmania major)	65	53	879
505	1	914	459	gi11518853	ORF1 (Salmonella typhimurium)	65	39	456
571	2	1509	883	gi1149399	open reading frame upstream glnE (Escherichia coli) ir S37754 S37754 (hypothetical protein XE (glnE 5' region) - Escherichia coli)	65	44	627
611	2	506	270	gi110961	RAP-2 (Plasmodium falciparum)	65	40	237

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
705	1	564	283	gi 710020	nitrite reductase (nirB) [Bacillus subtilis]	65	52	282
712	1	1	177	gi 289272	ferrichrome-binding protein [Bacillus subtilis]	65	37	177
712	2	196	354	gi 289272	ferrichrome-binding protein [Bacillus subtilis]	65	37	159
743	1	2	631	gi 1310631	ATP binding protein [Streptococcus gordonii]	65	45	630
749	2	393	779	gi 167374	single strand DNA binding protein [Bacillus subtilis]	65	29	387
762	1	1698	850	gi 160399	multidrug resistance protein [Pseudomonas fluorescens]	65	48	849
788	1	85	315	gi 1129096	unknown protein [Bacillus sp.]	65	35	231
850	1	1	408	gi 1006604	hypothetical protein [Synecococcus sp.]	65	37	408
908	1	1	444	gi 1199546	2362 [Saccharomyces cerevisiae]	65	46	444
925	1	1	174	gi 1256653	DNA-binding protein [Bacillus subtilis]	65	54	174
1031	1	36	212	gi 238657	AppCycochrome d oxidase, subunit I homolog [Escherichia coli, K12, peptide, 514 aa]	65	47	207
1037	1	414	262	gi 1491813	gamma-glutamyltranspeptidase [Bacillus subtilis]	65	46	153
1053	1	348	175	gi 642655	unknown [Rhizobium meliloti]	65	34	174
1149	1	1399	752	gi 1162980	ribulose-5-phosphate 3-epimerase [Spinacia oleracea]	65	48	688
1214	1	881	495	gi 1205959	lactam utilization protein [Haemophilus influenzae]	65	45	387
1276	1	476	276	pir S35493 S354	site-specific DNA-methyltransferase Stp1 (EC 2.1.1.-) - Staphylococcus sanguis	65	35	201
1276	2	900	577	gi 473794	ORF [Escherichia coli]	65	34	324
2057	1	272	138	gi 1633699	TrsH [Versinia enterocolitica]	65	21	135
2521	1	336	169	gi 1045789	hypothetical protein (CB:U14003.76) [Mycoplasma genitalium]	65	41	168
2974	1	590	297	gi 1152052	enantiomerase-selective amidase [Rhodococcus sp.]	65	45	294
3031	1	306	154	gi 101024 JQ10	hypothetical JNK protein (DmRP40 5' region) - fruit fly (Drosophila melanogaster)	65	45	153
3069	1	3	278	gi 144906	product homologous to E.coli thioredoxin reductase; J.Biol.Chem. 1988) 263:9015-9019, and to F52a protein of alkyl hydroperoxide oxidase from S. typhimurium; J.Biol.Chem. (1990) 265:10535-10540; pen reading frame A [Clostridium pasteurianum]	65	46	276
3146	1	282	142	gi 149315	ORF1 gene product [Bacillus subtilis]	65	47	141
3170	1	679	341	gi 11507711	indolepyruvate decarboxylase [Erwinia herbicola]	65	44	339

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
3546	1	1	303	gi 450688	hdm gene of Ecoprr1 gene product [Escherichia coli] p1r S38437 S38437 hdm protein - Escherichia coli p1r S09629 S09629 hypothetical protein A - Escherichia coli (SUB 40-520)	65	42	303
3782	1	2	328	gi 166412	NADH-glutamate synthase (Medicago sativa)	65	42	327
3990	1	374	189	gi 1009366	Respiratory nitrate reductase [Bacillus subtilis]	65	53	186
4032	1	613	308	gi 1323127	ORP YGR087c [Saccharomyces cerevisiae]	65	50	306
4278	2	726	364	gi 1197667	vitellogenin [Anolis pulchellus]	65	42	363
19	4	4259	5518	gi 145727	dead [Escherichia coli]	64	45	1260
19	6	7639	6926	gi 1016232	ycf27 gene product [Cyanophora paradoxa]	64	36	714
20	8	7053	6454	gi 765073	autolysin [Staphylococcus aureus]	64	47	600
31	13	112706	11537	gi 414009	lpa-8sd gene product [Bacillus subtilis]	64	45	1170
33	4	2388	4364	gi 1204696	fructose-permease IBC component [Haemophilus influenzae]	64	47	1977
36	3	1871	3013	gi 290503	glutamate permease [Escherichia coli]	64	40	1143
37	6	4065	4409	gi 39815	orf 2 gene product [Bacillus subtilis]	64	46	345
45	9	7852	8760	gi 1230585	nucleotide sugar epimerase [Vibrio cholerae O139]	64	53	909
53	3	1540	1899	gi 1303961	Yqj3 [Bacillus subtilis]	64	50	360
56	6	4793	3855	gi 457514	glcC [Bacillus subtilis]	64	45	939
56	24	30002	30247	gi 470331	similar to zinc fingers [Caenorhabditis elegans]	64	42	246
62	4	2759	2421	gi 642655	unknown [Rhizobium meliloti]	64	28	339
85	6	7178	6027	gi 457702	S-aminimidazole ribonucleotide-carboxylase [Pichia methanolica] p1r S39112 S39112 phosphoribosylaminimidazole carboxylase (EC 1.1.21) - yeast [Pichia methanolica]	64	46	1152
96	9	9251	10030	gi 1511513	ABC transporter, probable ATP-binding subunit [Methanococcus jannaschii]	64	42	780
100	1	1	600	gi 765073	autolysin [Staphylococcus aureus]	64	44	600
106	5	3868	4854	gi 466778	lysine specific permease [Escherichia coli]	64	46	987
123	2	818	554	gi 467484	unknown [Bacillus subtilis]	64	47	285
127	8	7514	7810	gi 210061	aerotype-specific antigen [African horse sickness virus] p1r S27891 S27891 capsid protein VP2 - African horse sickness virus	64	28	297
131	7	7134	6721	gi 1511160	M. jannaschii predicted coding region NJ1163 [Methanococcus jannaschii]	64	46	414

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
142	5	5405	4817	gi 1173517	riboflavin synthase alpha subunit [Actinobacillus pleuropneumoniae]	64	44	639
143	1	709	356	pir A32950 A329	probable reductase protein - Leishmania major	64	52	354
149	10	3555	3295	gi 398151	major surface antigen MSG2 (pneumocystis carinii)	64	44	261
154	4	3134	2307	gi 984587	DlnP [Escherichia coli]	64	50	828
161	5	3855	4880	gi 903304	ORF72 [Bacillus subtilis]	64	37	1026
165	1	33	791	gi 467483	unknown [Bacillus subtilis]	64	38	759
175	6	6355	474	gi 1072398	phd gene product [Rhizobium meliloti]	64	42	1512
188	3	2042	2500	gi 1001961	MHC class II analog [Staphylococcus aureus]	64	45	459
195	14	13667	13446	gi 396380	No definition line found [Escherichia coli]	64	47	222
206	15	16429	16938	gi 304134	argC [Bacillus stearothermophilus]	64	49	510
215	1	560	282	gi 142359	ORF 6 [Azotobacter vinelandii]	64	39	279
243	7	7818	6928	gi 414014	ipa-90d gene product [Bacillus subtilis]	64	49	891
258	2	1330	845	gi 664754	P17 [Listeria monocytogenes]	64	38	486
259	1	462	232	gi 1499663	M. jennaschii predicted coding region M0837 [Methanococcus jennaschii]	64	52	231
263	6	6565	5567	gi 142828	aspartate semialdehyde dehydrogenase [Bacillus subtilis] ap Q04797 BIAS_BACSU ASPARTATE-SEMIALDEHYDE DEHYDROGENASE (EC 2.1.11) (ASA DEHYDROGENASE)	64	48	999
271	1	3	1163	gi 467091	hflX; B2235_C2_202 [Mycobacterium leprae]	64	44	1161
280	1	173	1450	gi 1303839	YqfR [Bacillus subtilis]	64	43	1278
293	1	2532	1267	gi 147345	primosomal protein n' [Escherichia coli]	64	45	1266
295	2	742	1488	gi 459266	Potential membrane spanning protein [Staphylococcus hominis] plx S42932 S42932 potential membrane spanning protein - taphylococcus hominis	64	39	747
301	5	1625	1446	gi 580835	lysine decarboxylase [Bacillus subtilis]	64	35	140
315	4	5064	3949	gi 143396	quinol oxidase [Bacillus subtilis]	64	45	1116
321	1	1264	635	gi 710496	transcriptional activator protein [Bacillus brevis]	64	41	630
333	5	4520	4239	gi 1314295	ORF2; putative 19 kDa protein [Listeria monocytogenes]	64	43	282
342	1	1	549	gi 142940	lfeA [Bacillus subtilis]	64	38	549
353	3	2878	2324	gi 537049	ORF_0470 [Escherichia coli]	64	44	555

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
379	2	827	3658	p 1525295 A328	oxoglutarate dehydrogenase (lipoamide) (EC 1.2.4.2) - Bacillus subtilis	64	47	2832
404	6	4429	4839	p 136933 A369	diacylglycerol kinase homolog - Streptococcus mutans	64	35	411
407	1	2020	1133	g 1969026	orfX Bacillus subtilis	64	41	888
425	1	1109	591	g 1146177	phosphotransferase system glucose-specific enzyme II (Bacillus subtilis)	64	44	519
443	6	4082	4798	g 1147309	purine nucleoside-phosphorylase [Escherichia coli]	64	51	717
450	2	1035	1604	g 106376	ORF_0162 [Escherichia coli]	64	38	570
470	5	1680	6107	g 11369948	host interacting protein (Bacteriophage B1)	64	45	4428
486	4	1911	1471	g 11205582	isoprenaline/putrescine transport system permease protein (Haemophilus influenzae)	64	35	441
497	1	2217	1159	sp P36929 FNU_E	FNU PROTEIN	64	38	1059
501	1	3	410	g 1142450	ahcC protein (Bacillus subtilis)	64	38	408
514	1	3	290	g 11204496	H. influenzae predicted coding region H10238 (Haemophilus influenzae)	64	34	288
551	4	3162	3323	g 11204511	bacterioferritin comigratory protein (Haemophilus influenzae)	64	41	162
603	4	759	956	g 1755823	HADH dehydrogenase F (Streptococcus americana)	64	35	198
653	2	940	746	g 11213234	dicarboxylic amino acids Dip5p permease (Saccharomyces cerevisiae)	64	41	195
660	3	3401	2257	sp P46133 VDHIL	HYPOTHEICAL PROTEIN IN OCT 5' REGION (FRAGMENT)	64	39	1545
695	1	11	502	g 11001383	hypothetical protein (Synechocystis sp.)	64	41	492
702	1	3	752	g 1142865	DNA primase (Bacillus subtilis)	64	46	750
826	1	1	339	g 1971336	arginyl tRNA synthetase (Bacillus subtilis)	64	50	339
838	1	1831	917	g 11354775	pfos/R (Treponema pallidum)	64	41	915
864	3	675	944	g 139833	cyclonaltodextrin glucanotransferase (Bacillus stearothermophilus) 1 39835	64	47	270
887	1	3	677	g 1153002	enterotoxin type E precursor (Staphylococcus aureus) pir A28179 A28179	64	46	675
928	2	1172	963	g 1111976	fibrinogen-binding protein (Staphylococcus aureus) pir S34270 S34270	64	41	210
1049	2	800	606	g 11049115	Pap60 (Bacillus subtilis)	64	42	195
1067	2	999	748	g 11151072	hhaA precursor (Haemophilus ducreyi)	64	50	252

TABLE 2

S aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
1120	1	50	202	gi1142439	ATP-dependent nuclease [Bacillus subtilis]	64	30	153
1125	1	751	377	gi1581648	lepA gene product [Staphylococcus epidermidis]	64	44	375
1688	1	402	214	pir A01365 TVMS	transforming protein K-ras - mouse	64	47	189
2472	1	2	358	gi1487282	Na ⁺ -ATPase subunit J [Enterococcus hirae]	64	36	357
2889	1	520	356	gi1304134	argC [Bacillus stearothermophilus]	64	50	165
3013	1	630	352	gi1551699	cytochrome oxidase subunit I [Bacillus firmus]	64	51	279
3034	1	546	274	gi11204349	hypothetical protein (CB:CB:090212_3) [Haemophilus influenzae]	64	50	273
3197	1	613	308	gi11009366	Respiratory nitrate reductase [Bacillus subtilis]	64	46	306
3303	1	90	362	gi1107839	arginate lyase [Pseudomonas aeruginosa]	64	43	273
3852	2	82	288	gi1216746	D-lactate dehydrogenase [Lactobacillus plantarum]	64	42	207
3868	1	1	312	gi1149435	putative [Lactococcus lactis]	64	48	312
3918	1	660	331	gi15532	acetyl-CoA acyltransferase [Yarrowia lipolytica]	64	46	330
4000	1	112	378	gi1944688	unknown [Saccharomyces cerevisiae]	64	44	267
4009	1	81	368	gi134372	greB gene product [Bacillus brevis]	64	41	288
4166	1	2	349	gi1149435	putative [Lactococcus lactis]	64	46	348
4366	1	2	307	gi1216267	ORF2 [Bacillus megaterium]	64	44	306
4457	1	2	400	gi1197667	vitellogenin [Anolis pulchellus]	64	43	399
11	3	1539	2438	gi1438228	ORF C [Staphylococcus aureus]	63	32	900
24	7	5611	5423	gi11369943	al gene product [Bacteriophage B1]	63	34	189
29	1	1	390	gi1467441	expressed at the end of exponential growth under conditions in which the enzymes of the TCA cycle are repressed [Bacillus subtilis] gi1467441	63	43	390
					expressed at the end of exponential growth under conditions in which the enzymes of the TCA cycle are repressed Bacil			
31	6	6329	5712	gi1496943	ORF [Saccharomyces cerevisiae]	63	47	618
44	123	14669	15019	pir A04446 QDEC	hypothetical protein P-92 - Escherichia coli	63	36	351
48	6	4403	6250	gi143498	pyruvate synthase [Halobacterium halobium]	63	42	1848
50	5	3869	4738	gi1413967	ipa-43d gene product [Bacillus subtilis]	63	43	870
53	6	6764	5742	gi1474176	regulator protein [Staphylococcus xylosum]	63	49	1023

TABLE 2

2. aureus - putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	Ident	Length (nt)
56	14	15880	17607	gi 467409	DNA polymerase III subunit [Bacillus subtilis]	63	44	1728
57	11	7945	7376	gi 37036	ORF0158 [Escherichia coli]	63	39	570
62	3	2479	2114	gi 42656	unknown [Rhizobium meliloti]	63	41	366
70	8	6562	7353	gi 1399821	PhoC [Rhizobium meliloti]	63	46	792
75	2	223	927	gi 149376	HsdR [Lactococcus lactis]	63	45	705
78	5	4912	4403	gi 413950	Ipa-26d gene product [Bacillus subtilis]	63	42	510
91	5	9076	7220	gi 466997	metH2; B2126-Cl-157 [Mycobacterium leprae]	63	41	1857
91	8	10566	9448	gi 1204344	cystathionine gamma-synthase [Haemophilus influenzae]	63	45	1119
120	1	21	1508	gi 882657	aulfite reductase (NADPH) flavoprotein beta subunit [Escherichia coli]	63	46	1488
120	4	2722	4125	gi 665994	hypothetical protein [Bacillus subtilis]	63	34	1404
127	7	6064	7566	gi 40162	murE gene product [Bacillus subtilis]	63	44	1503
149	6	2321	2106	gi 148503	dnaK [Erysipelothrix rhusiopathiae]	63	40	216
149	26	10445	10170	gi 4870	ORF2, has similarity to DNA polymerase (Saccharomyces kluyveri) r[S1596];S1596 hypothetical protein 2 - yeast (Saccharomyces uveri) plasmid pSKL	63	42	276
164	2	507	1298	gi 145476	CDP-diglyceride synthetase [Escherichia coli]	63	44	792
166	6	11009	8164	gi 151932	fructose enzyme II [Rhodospirillum rubrum]	63	41	1746
169	4	1704	1886	gi 152886	elongation factor Ts (tsf) [Spiroplasma citri]	63	48	183
188	5	3145	2951	gi 1334547	GLY COI 114 grp 1B protein [Podospora anserina]	63	42	195
195	13	11767	12804	gi 606100	ORF0335 [Escherichia coli]	63	40	1038
201	2	607	2283	gi 433534	arginyl-tRNA synthetase [Corynebacterium glutamicum] pir/A49936/A49936	63	46	1677
206	14	15893	16489	gi 580828	arginine-tRNA ligase (EC 6.1.1.19) - oryzae glutamicum	63	49	597
220	5	7769	5766	gi 216334	N-acetyl-glutamate-gamma-semialdehyde dehydrogenase [Bacillus subtilis]	63	42	2004
221	1	74	907	gi 677945	secA protein [Bacillus subtilis]	63	42	834
227	3	944	1708	gi 1510558	cytochrome acid synthase [Methanococcus jannaschii]	63	46	765
261	2	804	1070	gi 486511	ORF YNR054c [Saccharomyces cerevisiae]	63	45	267
269	2	1606	1960	gi 148221	DNA-dependent ATPase, DNA helicase (Escherichia coli) pir/J50137/BVECRQ	63	42	1647

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
278	1	7417	6176	gi 1099273	cystathionine gamma-synthase [Mycobacterium leprae] sp P46807 METB_MYCUE CYSTATHIONINE GAMMA-SYNTHASE (EC 4.2.99.9) O-SUCCINYLMOMOSERINE (THIOL)-LYASE	63	41	1242
287	2	738	1733	gi 405133	putative [Bacillus subtilis]	63	38	996
295	1	2	748	gi 1239983	hypothetical protein [Bacillus subtilis]	63	41	747
328	3	2148	3134	gi 45302	carrier protein (AA 1 - 437) (Pseudomonas aeruginosa) tr S11497 S11497 branched-chain amino acid tr: sport protein brab - eudomonas aeruginosa	63	36	987
362	2	1226	1216	sp P35136 SERA_	D-3-PHOSPHOGLYCERATE DEHYDROGENASE (EC 1.1.1.95) (PCDH)	63	38	411
404	1	326	1051	gi 1303816	Yqe2 [Bacillus subtilis]	63	35	726
405	3	2101	1715	gi 1303914	YqhV [Bacillus subtilis]	63	42	387
406	1	451	227	gi 142152	sulfate permease (Gtg start codon) [Synecococcus PCC6301] pir A30301 CRVCS7 sulfate transport protein - Synecococcus sp. PCC 7942	63	43	225
415	2	1048	2718	gi 1205402	transport ATP-binding protein [Haemophilus influenzae]	63	41	1671
426	4	3575	2679	gi 393268	29-kilodalton protein [Streptococcus pneumoniae] sp P42362 P29K_STRPN 19 KD MEMBRANE PROTEIN IN PSAA 5'-REGION ORF1	63	39	897
505	3	1347	2195	gi 1418999	orf4 [Lactobacillus sake]	63	40	849
507	1	2	574	gi 546917	comK [Bacillus subtilis, E26, Peptide, 192 aa]	63	35	573
562	2	146	1084	gi 43985	nifs-like gene [Lactobacillus delbrueckii]	63	45	919
675	1	427	215	gi 1510994	serine aminotransferase [Methanococcus jannaschii]	63	29	213
686	1	3	230	gi 517356	nitrate reductase (NADH) [Lotus japonicus]	63	52	228
701	1	3	392	gi 881940	NorQ protein [Paracoccus denitrificans]	63	41	390
720	1	2	400	gi 47168	open reading frame [Streptomyces lividans]	63	35	399
779	1	571	287	gi 1261932	unknown [Mycobacterium tuberculosis]	63	41	285
907	1	22	321	gi 149445	ORF1 [Lactococcus lactis]	63	27	300
972	1	794	399	gi 1511235	M. jannaschii predicted coding region MJ232 [Methanococcus jannaschii]	63	27	396
1085	1	1154	618	gi 1204277	hypothetical protein (CB:U00019_14) [Haemophilus influenzae]	63	38	537
1094	1	3	542	gi 790943	urea amidolyase [Bacillus subtilis]	63	39	540
1108	1	3	482	pir 549892 S498	regulation protein - Bacillus subtilis	63	44	480
1113	1	1231	617	gi 493017	endocarditis specific antigen [Enterococcus faecalis]	63	45	615

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
1300	1	3	695	[sp P33940 YQJH_	HYPOTHETICAL 54.3 KD PROTEIN IN ECO-ALKB INTERGENIC REGION.	63	46	693
1325	1	1	204	[gi 1928989	pl00 protein [Borrelia burgdorferi]	63	30	204
1814	1	3	245	[gi 1303914	YqH [Bacillus subtilis]	63	34	243
2021	1	498	250	[pir C33496 C334	hisc homolog - Bacillus subtilis	63	46	249
2325	1	2	193	[gi 436132	product is similar to TnpA of transposon Tn554 from Staphylococcus aureus [Clostridium butyricum]	63	40	192
2335	1	1	195	[gi 1184298	flagellar H5-ring protein [Borrelia burgdorferi]	63	47	195
2406	1	451	227	[gi 1041785	rhoptzy protein [Plasmodium yoelii]	63	33	225
2961	2	136	360	[gi 312443	carbamoyl-phosphate synthase (glutamine-hydrolysing) [Bacillus aldolyticus]	63	52	225
2965	1	1	402	[gi 1407784	orf-1; novel antigen [Staphylococcus aureus]	63	50	402
2987	1	583	293	[gi 1224069	amidase [Moraxella catarrhalis]	63	35	291
2994	1	266	135	[gi 836646	phosphoribosylformimino-praic ketoisomerase [Rhodobacter phaeoideus]	63	51	132
3041	1	430	252	[gi 1480237	phenylacetaldehyde dehydrogenase [Escherichia coli]	63	40	189
3078	1	609	400	[gi 1487982	intrinsic membrane protein [Mycoplasma hominis]	63	36	210
3139	1	2	217	[gi 439126	glutamate synthase (NADPH) [Azospirillum brasilense] pir A49916 A49916 glutamate synthase (NADPH) (EC 1.4.1.13) - tospirillum brasiliense	63	47	216
3625	1	793	198	[gi 673073	OHU160; putative [Bacteriophage M1-II]	63	48	196
3658	1	1	399	[gi 1303697	YrkA [Bacillus subtilis]	63	37	399
3659	1	3	395	[gi 1256135	YbbF [Bacillus subtilis]	63	48	393
3783	1	720	361	[gi 1256902	pyruvate decarboxylase isozyme 2 (Swiss Prot. accession number P16467) [Saccharomyces cerevisiae]	63	34	360
3900	1	338	171	[sp P10537 AHVB_	BETA-AMYLASE (EC 3.2.1.2) (1,4-ALPHA-D-GLUCAN MALTOHYDROLASE).	63	54	168
4309	1	3	176	[pir A37967 A379	neural cell adhesion molecule Ng-CAM precursor - chicken	63	57	174
4367	1	1	195	[gi 1121932	Perp gene product [Pichia pastoris]	63	30	195
4432	1	1	312	[gi 11259	HMG-CoA reductase (EC 1.1.1.88) [Pseudomonas mevalonil] pir A44756 A44756 hydroxymethylglutaryl-CoA reductase (EC 1.1.1.88) Pseudomonas sp.	63	51	312
4468	1	6	308	[gi 296464	ATPase [Lactococcus lactis]	63	36	303
33	3	1411	2400	[gi 1153675	tagatose 6-P kinase [Streptococcus mutans]	62	44	990
36	9	5985	6218	[gi 1490521	HMS4 [Homo sapiens]	62	51	234

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	Length (nt)
37	1	2	721	gi 1107531	leuE gene product (Campylobacter coli)	62	33	720
38	15	10912	11589	gi 1222058	H. influenzae predicted coding region HIN1279 (Haemophilus influenzae)	62	38	678
38	25	119526	120329	gi 495280	ORF2 (Alcaligenes eutrophus)	62	41	804
57	2	2523	1780	gi 171234	orf1 (Haemophilus influenzae)	62	55	744
57	9	6646	6350	gi 508174	ETIB domain of PTS-dependent Gat transport and phosphorylation Escherichia coli	62	35	297
58	1	2	559	gi 755152	highly hydrophobic integral membrane protein (Bacillus subtilis) sp P42953 TAGG_BACSU TEICHOIC ACID TRANSLOCATION PERMEASE PROTEIN AGG.	62	34	558
67	10	4250	9014	gi 470683	Shows similarity with ATP-binding proteins from other ABC-transport perons, Swiss Prot Accession Numbers P24137, P08007, P04285, P24136 Escherichia coli	62	34	765
69	8	8315	7494	gi 46816	actVA 4 gene product (Streptomyces coelicolor)	62	44	822
80	3	1793	1320	gi 39993	UDP-N-acetylmuramylalanine--D-glutamate ligase (Bacillus subtilis)	62	43	474
87	7	7034	9205	gi 217191	5'-nucleotidase precursor (Vibrio parahaemolyticus)	62	48	2172
100	3	4051	3089	gi 1511047	phosphoglycerate dehydrogenase (Methanococcus jannaschii)	62	42	963
102	1	2	520	gi 153655	mismatch repair protein (Streptococcus pneumoniae) pir[C28667]C28667 DRA mismatch repair protein hexa - Streptococcus pneumoniae	62	34	519
112	2	466	1068	gi 153741	ATP-binding protein (Streptococcus mutans)	62	37	601
114	7	6855	7562	gi 1204866	fu-fucose operon activator (Haemophilus influenzae)	62	38	708
116	4	6823	5633	gi 677947	AppC (Bacillus subtilis)	62	37	1191
124	8	6855	6004	gi 853777	product similar to E.coli PPA2 protein (Bacillus subtilis) pir S55438 S55438 ynfK protein - Bacillus subtilis sp P45873 HBMK_BACSU POSSIBLE PROTOPHYRINOGEN OXIDASE (EC 3.3.-)	62	44	852
148	1	24	554	gi 467456	unknown (Bacillus subtilis)	62	30	531
149	20	7591	6725	gi 1205807	replicative DNA helicase (Haemophilus influenzae)	62	41	867
163	3	1503	1153	gi 40067	ix gene product (Bacillus sphaericus)	62	42	331
164	15	114673	15632	gi 42219	p35 gene product (AA 1 - 314) (Escherichia coli)	62	38	960
165	2	1166	1447	gi 403936	phenylalanyl-tRNA synthetase alpha subunit (Gly294 variant) unidentified cloning vector	62	38	282
166	2	2084	5089	gi 308861	GTC start codon (Lactococcus lactis)	62	44	3006
171	1	1225	614	gi 1048053	hypothetical protein (sp:P12049) (Mycoplasma genitalium)	62	41	612

TABLE 2

S. aureus - putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
183	1	2521	1310	gi 142045	hemY [Bacillus subtilis]	62	45	1212
200	1	3	956	gi 142439	ATP-dependent nuclease [Bacillus subtilis]	62	32	954
237	2	935	1966	gi 41695	hisC protein [Escherichia coli]	62	44	1032
261	3	4008	2605	gi 143121	ORF A, putative [Bacillus firmus]	62	42	1404
299	8	4477	4719	gi 467441	expressed at the end of exponential growth under conditions in which the enzymes of the TCA cycle are repressed [Bacillus subtilis] gi 467441 expressed at the end of exponential growth under conditions in which the enzymes of the TCA cycle are repressed Bacil	62	47	243
304	6	5018	3819	gi 153015	femA protein [Staphylococcus aureus]	62	43	1200
324	1	2	262	gi 142717	cytochrome aa3 controlling protein [Bacillus subtilis] pir A33960 A33960 cta protein - Bacillus subtilis sp P12946 CTAA_BACSU CYTOCHROME AA3 CONTROLLING PROTEIN.	62	33	261
325	2	269	1207	gi 581088	methionyl-tRNA formyltransferase [Escherichia coli]	62	39	939
332	6	4894	4631	gi 1499960	uridine 5'-monophosphate synthase [Methanococcus jannaschii]	62	36	264
355	1	2	370	gi 145925	fecD [Escherichia coli]	62	32	369
365	8	6628	6804	gi 413943	lipa-19d gene product [Bacillus subtilis]	62	54	177
369	2	2744	1626	pir A43577 A435	regulatory protein pfor - Clostridium perfringens	62	42	1119
370	1	34	264	gi 40665	beta-glucosidase [Clostridium thermocellum]	62	37	231
415	3	2709	3176	gi 1203401	transport ATP-binding protein [Haemophilus influenzae]	62	35	468
429	1	1578	790	gi 1046024	Na+ ATPase subunit J [Mycoplasma genitalium]	62	40	789
444	2	704	1369	gi 581510	modulation gene; integral membrane protein; homology to Rhizobium eguminosarum nodi [Rhizobium loti]	62	37	666
477	2	751	1869	pir A18440 A484	ring-infected erythrocyte surface antigen 2, RESA-2 - Plasmodium falciparum	62	44	1119
485	1	241	1707	gi 17934	betaine aldehyde dehydrogenase [Beta vulgaris]	62	43	1467
487	3	1141	1311	gi 149445	ORF1 [Lactococcus lactis]	62	31	171
494	2	1134	1313	gi 166835	ribulose biphosphate carboxylase/oxygenase activase [Arabidopsis thaliana]	62	37	180
518	1	193	882	gi 153491	O-methyltransferase [Streptomyces glaucescens]	62	39	690
534	2	369	2522	gi 1480429	putative transcriptional regulator [Bacillus stearothermophilus]	62	35	2154
551	6	4371	4820	gi 111113	feric uptake regulation protein [Campylobacter jejuni]	62	37	450
574	1	1	570	gi 153000	enterotoxin B [Staphylococcus aureus]	62	43	570

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% idene	length (nt)
590	2	344	1171	[gi140367]	[ORF1] Clostridium acetobutylicum	62	37	828
655	1	396	830	[gi147195]	[phb protein] Escherichia coli	62	44	435
656	1	2	478	[gi1205451]	[cell division inhibitor] Haemophilus influenzae	62	36	477
676	1	692	348	[gi1511613]	[methyl coenzyme M reductase system, component A2] Methanococcus jannaschii	62	36	345
687	1	493	248	[gi149272]	[Asparaginase] Bacillus licheniformis	62	48	246
700	2	267	944	[gi1205822]	[hypothetical protein (GB:X75627_4)] Haemophilus influenzae	62	40	678
840	2	1715	1041	[gi1045865]	[M. genitalium predicted coding region MGI81] Mycoplasma genitalium	62	36	675
864	4	898	1491	[gi11144332]	[deoxyuridine nucleotidohydrolase] Homo sapiens	62	38	594
916	1	35	400	[gi1413931]	[lipa-7d gene product] Bacillus subtilis	62	45	366
1071	1	1	771	[gi1510649]	[aspartokinase I] Methanococcus jannaschii	62	40	771
1084	1	19	609	[gi1488011]	[Agx-1 antigen] human, infertile patient, testis, Peptide, 505 aa	62	39	591
1103	1	3	203	[gi1581261]	[ORF homologous to E. coli metB] Herpetosiphon aurantiacus p1r[S14030]S14030	62	51	201
1217	1	463	233	[gi1460025]	[ORF2, putative] Streptococcus pneumoniae	62	41	231
1533	1	644	414	[gi1413968]	[ina-4d gene product] Bacillus subtilis	62	48	231
1537	1	3	257	[gi1510641]	[alanine-tRNA synthetase] Methanococcus jannaschii	62	29	255
2287	1	3	161	[gi1485956]	[muc gene product] Helicobacter mirabilis	62	45	149
2386	1	3	245	[gi1285708]	[nontoxic component] Clostridium botulinum	62	31	243
2484	1	331	167	[gi1142092]	[DNA-repair protein (recA)] Anabaena variabilis	62	35	165
2490	1	798	400	[gi1581648]	[epiB gene product] Staphylococcus epidermidis	62	42	399
3016	1	596	300	[gi1710022]	[uroporphyrinogen III] Bacillus subtilis	62	51	297
3116	1	1	213	[gi1466883]	[infS; B1496_C2_19] Mycobacterium leprae	62	44	213
3297	1	823	413	[gi1475715]	[acetyl coenzyme A acetyltransferase (chiolase)] Clostridium acetobutylicum	62	42	411
3609	1	31	276	[gi1408501]	[homologous to N-acyl-L-amino acid amidohydrolase of Bacillus stearothermophilus] Bacillus subtilis	62	48	246
3665	2	584	402	[gi1511259]	[HMG-CoA reductase (EC 1.1.1.88)] Pseudomonas nevalonii p1r[A44756]A44756	62	40	183
3733	1	3	374	[gi1353197]	[hydroxymethylglutaryl-CoA reductase (EC 1.1.1.88)] Pseudomonas sp.	62	42	372
					[chlorodoxin reductase] Eubacterium acidaminophilum	62	42	372

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
3898	1	1	237	gi 153675	tagatose 6-P kinase [Streptococcus mutans]	62	45	237
4027	1	283	143	gi 330705	homologue to gene 30 (aa 1-59); putative [Bovine herpesvirus 4]	62	43	141
4109	1	727	365	gi 41748	hspA protein (AA 1-520) [Escherichia coli]	62	45	363
4303	1	1	303	gi 1303813	Yqew [Bacillus subtilis]	62	43	303
4380	1	530	267	gi 1215684	mevalonate pyrophosphate decarboxylase [Saccharomyces cerevisiae]	62	55	264
4494	1	2	256	gi 510692	enterotoxin H [Staphylococcus aureus]	62	34	255
4598	1	411	223	gi 763513	ORF4; putative [Streptomyces violaceoruber]	62	45	189
4624	1	1	222	gi 41748	hspA protein (AA 1-520) [Escherichia coli]	62	45	222
5	5	4288	3912	gi 1928831	ORF95; putative [Lactococcus lactis phage BK5-T]	61	36	357
11	1	320	162	pir C3356[C333]	prothymosin alpha homolog (clone 32) - human (fragment)	61	33	159
16	11	10991	11938	gi 1205391	hypothetical protein (SP:P33995) [Haemophilus influenzae]	61	44	948
32	1	281	801	gi 1066504	exo-beta 1,3 glucanase [Cochliobolus carbonum]	61	50	519
38	3	616	1107	gi 1510864	glutamine transport ATP-binding protein Q [Methanococcus jannaschii]	61	41	492
45	4	3082	4038	gi 1109686	proX [Bacillus subtilis]	61	45	957
48	8	7118	7504	gi 498839	ORF2 [Clostridium perfringens]	61	33	387
51	2	4605	5570	gi 388269	traC [Plasmid pAD1]	61	42	966
60	6	1689	2243	gi 1205893	hypothetical protein (GB:U00011.3) [Haemophilus influenzae]	61	32	555
62	9	5559	5122	gi 854656	Na/H antiporter system ORF2 [Bacillus alcalophilus]	61	38	438
67	5	4330	5646	gi 466612	inlA [Escherichia coli]	61	36	1317
74	2	2400	1504	gi 1204846	carbamate kinase [Haemophilus influenzae]	61	40	897
85	1	2198	1101	gi 1498756	am(diphosphoribosyltransferase PurF [Rhizobium etli])	61	41	1098
86	4	1995	1582	gi 1499931	M. jannaschii predicted coding region MJ1083 [Methanococcus jannaschii]	61	44	414
97	1	74	649	gi 1518679	orf [Bacillus subtilis]	61	44	576
99	2	2454	1990	gi 413958	lpa-3ad gene product [Bacillus subtilis]	61	18	465
124	7	6223	5123	gi 556881	Similar to Saccharomyces cerevisiae SUAS protein [Bacillus subtilis] pir S4938 S4938 ipc-29d protein - Bacillus subtilis ap p19153 YMLC_BACSU HYPOTHETICAL 37.0 KD PROTEIN IN SPO1R-OLYC NTERGENIC REGION.	61	46	1101
125	4	1668	2531	gi 1491643	ORF4 gene product [Chloroflexus aurantiacus]	61	43	864

TABLE 2

TABLE 2

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	Match gene name	% sim	% ident	length (nt)
132	1	1250	627	pir P00259 P002	hypothetical protein 1 - Enterococcus faecalis plasmid pAM-beta-1 (fragment)	61	43	624
149	9	3617	3075	gi 1144332	deoxyridine nucleotidohydrolase [Homo sapiens]	61	40	543
149	22	8690	7869	gi 160047	p101/acidic basic repeat antigen [Plasmodium falciparum] pir A29232 A29232 101K malaric antigen precursor - Plasmodium falciparum (strain Camp)	61	35	822
168	3	1915	2361	gi 1499694	HIT protein, member of the HIT-family [Methanococcus jannaschii]	61	41	447
171	9	9675	7948	gi 467436	similar to SpoVD [Bacillus subtilis]	61	38	1728
174	3	1042	2340	gi 216374	glutaryl 7-ACA acylase precursor [Bacillus laterosporus]	61	49	1299
190	4	5034	4111	gi 409286	bmrU [Bacillus subtilis]	61	37	924
216	1	2	190	gi 415861	eukaryotic initiation factor 2 beta (eIF-2 beta) [Cryptosporidium parvum]	61	29	189
227	7	4161	5048	gi 216341	ORF for methionine amino peptidase [Bacillus subtilis]	61	41	888
238	4	1959	3047	gi 409543	CbrC protein [Erwinia chrysanthemi]	61	38	1089
247	1	2	694	gi 337231	ORF_5379 [Escherichia coli]	61	38	693
247	2	678	1034	gi 142226	chvD protein [Agrobacterium tumefaciens]	61	40	357
257	2	3523	2627	gi 169379	glvr-1 protein [Mycobacterium leprae]	61	40	897
268	2	3419	3051	gi 40364	ORFA1 [Clostridium acetobutylicum]	61	41	369
275	4	4621	4827	gi 1204808	hypothetical protein (GP:HB7049_57) [Haemophilus influenzae]	61	36	207
277	1	1	1845	gi 784897	beta-N-acetylhexosaminidase [Streptococcus pneumoniae] pir A56390 A56390 mannosyl-glycoprotein ndo-beta-N-acetylglucosaminidase (EC 3.2.1.96) precursor - Streptococcus pneumoniae	61	45	1845
278	9	8003	7032	gi 467462	cysteine synthetase A [Bacillus subtilis]	61	43	972
278	10	9878	8535	gi 1205919	Na ⁺ and Cl ⁻ dependent gamma-aminobutyric acid transporter [Haemophilus influenzae]	61	38	1364
283	1	1	366	gi 755607	polyA polymerase [Bacillus subtilis]	61	36	366
288	2	1918	1496	gi 388108	cell wall enzyme - Enterococcus faecalis	61	43	423
291	1	86	334	gi 454265	F9P3 (Petunia hybrida)	61	38	249
318	1	1104	694	gi 290531	similar to beta-glucoside transport protein [Escherichia coli] ap P31451 PTIB_ECOLI PTS SYSTEM, ARBUTIN-LIKE IIB COMPONENT PHOSPHOTRANSFERASE ENZYME II, B COMPONENT (EC 2.7.1.69)	61	47	411
330	2	1912	1190	gi 1001805	hypothetical protein [Synecocystis sp.]	61	41	723

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
385	2	1513	1025	[gi 533098	DnaD protein [Bacillus subtilis]	61	42	489
426	1	794	399	[gi 1303853	YopF [Bacillus subtilis]	61	44	396
438	3	810	1421	[gi 1293660	AbiA2 [Streptomyces coelicolor]	61	36	612
454	1	1580	792	[gi 733522	phosphatidylinositol-4,5-diphosphate 3-kinase [Dictyostellum discoideum]	61	30	789
464	2	784	560	[gi 1123120	CSJB7.5 gene product [Caenorhabditis elegans]	61	38	225
470	8	6077	7357	[gi 623073	ORF360; putative [Bacteriophage LL-H]	61	47	1281
509	1	554	279	[gi 467484	unknown [Bacillus subtilis]	61	45	276
555	3	1916	1296	[gi 141800	anthranilate synthase glutamine amidotransferase [Acinetobacter ancoaticus]	61	42	621
569	1	1711	857	[gi 467090	R2235_C2_195 [Mycobacterium leprae]	61	47	855
585	2	961	803	[sp P36686 SURE_	SURVIVAL PROTEIN SURE HOMOLOG (FRAGMENT)	61	33	159
592	3	1694	1422	[gi 1221602	immunity repressor protein [Haemophilus influenzae]	61	32	273
603	1	43	357	[gi 507738	hmp [Vibrio parahaemolyticus]	61	33	315
669	1	2467	1235	[gi 1146243	22-41 identity with Escherichia coli DNA-damage inducible protein ...; putative [Bacillus subtilis]	61	37	1233
675	3	805	1101	[gi 403373	glycerophosphoryl diester phosphodiesterase [Bacillus subtilis] p1r S37251 S37251 glycerophosphoryl diester phosphodiesterase - acillus subtilis	61	36	297
703	1	1656	829	[gi 537181	ORF_470 [Escherichia coli]	61	32	828
728	1	1628	816	[gi 806281	DNA polymerase I [Bacillus stearothermophilus]	61	39	813
821	1	61	318	[gi 709992	hypothetical protein [Bacillus subtilis]	61	38	258
856	2	2313	1567	[gi 609310	portal protein gp3 [Bacteriophage HK97]	61	40	747
923	1	1081	542	[gi 143213	pu;ative [Bacillus subtilis]	61	38	540
1124	1	59	370	[gi 1107541	C3D9_8 [Caenorhabditis elegans]	61	26	312
1492	1	548	276	[gi 406397	unknown [Mycoplasma genitalium]	61	32	273
1602	1	46	318	[gi 733522	phosphatidylinositol-4,5-diphosphate 3-kinase [Dictyostellum discoideum]	61	34	273
2500	1	577	290	[gi 1045964	hypothetical protein (GB:U14003_297) [Mycoplasma genitalium]	61	31	288
2968	1	2	808	[gi 397526	clumping factor [Staphylococcus aureus]	61	55	807
3076	1	3	248	[gi 119373	ORF_1 [Lactococcus lactis]	61	41	246

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
3609	2	207	401	gi11408501	homologous to N-acyl-L-amino acid amidohydrolase of <i>Bacillus stearothermophilus</i> (Bacillus subtilis)	61	39	195
3662	1	1477	740	gi11301813	Yqew (Bacillus subtilis)	61	42	738
3672	1	2	442	gi1784897	beta-N-acetylhexosaminidase (Streptococcus pneumoniae) pir[A56390]A56390 mannosyl-glycoprotein ndo-beta-N-acetylglucosaminidase (EC 3.2.1.96) precursor - treptococcus pneumoniae	61	50	441
3724	1	2	220	gi11009366	Respiratory nitrate reductase (Bacillus subtilis)	61	41	219
3728	1	3	398	gi1677943	AppD (Bacillus subtilis)	61	46	396
3844	1	3	401	gi1784897	beta-N-acetylhexosaminidase (Streptococcus pneumoniae) pir[A56390]A56390 mannosyl-glycoprotein ndo-beta-N-acetylglucosaminidase (EC 3.2.1.96) precursor - treptococcus pneumoniae	61	47	399
3971	1	3	383	gi1784897	beta-N-acetylhexosaminidase (Streptococcus pneumoniae) pir[A56390]A56390 mannosyl-glycoprotein ndo-beta-N-acetylglucosaminidase (EC 3.2.1.96) precursor - treptococcus pneumoniae	61	45	381
4038	1	661	359	gi1133997n	large subunit of NADH-dependent glutamate synthase (Plectonema boryanum)	61	24	301
4041	1	546	274	gi1413953	lin-29d gene product (Bacillus subtilis)	61	48	273
4047	1	1	402	gi1528991	unknown (Bacillus subtilis)	61	42	402
4102	1	1	345	gi1976025	HraA (Escherichia coli)	61	46	345
4155	1	1	336	gi1784897	beta-N-acetylhexosaminidase (Streptococcus pneumoniae) pir[A56390]A56390 mannosyl-glycoprotein ndo-beta-N-acetylglucosaminidase (EC 3.2.1.96) precursor - treptococcus pneumoniae	61	50	336
4268	1	463	233	gi1450688	hmdH gene of EcoRII gene product (Escherichia coli) pir[S38437]S38437 hmdH protein - Escherichia coli pir[S09629]S09629 hypothetical protein A - Escherichia coli (SUB 40-520)	61	38	231
4374	1	542	273	gi1784897	beta-N-acetylhexosaminidase (Streptococcus pneumoniae) pir[A56390]A56390 mannosyl-glycoprotein ndo-beta-N-acetylglucosaminidase (EC 3.2.1.96) precursor - treptococcus pneumoniae	61	50	270
4389	1	2	172	gi1147516	ribokinase (Escherichia coli)	61	35	171
4621	1	2	268	gi1784897	beta-N-acetylhexosaminidase (Streptococcus pneumoniae) pir[A56390]A56390 mannosyl-glycoprotein ndo-beta-N-acetylglucosaminidase (EC 3.2.1.96) precursor - treptococcus pneumoniae	61	47	267
4663	1	27	227	gi1976025	HraA (Escherichia coli)	61	50	201
4	6	6663	5536	gi11408501	homologous to N-acyl-L-amino acid amidohydrolase of <i>Bacillus stearothermophilus</i> (Bacillus subtilis)	60	43	1128

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
11	6	3426	3725	gi 410748	ring-infected erythrocyte surface antigen (Plasmodium falciparum) pifA2526 A2526 ring-infected erythrocyte surface antigen recursor - Plasmodium falciparum (strain FC27/Papua New Guinea) sp P13830 RESA_PLAFF RING-INFECTED ERYTHROCYTE SURFACE ANTIGEN RE	60	24	300
11	14	11035	10313	gi 1217651	carboxyl reductase (NADPH) (Rattus norvegicus)	60	28	723
16	12	11917	12930	gi 1001453	hypothetical protein (Synecocystis sp.)	60	37	1014
13	1	26	469	gi 388109	regulatory protein (Enterococcus faecalis)	60	41	444
37	13	10914	9834	gi 1336656	Orf1 (Bacillus subtilis)	60	40	981
39	4	4364	4522	gi 14872	ORF4 (Saccharomyces kluyveri)	60	47	159
41	1	2047	1025	gi 142822	D-alanine racemase cds (Bacillus subtilis)	60	39	1023
43	4	2474	3607	gi 468046	para-nitrobenzyl esterase (Bacillus subtilis)	60	40	1134
44	10	6756	7769	gi 414234	thiF (Escherichia coli)	60	52	1014
45	10	8874	9074	gi 343949	Var1(40.0) (Saccharomyces cerevisiae)	60	44	201
56	18	27842	26430	gi 468764	inner gene product (Rhizobium meliloti)	60	35	1413
60	2	173	388	gi 1303864	YggQ (Bacillus subtilis)	60	33	216
63	2	357	1619	gi 467124	ureb_8229_C3_234 (Mycobacterium leprae)	60	43	1263
69	1	787	395	gi 1518853	OefA (Salmonella typhimurium)	60	36	193
88	1	1	1188	gi 1480429	putative transcriptional regulator (Bacillus stearothermophilus)	60	30	1188
92	6	4735	3881	gi 349227	transmembrane protein (Escherichia coli)	60	37	855
92	7	5996	4923	gi 466613	nlkB (Escherichia coli)	60	38	1074
93	1	949	476	gi 1510925	coenzyme F420-reducing hydrogenase, beta subunit (Methanococcus jannaschii)	60	27	474
96	6	7366	7478	gi 472715	arabinosyl protein (Candida albicans)	60	30	213
98	6	3212	4069	gi 467425	unknown (Bacillus subtilis)	60	42	858
102	10	7158	7430	gi 143092	acetolactate synthase small subunit (Bacillus subtilis) sp P37252 LUN_BACSU ACETOLACTATE SYNTHASE SMALL SUBUNIT (EC 1.3.18) (AIAS) (ACETOHYDROXY-ACID SYNTHASE SMALL SUBUNIT) (ALS)	60	37	273
109	14	9127	10515	gi 1255259	o-succinylbenzoic acid (OSB) CoA ligase (Staphylococcus aureus)	60	28	1389
109	12	10499	11656	gi 141954	beta-ketothiolase (Alcaligenes eutrophus)	60	41	1158
119	2	4630	3134	gi 1524280	unknown (Mycobacterium tuberculosis)	60	45	1497

TABLE 2

S. aureus - putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
121	9	6957	7646	gi 1107529	iceC gene product (Campylobacter coli)	60	35	690
140	7	7704	6013	gi 1146547	hdpA (Escherichia coli)	60	45	1692
145	1	2	703	gi 1460077	unknown (Mycobacterium tuberculosis)	60	23	702
150	3	2809	2216	gi 1146230	putative (Bacillus subtilis)	60	40	594
157	2	1389	961	gi 1303975	YqjX (Bacillus subtilis)	60	30	429
158	5	5125	4769	gi 1449288	unknown (Mycobacterium tuberculosis)	60	36	357
159	1	511	257	gi 580932	murD gene product (Bacillus subtilis)	60	43	255
160	1	159	1187	gi 1204532	hypothetical protein (GB:U19201_29) (Haemophilus influenzae)	60	34	1029
161	14	8249	7866	gi 1456003	ORF3; PepY; putative oligoendopeptidase based on homology with Lactococcus lactis PepF (GenBank Accession Number Z12522) (Caldicellulosiruptor saccharolyticus)	60	34	384
172	3	1331	2110	gi 485280	28.2 kDa protein (Streptococcus pneumoniae)	60	33	780
173	2	4082	2460	gi 1524397	glycine betaine transporter OpuD (Bacillus subtilis)	60	41	1623
173	1	5063	4953	gi 1100737	NADP dependent isoketolase bc 12-hydroxydehydrogenase (Sus scrofa)	60	44	1011
198	1	3	995	gi 413943	ipa-19d gene product (Bacillus subtilis)	60	42	993
201	4	3641	4573	sp P37028 VADT_	HYPOTHETICAL 29.4 KD PROTEIN IN MEMU-PFS INTERGENIC REGION PRECURSOR.	60	37	933
201	1	3269	2415	gi 927798	P9719.34n; CAI: 0.14 (Saccharomyces cerevisiae)	60	43	855
206	9	12234	12515	sp P37347 VECD_	HYPOTHETICAL 21.8 KD PROTEIN IN ASP5 5'-REGION	60	47	282
212	4	1213	1410	gi 332711	hemagglutinin-neuraminidase fusion protein (Human parainfluenza virus 3)	60	34	198
214	1	65	1153	gi 1204366	hypothetical protein (GB:U14003_130) (Haemophilus influenzae)	60	36	1089
237	1	2	937	gi 149377	HlsD (Lactococcus lactis)	60	40	936
241	6	5696	4998	gi 1046160	hypothetical protein (GB:U00021_5) (Mycoplasma genitalium)	60	37	699
260	6	5919	6485	gi 431950	similar to a B. subtilis gene (GB: DACHEM19.5) (Clostridium acetabularum)	60	35	567
264	1	2432	1218	gi 397526	clumping factor (Staphylococcus aureus)	60	53	1215
267	1	3	1409	gi 148316	NAH-antiporter protein (Enterococcus hirae)	60	27	1407
275	3	3804	4595	pir P36889 F368	leuD 3'-region hypothetical protein - Lactococcus lactis subsp. lactis (strain IL1403)	60	35	792
291	3	860	1198	gi 1208889	coded for by C. elegans cDNA yk130a12.5; contains C2H2-type zinc fingers (Caenorhabditis elegans)	60	33	339

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
307	6	3421	3176	gi 1070014	protein-dependent [Bacillus subtilis]	60	36	246
316	8	4957	5823	gi 413952	lipA-28d gene product [Bacillus subtilis]	60	41	867
328	4	2996	3484	gi 1204484	membrane-associated component, branched amino acid transport system [Haemophilus influenzae]	60	39	489
332	5	4887	4363	gi 1205449	colicin V production protein (pur regulon) [Haemophilus influenzae]	60	37	525
357	1	1062	532	gi 987842	single-stranded DNA-specific exonuclease [Escherichia coli]	60	41	531
375	2	96	362	gi 1057	adenylyl cyclase gene product [Saccharomyces kluyveri] rj01145[OVBK adenylate cyclase (EC 4.6.1.1) - yeast ccharomyces kluyveri]	60	47	267
397	1	66	416	gi 709999	glucanase dehydratase [Bacillus subtilis]	60	37	351
409	1	2	163	gi 499700	glycogen phosphorylase [Saccharomyces cerevisiae]	60	35	162
453	4	914	1237	gi 1196899	unknown protein [Staphylococcus aureus]	60	36	324
453	7	3838	3620	sp P12222 YCF1_HYPOTHETICAL 226 ND PROTEIN (ORF 1901)		60	31	219
470	2	622	945	pir S0782 S07	integrin homolog - yeast [Saccharomyces cerevisiae]	60	31	324
500	1	118	606	gi 467407	unknown [Bacillus subtilis]	60	36	489
503	3	752	982	gi 167835	myosin heavy chain [Dictyostelium discoideum]	60	34	231
505	4	2238	3563	gi 1510732	NADH oxidase [Methanococcus jannaschii]	60	26	1326
523	1	3	1043	gi 143331	alkaline phosphatase regulatory protein [Bacillus subtilis] pir A27650 A27650 regulatory protein phor - Bacillus subtilis sp P23545 PHOR_BACSU ALKALINE PHOSPHATASE SYNTHESIS SENSOR PROTEIN H0R (EC 2.7.3.-)	60	41	1041
543	1	1	465	gi 1511103	cobalt transport ATP-binding protein O [Methanococcus jannaschii]	60	40	465
545	1	1	726	gi 1498192	putative [Pseudomonas aeruginosa]	60	40	726
556	1	2	1054	gi 1477402	lex gene product [Bordetella pertussis]	60	42	1053
578	1	974	489	gi 1205129	H. influenzae predicted coding region H10882 [Haemophilus influenzae]	60	42	486
594	1	1	624	gi 1212755	adenylyl cyclase [Aeromonas hydrophila]	60	45	624
604	1	3	530	gi 145925	fecB [Escherichia coli]	60	42	528
620	1	926	465	gi 1205483	bicyclicacylase resistance protein [Haemophilus influenzae]	60	33	462
630	2	871	1122	gi 1486242	unknown [Bacillus subtilis]	60	41	252
645	2	574	425	gi 1205136	serine hydroxymethyltransferase [serine methylase] [Haemophilus influenzae]	60	28	150

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
684	1	1082	843	gi 1205538	hypothetical protein (GB:U14003.302) [Haemophilus influenzae]	60	39	240
786	1	967	485	gi 1402944	orfH1 gene product [Bacillus subtilis]	60	46	483
844	1	588	346	gi 790943	urea amidolyase [Bacillus subtilis]	60	40	243
851	1	1	726	gi 159661	ORF reductase [Ascaris lumbricoides]	60	41	726
871	1	1746	874	gi 1001493	hypothetical protein [Synchocystis sp.]	60	39	873
896	1	1558	839	gi 604926	NADH dehydrogenase, subunit 5 [Schistosoma mansoni] sp P50368 NUSM_SCHCO	60	39	720
908	2	448	753	gi 662880	novel hemolytic factor [Bacillus cereus]	60	31	306
979	1	2	595	gi 1429355	putative, orf1 [Bacillus subtilis]	60	30	594
1078	1	669	502	gi 581055	inner membrane copper tolerance protein [Escherichia coli] gi 871029	60	40	168
					disulphide isomerase like protein [Escherichia coli] pif S47295 S47295			
					inner membrane copper tolerance protein - schlerichia coli			
1112	1	1150	620	gi 407885	ORF3 [Streptomyces griseus]	60	34	531
1135	1	484	275	gi 1171407	VpsBp [Saccharomyces cerevisiae]	60	36	210
1146	1	17	562	gi 1239981	hypothetical protein [Bacillus subtilis]	60	36	546
1291	1	716	360	gi 557530 S575	carboxyl esterase - Acinetobacter calcoaceticus	60	30	357
1332	1	336	169	gi 1222056	aminotransferase [Haemophilus influenzae]	60	44	168
1429	1	3	146	gi 1205619	ferritin like protein [Haemophilus influenzae]	60	39	144
1722	1	570	286	gi 240052	dlhydroflavonol-4-reductase, DFR [Hordeum vulgare=barley, cv. Gula, eptide, 354 aa]	60	36	285
2350	1	385	200	gi 497626	ORF 1 [Plasmid pAQ1]	60	20	186
2916	1	519	310	gi 508981	prephenate dehydratase [Bacillus subtilis]	60	48	210
3027	1	568	302	gi 1146199	putative [Bacillus subtilis]	60	37	267
3084	1	20	208	gi 1407784	orf-1; novel antigen [Staphylococcus aureus]	60	51	189
3155	1	2	226	gi 1046097	cytadherence-accessory protein [Mycoplasma genitalium]	60	34	225
3603	1	368	186	gi 510108	mitochondrial long-chain enoyl-CoA hydratase/3-hydroxycyl-CoA ehydrogenase	60	42	183
					alpha-subunit [Rattus norvegicus]			
3665	1	486	244	gi 151259	HMG-CoA reductase (EC 1.1.1.88) [Pseudomonas nevaloni] pif A4756 A4756	60	42	243
					hydroxymethylglutaryl-CoA reductase (EC 1.1.1.88) Pseudomonas sp.			
3747	1	3	146	gi 474192	lucC gene product [Escherichia coli]	60	36	144

TABLE 2

S aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match position	match gene name	% sim	% ident	length (nt)
3912	1	3	335	gi 488695	novel antigen: orf-2 (Staphylococcus aureus)	60	44	333
4072	1	3	272	gi 405879	yleW (Escherichia coli)	60	33	270
4134	1	510	352	gi 780656	chemoreceptor protein [Rhizobium leguminosarum bv. viciae] gi 780656 chemoreceptor protein [Rhizobium leguminosarum bv. iciae]	60	28	159
4207	2	677	402	gi 602031	similar to trimethylamine DH (Mycoplasma capricolum) pIR S49950 S49950 probable trimethylamine dehydrogenase (EC 5.99.7) - Mycoplasma capricolum (SOC3) (fragment)	60	41	276
4243	1	127	324	gi 89317	peptide synthetase module [Microcystis aeruginosa] pIR S49111 S49111 probable amino acid activating domain - Microcystis aeruginosa (fragment) (SUB 144-528)	60	42	198
4710	1	624	313	gi 508980	phd (Bacillus subtilis)	60	28	312
4345	1	343	173	gi 510108	mitochondrial long-chain enoyl-CoA hydratase/3-hydroxacyl-CoA dehydrogenase alpha-subunit [Rattus norvegicus]	60	42	171
4382	1	498	280	gi 47382	acyl-CoA-dehydrogenase [Streptomyces purpurascens]	60	48	219
4474	1	53	223	gi 510108	mitochondrial long-chain enoyl-CoA hydratase/3-hydroxacyl-CoA dehydrogenase alpha-subunit [Rattus norvegicus]	60	42	171
23	4	4518	3533	gi 426446	Vlph protein [Salmonella typhi]	59	39	996
33	2	707	1483	gi 548604 5486	hypothetical protein - Mycoplasma capricolum (SOC3) (fragment)	59	33	777
33	5	4651	5853	gi 6721	FS982.3 [Caenorhabditis elegans]	59	33	1203
17	2	1228	2299	gi 142833	ORF2 [Bacillus subtilis]	59	37	910
38	21	16784	16593	gi 912576	BIP (Phaeodactylum tricornutum)	59	40	192
52	3	2648	2349	gi 516972	ORF_090a [Escherichia coli]	59	44	300
54	12	14181	13402	gi 483940	transcription regulator [Bacillus subtilis]	59	37	780
57	3	4397	3339	gi 508176	Gat-1-P-DH, NAD dependent [Escherichia coli]	59	40	1059
66	1	986	495	gi 1303901	Yqht [Bacillus subtilis]	59	34	492
67	7	6552	7460	gi 912461	nkc [Escherichia coli]	59	37	909
70	7	5383	6366	gi 1399822	phd precursor [Rhizobium meliloti]	59	46	984
78	1	1	1449	gi 971345	unknown, similar to E.coli cardiolipin synthase [Bacillus subtilis] sp P45860 YME_BACSU HYPOHETICAL 58.2 PROTEIN IN NARI-ACDA INTERGENIC REGION.	59	39	1449
82	10	14329	15534	gi 490328	LORF F (unidentified)	59	44	1206

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
89	2	1602	958	gi1642801	unknown [Saccharomyces cerevisiae]	59	32	645
96	4	4940	5473	gi1333802	protein of unknown function [Rhodobacter capsulatus]	59	33	534
98	1	2	820	gi1467421	similar to B. subtilis DnaH [Bacillus subtilis]	59	34	819
119	1	166	1557	gi143122	ORF B, putative [Bacillus firmus]	59	36	1392
120	10	6214	6756	gi153354	ORF 55.9 [Bacteriophage T4]	59	39	543
120	16	12476	13510	gi1086575	BatA [Rhizobium meliloti]	59	44	1035
123	1	386	195	gi1984737	catalase [Campylobacter jejuni]	59	38	192
130	1	370	645	gi1256634	25.8% identity over 120 aa with the Synenococcus sp. MpeV protein; putative [Bacillus subtilis]	59	33	276
131	4	5278	5712	gi1510655	hypothetical protein (SP:P42297) [Methanococcus jannaschii]	59	39	435
164	1	3	509	gi1001342	hypothetical protein [Synecocystis sp.]	59	41	507
164	4	1529	2821	gi1205165	hypothetical protein (SP:P37784) [Haemophilus influenzae]	59	35	1293
164	19	19643	21376	gi1001381	hypothetical protein [Synecocystis sp.]	59	34	1734
173	3	4727	3717	gi1184121	auxin-induced protein [Vigna radiata]	59	50	1011
179	2	2218	1688	gi1143036	unidentified gene product [Bacillus subtilis]	59	33	531
195	12	12669	11503	gi1762778	Nifs gene product [Anabaena azollae]	59	41	1167
201	5	4702	5670	gi1510240	hemin permease [Methanococcus jannaschii]	59	32	969
201	7	5719	6315	gi1511456	M. jannaschii predicted coding region MJ1437 [Methanococcus jannaschii]	59	34	597
209	1	102	461	gi1204666	hypothetical protein (GB:X73124_53) [Haemophilus influenzae]	59	42	360
214	3	1050	2234	gi1551531	2-nitropropane dioxygenase [Williopsis saturnus]	59	36	1185
214	5	3291	4135	gi11303709	YrkJ [Bacillus subtilis]	59	32	843
217	2	3381	2167	gi1290489	dGp (CG Site No. 18430) [Escherichia coli]	59	44	1215
237	5	3078	3785	gi1149182	IIIaA [Lactococcus lactis]	59	38	708
251	2	376	960	gi1303791	YqoJ [Bacillus subtilis]	59	34	585
286	1	1621	812	gi1146551	transmembrane protein (kdpD) [Escherichia coli]	59	31	810
316	5	4978	3860	gi1405879	YeiH [Escherichia coli]	59	32	1119
370	3	600	761	gi11303794	Yqem [Bacillus subtilis]	59	35	162

TABLE 2

S. aureus - putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
382	1	1009	506	gi 547513	orf3 (Haemophilus influenzae)	59	34	504
391	3	1620	1273	gi 152901	ORF 3 (Spirochaeta aurantia)	59	37	348
406	3	2805	1705	gi 709992	hypothetical protein (Bacillus subtilis)	59	34	1101
426	5	3802	3245	gi 1204610	iron(III) diclitate transport ATP-binding protein FECE (Haemophilus influenzae)	59	36	558
429	2	1513	1148	gi 1064809	homologous to sp:HRA_ECOLI (Bacillus subtilis)	59	42	366
460	2	708	1301	gi 466882	pps1: B1496.C2.189 (Mycobacterium leprae)	59	37	594
461	4	2212	3135	gi 1498295	homoserine kinase homolog (Streptococcus pneumoniae)	59	37	924
473	1	2929	1607	gi 147989	trigger factor (Escherichia coli)	59	40	1323
480	8	5862	6110	gi 1205311	(3R)-hydroxymyristol acyl carrier protein dehydrase (Haemophilus influenzae)	59	40	249
521	1	14	1354	pir A25620 A256	staphylocoagulase - Staphylococcus aureus (fragment)	59	32	1341
534	4	2994	4073	gi 153746	mannitol-phosphate dehydrogenase (Streptococcus mutans) pir C44798 C44798	59	36	1080
535	1	1	954	gi 1469939	group B oligopeptidase PcpB (Streptococcus agalactiae)	59	33	954
551	3	2836	3186	gi 1204511	bacterioferritin comigratory protein (Haemophilus influenzae)	59	45	351
573	2	449	940	gi 386681	ORF VAL022 (Saccharomyces cerevisiae)	59	36	492
650	1	5	748	gi 396400	similar to eukaryotic Na+/H+ exchanger (Escherichia coli) sp P32703 YJCE_ECOLI HYPOTHETICAL 60.5 KD PROTEIN IN SOXR-ACS NTERGENIC REGION (0549)	59	30	744
664	1	566	285	gi 1262748	lukP-PV like component (Staphylococcus aureus)	59	33	282
670	1	3	455	gi 1122758	unknown (Bacillus subtilis)	59	42	453
674	3	543	929	gi 293033	integrase (Bacteriophage phi-LC3)	59	46	387
758	1	349	176	gi 1500472	M. jannaschii predicted coding region MJ1577 (Methanococcus jannaschii)	59	37	174
771	2	2270	1461	gi 522150	bromoperoxidase BPO-A1 (Streptomyces aureofaciens) sp P33912 BPA1_STRAU NON-HAEM BROMOPEROXIDASE BPO-A1 (EC 1.11.1.-) BROMIDE PEROXIDASE (BPO1) (SUB 2-275)	59	44	810
825	1	2191	1097	gi 397526	clumping factor (Staphylococcus aureus)	59	47	1095
1052	2	1094	723	gi 289262	comE ORF3 (Bacillus subtilis)	59	36	372
1152	1	373	188	gi 1276668	ORF238 gene product (Porphyra purpurea)	59	37	186

TABLE 2.

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
1198	1	492	247	gi 142439	[ATP-dependent nuclease (Bacillus subtilis)]	59	26	246
1441	1	468	235	gi 1045942	[glycyl-RNA synthetase (Mycoplasma genitalium)]	59	37	234
2103	1	1	186	gi 459250	[triacylglycerol lipase (Galactomyces geotrichum)]	59	33	186
2205	1	793	398	gi 1303794	[yqem (Bacillus subtilis)]	59	38	396
2578	1	484	284	gi 258003	[insulin-like growth factor binding protein complex acid-labile subunit (rats, liver, peptide, 603 aa)]	59	48	201
2967	2	145	348	gi 1212730	[yqhK (Bacillus subtilis)]	59	44	204
3012	1	3	248	gi 773571	[neurofilament protein NF70 (Helix aspersa)]	59	31	246
3544	1	3	401	gi 1055218	[crotonase (Clostridium acetobutylicum)]	59	42	399
3548	1	3	401	gi 1055218	[crotonase (Clostridium acetobutylicum)]	59	42	399
3580	1	698	351	gi 1055218	[crotonase (Clostridium acetobutylicum)]	59	42	348
3720	1	722	363	gi 1408494	[homologous to penicillin acylase (Bacillus subtilis)]	59	36	360
4171	1	3	296	gi 1055218	[crotonase (Clostridium acetobutylicum)]	59	42	294
4305	1	618	310	gi 1524193	[unknown (Mycobacterium tuberculosis)]	59	39	309
18	1	1242	622	gi 146913	[N-acetylglucosamine transport protein (Escherichia coli) pfr 829895 MOEC2N phosphotransferase system enzyme I] (EC 7.1.69), N-acetylglucosamine-specific - Escherichia coli sp P09123 PTAA_ECOLI PTS SYSTEM, N-ACETYLGLUCOSAMINE-SPECIFIC IIABC COMPONENT (EIIA)	58	43	621
20	7	7020	5845	gi 50502	[collagen alpha chain precursor (AA -27 to 1127) (Mus musculus)]	58	50	1176
21	5	3234	3626	gi 1054860	[phosphoribosyl anthranilate isomerase (Thermotoga maritima)]	58	32	393
23	2	2841	1669	gi 1276880	[EpaG (Streptococcus thermophilus)]	58	29	1173
23	10	9301	8090	pir A31133 A311	[diaminopimelate decarboxylase (EC 4.1.1.20) - Pseudomonas aeruginosa]	58	37	1212
38	29	12255	12884	gi 973249	[yeast tRNA reductase (Medicago sativa)]	58	37	330
44	1	2	406	gi 289272	[ferrichrome-binding protein (Bacillus subtilis)]	58	33	405
45	1	1	552	gi 29464	[embryonic myosin heavy chain (1085 AA) (Homo sapiens) tr S12460 S12460 myosin beta heavy chain - human]	58	33	552
55	2	759	538	gi 158852	[glucose regulated protein (Echinococcus multilocularis)]	58	32	222
62	13	8493	8068	gi 975353	[kinase-associated protein B (Bacillus subtilis)]	58	35	426
63	3	1553	1717	gi 166926	[Arabidopsis thaliana unidentified mRNA sequence, complete cds, l, one product (Arabidopsis thaliana)]	58	35	165

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
67	13	12017	11229	gi 1228083	[NADH dehydrogenase subunit 2 (Chorhippus parallelus)]	58	41	789
96	8	8208	9167	gi 709992	[hypothetical protein (Bacillus subtilis)]	58	42	960
107	2	2065	1364	gi 806327	[Escherichia coli hcpA gene for A protein similar to yeast PRP16 and R22 (Escherichia coli)]	58	37	702
112	7	4519	5613	gi 135588	[glucose-fructose oxidoreductase (Zymomonas mobilis) pfr(A42289)]	58	38	1095
114	6	7118	6503	gi 137784	[glucose-fructose oxidoreductase (EC 1.1.1.-) reductor - Zymomonas mobilis (Bacillus subtilis)]	58	38	816
143	2	2261	1395	gi A45605	[mature-parasite-infected erythrocyte surface antigen HESA - Plasmodium falciparum]	58	31	867
151	2	717	950	gi 1370261	[unknown (Mycobacterium tuberculosis)]	58	31	234
154	6	6015	4627	gi 1209277	[pCThom1 gene product (Chlamydia trachomatis)]	58	41	1389
154	16	114281	13541	gi 146613	[DNA ligase (EC 6.5.1.2) (Escherichia coli)]	58	39	741
155	3	2269	1892	gi 1303917	[YqjB (Bacillus subtilis)]	58	34	378
174	1	1056	559	gi 1904198	[hypothetical protein (Bacillus subtilis)]	58	26	528
189	4	1533	1769	gi 467383	[DNA binding protein (probable) (Bacillus subtilis)]	58	25	237
201	3	2669	3307	gi 1511453	[endonuclease III (Methanococcus jannaschii)]	58	34	639
208	1	2	238	gi 1276729	[phycobilisome linker polypeptide (Porphyra purpurea)]	58	29	237
220	11	114575	11058	gi 397526	[clumping factor (Staphylococcus aureus)]	58	51	1518
231	3	1629	1474	gi 1002520	[HutS (Bacillus subtilis)]	58	45	136
233	6	4201	3497	gi 1463023	[No definition line found (Caenorhabditis elegans)]	58	39	705
243	10	9303	10082	gi 537207	[ORF_277 (Escherichia coli)]	58	32	780
257	1	331	1143	gi 1340128	[ORF1 (Staphylococcus aureus)]	58	44	813
302	2	460	801	gi 40174	[ORF X (Bacillus subtilis)]	58	34	342
307	31	6984	6127	gi 1303842	[YnfU (Bacillus subtilis)]	58	30	858
321	3	1914	2747	gi 1239996	[hypothetical protein (Bacillus subtilis)]	58	41	834
342	4	2724	3497	gi 454838	[ORF 6; putative (Pseudomonas aeruginosa)]	58	41	774
348	1	1	663	gi 467478	[unknown (Bacillus subtilis)]	58	36	663
401	2	384	605	gi 143407	[para-aminobenzoic acid synthase, component 1 (pab) (Bacillus subtilis)]	58	53	222

TABLE 2

B. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
437	1	325	1554	gi 1301866	YopS (Bacillus subtilis)	58	35	1230
445	1	105	1442	gi 581583	protein A (Staphylococcus aureus)	58	32	1338
453	3	789	965	gi 1009455	unknown (Schistosaccharomyces pombe)	58	34	177
453	5	2748	2047	gi 537214	yjg gene product (Escherichia coli)	58	40	702
479	2	731	1444	gi 1256621	26.7% of identity in 165 aa to a Thermophilic bacterium hypothetical protein 6; putative (Bacillus subtilis)	58	36	714
490	1	909	547	gi 580920	rodd (gcaA) polypeptide (AA 1-673) (Bacillus subtilis) pir[S06048/S06048 probable rodd protein - Bacillus subtilis sp P13184/TAGE_BACSU PROBABLE POLY(GLYCERU-PHOSPHATE) LPHA-GLUCOSYLTRANSFERASE (EC 2.4.1.52) (TECHOIC ACID BIOSYNTHESIS PROTEIN E)	58	36	363
517	1	1	1164	gi P47264 Y018_	HYPOTHETICAL HELICASE MG018.	58	30	1164
517	6	4182	4544	gi 453422	orf268 gene product (Mycoplasma hominis)	58	29	363
546	3	2802	4019	gi 886052	restriction modification system S subunit (Spiroplasma citri) gi 886052 restriction modification system S subunit (Spiroplasma citri)	58	37	1218
562	1	3	179	gi 41831	nifs protein (AA 1-400) (Klebsiella pneumoniae)	58	34	177
600	2	1347	1156	gi 1181839	unknown (Pseudomonas aeruginosa)	58	48	192
604	2	1231	1001	gi 1001353	hypothetical protein (Synchocystis sp.)	58	41	231
619	1	1	504	gi 903748	integral membrane protein (Homo sapiens)	58	43	504
625	1	2	364	gi 1208474	hypothetical protein (Synchocystis sp.)	58	43	363
635	1	1492	755	gi 11510955	transaldolase (Methanococcus jannaschii)	58	41	758
645	1	1	846	gi 677882	ileal sodium-dependent bile acid transporter (Rattus norvegicus) gi 677882 ileal sodium-dependent bile acid transporter (Rattus orvegicus)	58	33	846
645	3	906	1556	gi 1239999	hypothetical protein (Bacillus subtilis)	58	41	651
665	1	771	532	gi 1204262	hypothetical protein (GB:L10128.61) (Haemophilus influenzae)	58	39	240
674	1	635	327	gi 498817	ORF8; homologous to small subunit of phage terminases (Bacillus ubtilis)	58	39	309
675	2	1312	806	gi 42181	osmC gene product (Escherichia coli)	58	28	507
745	1	618	310	gi 1205432	coenzyme PQQ synthesis protein III (pqqIII) (Haemophilus influenzae)	58	32	309
799	2	242	1174	gi 1204669	collagenase (Haemophilus influenzae)	58	36	933
800	2	1096	614	gi 171963	tRNA isopentenyl transferase (Saccharomyces cerevisiae) ap P07884 MO05_YEAST TRNA ISOPENTENYLTRANSFERASE (EC 2.5.1.8) ISOPENTENYL-DIPHOSPHATE: TRNA ISOPENTENYLTRANSFERASE (IPP TRANSFERASE) (IPPT)	58	37	483

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
834	1	1108	605	gi1466778	lysine specific perase (Escherichia coli)	58	44	504
885	1	481	242	gi1861199	protoporphyrin IX Mg-chelatase subunit precursor (Hordeum vulgare)	58	33	240
891	1	3	527	gi11293660	Abak2 (Streptomyces coelicolor)	58	31	525
942	1	931	467	gi1405567	trah (Plasmodium psck11)	58	30	465
1002	1	952	521	gi1577649	preLJM (Staphylococcus aureus)	58	34	432
1438	1	1	261	gi1581558	isoleucyl tRNA synthetase (Staphylococcus aureus) sp P41368 SVIP_STA00 ISOLEUCYL-TRNA SYNTHETASE, MUPIROICIN RESISTANT EC 6.1.1.5 (ISOLEUCINE--THNA LIGASE) (ILERS) (MUPIROICIN RESISTANCE PROTEIN)	58	30	261
1442	1	2	463	gi1971394	similar to Acc.No. D26185 (Escherichia coli)	58	34	462
1873	1	480	241	gi11319951	small subunit of NADH-dependent glutamate synthase (Plectonema boryanum)	58	38	240
1876	1	3	158	gi1529216	No definition line found (Caenorhabditis elegans) sp P46503 YUX7_CAEEL HYPOHETICAL 7.3 KD PROTEIN F23F12.7 IN HROMOSOME III.	58	33	156
1989	1	108	401	gi11405458	YneR (Bacillus subtilis)	58	29	294
2109	1	3	401	gi11001801	hypothetical protein (Synecocystis sp.)	58	31	399
2473	1	288	145	gi1510140	lipidopeptidase F (Lactococcus lactis)	58	38	144
2523	1	452	228	gi1644873	catabolic dehydroquinase dehydratase (Acinetobacter calcoaceticus)	58	37	225
3041	1	2	211	gi11205367	oligopeptide transport ATP-binding protein (Haemophilus influenzae)	58	39	210
3094	1	3	263	gi11185288	isochorismate synthase (Bacillus subtilis)	58	38	261
3706	1	3	383	gi1456614	mevalonate kinase (Arabidopsis thaliana)	58	48	381
3854	1	1	402	gi1808869	human gcp172 (Homo sapiens)	58	32	402
4082	1	51	224	gi1508551	ribulose-1,5 biphosphate carboxylase large subunit -methyltransferase (Pisum sativum)	58	37	174
4278	1	3	206	gi1180189	cerebellar-degeneration-related antigen (CDR34) (Homo sapiens) gi1182737 cerebellar degeneration-associated protein (Homo sapiens) p11A29770 A29770 cerebellar degeneration-related protein - human	58	37	204
19	7	7818	7363	gi11001516	hypothetical protein (Synecocystis sp.)	57	31	456
23	11	9663	8872	gi1606066	ORF_f256 (Escherichia coli)	57	29	792
31	1	4801	2402	gi1153146	ORF3 (Streptomyces coelicolor)	57	32	2400
38	14	11611	10796	gi1144859	ORF B (Clostridium perfringens)	57	31	816
46	14	12063	11046	gi11001319	hypothetical protein (Synecocystis sp.)	57	25	984

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
51	3	1411	1187	pir B33856 B338	hypothetical 60K protein - <i>Bacillus sphaericus</i>	57	38	225
54	1	1	453	gi 684950	staphylococcal accessory regulator A (<i>Staphylococcus aureus</i>)	57	31	453
75	1	3	239	gi 1000470	C27B7.7 (<i>Caenorhabditis elegans</i>)	57	42	237
92	5	3855	3061	gi 143607	sporulation protein (<i>Bacillus subtilis</i>)	57	35	795
96	3	4006	4773	gi 144297	acetyl esterase (XyNC) [<i>Caldoceillum saccharolyticum</i>] pir B37202 B37202 acetyl esterase (EC 3.1.1.6) (XyNC) - <i>Caldoceillum saccharolyticum</i>	57	34	768
107	3	1480	2076	gi 460955	TagE (<i>Vibrio cholerae</i>)	57	42	597
109	8	5340	5933	gi 1436846	Unknown (<i>Bacillus subtilis</i>)	57	41	594
112	9	6679	7701	gi 1486250	Unknown (<i>Bacillus subtilis</i>)	57	33	1023
114	4	6384	4108	gi 871456	putative alpha subunit of formate dehydrogenase (<i>Methanobacterium thermoautotrophicum</i>)	57	37	2277
126	2	430	1053	gi 288301	ONF2 gene product (<i>Bacillus megaterium</i>)	57	37	624
131	5	6537	6277	gi 1511160	M. jannaschii predicted coding region NJ1163 (<i>Methanococcus jannaschii</i>)	57	38	261
133	3	2668	2201	gi 1303912	YqkW (<i>Bacillus subtilis</i>)	57	40	468
133	4	3383	2784	gi 1221884	(urea?) amidolyase (<i>Haemophilus influenzae</i>)	57	37	600
147	4	2164	1694	gi 467469	Unknown (<i>Bacillus subtilis</i>)	57	33	471
160	2	1293	1060	gi 558604	chitin synthase 2 (<i>Neurospora crassa</i>)	57	28	234
163	8	5687	4764	gi 145580	lrrd gene product (<i>Escherichia coli</i>)	57	38	924
168	6	4336	5325	gi 39782	33kDa lipoprotein (<i>Bacillus subtilis</i>)	57	32	990
170	5	3297	3455	gi 603404	Yer16p (<i>Saccharomyces cerevisiae</i>)	57	37	159
221	6	8026	6809	gi 1136221	carboxypeptidase (<i>Sulfolobus solfataricus</i>)	57	32	1218
228	3	1348	1791	gi 288969	fibronectin binding protein (<i>Streptococcus dysgalactiae</i>) pir S33850 S33850 fibronectin-binding protein - <i>Streptococcus dysgalactiae</i>	57	32	444
263	4	4411	3686	gi 1185002	dihydrodipicolinate reductase (<i>Pseudomonas syringae</i> pv. <i>tabaci</i>)	57	42	726
276	1	494	255	gi 396380	lwo definition line found (<i>Escherichia coli</i>)	57	40	240
283	2	335	1324	gi 773349	lrrA protein (<i>Bacillus subtilis</i>)	57	32	990
297	1	469	236	gi 1334820	lrrA protein (<i>Bacillus subtilis</i>)	57	46	234
342	3	1993	2805	gi 1204431	hypothetical protein (SP-P33644) (<i>Haemophilus influenzae</i>)	57	35	813

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	match gene name	% sim	% ident	length (nt)
375	6	3340	3741	gi 385177	cell division protein [Bacillus subtilis]	57	26	402
433	6	3286	4011	gi 1524117	alpha-acetolactate decarboxylase [Lactococcus lactis]	57	40	726
470	3	903	1145	gi 1404819	protein serine/threonine kinase [Toxoplasma gondii]	57	30	243
487	5	1391	1723	gi 507323	ORF1 [Bacillus stearothermophilus]	57	28	333
498	1	274	852	gi 1334549	NADH-ubiquinone oxidoreductase subunit 4L [Podospore anserina]	57	34	579
503	1	343	173	gi 1502283	organic cation transporter OCT2 [Rattus norvegicus]	57	30	171
505	2	1619	1284	gi 466884	gl496_C2_194 [Mycobacterium leprae]	57	40	336
519	2	1182	2549	gi 1303707	YrkH [Bacillus subtilis]	57	34	1368
522	2	3234	1945	gi 1064809	homologue to sp.HTRA_ECOLI [Bacillus subtilis]	57	36	1290
538	2	909	1415	gi 1153179	phosphorinothrycin N-acetyltransferase [Streptomyces coelicolor] pifJH0246 JH0246 phosphinothrycin N-acetyltransferase (EC 2.3.1.-)	57	40	507
547	1	968	486	gi 467340	unknown [Bacillus subtilis]	57	30	483
559	1	1062	532	gi 120692 TYRA_	INPEPIENATE DEHYDROGENASE (EC 1.1.1.12) (PDH)	57	41	531
620	2	757	572	gi 1107894	unknown [Schizosaccharomyces pombe]	57	38	186
622	2	1600	1130	gi 173028	thiorodoxin II [Saccharomyces cerevisiae]	57	39	471
625	2	362	1114	gi 1282366	hypothetical protein [Mycobacterium leprae]	57	34	753
680	1	1	204	gi 143544	RNA polymerase sigma-30 factor [Bacillus subtilis] pifJH0246 JH0246 transcription initiation factor sigma H - acillus subtilis	57	30	204
690	1	3	629	gi 466520	pdcR [Salmonella typhimurium]	57	29	627
696	1	2	433	gi 413972	lipa-48r gene product [Bacillus subtilis]	57	33	432
704	1	36	638	gi 1499931	M jannaachii predicted coding region M21083 [Methanococcus jannaachii]	57	36	603
732	1	2316	1621	gi 1418999	orf4 [Lactobacillus sake]	57	37	696
746	1	451	227	gi 392973	Rdh3 [Aplysia californica]	57	42	225
757	1	20	466	gi 43979	L. curvatus small cryptic plasmid gene for rep protein [Lactobacillus curvatus]	57	45	447
862	1	2	295	gi 1303827	Yqf2 [Bacillus subtilis]	57	21	294
1049	1	907	455	gi 1510108	ORF-1 [Agrobacterium tumefaciens]	57	35	453
1117	1	1387	695	gi 896286	ORF2 terminus uncertain [Leishmania tarentolae]	57	28	693

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
1136	1	2	322	gi1303853	YqgF [Bacillus subtilis]	57	38	321
1144	2	1033	611	gi1310083	voltage-activated calcium channel alpha-1 subunit [Rattus norvegicus]	57	46	423
1172	1	1472	738	gi1511146	M. jannaschii predicted coding region M31143 [Methanococcus jannaschii]	57	28	735
1500	2	746	558	gi142780	putative membrane protein; putative [Bacillus subtilis]	57	35	189
1676	1	659	399	gi1313777	luractil permease [Escherichia coli]	57	31	261
2481	1	2	400	gi11237015	ORF4 [Bacillus subtilis]	57	23	399
3099	1	3	230	gi11204540	isochlorismate synthase [Haemophilus influenzae]	57	19	228
3122	1	360	181	gi1882472	ORF_0464 [Escherichia coli]	57	40	180
3560	1	2	361	gi1153490	tetracycline C resistance and export protein [Streptomyces laevis]	57	37	360
3850	1	856	434	gi1155588	glucose-fructose oxidoreductase [Zymomonas mobilis] pir[A42289]A42289	57	40	423
3931	1	704	354	gi1413953	lpa-29d gene product [Bacillus subtilis]	57	36	351
3993	1	1	384	gi1151259	HMG-CoA reductase (EC 1.1.1.88) [Pseudomonas mevalonii] pir[A44756]A44756	57	39	384
4065	1	793	398	gi130037	hydroxymethylglutaryl-CoA reductase (EC 1.1.1.88) [Pseudomonas sp.]	57	31	396
4100	1	596	300	gi11086633	nitrate reductase (EC 1.7.99.4) alpha chain - [Escherichia coli]	57	47	297
4163	1	571	287	gi121512	T06C10.5 gene product [Caenorhabditis elegans]	57	50	286
4267	2	631	335	gi11000365	patatin [Solanum tuberosum]	57	38	297
4358	1	3	302	gi1298032	SpolIAG [Bacillus subtilis]	57	32	300
4389	2	108	290	gi1405894	1-phosphofructokinase [Escherichia coli]	57	37	183
4399	1	2	232	gi11483603	pristinamycin I synthase I [Streptomyces pristinaespiralis]	57	35	231
4481	1	572	288	gi1405879	yeiH [Escherichia coli]	57	44	285
4486	1	512	258	gi1515938	glutamate synthase (ferredoxin) [Synecococcus sp.] pir[S46957]S46957	57	42	255
4510	1	481	242	gi1205303	glutamate synthase (ferredoxin) [EC 1.4.7.1] - [Synecococcus sp.]	57	18	240
4617	1	468	256	gi1511222	leukotoxin secretion ATP-binding protein [Haemophilus influenzae]	57	35	213
4	11	12201	11524	gi149204	restriction modification enzyme, subunit M1 [Methanococcus jannaschii]	56	31	678
					histidine utilization repressor G [Klebsiella aerogenes] pir[A36730]A36730			
					hucG protein - Klebsiella pneumoniae (fragment) sp[P19452]HUTG_KLEAE			
					FORMINOGLOUTAMATE (EC 3.5.3.8) FORMINOGLOUTAMATE HYDROLASE (HISTIDINE UTILIZATION PROTEIN G) FRAGMENT			

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
22	8	4248	5177	gi11322222	RAC11 (Homo sapiens)	56	33	930
38	28	22179	22264	gi11480705	lipote-protein ligase (Mycoplasma capricolum)	56	34	1086
44	3	1861	2421	gi1490320	Y gene product (unidentified)	56	31	561
44	15	10103	10606	gi11205099	hypothetical protein (GB:L19201.1) (Haemophilus influenzae)	56	39	504
50	6	4820	5161	gi1209931	flbB protein (Human adenovirus type 5)	56	48	342
53	4	2076	2972	gi1623476	transcriptional activator (Providencia stuartii) sp[P43463]AARP_PROST TRANSCRIPTIONAL ACTIVATOR AARP.	56	30	897
67	6	5656	6594	gi1466613	nikB (Escherichia coli)	56	32	939
89	3	2364	1810	gi1482922	protein with homology to pail repressor of B. subtilis (Lactobacillus elbrueckii)	56	39	555
96	1	203	913	gi1145594	cAMP receptor protein (crp) (Escherichia coli)	56	35	711
109	121	18250	117846	gi11204367	hypothetical protein (GB:U14001.278) (Haemophilus influenzae)	56	27	405
112	8	5611	6678	gi1155588	glucose-fructose oxidoreductase (Zymomonas mobilis) pifA42289A42289 glucose-fructose oxidoreductase (EC 1.1.1.1) reductor - Zymomonas mobilis	56	40	1068
131	3	6404	5100	gi1619724	MgtE (Bacillus firmus)	56	30	1305
138	2	65	232	gi1413948	lipa-21d gene product (Bacillus subtilis)	56	31	168
138	4	823	1521	gi1580868	lipa-21r gene product (Bacillus subtilis)	56	31	699
146	2	740	447	gi11046009	M. genitalium predicted coding region HG309 (Mycoplasma genitalium)	56	37	294
149	2	1639	1067	gi1945380	trnminase small subunit (Bacteriophage LU-II)	56	35	573
163	1	2	223	gi1143947	glutamine synthetase (Bacteroides fragilis)	56	30	222
166	5	6745	6449	gi1405792	ORF154 (Pseudomonas putida)	56	26	297
187	1	31	393	gi1311237	H(+)-transporting ATP synthase (Zea mays)	56	30	363
190	1	2	373	gi1109686	proX (Bacillus subtilis)	56	35	372
191	8	11538	9943	gi1581070	acyl coenzyme A synthetase (Escherichia coli)	56	35	1596
195	1	1291	647	gi1510242	collagenase (Methanococcus jannaschii)	56	34	645
230	3	2323	2072	gi140363	heat shock protein (Clostridium acetobutylicum)	56	39	252
238	5	3383	3775	gi14877513	IsaA (Staphylococcus aureus)	56	31	393
270	2	813	1712	gi1765073	autolysin (Staphylococcus aureus)	56	41	900

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
290	1	3221	1632	gi1547513	orf3 (Haemophilus influenzae)	56	34	1500
297	5	1140	1373	gi1511556	M. jannaschii predicted coding region MJ1561 (Methanococcus jannaschii)	56	40	234
321	2	2947	1799	gi1001801	hypothetical protein (Synecocystis sp.)	56	31	1149
359	2	1279	641	gi146336	inoli gene product (Rhizobium meliloti)	56	26	639
371	2	360	1823	gi1145304	lu-ribulokinase (Escherichia coli)	56	39	1464
391	4	1762	2409	gi11001634	hypothetical protein (Synecocystis sp.)	56	34	648
402	1	380	192	gi11438904	5-HT4L receptor (Homo sapiens)	56	48	189
416	4	2480	2109	gi11408486	MS74A gene product (Bacillus subtilis)	56	31	372
424	3	1756	2334	gi1142471	acetolactate decarboxylase (Bacillus subtilis)	56	32	579
457	1	1907	1017	gi11205194	formamidopyrimidine-DNA glycosylase (Haemophilus influenzae)	56	36	891
458	2	2423	1812	gi115466	terminase (Bacteriophage SPPI)	56	37	612
504	2	2152	1283	gi1142681	lpp38 (Pasteurella haemolytica)	56	38	870
511	1	1	1284	gi11217049	brnQ protein (Salmonella typhimurium)	56	37	1244
604	3	1099	1701	gi1467109	rim; 30S Ribosomal protein S18 alanine acetyltransferase; 229_C1_170 (Mycobacterium leprae)	56	43	601
660	5	3547	3774	gi11229106	2K930.1 (Caenorhabditis elegans)	56	30	228
707	1	35	400	gi1153929	NADPH-sulfite reductase flavoprotein component (Salmonella typhimurium)	56	38	366
709	2	1385	1095	gi11510801	hydrogenase accessory protein (Methanococcus jannaschii)	56	38	291
718	1	1	495	gi1413948	lps-24d gene product (Bacillus subtilis)	56	35	495
744	1	87	677	gi1928836	repressor protein (Lactococcus lactis phage BK5-T)	56	35	591
790	1	776	399	gi11511513	ABC transporter, probable ATP-binding subunit (Methanococcus jannaschii)	56	33	378
795	1	3	407	gi11205382	cell division protein (Haemophilus influenzae)	56	34	405
813	1	19	930	gi11222161	permease (Haemophilus influenzae)	56	28	912
855	1	3	515	gi11256621	26.7% of identity in 165 aa to a Thermophilic bacterium hypothetical protein 6; putative (Bacillus subtilis)	56	33	513
968	1	2	466	gi1547513	orf3 (Haemophilus influenzae)	56	37	465
973	2	1049	732	gi1186022	HexR (Pseudomonas aeruginosa)	56	31	318
1203	1	5	223	gi1184251	MHG-1 (Homo sapiens)	56	34	219

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
1976	1	452	237	gi 19806	lysine-rich aspartic acid-rich protein [Plasmodium chabaudi] r S22183 S22183 lysine/aspartic acid-rich protein - Plasmodium baudii	56	33	216
2161	1	2	400	gi 1237015	ORF4 [Bacillus subtilis]	56	27	399
2958	1	362	183	gi 466685	No definition line found [Escherichia coli]	56	26	180
2979	1	421	212	gi 1204354	spore germination and vegetative growth protein [Haemophilus influenzae]	56	40	210
2994	2	526	326	gi 1836646	phosphoribosylformimino-praic ketolase [Rhodobacter phaeoides]	56	29	201
3026	1	173	328	gi 143306	penicillin V amidase [Bacillus sphaericus]	56	30	150
3189	1	289	146	gi 1166604	Similar to aldehyde dehydrogenase [Caenorhabditis elegans]	56	37	144
3770	1	63	401	gi 1129145	acetyl-CoA C-acyltransferase [Mangifera indica]	56	43	339
4054	2	720	361	gi 1205355	Na ⁺ /H ⁺ antiporter [Haemophilus influenzae]	56	31	360
4145	1	1	324	gi 726095	long-chain acyl-CoA dehydrogenase [Mus musculus]	56	36	324
4200	1	505	256	gi 155588	glucose-fructose oxidoreductase [Symonon mobilis] pfr A42289 A42289 glucose-fructose oxidoreductase (SC 1.1.-.-) recursor - Symonon mobilis	56	40	252
4273	1	675	355	gi 308861	GTC start codon [Lactococcus lactis]	56	33	321
1	3	4095	3436	gi 5341	Putative orf YCL48c, len:192 [Saccharomyces cerevisiae] r S53591 S53591 hypothetical protein - yeast [Saccharomyces evisiae]	55	25	660
11	12	9377	8505	gi 216773	haloacetate dehalogenase H-1 [Halorubella sp.]	55	32	873
12	4	5133	4534	gi 467337	unknown [Bacillus subtilis]	55	26	600
19	5	5404	5844	gi 1001719	hypothetical protein [Synecocystis sp.]	55	25	441
23	13	14087	12339	gi 474190	lucA gene product [Escherichia coli]	55	30	1749
32	7	5368	6888	gi 1340096	unknown [Mycobacterium tuberculosis]	55	37	1521
34	3	2569	1808	gi 1303968	YqjQ [Bacillus subtilis]	55	39	762
34	5	3960	3412	gi 1303962	YqjK [Bacillus subtilis]	55	33	549
36	1	1291	647	gi 1606045	ORF_0118 [Escherichia coli]	55	27	645
36	6	6220	5243	gi 1001341	hypothetical protein [Synecocystis sp.]	55	31	978
47	3	3054	3821	gi 1001819	hypothetical protein [Synecocystis sp.]	55	21	768
49	1	2065	1127	gi 403373	glycerophosphoryl diester phosphodiesterase [Bacillus subtilis] pfr S37251 S37251 glycerophosphoryl diester phosphodiesterase - actillus subtilis	55	36	939

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
67	11	8966	9565	gi1153053	norA199 protein [Staphylococcus aureus]	55	23	600
75	3	881	1273	gi121698	L-histidinol: NAD ⁺ oxidoreductase (EC 1.1.1.23) (aa 1-434) [Schwiebia coli]	55	33	393
82	9	15387	14194	gi1116221	carboxypeptidase [Sulfolobus solfataricus]	55	35	1194
87	4	3517	4917	gi11064812	function unknown [Bacillus subtilis]	55	26	1401
88	2	1172	1636	gi1082463	protein-Nip1-phosphatidyl-sugar phosphotransferase [Escherichia coli]	55	35	465
92	1	127	516	gi11377832	unknown [Bacillus subtilis]	55	36	390
100	2	836	2035	gi11370274	seaxanthin epoxidase [Nicotiana plumbaginifolia]	55	36	1200
100	5	5137	4658	gi1396660	unknown open reading frame [Buchnera aphidicola]	55	29	480
108	3	4266	2986	gi11499866	M. jannaschii predicted coding region MJ024 [Methanococcus jannaschii]	55	31	1281
114	3	2616	1834	gi11511367	formate dehydrogenase, alpha subunit [Methanococcus jannaschii]	55	29	783
144	3	1805	1476	gi11100787	unknown [Saccharomyces cerevisiae]	55	35	330
165	5	6212	5508	gi11045884	M. genitalium predicted coding region MG199 [Mycoplasma genitalium]	55	27	705
189	5	2205	2576	gi1143569	ATP synthase a subunit [Bacillus firmus]	55	35	372
191	6	9136	6857	gi11559411	B0272.3 [Caenorhabditis elegans]	55	39	2280
194	2	364	636	gi11145768	K7 kinesin-like protein [Dictyostellium discoideum]	55	34	273
209	4	1335	1676	gi11473357	thi4 gene product [Schizosaccharomyces pombe]	55	35	342
211	2	1693	1145	gi11410130	ORFX6 [Bacillus subtilis]	55	37	549
213	2	644	1372	gi1633692	TraA [Yersinia enterocolitica]	55	28	729
214	7	4144	3481	gi11001793	hypothetical protein [Synecocystis sp.]	55	30	1338
221	7	11473	9197	gi1466520	pocR [Salmonella typhimurium]	55	32	2277
233	8	5908	4817	gi11237063	unknown [Mycobacterium tuberculosis]	55	38	1092
236	4	1375	2340	gi11146199	putative [Bacillus subtilis]	55	32	966
243	2	380	1885	gi1459907	mercuric reductase [Plasmid p1258]	55	29	1506
258	1	786	394	gi1455006	orf6 [Rhodococcus fascians]	55	36	393
281	1	126	938	gi11408493	homologous to SwissProt:YIDA_ECOL1 hypothetical protein [Bacillus subtilis]	55	35	813
316	3	1323	2102	gi11486447	LuxA homologue [Rhizobium sp.]	55	30	780
326	5	2568	2744	gi11296824	proline iminopeptidase [Lactobacillus helveticus]	55	36	225

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
351	2	2322	1429	gi 1204820	hydrogen peroxide-inducible activator [Haemophilus influenzae]	55	28	894
353	4	2197	2412	gi 1272475	chitin synthase [Emricella nidulans]	55	50	216
380	1	14	379	gi 142594	ATP synthase 1 subunit [Bacillus megaterium]	55	37	366
383	1	462	232	gi 1789272	ferrichrome-binding protein [Bacillus subtilis]	55	36	231
386	1	3	938	gi 1510251	DNA helicase, putative [Methanococcus jannaschii]	55	30	936
410	2	1208	1891	gi 1205144	multidrug resistance protein [Haemophilus influenzae]	55	27	684
483	2	411	833	gi 1413934	lpa-10r gene product [Bacillus subtilis]	55	26	423
529	3	1777	1433	gi 606150	ORF_2309 [Escherichia coli]	55	33	345
555	1	1088	585	gi 143407	para-aminobenzoic acid synthase, component 1 (pab) [Bacillus subtilis]	55	28	504
565	1	402	202	gi 1223961	CDP-tylucose epimerase [Yersinia pseudotuberculosis]	55	41	201
582	1	751	452	gi 1256643	20-25 identity with NADH dehydrogenase of the Leishmania major mitochondrion; putative [Bacillus subtilis]	55	36	300
645	5	2260	2057	gi 410824	fusion protein F [Bovine respiratory syncytial virus] p1rJQ1481 VGNZBA (fusion glycoprotein precursor - bovine respiratory syncytial virus (strain A51908))	55	25	204
672	2	957	2216	gi 1511333	M. jannaschii predicted coding region MJ1322 [Methanococcus jannaschii]	55	36	1260
730	1	955	479	gi 537007	ORF_3379 [Escherichia coli]	55	30	477
737	1	1859	945	gi 536963	CG Site No. 18166 [Escherichia coli]	55	30	915
742	2	228	572	gi 304160	product unknown [Bacillus subtilis]	55	38	345
817	2	1211	903	gi 1136289	histidine kinase A [Dictyostelium discoideum]	55	29	309
819	1	582	355	gi 558073	polymorphic antigen [Plasmodium falciparum]	55	22	228
832	2	1152	724	gi 40367	ORF_C [Clostridium acetobutylicum]	55	32	429
840	1	769	386	gi 1205875	pseudouridylylase synthase 1 [Haemophilus influenzae]	55	39	384
1021	1	23	529	gi 48563	beta-lactamase [Yersinia enterocolitica]	55	38	507
1026	1	60	335	gi 47804	Opp C (AAL-301) [Salmonella typhimurium]	55	26	276
1525	1	1	282	gi 1477533	lsrA [Staphylococcus aureus]	55	29	282
1814	2	224	985	gi 1046078	M. genitalium predicted coding region HC319 [Mycoplasma genitalium]	55	38	762
3254	1	427	254	gi 413968	lpa-44d gene product [Bacillus subtilis]	55	30	174

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
3695	1	686	345	gi 216773	haloacetate dehalogenase H-1 (Moraxella sp.)	55	32	342
3721	1	1	312	gi 42029	ORF1 gene product (Escherichia coli)	55	31	312
3799	1	3	272	gi 42029	ORF1 gene product (Escherichia coli)	55	30	270
3889	1	22	423	gi 1129145	acetyl-CoA C-acyltransferase (Mangifera indica)	55	45	402
3916	1	2	385	gi 529754	apeC (Streptococcus pyogenes)	55	38	384
3945	1	4	198	gi 476252	phase 1 flagellin (Salmonella enterica)	55	36	195
4074	1	488	246	gi 42029	ORF1 gene product (Escherichia coli)	55	38	243
4184	1	2	343	gi 1524267	unknown (Mycobacterium tuberculosis)	55	28	342
4284	1	14	208	gi 1100774	ferredoxin-dependent glutamate synthase (Synechocystis sp.)	55	36	195
4457	2	644	378	gi 180189	cerebellar-degeneration-related antigen (CDR34) (Homo sapiens)	55	38	267
					cerebellar degeneration-associated protein (Homo sapiens)			
					pirA29770A29770 cerebellar degeneration-related protein - human			
4514	1	2	244	gi 216773	haloacetate dehalogenase H-1 (Moraxella sp.)	55	32	243
4599	1	432	217	gi 1129145	acetyl-CoA C-acyltransferase (Mangifera indica)	55	42	216
4606	1	416	210	gi 386120	myosin alpha heavy chain (S2 subfragment) (rabbits, masseter, epitide Partial, 234 aa)	55	27	207
5	8	5348	4932	gi 536069	ORF VBL047c (Saccharomyces cerevisiae)	54	27	417
12	7	7166	6165	gi 1205504	homoserine acetyltransferase (Haemophilus influenzae)	54	30	1002
23	16	17086	15326	gi 474192	lucC gene product (Escherichia coli)	54	31	1761
35	1	2	979	gi 48054	small subunit of soluble hydrogenase (AA 1-384) (Synechococcus sp.)	54	36	978
					lr1505919HQYCSS soluble hydrogenase (EC 1.12.-.-) small chain - rhodococcus sp. (PCC 6716)			
37	11	9437	8667	gi 537207	ORF f277 (Escherichia coli)	54	38	771
37	12	8165	8332	gi 1160967	palmitoyl-protein thioesterase (Homo sapiens)	54	37	168
46	15	13025	13804	gi 438473	protein is hydrophobic, with homology to E. coli Prow; putative Bacillus subtilis	54	28	780
56	2	203	736	gi 1256139	YbbJ (Bacillus subtilis)	54	34	536
57	13	11117	10179	gi 1151248	inosine-uridine preferring nucleoside hydrolase (Crithidia fasciculata)	54	32	939
66	2	516	1133	gi 1335781	Cap (Drosophila melanogaster)	54	29	618
70	10	8116	8646	gi 1359823	PhoE (Rhizobium meliloti)	54	31	531

TABLE 2

S aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
70	15	12556	11801	[sp P02983 TCR_S	TETRACYCLINE RESISTANCE PROTEIN.	54	29	756
87	5	4915	5706	[gi 1064811	[function unknown (Bacillus subtilis)	54	33	792
92	4	3005	2289	[gi 1205366	[oligopeptide transport ATP-binding protein (Haemophilus influenzae)	54	33	717
103	2	2596	1556	[gi 1710495	[protein kinase (Bacillus brevis)	54	33	1041
105	2	3585	2095	[gi 143727	[putative (Bacillus subtilis)	54	30	1491
112	4	2137	2732	[gi 153724	[MalC (Streptococcus pneumoniae)	54	41	396
127	2	1720	2493	[gi 144297	[acetyl esterase (XyNC) (Caldocellum saccharolyticum) pir 037202 037202 [acetyl esterase (EC 3.1.1.6) (XyNC) - Caldocellum saccharolyticum	54	34	774
138	5	1600	3306	[gi 142473	[pyruvate oxidase (Escherichia coli)	54	36	1707
152	2	525	1172	[gi 1377834	[unknown (Bacillus subtilis)	54	23	648
161	9	4831	5469	[gi 1903305	[ORF3] (Bacillus subtilis)	54	28	639
161	13	6694	7251	[gi 1511039	[phosphate transport system regulatory protein (Methanococcus jannaschii)	54	32	558
164	6	3263	4543	[gi 1204976	[prolyl-tRNA synthetase (Haemophilus influenzae)	54	34	1281
164	120	21602	22243	[gi 143582	[spolIIIEA protein (Bacillus subtilis)	54	32	642
171	6	5683	4250	[gi 1436965	[malA] gene products (Bacillus stearothermophilus) pir S43914 S43914 [hypothetical protein 1 - Bacillus stearothermophilus	54	37	1434
206	18	19208	19720	[gi 1240016	[R09E10.3 (Caenorhabditis elegans)	54	38	513
218	2	1090	1905	[gi 1467378	[unknown (Bacillus subtilis)	54	26	816
220	1	1322	663	[gi 1353761	[myosin II heavy chain (Naegleria fowleri)	54	22	660
220	13	12655	13059	[pir S00485 S004	[gene 11-1 protein precursor - Plasmodium falciparum (fragments)	54	35	405
221	3	2030	3709	[gi 1303813	[yqeW (Bacillus subtilis)	54	34	1680
272	7	5055	4219	[gi 62964	[arylamine N-acetyltransferase (AA 1-290) (Gallus gallus) tr S06652 MYCHV3 [arylamine N-acetyltransferase (EC 2.3.3.5) (clone NAT-3) - chicken	54	33	837
316	7	4141	4701	[gi 682769	[mccE gene product (Escherichia coli)	54	11	561
316	10	6994	8742	[gi 1413951	[lpa-27d gene product (Bacillus subtilis)	54	28	1749
338	3	3377	2214	[gi 1490328	[LORF F (unidentified)	54	28	1164
341	4	3201	3614	[gi 171959	[myosin-like protein (Saccharomyces cerevisiae)	54	25	414

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
346	1	1820	912	gi 396400	similar to eukaryotic Na ⁺ /H ⁺ exchangers [Escherichia coli] sp P32703 YJCE_ECOLI_HYPOTHETICAL 60.5 KD PROTEIN IN SOXB-ACS NTERGENIC REGION [0549]	54	34	909
348	2	623	1351	gi 537109	ORF_343a [Escherichia coli]	54	34	729
378	2	1007	1942	sp P02983 TCR_S	TETRAACYCLINE RESISTANCE PROTEIN.	54	31	936
408	6	4351	5301	gi 474190	lucA gene product [Escherichia coli]	54	29	951
444	9	7934	8854	gi 216267	ORF2 [Bacillus megaterium]	54	32	921
463	2	2717	2229	gi 104160	product unknown [Bacillus subtilis]	54	50	489
502	2	1696	1133	gi 1205015	hypothetical protein (SP.P10120) [Haemophilus influenzae]	54	38	564
505	6	6262	5357	gi 1500558	3-hydroxyhepta-2,4-diene-1,7-dioate isomerase [Methanococcus jannaschii]	54	41	906
550	1	2736	1522	gi 40100	rodC (tag3) polypeptide (AA 1-746) [Bacillus subtilis] tr S06049 S06049 rodC protein - Bacillus subtilis p P1485 TACF_BACSU_TECNOIC ACID BIOSYNTHESIS PROTEIN F.	54	35	1215
551	5	3305	4279	gi 250197	unknown [Corynebacterium glutamicum]	54	34	975
558	2	1356	958	gi 485090	No definition line found [Caenorhabditis elegans]	54	32	399
580	1	91	936	gi 331906	[used envelope glycoprotein precursor (Friend spleen focus-forming virus)]	54	45	846
603	3	554	757	gi 1322423	ORF YGR234w [Saccharomyces cerevisiae]	54	36	204
617	1	25	249	gi 219959	ornithine transcarbamylase (Homo sapiens)	54	40	225
622	3	1097	1480	gi 1303873	YggZ [Bacillus subtilis]	54	25	384
623	1	3	404	gi 1063250	low homology to P20 protein of Bacillus licheniformis and bleomycin acetyltransferase of Streptomyces verticillius [Bacillus subtilis]	54	45	402
689	1	1547	1011	gi 552446	NADH dehydrogenase subunit 4 [Apis mellifera ligustica] pir S52968 S52968 NADH dehydrogenase chain 4 - honeybee mitochondrion (S0C4)	54	30	537
725	2	686	1441	gi 987096	sensory protein kinase [Streptomyces hygroscopicus]	54	26	756
956	1	1	249	pir S10782 S107	Integrin homolog - yeast [Saccharomyces cerevisiae]	54	24	249
978	2	1137	859	gi 1301994	ORF YNL091w [Saccharomyces cerevisiae]	54	33	279
1314	1	3	281	gi 1001108	hypothetical protein [Synechocystis sp.]	54	33	279
2450	1	1	228	gi 1045057	ch-TGG [Homo sapiens]	54	32	228
2934	1	1	387	gi 580870	lpa-37d goxA gene produ. [Bacillus subtilis]	54	36	387
2970	1	499	251	sp P3734P YECC_	HYPOTHETICAL PROTEIN IN ASP5 5'REGION (FRAGMENT).	54	42	249

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	Length (nt)
3002	1	1	309	gi 44027	[Tna protein (Lactococcus lactis)]			
3561	1	9	464	gi 151259	[HMG-CoA reductase (EC 1.1.1.88) (Pseudomonas mevaloni)] pir A44756 A44756 hydroxymethylglutaryl-CoA reductase (EC 1.1.1.88) Pseudomonas sp.	54	33	309
3572	1	72	401	gi 450688	[hadM gene of Ecoprr1 gene product (Escherichia coli)] pir S38437 S38437 hadM protein - Escherichia coli pir S09629 S09629 hypothetical protein A - Escherichia coli (SUB 40-520)	54	36	330
3829	1	798	400	gi 1322245	[mevalonate pyrophosphate decarboxylase (Rattus norvegicus)]	54	29	399
3909	1	1	273	gi 129865	[CENP-E (Homo sapiens)]	54	30	273
3921	1	3	209	pir S24325 S243	[glucan 1,4-beta-glucosidase (EC 3.2.1.74) - Pseudomonas fluorescens subsp. cellulosa]	54	34	207
4438	1	566	285	gi 1196657	[unknown protein (Mycoplasma pneumoniae)]	54	30	282
4459	1	3	272	gi 1046081	[hypothetical protein (GB:D26185.10) (Mycoplasma genitalium)]	54	38	270
4564	1	3	221	gi 1216267	[ORF2 (Bacillus megaterium)]	54	38	219
23	12	12538	10685	gi 474192	[lucC gene product (Escherichia coli)]	53	35	1854
23	14	14841	13579	gi 42029	[ORF1 gene product (Escherichia coli)]	53	32	1263
24	3	4440	3940	gi 1369947	[c2 gene product (Bacteriophage B1)]	53	36	501
26	4	3818	4618	gi 1486247	[unknown (Bacillus subtilis)]	53	37	801
38	6	2856	3998	gi 405880	[yell (Escherichia coli)]	53	40	1143
38	10	9380	7806	gi 1399954	[thyroid sodium/iodide symporter NIS (Rattus norvegicus)]	53	29	1575
56	10	12324	12100	pir A54592 A545	[110K actin filam. associated protein - chicken]	53	32	225
57	6	5047	4583	pir A00341 DE2P	[alcohol dehydrogenase (EC 1.1.1.1) - fission yeast (Schizosaccharomyces pombe)]	53	39	465
57	12	10515	8932	gi 1480429	[putative transcriptional regulator (Bacillus stearothermophilus)]	53	30	1584
67	12	9496	10218	gi 1511555	[quinolone resistance norA protein protein (Methanococcus jannaschii)]	53	31	723
69	3	3125	2382	gi 1687017	[arabinogalactan-protein, ACP (Nicotiana glauca, cell-suspension culture filtrate, Peptide, 461 aa)]	53	30	744
79	1	3	1031	gi 1523802	[glucanase (Anabaena variabilis)]	53	32	1029
80	1	673	338	gi 452428	[ATPase 3 (Plasmodium falciparum)]	53	36	336
88	4	1910	2524	gi 137034	[ORF_0488 (Escherichia coli)]	53	25	615
88	5	2467	3282	gi 537034	[ORF_0488 (Escherichia coli)]	53	29	816

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match	Accession	Match gene name	% sim	% ident	length (nt)
92	8	5870	5505	gi 399598		amphotropic murine retrovirus receptor (Rattus norvegicus)	53	33	366
94	5	4417	3239	gi 173038		tropomyosin (TPM1) (Saccharomyces cerevisiae)	53	25	1179
99	5	4207	5433	sp P28246 BCR_E		BICYCLAMYCIN RESISTANCE PROTEIN (SULFONAMIDE RESISTANCE PROTEIN)	53	30	1227
120	3	1639	2282	gi 176655		ORF1 (Vibrio anguillarum)	53	35	624
120	11	7257	8897	gi 1524397		glycine betaine transporter Opd (Bacillus subtilis)	53	33	1641
127	6	6893	5685	gi 1256630		putative (Bacillus subtilis)	53	32	1209
147	2	255	557	gi 581648		epib gene product (Staphylococcus epidermidis)	53	34	303
158	4	4705	4256	gi 151004		mucoid regulatory protein AlgR (Pseudomonas aeruginosa) pIR A32802 A32802 regulatory protein algR - Pseudomonas aeruginosa sp P26275 ALGR_PSEAE POSITIVE ALGINATE BIOSYNTHESIS REGULATORY PROTEIN	53	32	450
171	7	5717	5421	gi 1510669		hypothetical protein (GP:D6404_18) (Methanococcus jannaschii)	53	34	297
191	9	13087	11483	gi 298085		acetoacetate decarboxylase (Clostridium acetobutylicum) pIR B49346 B49346 butyrate--acetoacetate CoA-transferase (EC 8.3.9) small chain - Clostridium acetobutylicum sp P3752 CTFA_CLOAB BUTYRATE-ACETOACETATE COA-TRANSFERASE SUBUNIT (EC 2.8.3.9) (COAT A)	53	31	1605
203	5	3763	4326	gi 143456		rpoE protein (tbg start codon) (Bacillus subtilis)	53	29	564
206	17	18204	18971	gi 304136		acetylglutamate kinase (Bacillus stearothermophilus) sp 007905 ARGB_BACST ACETYLGUTAMATE KINASE (EC 2.7.2.8) (NAG INASE) (ACK) (N-ACETYL-L-GLUTAMATE 5-PHOSPHOTRANSFERASE)	53	36	768
212	10	4021	4221	gi 19878		protein kinase (Plasmodium falciparum)	53	28	201
231	2	1580	1350	gi 537506		paramyosin (Dirofilaria immitis)	53	34	231
272	6	2719	3249	pir A33141 A331		hypothetical protein (gtcD 3' region) - Streptococcus mutans	53	34	531
308	3	927	2576	gi 606292		ORF_0696 (Escherichia coli)	53	33	1650
320	7	5645	5884	gi 160596		RNA polymerase III largest subunit (Plasmodium falciparum) sp P27625 RPCL_PLAFA DNA-DIRECTED RNA POLYMERASE III LARGEST SUBUNIT (EC 2.7.7.6)	53	33	240
327	1	218	901	gi 854601		unknown (Schistosoma caracasense)	53	31	684
341	2	212	2500	gi 633732		ORF1 (Campylobacter jejuni)	53	31	2289
351	1	763	383	sp P31675 YABM		HYPOTHETICAL 42.7 KD PROTEIN IN TBPA-LEUD INTERGENIC REGION (ORF104)	53	32	381
433	7	5087	4731	gi 1001961		MHC class II analog (Staphylococcus aureus)	53	30	357
454	2	1240	980	pir A60328 A603		40K cell wall protein precursor (sr 5' region) - Streptococcus mutans (strain OM2175, serotype f)	53	27	261

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Aa/qh gene name	% sim	% ident	length (nt)
470	4	1123	1761	gi 516826	rat GCP160 (Rattus rattus)	53	30	639
483	1	432	217	gi 1480429	putative transcriptional regulator (Bacillus stearothermophilus)	53	30	216
544	1	516	1259	gi 46587	ORF 1 (AA 1 - 121) (1 is 2nd base in codon) (Staphylococcus aureus) if (S15765)S15765 hypothetical protein 1 (hib 5' region) - staphylococcus aureus (fragment)	53	38	744
558	10	3957	3754	gi 15140	ics gene (Bacteriophage P1)	53	32	204
603	2	319	620	gi 507738	Hmp (Vibrio parahaemolyticus)	53	26	282
693	1	1669	941	gi 153123	toxic shock syndrome toxin-1 precursor (Staphylococcus aureus) p15/A24606/XCSA1 toxic shock syndrome toxin-1 precursor - staphylococcus aureus	53	38	729
766	1	2	673	gi 687600	orfA2; orfA2 forms an operon with orfA1 (Listeria monocytogenes)	53	43	672
781	1	667	335	gi 1204551	pillin biogenesis protein (Haemophilus influenzae)	53	26	333
801	1	3	545	gi 1279400	SAP protein (Escherichia coli)	53	25	543
803	1	2	910	gi 695278	lipase-like enzyme (Alcaligenes eutrophus)	53	30	909
872	1	1177	590	gi 298032	IEF (Streptococcus suis)	53	30	588
910	1	2	184	gi 1044936	unknown (Schizosaccharomyces pombe)	53	29	183
943	1	794	399	gi 190508	similar to unidentified ORF near 47 minutes (Escherichia coli) sp P31436 VICK_ECOLI HYPOTHETICAL 43.5 KD PROTEIN IN SELC-NLPA NTERGENIC REGION.	53	30	396
988	1	1004	504	gi 142441	ORF 3; putative (Bacillus subtilis)	53	28	501
1064	1	3	434	gi 305080	myosin heavy chain (Entamoeba histolytica)	53	26	432
1366	1	3	452	gi 308852	transmembrane protein (Lactococcus lactis)	53	33	450
1758	1	792	397	gi 1001774	hypothetical protein (Synechocystis sp.)	53	30	396
1897	1	1	447	gi 1303949	YqjX (Bacillus subtilis)	53	27	447
2181	1	798	400	gi 1146243	22.4% identity with Escherichia coli DNA-damage inducible protein ...; putative (Bacillus subtilis)	53	37	399
3537	1	1	327	gi 450688	hsdM gene of EcoPCR1 gene product (Escherichia coli) p1r S38437 S38437 hsdM protein - Escherichia coli p1r S09629 S09629 hypothetical protein A - Escherichia coli (SUB 40-520)	53	35	327
3747	2	137	397	gi 1477486	transposase (Burkholderia cepacia)	53	53	261
11	5	3049	3441	gi 868224	No definition line found (Caenorhabditis elegans)	52	33	393

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
15	5	2205	2369	gi 215966	G41 protein (g9 start codon) (Bacteriophage T4)	52	34	165
19	3	2429	3808	gi 1205379	UDP-murac-pentapeptide synthetase (Haemophilus influenzae)	52	31	1380
24	1	6920	3462	gi 579124	Predicted 86.4kd protein; 52kd observed (Mycobacteriophage L5) p1r[S30971]S30971 gene 26 protein - Mycobacterium phage L5 sp Q05233 Q05233 MINOR TAIL PROTEIN GP26. (SUB 2-837)	52	32	3459
37	5	3015	3935	gi 1500543	P115 protein (Methanococcus jannaschii)	52	25	921
38	13	8795	9703	gi 46851	glucose kinase (Streptomyces coelicolor)	52	29	909
44	16	110617	11066	gi 42012	mosE gene product (Escherichia coli)	52	36	450
46	1	3	521	gi 1040957	NADH dehydrogenase subunit 6 (Anopheles trinkae)	52	25	519
51	10	5531	6280	gi 308269	ltaC (Plasmid pAD1)	52	32	750
56	5	3968	2826	gi 181949	endothelial differentiation protein (edg-1) (Homo sapiens) p1r[A35300]A35300 G protein-coupled receptor edg-1 - human sp P21453 EDG1_HUMAN PROBABLE G PROTEIN-COUPLED RECEPTOR EDG-1.	52	23	1143
57	5	4850	4173	gi 304153	isorbitol dehydrogenase (Bacillus subtilis)	52	27	678
62	5	3364	2870	gi 1072399	phaE gene product (Rhizobium meliloti)	52	25	495
62	6	4445	3651	gi 146485	NADH dehydrogenase (Synecoccus PCC7942)	52	27	795
67	14	11355	12962	gi 1511365	glutamate synthase (NADPH), subunit alpha (Methanococcus jannaschii)	52	30	1608
67	21	116935	18158	gi 1204393	hypothetical protein (SP:P31122) (Haemophilus influenzae)	52	25	1224
70	4	2185	1997	gi 7227	cytoplasmic dynein heavy chain (Dictyostellium discoideum) r[A44357]A44357 dynein heavy chain, cytosolic - slime mold dictyostellium discoideum	52	36	189
96	10	10005	10664	gi 1408485	h65G gene product (Bacillus subtilis)	52	26	660
103	5	3986	3351	gi 1009368	Respiratory nitrate reductase (Bacillus subtilis)	52	42	636
109	3	4102	3350	gi 699274	lmbE gene product (Mycobacterium lepreae)	52	39	753
109	19	15732	17300	gi 11526981	amino acid permease Yeaf like protein (Salmonella typhimurium)	52	30	1569
121	3	1412	981	gi 722931	unknown (Saccharomyces cerevisiae)	52	32	432
125	3	865	1680	gi 1296975	put gene product (Porphyromonas gingivalis)	52	38	816
130	2	659	1807	gi 1256634	25-8% identity over 120 aa with the Mycobacterium sp. Mpev protein; putative (Bacillus subtilis)	52	36	1149
149	1	1164	583	gi 1225943	PBEX terminase (Bacillus subtilis)	52	33	582
149	14	4687	4415	gi 1510368	M. jannaschii predicted coding region M0272 (Methanococcus jannaschii)	52	35	273

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
167	1	216	1001	gi 146025	cell division protein [Escherichia coli]	52	43	786
188	1	120	1256	gi 474915	orf 337; translated orf similarity to SM: BCR_ECOLI bicyclomycin resistance protein of Escherichia coli [Coxiella burnetii] pir S44207 S44207 hypothetical protein 337 - Coxiella burnetii (SUB -318)	52	26	1137
195	9	9161	8760	gi 1028	mitochondrial outer membrane 72K protein [Neurospora crassa] r A3682 A3682 72K mitochondrial outer membrane protein - rospora crassa	52	25	402
200	3	2065	2607	gi 142439	ATP-dependent nuclease [Bacillus subtilis]	52	35	543
203	4	2776	3684	gi 1303698	BLD [Bacillus subtilis]	52	25	909
227	8	5250	5651	gi 105080	myosin heavy chain [Entamoeba histolytica]	52	24	402
242	1	21	1424	gi 1060877	Emv [Escherichia coli]	52	32	1404
249	5	4526	4753	pir C37222 C372	cytochrome P450 1A1, hepatic - dog (fragment)	52	23	228
255	1	2107	1055	gi 143290	penicillin-binding protein [Bacillus subtilis]	52	28	1053
276	7	3963	3664	gi 1001610	hypothetical protein [Synecocystis sp.]	52	30	300
276	8	4456	4055	gi 116235	orf 13 [Mycoplasma capricolum]	52	26	402
289	2	1856	1449	gi 150900	GTP phosphohydrolase [Proteus vulgaris]	52	34	408
325	1	1	279	gi 1204874	polypeptide deformylase (formylmethionine deformylase) [Haemophilus influenzae]	52	33	279
340	1	2017	1010	gi 1215695	peptide transport system protein SapF homolog, SapF homolog [Mycoplasma pneumoniae]	52	33	1004
375	3	340	1878	gi 467446	similar to SpoVB [Bacillus subtilis]	52	28	1539
424	4	4104	3262	gi 1478239	unknown [Mycobacterium tuberculosis]	52	34	843
430	1	3	575	pir A42606 A426	orfA 5' to orfA5 - Saccharopolyspora erythraea (fragment)	52	28	573
444	4	4728	3712	gi 1408494	homologous to penicillin acylase [Bacillus subtilis]	52	31	1017
465	1	1802	903	gi 143331	alkaline phosphatase regulatory protein [Bacillus subtilis] pir A27650 A27650 regulatory protein phoR - Bacillus subtilis sp P23545 PHO_R_BACSU ALKALINE PHOSPHATASE SYNTHESIS SENSOR PROTEIN PHO (EC 2.7.3.-)	52	36	900
469	5	4705	4169	gi 755152	highly hydrophobic integral membrane protein [Bacillus subtilis] sp P42953 TAGC_BACSU TRICHOIC ACID TRANSLOCATION PERMEASE PROTEIN AGG.	52	32	537
495	1	1262	633	gi 1204607	transcription activator [Haemophilus influenzae]	52	25	630
505	7	6004	5762	gi 142440	ATP-dependent nuclease [Bacillus subtilis]	52	28	243

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
517	2	1162	1614	gi 166162	Bacteriophage phi-11 int gene activator [Staphylococcus acteriophage phi 11]	52	35	453
543	2	444	1295	gi 1215693	putative orf; GT9_orf434 [Mycoplasma pneumoniae]	52	25	852
586	1	1	336	gi 581648	epib gene product [Staphylococcus epidermidis]	52	36	336
773	1	848	426	gi 1279769	FdHC [Methanobacterium thermoformicicum]	52	30	423
1120	2	100	330	gi 142439	ATP-dependent nuclease [Bacillus subtilis]	52	35	231
1614	1	691	347	gi 289262	comE ORF3 [Bacillus subtilis]	52	28	345
2495	1	1	324	gi 216151	DNA polymerase (gene L, ttg start codon) [Bacteriophage SP02] gi 579197 SP02 DNA polymerase (aa 1-648) [Bacteriophage SP02] p1r A21498 DJBPS2 DNA-directed DNA polymerase (EC 2.7.7.7) - phage P02	52	34	324
2931	1	566	285	gi 1256136	YbbG [Bacillus subtilis]	52	30	282
2943	1	577	320	gi 11713	hlaA ORF (AA 1-245) [Escherichia coli]	52	35	258
2993	1	588	295	gi 298032	EF [Streptococcus suis]	52	34	294
3667	1	612	307	gi 849025	hypothetical 64.7-kDa protein [Bacillus subtilis]	52	36	306
3944	1	478	260	gi 1218040	BAA [Bacillus licheniformis]	52	36	219
3954	2	613	347	gi 854064	IU87 [Human herpesvirus 6]	52	50	267
3986	1	90	401	gi 1205919	Na ⁺ and Cl ⁻ dependent gamma-aminobutyric acid transporter [Haemophilus influenzae]	52	33	312
4002	1	3	389	gi 40003	oxoglutarate dehydrogenase (NADP+) [Bacillus subtilis] p123129 OD01_BACSU 2-OXOGLUTARATE DEHYDROGENASE E1 COMPONENT (EC 2.4.2) (ALPHA-KETOGLUTARATE DEHYDROGENASE)	52	42	387
4020	1	1	249	gi 159388	ornithine decarboxylase [Leishmania donovani]	52	47	249
4098	1	438	220	gi 409795	No definition line found [Escherichia coli]	52	32	219
4248	1	3	212	gi 965077	Adrep [Saccharomyces cerevisiae]	52	40	210
7	1	3	575	gi 895747	putative cel operon regulator [Bacillus subtilis]	51	28	573
21	4	2479	3276	gi 1510962	indole-3-glycerol phosphate synthase [Methanococcus jannaschii]	51	32	798
22	9	5301	5966	gi 1303933	Yqin [Bacillus subtilis]	51	25	666
43	3	1516	1283	gi 1519460	Srp1 [Schizosaccharomyces pombe]	51	31	234
44	17	11042	11305	gi 42011	moaD gene product [Escherichia coli]	51	35	264
51	11	6453	6731	gi 495471	vacuolating toxin [Helicobacter pylori]	51	37	279

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
52	4	2537	2995	gi 1256652	25% identity to the E. coli regulatory protein MprA; putative [Bacillus subtilis]	51	32	459
57	10	7331	6843	gi 508173	BITA domain of PPS-dependent Oat transport and phosphorylation Escherichia coli	51	32	489
59	1	29	1111	gi 299163	alanine dehydrogenase [Bacillus subtilis]	51	33	1083
67	20	15791	16576	gi 1510977	M. jannaschii predicted coding region M0938 [Methanococcus jannaschii]	51	24	786
69	2	1559	1218	gi 467359	unknown [Bacillus subtilis]	51	34	342
71	1	3	1196	gi 298032	EF [Streptococcus suis]	51	32	1194
78	2	349	176	gi 1161242	proliferating cell nuclear antigen [Styela clava]	51	28	174
99	4	3357	4040	gi 642795	TFIID subunit TAF155 [Homo sapiens]	51	25	684
109	1	2852	1428	gi 580920	rodd [gtaA] polypeptide (AA 1-673) [Bacillus subtilis] pir[S06048]S06048 probable rodd protein - Bacillus subtilis sp[P13484]PAGE BACSU PROBABLE POLY (GLYCEROL-PHOSPHATE) LPHN-GLUCOSYLTRANSFERASE (EC 2.4.1.52) (TECHOIC ACID BIOSYNTHESIS PROTEIN E).	51	27	1425
109	9	6007	6693	gi 1204815	hypothetical protein [SP:P12662] [Haemophilus influenzae]	51	23	687
112	3	1066	2352	pir[S05330]S053	maltose-binding protein precursor - Enterobacter aerogenes	51	42	1287
112	13	14432	12855	gi 405857	yeuB [Escherichia coli]	51	29	1578
114	9	9725	8967	gi 435098	orf1 [Mycoplama capricolum]	51	30	759
115	1	1	912	gi 1431110	ORF YH085W [Saccharomyces cerevisiae]	51	25	912
127	10	9647	10477	gi 1204314	H. influenzae predicted coding region H10056 [Haemophilus influenzae]	51	37	831
152	9	6814	7356	gi 431929	MunI regulatory protein [Mycoplama sp.]	51	38	543
154	2	575	1153	gi 1237044	unknown [Mycobacterium tuberculosis]	51	36	579
154	7	6587	5634	gi 409286	bmrU [Bacillus subtilis]	51	27	954
171	8	6943	6236	gi 1205484	hypothetical protein [SP:P3918] [Haemophilus influenzae]	51	32	708
184	1	1	291	gi 466886	bl496_C3_206 [Mycobacterium leprae]	51	33	291
212	5	1501	2139	pir A45605 A456	mature-parasite-infected erythrocyte surface antigen MESA - Plasmodium falciparum	51	23	639
228	2	707	1378	gi 8204	nuclear protein [Drosophila melanogaster]	51	27	672
236	8	8137	7481	gi 49272	Asparaginase [Bacillus licheniformis]	51	31	657
243	4	4637	3546	gi 1511102	melvalonate kinase [Methanococcus jannaschii]	51	29	1092

TABLE 2

S aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match position	Match gene name	% sim	% ident	length (nt)
257	4	3540	3373	gi 204579	H. influenzae predicted coding region H10326 [Haemophilus influenzae]	51	22	168
258	3	2397	1609	gi 160299	glutamic acid-rich protein [Plasmodium falciparum] pfr AS4514 AS4514 glutamic acid-rich protein precursor - Plasmodium aliciparum	51	34	789
265	5	2419	3591	gi 580841	[F1 [Bacillus subtilis]	51	32	1173
298	2	518	748	gi 1336162	SCP8 [Streptococcus agalactiae]	51	34	231
316	9	5817	7049	gi 133953	[ipa-29d gene product [Bacillus subtilis]	51	39	1233
332	2	3775	2057	gi 1209012	[mutS [Thermus aquaticus thermophilus]	51	26	1719
364	4	3816	4991	gi 528991	[unknown [Bacillus subtilis]	51	32	1176
440	2	448	684	gi 12819	[transferase (GAL10) (AA 1 - 687) [Kluyveromyces lactis] r S01407 KUVKG UDPglucose 4-epimerase (EC 5.1.3.2) - yeast uyveromyces marxianus var. lactis]	51	32	237
495	2	1153	1177	gi 297861	[protease G [Erwinia chrysanthemi]	51	41	177
495	3	2287	1718	gi 1513317	[serine rich protein [Entamoeba histolytica]	51	25	570
506	1	840	421	gi 455320	[cII protein [Bacteriophage P4]	51	33	420
600	1	1474	983	gi 587532	[orf, len: 201, CAT: 0.16 [Saccharomyces cerevisiae] pfr S48818 S48818 hypothetical protein - yeast (Saccharomyces erevisiae)]	51	30	492
607	3	479	934	gi 1511524	[hypothetical protein (sp:p7002) [Methanococcus jannaschii]	51	40	456
686	2	127	600	gi 493017	[endocarditis specific antigen [Enterococcus faecalis]	51	30	474
726	1	33	230	gi 1353851	[unknown [Prochlorococcus marinus]	51	45	198
861	1	176	652	gi 410145	[dehydroquinase dehydratase [Bacillus subtilis]	51	34	477
869	1	782	393	gi 40100	[rodc (tag) polypeptide (AA 1-746) [Bacillus subtilis] lr S06049 S06049 rodc protein - Bacillus subtilis p P13485 TAGF_BACSU TECHOIC ACID BIOSYNTHESIS PROTEIN F.	51	23	390
1003	1	642	322	gi 1279707	[hypothetical phosphoglycerate mutase [Saccharomyces cerevisiae]	51	39	321
1046	2	866	624	gi 1510257	[glycosyltransferase [Escherichia coli]	51	29	243
1467	1	702	352	gi 1511175	[M. jannaschii predicted coding region MJ1177 [Methanococcus jannaschii]	51	32	351
2558	1	457	230	sp P10582 DPOM_	[DNA POLYMERASE (EC 2.7.7.7) (S-1 DNA ORF 3).	51	26	228
3003	1	779	399	gi 809543	[CbrC protein [Erwinia chrysanthemi]	51	27	381
3604	1	1	399	pl JC4210 JC42	[3-hydroxycyl-CoA dehydrogenase (EC 1.1.1.35) - mouse	51	37	399
3732	1	2	316	gi 145906	[acyl-CoA synthetase [Escherichia coli]	51	33	315

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
3791	1	2	274	gi1061351	semaphorin III family homolog (Homo sapiens)	51	37	273
3995	1	46	336	gi1216346	aurfactin synthetase (Bacillus subtilis)	51	38	291
4193	1	612	307	gi142749	ribosomal protein L32 (AA 1-179) (Escherichia coli) ir S04776 xxxcpl peptide N-acetyltransferase rimL (EC 2.3.1.-) - chetichia coli	51	25	306
4539	1	367	185	gi1408494	homologous to penicillin acylase (Bacillus subtilis)	51	40	183
4562	1	442	239	gi1458280	coded for by C. elegans cDNA cm01a7; Similar to hydroxymethylglutaryl-CoA synthase (Caenorhabditis elegans)	51	35	204
1	4	3576	4859	gi1559160	GRAIL score: null; cap site and late promoter motifs present putative putative (Autographa californica nuclear polyhedrosis virus)	50	44	1284
11	7	4044	5165	gi1146207	putative (Bacillus subtilis)	50	35	1122
11	13	10509	9496	gi1208451	hypothetical protein (Synechocystis sp.)	50	39	1014
19	1	2034	1018	gi1413966	ipa-42d gene product (Bacillus subtilis)	50	29	1017
20	11	8586	8407	gi1123159	ORF YGR103W (Saccharomyces cerevisiae)	50	28	180
24	5	5408	4824	gi1496280	structural protein (Bacteriophage Tuc2009)	50	29	585
34	4	1926	2759	gi1303966	YqjO (Bacillus subtilis)	50	36	834
38	30	22865	23440	gi1072179	similar to dihydroflavonol-4-reductase (maize, petunia, tomato) (Caenorhabditis elegans)	50	32	576
47	2	1705	2976	gi1153015	PemA protein (Staphylococcus aureus)	50	29	1272
56	13	115290	115841	gi1606096	ORF f167; end overlaps end of o100 by 14 bases; start overlaps f174, ther starts possible (Escherichia coli)	50	30	562
57	1	2135	1077	gi1640922	xylitol dehydrogenase (unidentified hemiascomycete)	50	29	1059
58	2	628	1761	gi1143725	putative (Bacillus subtilis)	50	29	1134
88	6	4393	3884	gi1072179	similar to dihydroflavonol-4-reductase (maize, petunia, tomato) (Caenorhabditis elegans)	50	32	510
89	5	3700	3356	gi1276658	ORF174 gene product (Porphyra purpurea)	50	25	345
141	1	3	239	gi1476024	carbamoyl phosphate synthetase II (Plasmodium falciparum)	50	33	237
151	1	186	626	gi11403441	unknown (Mycobacterium tuberculosis)	50	35	441
166	7	11065	9623	gi1895747	putative cel operon regulator (Bacillus subtilis)	50	32	1443
201	6	5284	5096	gi1160229	circumsporozoite protein (Plasmodium reichenowi)	50	42	189
206	122	30784	29555	gi11052754	LarP integral membrane protein (Lactococcus lactis)	50	24	1230

TABLE 2

S aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
211	4	1523	1927	gi 410131	ORFX7 [Bacillus subtilis]	50	29	405
214	4	2411	3295	sp P37348 VECE_	HYPOTHETICAL PROTEIN IN ASP5 5'-REGION (FRAGMENT)	50	37	885
228	7	5068	4406	gi 313580	envelope protein (Human immunodeficiency virus type 1 p17(S35835) envelope protein - human immunodeficiency virus type 1 (fragment) (SUB 1-77))	50	35	663
272	2	3048	1723	gi 1408485	B65G gene product [Bacillus subtilis]	50	22	1326
273	2	1616	984	gi 184186	phosphoglycerate mutase [Saccharomyces cerevisiae]	50	28	611
328	2	2507	1605	gi 148896	lipoprotein [Haemophilus influenzae]	50	26	903
332	4	5469	3802	gi 1526547	DNA polymerase family X [Thermus aquaticus]	50	27	1668
342	5	3473	3931	gi 456562	C-box binding factor [Dictyostelium discoideum]	50	35	459
352	1	1478	741	gi 288301	ORF2 gene product [Bacillus megaterium]	50	29	738
408	7	5299	5523	gi 11665	ORF2136 [Marchantia polymorpha]	50	27	225
420	3	650	1825	gi 1757842	UDP-sugar hydrolase [Escherichia coli]	50	30	1176
464	1	1	591	gi 487282	Na ⁺ -ATPase subunit J [Enterococcus hirae]	50	29	591
472	2	1418	864	gi 551875	BglR [Lactococcus lactis]	50	23	555
520	1	23	541	gi 567036	CapE [Staphylococcus aureus]	50	27	519
529	1	6	410	gi 1256652	25% identity to the E.coli regulatory protein MprA; putative [Bacillus subtilis]	50	34	405
534	5	7726	6059	gi 125671	selected as a weak suppressor of a mutant of the subunit AC40 of DNA dependent RNA polymerase I and III [Saccharomyces cerevisiae]	50	18	1688
647	1	2990	1497	gi 405568	TraI protein shares sequence similarity with a family of topoisomerases [Plasmid pSK41]	50	31	1494
664	3	1133	711	gi 410007	Leukocidin F component [Staphylococcus aureus, MRSA No. 4, Peptide, 23 aa]	50	32	423
678	1	1	627	gi 238032	EF [Streptococcus suis]	50	29	627
755	3	947	1171	gi 150572	cytochrome c1 precursor (EC 1.10.2.2) [Paracoccus denitrificans] gi 45465 cytochrome c1 (AA 1-450) [Paracoccus denitrificans] pir[C29413] cytochrome c1 precursor - ubiquinol--cytochrome-c reductase (EC 1.10.2.2) cytochrome c1 precursor - Paracoccus denitrificans sp P13627 CY1	50	37	225
827	1	1163	683	gi 142020	heterocyst differentiation protein [Anabaena sp.]	50	21	681
892	1	3	752	gi 408485	B65G gene product [Bacillus subtilis]	50	27	750
910	2	438	887	gi 1404727	tyrosine-specific transport protein [Haemophilus influenzae]	50	25	450

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Uniq ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
933	1	524	gi1205451	cell division inhibitor (Haemophilus influenzae)	50	32	237
973	1	424	gi1886947	orf3 gene product (Saccharomyces cerevisiae)	50	40	189
1009	1	653	gi1153727	M protein (group G streptococcus)	50	28	225
1027	1	511	gi1413914	ipa-10r gene product (Bacillus subtilis)	50	25	255
1153	2	556	gi1773676	hccA (Alcaligenes xylosoxydans)	50	36	231
1222	1	798	gi1408485	hccG gene product (Bacillus subtilis)	50	21	399
1350	1	692	gi1285272	ferrichrome-binding protein (Bacillus subtilis)	50	32	294
2945	1	366	gi1171704	hexaprenyl pyrophosphate synthetase (COQ1) (Saccharomyces erevisiae)	50	34	183
2968	2	1604	gi1397526	clumping factor (Staphylococcus aureus)	50	33	801
2998	2	657	gi1495696	PF4E7.3 gene product (Caenorhabditis elegans)	50	40	264
3046	2	506	gi13381913138	lacY carrier protein - Anabaena variabilis (fragment)	50	32	201
3063	1	547	gi1174190	flucA gene product (Escherichia coli)	50	29	273
3174	1	3	gi1151900	alcohol dehydrogenase (Rhodobacter sphaeroides)	50	31	144
3792	1	625	gi11001423	hypothetical protein (Synechocystis sp.)	50	35	312
3800	1	2	gi1144733	NAD-dependent beta-hydroxybutyryl coenzyme A dehydrogenase Clostridium acetobutylicum	50	28	261
3946	1	373	gi1576765	cytochrome b (Myrmecia pilosula)	50	38	146
3984	1	578	gi1373481YECE	HYPOTHETICAL PROTEIN IN ASP5 5' REGION (FRAGMENT)	50	37	288
37	10	8250	gi1204367	hypothetical protein (GB:U14003.278) (Haemophilus influenzae)	49	30	366
46	16	13802	gi1466860	lacZ; B1308_F1_34 (Mycobacterium leprae)	49	24	1047
59	5	2267	gi1606304	ORF_0462 (Escherichia coli)	49	27	1335
112	18	17884	gi1559502	MD4 protein (AA 1 - 409) (Caenorhabditis elegans)	49	25	732
138	9	6973	gi1303953	esterase (Acinetobacter calcoaceticus)	49	29	930
217	6	4401	gi1496254	fibronectin/fibrinogen-binding protein (Streptococcus pyogenes)	49	31	738
220	12	11803	gi1397526	clumping factor (Staphylococcus aureus)	49	31	855
228	4	1842	gi18236921S236	hypothetical protein 9 - Plasmodium falciparum	49	24	651
268	1	5016	gi1143047	ORF8 (Bacillus subtilis)	49	26	2403

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
271	2	1164	1373	gi 1001257	hypothetical protein [Synecocystis sp.]	49	38	210
300	3	4140	3180	gi 1510796	hypothetical protein (GPX91006.2) [Methanococcus jannaschii]	49	26	1161
381	1	2281	1142	gi 396301	[Methes P30004]: Bacterial regulatory proteins, araC family signature [Escherichia coli]	49	29	1140
466	1	3	947	gi 1303863	Yqgp [Bacillus subtilis]	49	26	945
666	1	379	191	gi 633112	ORF1 [Streptococcus sobrinus]	49	29	189
670	2	403	1014	gi 1122758	unknown [Bacillus subtilis]	49	32	612
709	1	1433	795	gi 141830	xpaC [Bacillus subtilis]	49	29	639
831	1	943	473	gi 401786	[phosphonannomutase] [Mycoplasma pirum]	49	29	471
1052	1	422	213	gi 1303799	Yqen [Bacillus subtilis]	49	21	210
1800	1	342	172	gi 216300	[peptidoglycan synthesis enzyme [Bacillus subtilis] sp P37585 HUNG_BACSU MURG PROTEIN UPD-N-ACETYLGLUCOSAMINE--N-ACETYLURAMYL-PENTAPEPTIDE] PYROPHOSPHORYL-UNDECAPRENOL N-ACETYLGLUCOSAMINE RANSFERASE).	49	28	171
2430	1	2	376	sp P27434 YFOA_	HYPOTHETICAL 36.2 KD PROTEIN IN NDK-GCPE INTERGENIC REGION.	49	26	375
3096	1	542	273	gi 516360	[aurfactin synthetase [Bacillus subtilis]	49	25	270
32	4	3771	3100	gi 11217963	hepatocyte nuclear factor 4 gamma [HNF4gamma] [Homo sapiens]	48	36	672
38	1	1	609	gi 1205790	[H. influenzae predicted coding region H11555 [Haemophilus influenzae]	48	28	609
45	6	5021	6427	gi 11574267	unknown [Mycobacterium tuberculosis]	48	20	1407
59	14	16346	31096	gi 1197336	[Lmp3 protein [Mycoplasma hominis]	48	28	14751
61	1	3	608	gi 1511555	[quinolone resistance nraA protein protein [Methanococcus jannaschii]	48	30	606
61	3	3311	3646	gi 1303893	Yqhl [Bacillus subtilis]	48	29	336
114	1	98	415	gi 1671708	[aua] homolog, similar to Drosophila melanogaster suppressor of able [aua]] protein, Swiss-Prot Accession Number P22293 [Drosophila virilis]	48	25	318
121	1	1131	610	gi 1314584	unknown [Sphingomonas S88]	48	29	522
136	1	2014	1280	gi 1205968	[H. influenzae predicted coding region H11738 [Haemophilus influenzae]	48	23	715
171	10	8220	9557	gi 1208454	hypothetical protein [Synecocystis sp.]	48	34	1338
175	1	3625	1814	gi 1396400	[similar to eukaryotic Na+/H+ exchangers [Escherichia coli] sp P32703 YJCE_ECOLI HYPOTHETICAL 60.5 KD PROTEIN IN SOMR-ACS NTERGENIC REGION 10549).	48	29	1812
194	1	2	385	gi 1510493	[M. jannaschii predicted coding region M30419 [Methanococcus jannaschii]	48	25	384

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	RefSeq gene name	% sim	% ident	length (nt)
197	1	901	452	gi 1045714	leperidine/putrescine transport ATP-binding protein (Mycoplasma genitalium)	48	25	450
203	1	1	396	gi 940288	protein localized in the nucleoli of pea nuclei; ORF; putative Pisum sativum	48	29	396
204	1	1363	698	gi 529202	(No definition line found (Caenorhabditis elegans))	48	25	666
206	20	14815	27760	gi 511490	gramicidin S synthetase 2 (Bacillus brevis)	48	27	7056
212	1	2	166	gi 295899	nucleolin (Xenopus laevis)	48	34	165
220	10	12652	11426	gi 44073	SDcy protein (Lactococcus lactis)	48	23	1227
243	6	6450	5491	gi 1184118	malonate kinase (Methanobacterium thermoautotrophicum)	48	30	960
264	4	5434	3308	gi 1015903	ORF YJRI5c (Saccharomyces cerevisiae)	48	26	2127
441	1	1512	768	gi 142863	replication initiation protein (Bacillus subtilis) pir B26580 B26580	48	23	765
444	5	3898	5298	gi 145836	putative (Escherichia coli)	48	24	1401
484	2	388	1110	gi 146551	transmembrane protein (kdpD) (Escherichia coli)	48	18	723
542	1	1425	2000	nt 528969 5289	N-carbamoylsarcosine amidohydrolase (EC 3.5.1.59) - Arthrobacter sp.	48	27	576
566	1	1	1019	gi 153490	tetracenomycin C resistance and export protein (Streptomyces laevis)	48	24	1017
611	1	2	730	gi 1103507	unknown (Schizosaccharomyces pombe)	48	38	739
624	1	1255	665	gi 144859	ORF B (Clostridium perfringens)	48	26	591
846	1	1014	508	gi 537506	paranyosin (Dirofilaria immitis)	48	27	507
1020	1	66	950	gi 1499876	magnesium and cobalt transport protein (Methanococcus jannaschii)	48	30	885
1227	1	1	174	gi 493730	lipoygenase (Pisum sativum)	48	35	174
1266	1	1	405	gi 882452	ORF_f211; alternate name y99A; orf5 of X14436 (Escherichia coli) gi 41425	48	24	405
2071	1	707	381	gi 11408486	HS74A gene product (Bacillus subtilis)	48	25	327
2198	1	463	233	gi 1500401	reverse gyrase (Methanococcus jannaschii)	48	40	231
2425	1	476	246	pir H48563 H485	G1 protein - fowlpox virus (strain HP444) (fragment)	48	40	231
2432	1	446	225	gi 1353703	Trilo (Homo sapiens)	48	33	222
2453	1	794	399	gi 142850	division initiation protein (Bacillus subtilis)	48	29	396
2998	1	469	236	gi 577569	PepV (Lactobacillus delbrueckii)	48	31	234

TABLE 2

S aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
3042	1	14	280	gi 945219	inulin (Homo sapiens)	48	35	267
3686	1	1	405	gi 145836	putative [Escherichia coli]	48	25	405
4027	2	492	301	pir_S51177 S511	trans-activator protein - Equine infectious anemia virus	48	32	192
4	2	3641	2232	gi 1303989	YqkI [Bacillus subtilis]	47	24	1410
24	2	599	1084	gi 1540083	PC4-1 gene product (Bradyzia hygdia)	47	28	486
36	10	7524	6925	gi 1209223	esterase (Acinetobacter baumannii)	47	26	600
43	2	196	1884	gi 1403455	unknown [Mycobacterium tuberculosis]	47	27	1689
44	22	16118	15108	gi 1511555	quinolone resistance norA protein protein [Methanococcus jannaschii]	47	31	1011
69	7	7141	6710	gi 1438466	Possible operon with orfC. Hydrophilic, no homologue in the database; putative [Bacillus subtilis]	47	29	432
81	4	5022	4279	gi 1466882	ppa1; B1496_C2_189 [Mycobacterium leprae]	47	24	744
120	12	9135	8863	gi 927340	D9509.27p; CA1: 0.12 [Saccharomyces cerevisiae]	47	38	273
142	1	2022	1174	gi 1486143	ORF YKL094w [Saccharomyces cerevisiae]	47	32	849
168	1	2178	1093	gi 1177254	hypothetical Ec88 protein [Bacillus subtilis]	47	29	1086
263	1	1884	943	gi 1142822	D-alanine racemase cds [Bacillus subtilis]	47	34	942
279	1	1109	561	gi 1516608	2 predicted membrane helices, homology with B. subtilis man Orf3 Rowland et al; unpublished Accession number M741831, approximately 1 minutes on updated Radd map; putative [Escherichia coli] sp P37355 VFBB_ECOLI_HYPOTHETICAL 26.7 KD PROTEIN IN MEND-MENB	47	31	549
345	2	2620	1676	gi 1304835	hippuricase [Haemophilus influenzae]	47	28	945
389	2	152	400	gi 1456562	G-box binding factor [Dictyostelium discoideum]	47	32	249
391	1	1	831	gi 1420856	myo-inositol transporter [Schizosaccharomyces pombe]	47	19	831
404	3	2072	2773	gi 1255425	C308.2 gene product [Caenorhabditis elegans]	47	17	702
529	5	2145	3107	gi 1303973	YqjV [Bacillus subtilis]	47	29	963
565	2	2321	1257	gi 142824	processing protease [Bacillus subtilis]	47	28	1065
654	1	962	483	gi 243353	ORF 5' of ECRF3 [herpesvirus saimiri HNS, host-squirrel monkey, eptide, 407 aa]	47	23	480
692	1	115	633	gi 150756	40 kDa protein [Plasmid pJH1]	47	25	519
765	1	1634	819	gi 1256621	26.7% of identity in 165 aa to a Thermophilic bacterium hypothetical protein 6; putative [Bacillus subtilis]	47	28	816

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	Match accession	Match gene name	% sim	% ident	length (nt)
825	2	211	1023	gi 397526	clumping factor (Staphylococcus aureus)	47	32	813
914	1	1	615	gi 558073	polymorphic antigen (Plasmodium falciparum)	47	29	615
1076	1	1	753	gi 1147557	aspartate aminotransferase (Bacillus circulans)	47	33	753
1351	1	793	398	gi 755153	ATP-binding protein (Bacillus subtilis)	47	20	396
4192	1	3	293	gi 145836	putative (Escherichia coli)	47	24	291
5	6	4708	4361	gi 305080	myosin heavy chain (Entamoeba histolytica)	46	30	348
11	4	2777	3058	gi 603639	YE1040p (Saccharomyces cerevisiae)	46	28	282
46	11	10518	10300	gi 1246901	ATP-dependent DNA ligase (Candida albicans)	46	28	219
61	4	3941	7930	gi 298032	EF (Streptococcus suis)	46	35	3990
132	4	5028	4093	gi 1511057	hypothetical protein SP:45869 (Methanococcus jannaschii)	46	25	916
170	4	4719	3652	gi 5519105519	G4 protein - Sautolishmania tarentolae	46	26	1068
191	7	9543	8284	gi 1041334	P54D5.7 (Caenorhabditis elegans)	46	25	1260
253	1	1	396	gi 1204449	dihydroliponamide acetyltransferase (Haemophilus influenzae)	46	35	396
264	3	437	973	gi 180189	cerebellar-degeneration-related antigen (CDR34) (Homo sapiens)	46	29	537
				gi A29770 A29770	cerebellar degeneration-related protein - human			
273	1	485	285	gi 607573	envelope glycoprotein C2v3 region (Human immunodeficiency virus type 1)	46	35	201
350	1	3	563	gi 537052	ORF_1286 (Escherichia coli)	46	35	561
384	1	2	862	gi 1221884	(urea7) amidolyase (Haemophilus influenzae)	46	31	861
410	4	1876	2490	gi 1110518	proton antiporter efflux pump (Mycobacterium smegmatis)	46	24	615
432	1	2663	1455	gi 1197634	orf4; putative transporter; Method: conceptual translation supplied by author (Mycobacterium smegmatis)	46	27	1209
458	1	2419	1211	gi 15470	portal protein (Bacteriophage SP1)	46	30	1209
517	5	2477	4192	gi 1523812	orf5 (Bacteriophage A2)	46	23	1716
540	3	1512	1285	gi 215635	pacA (Bacteriophage P1)	46	30	228
587	2	649	1242	gi 537148	ORF_1181 (Escherichia coli)	46	29	594
1218	1	747	391	gi 1205456	single-stranded-DNA-specific exonuclease (Haemophilus influenzae)	46	30	357

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match cassion	match gene name	% sim	% ident	length (nt)
3685	1	1	402	gi 450688	hsm gene of Ecopri gene product [Escherichia coli] pir S38437 S38437 hsm	46	33	402
					protein - Escherichia coli pir S09629 S09629 hypothetical protein A - Escherichia coli [SUB 40-520]			
4176	1	673	338	gi 551460	PFM-C 1 gene product [Xenopus laevis]	46	31	336
37	7	4813	5922	gi 1606064	ORF_1408 [Escherichia coli]	45	24	1110
38	16	11699	12004	gi 452192	protein tyrosine phosphatase (PTP-BAS, type 2) [Homo sapiens]	45	24	306
87	2	1748	2407	gi 1064813	homologous to sp.PHUR_BACSU [Bacillus subtilis]	45	23	660
103	12	14182	13385	gi 11001307	hypothetical protein [Synecocystis sp.]	45	22	798
112	14	13791	13811	gi 1204389	H. influenzae predicted coding region H10131 [Haemophilus influenzae]	45	23	981
145	4	4483	3461	gi 220578	open reading frame [Mus musculus]	45	20	1023
170	6	6329	4965	gi 2318657	AppCycochrome d oxidase, subunit I homolog [Escherichia coli, K12, eptide, 514 aa]	45	27	1365
206	2	5230	4346	gi 1222056	aminotransferase [Haemophilus influenzae]	45	27	885
228	1	60	716	gi 160299	glutamic acid-rich protein [Plasmodium falciparum] pir A54514 A54514	45	23	657
					glutamic acid-rich protein precursor - Plasmodium falciparum			
288	1	2	1015	gi 1255425	CJ308.2 gene product [Caenorhabditis elegans]	45	23	1014
313	3	4339	3128	gi 581140	NADH dehydrogenase [Escherichia coli]	45	30	1212
332	1	914	459	gi 870966	P47A4.2 [Caenorhabditis elegans]	45	20	456
344	1	3	221	gi 171225	kinesin-related protein [Saccharomyces cerevisiae]	45	26	219
441	2	1501	1073	gi 142863	replication initiation protein [Bacillus subtilis] pir B26580 B26580	45	27	429
					replication initiation protein - Bacillus subtilis			
672	1	2	982	gi 1511334	M. jannaschii predicted coding region MJ1323 [Methanococcus jannaschii]	45	22	981
763	3	1345	851	gi 606180	ORF_1310 [Escherichia coli]	45	24	495
886	3	379	846	gi 726426	similar to protein kinases and C. elegans proteins F37C12.8 and 37C12.5 [Caenorhabditis elegans]	45	30	468
948	1	3	473	gi 156400	myosin heavy chain (isozyme unc-54) [Caenorhabditis elegans]	45	25	471
					pir A9358 HMM myosin heavy chain B - Caenorhabditis elegans			
					sp P02566 MYSB CAEL MYOSIN HEAVY CHAIN B (MHC B)			
1158	1	2	376	gi 141155	transmission-blocking target antigen [Plasmodium falciparum]	45	35	375
2551	1	4	285	gi 1276705	ORF287 gene product [Porphyra purpurea]	45	28	282
3967	1	42	374	gi 974025	HraA [Escherichia coli]	45	28	333

TABLE 2

S aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
52	7	6931	5846	gi 467378	unknown [Bacillus subtilis]	44	22	1086
138	8	6475	6849	gi 173028	thioredoxin II [Saccharomyces cerevisiae]	44	28	375
221	5	7032	5617	gi 153490	tetracenomycin C resistance and export protein [Streptomyces laevis]	44	21	1416
252	2	1331	1122	gi 1204989	hypothetical protein (GB-U00022_9) [Haemophilus influenzae]	44	30	210
263	2	3265	2093	gi 1136221	carboxypeptidase [Sulfolobus solfataricus]	44	26	1173
365	4	4963	3524	gi 1296822	orf1 gene product [Lactobacillus helveticus]	44	31	1440
543	3	1115	1833	gi 1063250	low homology to P20 protein of Bacillus licheniformis and bleomycin acetyltransferase of Streptomyces verticillius [Bacillus subtilis]	44	24	519
544	4	3942	4892	gi 951460	PFM-C.1 gene product [Xenopus laevis]	44	32	951
792	1	1224	613	gi 205680	high molecular weight neurofilament [Rattus norvegicus]	44	28	612
44	18	1103	11911	gi 1511614	molybdopterin-guanine dinucleotide biosynthesis protein A [Methanococcus jannaschii]	43	27	609
59	8	3665	5128	gi 153490	tetracenomycin C resistance and export protein [Streptomyces laevis]	43	21	1464
59	10	5536	7527	gi 153022	lipase [Staphylococcus epidermidis]	43	22	1992
99	1	1346	681	gi 1419051	unknown [Mycobacterium tuberculosis]	43	21	666
310	8	9402	12134	gi 397526	clumping factor [Staphylococcus aureus]	43	21	2733
412	3	2782	2303	pir A60540 A605	sporozoite surface protein 2 - Plasmodium yoelii (fragment)	43	29	480
519	3	2547	3122	sp Q06530 DH5U_1.8.2.-1 (FC) (FCSD)	SULFIDE DEHYDROGENASE (FLAVOCTOCHROME C) FLAVOPROTEIN CHAIN PRECURSOR (NC 1.8.2.-1) (FC) (FCSD)	43	23	576
4	13	12053	13321	gi 295671	selected as a weak suppressor of a mutant of the subunit AC40 of DNA dependent RNA polymerase I and III [Saccharomyces cerevisiae]	42	18	1269
94	2	1768	1091	gi 501027	ORF2 [Trypanosoma brucei]	42	31	678
127	4	5791	4550	gi 42029	ORF1 gene product [Escherichia coli]	42	21	1242
297	3	1515	1036	gi 142790	ORF1, putative [Bacillus firmus]	42	25	480
144	6	4097	3525	gi 40320	ORF2 (AA 1-203) [Bacillus thuringiensis]	42	30	573
512	1	2167	1115	gi 405957	yeef [Escherichia coli]	42	23	1053
631	1	2434	1223	gi 580920	rodo (gtaA) polypeptide (AA 1-673) [Bacillus subtilis] pir S06048 S06048 probable rodo protein - Bacillus subtilis sp P33484 TAGE_BACSU PROBABLE POLY (GLYCEROL-PHOSPHATE) LPHA-GLUCOSYLTRANSFERASE (EC 2.4.1.52) [TECHOIC ACID BIOSYNTHESIS PROTEIN E]	42	24	1212

TABLE 2

S. aureus - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match accession	match gene name	% sim	% ident	length (nt)
685	3	2359	3739	gi1103784	YqeD [Bacillus subtilis]	42	19	621
4132	1	787	395	gi11022910	protein tyrosine phosphatase [Dictyostelium discoideum]	42	25	393
86	2	1375	884	gi1309506	spermidine/spermine N1-acetyltransferase [Mus saxicola] pif[SJ430/SJ430]	41	30	492
					spermidine/spermine N1-acetyltransferase - spiny ouse [Mus saxicola]			
191	12	14797	14075	gi11124957	orf4 gene product [Methanosarcina barkeri]	41	22	723
212	6	2150	3127	gi115873	observed 35.2kd protein [Mycobacteriophage J5]	41	26	978
213	3	1261	2000	gi1033692	TrsA [Yersinia enterocolitica]	41	18	738
408	4	2625	3386	gi11197634	orf4; putative transporter; Method: conceptual translation supplied by author [Mycobacterium smegmatis]	41	24	762
542	1	3	1103	gi1457146	rhoptry protein [Plasmodium yoelii]	41	21	1101
924	1	2	475	pir1JH0148JH01	nucleolin - rat	41	30	474
1562	1	1	402	gi1552184	asparagine-rich antigen PfA35-2 [Plasmodium falciparum] pif[S27826/S27826]	40	20	402
					asparagine-rich antigen PfA35-2 - Plasmodium aliciparum (fragment)			
2395	1	516	261	pir1S42251S422	hypothetical protein 5 - fowlpox virus	40	18	258
4077	1	3	305	gi11055055	coded for by C. elegans cDNA YK37g1.5; coded for by C. elegans cDNA YK5C9.5; coded for by C. elegans cDNA YK1A9.5; alternatively spliced form of F52C9.8b [Caenorhabditis elegans]	39	21	303
918	1	1003	503	gi11255425	CJ3G8.2 gene product [Caenorhabditis elegans]	37	25	501
59	12	8294	10636	gi1535260	STARP antigen [Plasmodium reichenowi]	36	24	2343
63	5	3550	8079	gi1298032	BF [Streptococcus suis]	36	19	4530
544	3	2507	3601	gi11015903	ORF YJRI5ic [Saccharomyces cerevisiae]	35	22	1095
63	4	1949	3574	gi1552195	circumsporozoite protein [Plasmodium falciparum] sp P05691 CSP_PfAFL	32	27	1626
					CIRCUMSPOROZOITE PROTEIN (CS) (FRAGMENT)			

TABLE 2

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
4	1	1234	692
4	3	1712	2278
4	4	3703	3032
4	14	11073	12585
5	2	2539	1601
5	3	1532	1771
5	7	4741	4550
5	9	7939	6422
5	12	8711	8547
6	4	2359	1982
8	1	349	176
11	8	5144	5983
11	9	5988	6498
11	10	6472	6284
11	16	10954	11271
12	5	5352	4942
12	6	4596	4862
15	3	1895	1650
16	10	11263	10835
18	2	1093	917
20	9	9125	7764
20	10	8571	8230
20	12	9201	8803
20	13	12158	10470
23	1	674	339
23	6	6138	5485
23	8	6376	5942

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Qcig	ORF	Start	Stop
ID	ID	(nt)	(nt)
23	9	7651	6881
23	15	12618	12830
24	4	4556	4185
24	6	5642	5241
25	2	1824	2402
31	2	505	849
31	3	1177	1524
31	4	2454	3005
32	2	765	1388
32	9	7952	8575
32	10	8591	8728
32	11	9738	9379
32	12	10797	10087
34	2	1315	1049
36	7	5226	5801
36	11	7575	7261
36	12	7424	7621
37	4	3158	2964
38	2	1585	980
38	11	6425	6868
38	20	16982	16371
38	26	20253	20804
38	27	20722	21264
39	1	1	627
40	1	805	404
43	1	796	428
44	4	2674	2324

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Coding ID	ORF ID	Start (nt)	Stop (nt)
44	5	2484	3263
44	14	10587	10129
44	20	13724	13536
44	21	13596	13994
45	7	6375	6297
46	8	6165	6520
46	12	10449	10976
46	17	15032	15424
47	1	288	1079
48	9	7620	7778
50	1	1612	962
50	2	1621	1316
51	1	738	370
51	5	2520	2245
53	1	442	287
53	7	6705	6319
54	7	9014	8709
55	1	592	326
55	3	1052	786
56	1	1	261
56	3	1551	1228
56	4	1970	1560
56	17	19092	18712
57	4	3694	3521
57	8	5436	5822
58	9	8885	8553
59	3	1366	1509

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
59	6	3026	2802
59	7	3770	3570
59	9	4946	4563
59	11	7518	8378
59	13	10401	116403
62	2	2696	1521
62	11	5440	5757
63	1	1	336
67	1	900	1781
67	2	1774	2610
67	3	2591	3904
67	8	7110	6955
68	1	78	326
70	6	6761	5199
70	11	8935	8645
77	3	1590	1192
79	2	1509	1228
79	3	1411	1791
83	1	2	403
85	9	8300	8653
85	10	8969	8781
86	3	1426	1232
87	8	9187	9366
88	3	1620	1922
89	1	3	161
89	7	5042	4878
91	1	1098	550

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
91	3	3938	3141
92	2	449	928
92	3	1958	1467
92	9	5638	6024
94	1	661	332
94	3	2445	1813
94	4	2583	2197
96	11	10601	11050
99	6	4672	4523
99	7	5014	4784
100	8	7658	7287
102	7	4697	4368
103	3	2496	2035
104	1	2	694
104	2	699	1277
105	1	1235	693
105	3	3233	2655
106	1	3	221
106	3	1209	1355
107	1	1081	542
109	4	4025	3651
109	13	11625	11996
109	14	11981	12268
109	20	117401	117688
110	1	2	760
114	10	8764	9384
116	1	1	309

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
116	3	6273	4462
116	8	11049	9976
116	9	10313	10158
120	5	3703	3320
120	6	4270	3869
120	13	9290	9844
121	2	417	569
126	3	1090	818
127	3	2648	3196
127	5	4084	4395
131	6	6773	6438
132	2	715	1695
134	1	2	667
135	2	512	258
135	3	1124	729
138	1	3	152
138	7	6008	6463
140	1	2060	1032
140	2	2019	1513
140	5	2387	2743
142	2	1360	2388
142	7	8830	7586
143	7	7290	6502
144	1	1227	640
146	1	2	511
146	3	502	1350
146	4	3673	2540

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
146	5	2874	3071
147	1	1	339
149	11	3956	3615
149	12	4036	3785
149	13	4507	4145
149	15	4807	4610
149	16	5495	5049
149	18	5739	5491
149	21	7416	7054
149	23	9216	8521
149	24	9681	9106
149	25	10679	9897
150	2	2103	1587
154	3	1795	1508
154	8	6586	6398
154	14	12704	12147
154	15	13531	12803
156	1	315	593
157	3	1183	2232
158	2	1471	1064
159	3	452	808
161	2	876	1808
161	6	4653	4279
161	7	4803	4540
161	8	4896	4717
161	11	5817	5638
163	2	1604	840

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
163	5	2796	2344
163	7	2952	2647
163	9	4905	5132
164	3	1338	1147
166	3	5213	4854
168	4	2500	2868
168	5	3595	4158
170	3	2517	2777
171	2	2277	1450
171	11	12576	11125
172	1	3	278
172	2	1940	1149
173	1	1289	708
173	5	7001	6114
174	2	593	1105
175	3	2552	2890
175	5	3820	3335
175	7	4342	4506
182	4	5477	4986
184	5	6043	5702
188	2	1210	1755
188	4	2647	2994
189	6	2614	3039
190	3	1998	2564
191	1	1	153
191	2	950	669
191	10	11786	13039

TABLE 3

S. aureus - putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
191	11	12902	12363
192	1	91	426
195	3	2106	1932
195	5	2899	2606
198	2	1016	1591
201	1	170	675
203	2	783	1466
206	6	8930	7815
206	12	13947	13616
206	21	28308	27960
212	2	170	817
212	3	796	1167
212	7	3128	3436
212	9	3749	4075
213	1	1	705
214	2	1076	570
214	6	4064	3738
214	9	6600	6995
214	10	7864	7469
217	1	1927	965
218	1	178	657
218	3	1776	2156
220	2	1851	1369
220	3	3251	2262
220	7	8275	7208
220	8	10244	8661
220	9	11796	10216

TABLE 3

S. aureus - putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
221	4	1095	2613
221	9	11428	10757
226	1	3	659
226	2	2195	1459
226	3	1476	1961
227	1	2	487
227	2	460	975
227	4	1855	2121
227	5	2052	2345
227	6	4760	3768
227	9	5591	6367
228	5	2503	2877
228	6	2846	3526
233	7	3944	3762
236	2	809	579
238	2	1975	1391
239	2	1417	905
241	5	4495	4334
242	2	1677	1363
243	1	127	576
244	1	1291	647
244	2	3035	1962
245	2	1614	1258
246	1	69	215
246	4	738	1733
249	3	3906	3712
250	1	494	249

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
254	1	1	156
256	2	956	1144
257	3	3700	3227
260	4	4906	4580
261	4	2196	2606
261	6	3214	3681
264	2	155	439
264	5	5252	4533
264	6	4739	5107
267	2	1323	931
268	4	5140	4700
272	1	862	446
272	3	1200	1439
272	9	4691	4909
272	10	6469	6035
276	4	1746	1901
278	1	224	553
278	5	3299	3448
278	7	4849	5127
285	2	551	736
288	3	1756	1950
288	5	2055	2276
289	1	2107	1055
290	2	2234	1932
291	2	332	622
291	5	1545	2051
295	3	1606	1349

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
295	4	2728	2141
295	5	2220	2762
297	2	788	465
298	1	2	205
300	2	2380	1928
301	7	2794	2624
304	1	3	194
306	1	109	654
306	5	4036	4257
307	1	674	339
307	8	3645	3995
308	1	1	654
308	4	2643	2332
313	2	2314	1919
314	1	10	702
316	2	982	1341
316	6	2758	3165
317	1	2	1114
317	3	4570	3458
321	6	5645	5217
321	7	6319	6140
321	8	7450	6794
322	2	827	543
326	2	165	1112
326	3	1117	1467
328	1	936	469

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig	ORF	Start	Stop
id	id	(nt)	(nt)
328	5	1452	3276
329	1	3	719
329	2	781	1212
329	3	1471	1833
330	1	576	289
330	3	1447	1623
332	3	2353	2204
332	7	4971	5138
333	2	3295	3128
335	1	864	433
337	2	95	526
340	2	1658	1356
341	1	3	241
341	3	2476	3192
341	5	3618	3944
341	6	3929	4558
344	5	3197	2889
345	1	1532	768
346	2	221	592
350	3	1410	1598
352	2	2178	1765
352	3	7316	4596
352	7	7967	8404
352	8	8906	9247
352	9	10171	9854
359	1	1	546
362	1	3	656

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
364	2	2158	1808
364	8	10974	10714
365	2	1612	1313
365	5	4680	4090
365	7	4980	6239
366	3	520	1719
367	3	906	1085
368	1	748	494
375	1	2	136
380	3	1351	1097
389	1	1	276
390	1	2	877
390	2	1373	1549
391	2	751	560
395	1	391	197
396	1	2132	1068
398	3	1344	1141
399	1	176	669
401	3	566	847
402	2	100	465
404	8	5361	5370
408	2	3507	2269
408	3	2875	2672
408	5	3524	4423
410	3	2111	1890
413	1	880	488
416	1	607	320

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
416	2	578	847
416	3	2195	1590
417	1	3	179
417	2	161	616
420	2	788	513
422	2	357	677
431	2	856	1407
432	2	446	1084
433	1	1	417
433	3	2311	2033
434	1	942	535
434	2	2089	1235
440	1	1	450
442	2	1269	3320
443	3	1873	1520
444	1	1	696
444	7	6761	6366
451	1	940	614
453	2	896	636
453	8	3833	4786
453	9	4718	4512
453	10	4937	4731
455	1	434	219
455	2	472	930
459	1	265	687
462	1	2	247
466	2	1494	907

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig	ORF	Start	Stop
ID	ID	(nt)	(nt)
467	1	654	149
468	1	2	250
469	1	1488	925
469	3	2386	3372
469	4	3464	3706
470	1	77	538
470	6	4098	3694
470	7	6330	5686
470	9	7351	8181
470	10	8175	9773
471	1	940	500
471	2	1562	1017
476	1	70	267
477	1	2	760
477	3	1764	2081
477	4	2066	2332
480	5	4016	4261
481	2	956	480
486	3	613	774
487	6	1795	2112
488	1	715	359
492	1	127	675
493	1	2	520
493	2	496	1242
502	3	1149	1571
504	1	690	346
505	5	4566	4150

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
511	2	1741	1232
512	2	583	747
515	1	609	812
517	4	2179	2511
520	4	2097	2360
520	6	1908	3669
527	1	1	498
528	1	637	335
529	2	1679	1104
530	7	5298	5534
536	1	308	156
538	1	1362	736
538	3	2203	2880
538	5	3531	3121
538	6	4348	3731
540	1	996	664
540	2	1495	1031
541	1	89	433
541	2	719	432
542	2	1048	1272
545	2	1012	734
551	1	2145	1129
555	2	892	704
558	3	1357	1154
558	4	1760	1458
558	5	2105	1821
558	6	2166	2020

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
558	7	2636	2322
558	8	3053	2802
558	9	3986	3453
560	1	475	921
565	3	1706	1485
571	1	308	156
571	3	994	1206
577	1	2	199
577	2	163	453
579	1	1	477
579	2	1784	1200
583	1	1988	996
585	1	946	539
587	1	22	573
588	2	1496	1372
588	3	1742	1554
590	1	47	334
592	2	1455	1141
593	1	2	775
593	2	817	1122
595	1	87	890
596	3	1593	1435
602	1	8	169
603	5	1071	1469
606	1	322	768
607	5	1444	1226
610	1	1029	541

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Coding ID	ORF ID	Start (nt)	Stop (nt)
612	1	3	500
616	1	991	650
617	2	736	491
622	1	36	347
625	4	2046	2549
627	1	67	210
628	1	901	452
631	3	4789	4004
634	1	1448	759
636	1	189	368
636	2	1929	1063
637	2	2323	1994
638	1	227	1081
639	1	518	261
639	2	1377	811
641	1	118	444
642	3	1615	1331
642	4	2260	1847
643	1	3	608
645	4	1534	1758
645	6	2025	2321
645	7	2940	2488
648	1	2	1045
660	1	77	601
660	2	576	872
661	1	1725	961
664	2	89	304

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
667	1	3	413
668	1	1	330
671	2	812	516
673	1	3	338
674	2	865	584
679	1	1	237
679	3	1589	1906
688	1	1236	835
688	2	1352	1077
694	1	3	143
696	2	818	432
706	1	1	224
709	3	1183	1449
711	1	3	908
715	1	3	167
716	1	2	637
721	1	133	570
722	1	763	383
723	1	1656	829
723	2	1498	1112
727	1	2	472
729	1	268	441
731	1	130	828
735	1	2	214
736	1	3	782
738	1	2	298
742	1	3	230

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
745	3	1148	780
748	2	282	464
749	1	685	344
751	1	901	452
755	1	97	522
755	2	520	918
758	2	663	400
764	2	1033	746
767	1	1	405
768	1	2	373
771	1	1058	534
778	1	1735	902
785	1	1790	1023
787	1	1260	631
791	1	3	224
799	1	15	260
804	1	304	711
805	1	3	680
808	1	219	842
810	1	2221	1112
810	2	1774	1442
812	1	38	979
817	1	714	358
818	2	487	1104
819	2	1529	1032
819	3	1748	1419
820	1	195	1064

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
828	1	506	255
829	1	48	800
830	1	578	291
832	1	594	398
835	1	310	196
840	3	491	709
845	1	912	457
850	2	303	449
853	1	715	359
860	1	2	256
864	1	18	410
864	2	383	715
864	6	1676	1828
870	1	1	588
873	1	906	454
875	1	584	294
877	1	1661	1020
878	1	981	544
879	1	1567	785
881	1	1	243
882	1	389	604
890	1	2	508
905	1	793	398
906	1	852	544
912	1	373	188
913	1	3	290
913	2	1092	547

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
915	1	6	161
915	2	169	402
921	1	126	386
927	1	1578	808
928	1	2	385
929	1	2	400
932	1	2	400
934	1	1	384
936	1	1052	528
937	1	2	616
945	1	220	645
945	2	649	1242
946	1	1702	950
949	1	1	270
951	1	3	362
955	1	3	143
960	1	723	400
963	1	1	162
965	1	690	346
966	1	1079	606
969	1	3	302
971	1	12	170
974	1	319	161
976	1	692	348
977	1	2	211
982	1	1926	982
984	1	589	296

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig	ORF	Start	Stop
IP	ID	(nt)	(nt)
987	1	3	467
993	1	1	525
994	1	920	549
1004	1	557	318
1014	1	624	313
1015	1	2	463
1016	1	288	145
1019	1	1205	660
1022	1	839	474
1024	1	595	299
1024	2	276	431
1030	1	673	338
1032	1	355	179
1040	1	794	399
1043	1	3	269
1044	2	115	399
1047	1	1	159
1051	1	704	354
1051	2	1233	733
1063	1	2	400
1069	1	2	146
1069	2	769	533
1075	1	707	399
1077	1	97	405
1081	1	58	438
1086	1	1	384
1087	2	246	431

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
1088	1	3	174
1096	1	474	238
1098	1	1015	509
1100	1	1020	511
1100	2	1520	1158
1101	1	703	353
1102	1	385	194
1107	1	2	580
1114	1	3	422
1115	1	2	268
1119	1	22	267
1129	1	40	342
1132	1	360	181
1133	1	609	376
1144	1	446	225
1147	1	538	280
1153	1	1	153
1154	1	3	818
1159	1	1	330
1161	1	341	186
1164	1	427	254
1171	1	19	240
1171	2	108	299
1183	1	2	379
1195	1	355	379
1196	1	1	189
1200	1	31	197

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
1203	2	129	464
1222	2	105	401
1232	1	1	387
1240	1	2	175
1247	1	520	311
1271	1	412	221
1286	1	2	595
1295	1	1	165
1306	1	367	185
1314	2	158	631
1316	1	56	570
1359	1	384	193
1370	1	1	402
1371	1	1	345
1374	1	710	357
1378	1	2	400
1392	1	3	413
1411	1	202	432
1433	1	331	167
1450	1	2	256
1453	1	295	149
1471	1	721	398
1477	1	869	639
1502	1	794	399
1518	1	126	449
1534	1	283	143
1546	1	3	401

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
1547	1	506	255
1583	1	3	350
1587	1	3	563
1602	2	170	679
1629	1	1	402
1665	1	468	235
1760	1	625	314
1762	1	3	200
1876	2	119	286
1895	1	2	379
1931	1	798	400
1976	2	715	383
2055	2	252	401
2056	1	331	167
2150	1	523	263
2157	1	794	399
2164	1	564	283
2175	1	218	400
2212	1	492	331
2338	1	732	367
2342	1	3	167
2352	1	330	166
2352	2	622	398
2355	1	47	352
2356	1	679	341
2359	1	301	152
2421	1	296	150

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
3046	1	167	185
3049	1	553	278
3050	1	3	314
3052	1	504	251
3065	1	2	157
3070	1	357	190
3075	1	440	222
3080	1	1	285
3092	1	320	162
3093	1	411	250
3100	1	52	237
3103	1	47	298
3118	1	344	174
3123	1	2	145
3127	1	1	147
3138	1	336	169
3142	1	388	203
3144	1	664	386
3151	1	337	170
3155	2	202	384
3168	1	12	176
3205	1	288	145
3282	1	1	150
3303	2	239	400
3371	2	211	399
3558	1	2	148
3558	2	36	401

TABLE 3

S. aureus - putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
3046	1	367	185
3049	1	553	278
3050	1	3	314
3052	1	504	253
3065	1	2	157
3070	1	357	190
3075	1	440	222
3080	1	1	285
3092	1	320	162
3093	1	411	250
3100	1	52	237
3103	1	47	298
3118	1	344	174
3123	1	2	145
3127	1	1	147
3138	1	336	169
3142	1	388	203
3144	1	664	386
3151	1	337	170
3155	2	202	384
3168	1	12	176
3205	1	288	145
3282	1	1	150
3303	2	239	400
3371	2	211	399
3558	1	2	148
3558	2	36	401

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
3568	1	751	377
3595	1	757	380
3618	1	2	218
3618	2	130	402
3622	1	86	358
3622	2	664	398
3642	1	876	439
3649	1	781	398
3651	1	625	314
3664	1	467	637
3674	1	55	402
3677	1	619	311
3704	1	1	402
3726	1	535	269
3765	1	510	256
3779	1	554	357
3794	1	266	135
3794	2	667	377
3796	2	638	375
3801	1	474	262
3806	1	453	298
3807	1	42	389
3815	1	798	400
3827	1	3	320
3842	1	781	392
3853	1	671	399
3855	1	1	324

TABLE 3

S. aureus - putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
3857	1	2	235
3861	1	590	297
3865	1	695	399
3897	1	3	173
3897	2	143	400
3898	2	225	401
3921	2	103	142
3927	1	70	375
3930	1	76	234
3946	2	651	382
3951	2	105	377
3965	1	646	344
3973	1	795	400
3981	1	3	311
3998	1	3	356
4001	1	481	296
4003	1	90	335
4018	1	2	259
4018	2	186	401
4021	1	1	345
4043	1	3	344
4054	1	3	344
4066	1	1	150
4070	1	1	324
4072	2	187	390
4073	1	1	285
4077	2	127	372

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
4083	1	3	359
4090	1	27	368
4101	1	103	297
4105	1	1	306
4107	1	570	286
4119	1	629	339
4121	1	740	372
4123	1	3	230
4127	1	3	341
4128	1	2	331
4130	1	768	415
4146	1	97	381
4157	1	3	206
4186	1	505	254
4224	1	510	256
4239	1	1	348
4242	1	709	356
4252	1	589	296
4253	1	1	174
4256	1	568	323
4258	2	498	334
4267	1	284	144
4271	1	2	304
4287	1	303	163
4289	1	471	319
4302	1	153	305
4304	1	1	186

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
4304	2	96	314
4306	1	2	151
4318	1	576	289
4322	1	5	148
4331	1	439	221
4331	2	528	364
4338	1	728	399
4346	1	471	277
4367	2	117	311
4373	1	2	268
4381	1	574	326
4384	1	614	309
4397	1	9	311
4402	1	1	249
4403	1	606	328
4406	1	3	317
4411	1	2	280
4411	2	697	398
4412	1	2	364
4418	1	3	230
4424	1	601	398
4443	1	427	215
4471	1	643	323
4478	1	560	271
4482	1	50	289
4489	1	601	302
4491	1	12	206

TABLE 3

S. aureus - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
4495	1	3	179
4496	1	500	252
4500	1	130	306
4511	1	493	268
4518	1	1	246
4526	1	480	241
4527	1	2	163
4532	1	3	239
4542	1	11	175
4567	1	36	200
4573	1	1	231
4578	1	642	322
4619	1	1	180
4620	1	349	176
4662	1	1	246
4669	1	2	157
4680	1	28	183
4690	1	344	174

Table 4

ORF	SEQ ID NO	BLAST HOMOLOG	Antigenic Regions			
			Region 1	Region 2	Region 3	Region 4
168_6	5192	lipoprotein	36-45	84-103	152-161	176-185
238_1	5193	chrA	21-39	48-58	84-95	232-249
51_2	5194	OppB gene product (B. sub	20-36	70-79	100-112	121-131
278_3	5195	lipoprotein 1	20-29	59-73	85-97	162-171
276_2	5196	lipoprotein	21-33	65-74	177-186	211-220
45_4	5197	ProX	28-37	59-69	85-100	120-129
316_8	5198	hypothetical protein	45-54	88-97	182-192	243-253
154_15	5199	unknown	31-40	48-58	79-88	95-104
228_3	5200	unknown	25-38	40-52	64-74	80-89
228_6	5201	unknown	29-41	89-101	128-143	173-184
50_1	5202	unknown	21-33	52-61	168-182	197-206
112_7	5203	iron-binding periplasmic	21-31	58-67	92-101	111-120
442_1	5204	unknown	30-39	91-100	122-137	182-192
66_2	5205	unknown	50-59	104-116	127-136	167-182
304_2	5206	Q-binding periplasmic	19-28	48-57	75-84	103-116
44_1	5207	hypothetical protein	27-36	86-95	129-138	192-201
161_4	5208	SphX	27-44	149-161	166-175	201-210
46_5	5209	cmpC (permease)	21-33	61-70	83-92	100-109
942_1	5210	traH [Plasmid pSK41]	83-92	109-118	127-142	
5_4	5211	ORF (S. aureus)	12-22	87-96	111-120	151-160
20_4	5212	peptidoglycan hydrolase (S.	24-34	129-138	141-150	161-171
328_2	5213	lipoprotein (H. flu)	81-90	123-133	290-299	
520_2	5214	fibronectin binding protein	44-54	63-79	81-90	95-110
771_1	5215	emm1 gene product (S. pyo	30-39	65-82	96-106	112-121
999_1	5216	predicted trithorax prot. (D	7-16	120-129	157-166	
853_1	5217	ORF2136 (Marchantia polyr	43-52	88-97	102-111	
287_1	5218	psaA homolog	13-22	28-44	72-82	114-124
288_2	5219	cell wall enzyme	14-23	89-98		
596_2	5220	penicillin binding protein 2b	40-49	59-68	76-87	106-115
217_5	5221	fibronectin/fibrinogen bindi	28-37	40-49	62-71	93-111
217_6	5222	fibronectin/fibrinogen bp	10-19	31-40	54-62	73-92
528_3	5223	myosin cross reactive prote	4-13	29-47	60-73	90-99
171_11	5224	EF	20-31	91-110		
63_4	5225	penicillin binding protein 2b	12-21	59-68	95-104	
353_2	5226		46-55	62-71		
743_1	5227	29 kDa protein in fimA regi	23-32	68-79	94-103	175-184
342_4	5228	Twitching motility	10-19	48-60	83-92	111-121
69_3	5229	arabinogalactan protein	97-106	132-141	158-167	180-189
70_6	5230	nodulin	36-45	48-57	137-160	179-188
129_2	5231	glycerol diester phosphodie	8-17	41-50	55-74	97-106
58_5	5232	PBP (S. aureus)	26-35	70-79	117-126	152-161
188_3	5233	MHC class II analog (S. aure	72-81	94-103	115-124	136-145
236_6	5234	histidine kinase domain (Dic	24-33	52-67	81-94	106-121
310_8	5235	clumping factor (S. aureus)	59-71	77-86	93-102	118-127
601_1	5236	novel antigen/ORF2 (S. au	45-54	91-104	108-117	186-195
544_3	5237	ORF YJR151c (S. cerevisae	76-90	101-111	131-140	154-164
662_1	5238	MHC class II analog (S. aure	22-32	71-80	89-98	114-122
87_7	5239	5' nucleotidase precursor ('	29-45	62-71	105-114	125-137
120_1	5240	B65G gene product (B. sub	102-111			

Table 4

ORF	Antigenic Regions (cont)					
	Region 5	Region 6	Region 7	Region 8	Region 9	Region 10
168_6	244-272	303-315				
238_1	260-269	291-301	308-317			
51_2	140-152	188-208	211-220	256-266	273-283	
278_3	198-209					
276_2	255-268					
45_4	177-199	221-230	234-243	268-279	284-293	304-313
316_8						
154_15	148-157	177-187	202-211			
228_3	101-119	139-154	166-181			
228_6						
50_1						
112_7	136-149	197-211	218-229	253-273		
442_1	199-210	247-257	264-277	287-309		
66_2						
304_2	178-187	250-259				
44_1						
161_4						
46_5	131-141	162-176	206-215	243-252	264-273	285-294
942_1						
5_4	189-205	230-239	246-264	301-318	340-354	378-387
20_4	202-212	217-234	260-275	314-336	366-373	380-391
328_2						
520_2						
771_1	145-154					
999_1						
853_1						
287_1	154-164					
288_2						
596_2	121-130					
217_5	244-253	259-268	288-297	302-311		
217_6	144-158	174-183	188-197	207-216	226-242	
528_3						
171_11						
63_4						
353_2						
743_1	197-207					
342_4						
69_3	195-211					
70_6	206-215	263-272	291-301	331-340	358-371	390-414
129_2	117-127	141-157	168-183	202-211	222-231	261-270
58_5	184-203	260-269	275-299	330-344	372-381	424-433
188_3						
236_6	138-147	163-172	187-198	244-261	268-278	308-317
310_8	131-140	144-153	177-186	190-199	204-213	216-227
601_1	208-218					
544_3	170-179	184-193	224-235	274-287	327-336	352-361
662_1						
87_7						
120_1						

Table 4

	ORF	Antigenic		Regions	(cont)		
		Region 11	Region 12	Region 13	Region 14	Region 15	Region 16
5	168_6						
	238_1						
	51_2						
10	278_3						
	276_2						
	45_4						
	316_8						
	154_15						
15	228_3						
	228_6						
	50_1						
	112_7						
	442_1						
20	66_2						
	304_2						
	44_1						
	161_4						
	46_5	306-315					
25	942_1						
	5_4	393-407	416-426	456-465			
	20_4	396-405	410-419	461-481			
	328_2						
	520_2						
30	771_1						
	999_1						
	853_1						
	287_1						
	288_2						
35	596_2						
	217_5						
	217_6						
	528_3						
	171_11						
40	63_4						
	353_2						
	743_1						
	342_4						
	69_3						
45	70_6	453-471	506-515				
	129_2	296-315					
	58_5						
	188_3						
50	236_6	358-377	410-423	428-439	442-457	467-476	480-493
	310_8	238-251	256-275	281-290	296-310	314-333	338-347
	601_1						
	544_3						
	662_1						
55	87_7						
	120_1						

Table 4

5	ORF	Antigenic Regions (cont)				
		Region 17	Region 18	Region 19	Region 20	Region 21
	168_6					
	238_1					
	51_2					
10	278_3					
	276_2					
	45_4					
	316_8					
	154_15					
15	228_3					
	228_6					
	50_1					
	112_7					
	442_1					
20	66_2					
	304_2					
	44_1					
	161_4					
	46_5					
25	942_1					
	5_4					
	20_4					
	328_2					
	520_2					
30	771_1					
	999_1					
	853_1					
	287_1					
	288_2					
35	596_2					
	217_5					
	217_6					
	528_3					
	171_11					
40	63_4					
	353_2					
	743_1					
	342_4					
	69_3					
45	70_6					
	129_2					
	58_5					
	188_3					
	236_6					
50	310_8	357-366	370-379	429-438	443-452	478-487
	601_1					551-560
	544_3					
	662_1					
55	87_7					
	120_1					

Table 4

ORF	Antigenic Regions				(cont)	
	Region 23	Region 24	Region 25	Region 26	Region 27	Region 28
168_6						
238_1						
51_2						
278_3						
276_2						
45_4						
316_8						
154_15						
228_3						
228_6						
50_1						
112_7						
442_1						
66_2						
304_2						
44_1						
161_4						
46_5						
942_1						
5_1						
20_4						
328_2						
520_2						
771_1						
999_1						
853_1						
287_1						
288_2						
596_2						
217_5						
217_6						
528_3						
171_11						
63_4						
353_2						
743_1						
342_4						
69_3						
70_6						
129_2						
58_5						
188_3						
236_6						
310_8	622-632	670-685	708-718	823-836	858-867	877-886
601_1						
544_3						
662_1						
87_7						
120_1						

Table 4

ORF	Antigenic Region 29	Regions Region 30	(cont)
168_6			
238_1			
51_2			
278_3			
276_2			
45_4			
316_8			
154_15			
228_3			
228_6			
50_1			
112_7			
442_1			
66_2			
304_2			
44_1			
161_4			
46_5			
942_1			
5_4			
20_4			
328_2			
520_2			
771_1			
999_1			
853_1			
287_1			
288_2			
596_2			
217_5			
217_6			
528_3			
171_11			
63_4			
353_2			
743_1			
342_4			
69_3			
70_6			
129_2			
58_5			
188_3			
236_6			
310_8			
601_1			
544_3			
662_1			
87_7			
120_1			

Table 4

ORF	BLAST		Antigenic Regions			
	HOMOLOG		Region 1	Region 2	Region 3	Region 4
46_1	5241	aldehyde dehydrogenase	8-17	36-52	83-96	112-121
63_4	5242	glycerol ester hydrolase (P.	9-26	57-73	93-107	123-133
174_6	5243	ketopantoate hydroxymeth	71-80	203-212	242-254	265-274
206_16	5244	ornithine acetyltransferase	1-10	34-43	54-63	194-210
267_1	5245	NaH-antiporter protein (E. f	120-129	332-347	398-408	
322_1	5246	acriflavin resistance protein	58-75	153-164	203-231	264-284
415_2	5247	transport ATP-binding prot	108-126	218-227	298-308	315-334
214_3	5248	2-nitropropane dioxygenase	123-136	216-233	283-292	297-306
587_3	5249	clumping factor	5-14	43-54	59-68	76-95
685_1	5250	signal peptidase	59-68	72-81	86-95	99-108
54_3	5251	fibronectin binding protein I	23-32	37-46	50-59	89-98
54_4	5252	fibronectin binding protein I	43-52	66-75	95-104	147-156
54_5	5253	fibronectin binding protein I	49-60	81-90		
54_6	5254	fibronectin binding protein I	55-71	82-97	139-158	175-186
328_1	5255	lipoprotein (H. flu)	11-20	61-70	96-105	

Table 4

ORF	Antigenic Regions (cont)					
	Region 5	Region 6	Region 7	Region 8	Region 9	Region 10
46_1	215-242	333-352	376-385	416-432	471-487	
63_4	145-154	191-202	212-223	245-265	274-283	291-300
174_6						
206_16	239-259	275-284				
267_1						
322_1	298-319	350-359				
415_2	344-353	371-380	395-404	456-465	486-495	518-527
214_3	318-337	365-375				
587_3	106-115	142-151	156-166	173-182	186-198	204-213
685_1	113-122	130-145				
54_3	128-138	185-194	217-226	251-260	268-277	295-305
54_4	175-188	191-200	203-212	220-229		
54_5						
54_6	220-230	287-304	317-326	344-353	364-373	378-387
328_1						

Table 4

ORF	Antigenic Regions (cont)					
	Region 11	Region 12	Region 13	Region 14	Region 15	Region 17
46_1						
63_4	306-315	319-328	366-376	395-420	453-462	467-476
174_6						
206_16						
267_1						
322_1						
415_2	539-555					
214_3						
587_3	217-226	278-287	318-327	332-342	351-360	377-386
685_1						
54_3	316-325	329-345	355-372	387-396	416-425	438-448
54_4						
54_5						
54_6	396-407	427-436	514-531	541-550	569-578	612-622
328_1						

Table 4

ORF	Antigenic Regions (cont)					
	Region 18	Region 19	Region 20	Region 21	Region 22	Region 23
46_1						
63_4	485-500	513-525				
174_6						
206_16						
267_1						
322_1						
415_2						
214_3						
587_3	396-405	426-442	459-470	485-494	505-514	531-562
685_1						
54_3	455-462	472-491	517-536			
54_4						
54_5						
54_6	639-648	673-681	703-715	723-732	749-760	772-788
328_1						

Table 4

ORF	Antigenic Regions (cont)					
	Region 24	Region 25	Region 26	Region 27	Region 28	Region 29
46_1						
63_4						
174_6						
206_16						
267_1						
322_1						
415_2						
214_3						
587_3	567-578	584-601	607-840	844-854	858-870	877-886
685_1						
54_3						
54_4						
54_5						
54_6	793-802	811-826	834-848	866-876	893-903	907-918
328_1						

Table 4

ORF	Antigenic Regions (cont)	
	Region 30	Region 31
46_1		
63_4		
174_6		
206_16		
267_1		
322_1		
415_2		
214_3		
587_3	889-911	927-936
685_1		
54_3		
54_4		
54_5		
54_6	925-944	951-997
328_1		

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT:

- (A) NAME: Human Genome Sciences, Inc.
- (B) STREET: 9410 Key West Avenue
- (C) CITY: Rockville
- (D) STATE: Maryland
- (E) COUNTRY: US
- (F) POSTAL CODE: 20850

(ii) TITLE OF INVENTION: Staphylococcus aureus Poly-nucleotides and Sequences

(iii) NUMBER OF SEQUENCES: 5255

(v) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Diskette, 3.50 inch, 1.4 Mb storage
- (B) COMPUTER: HP Vectra 486/33
- (C) OPERATING SYSTEM: MSDOS version 6.2
- (D) SOFTWARE: ASCII Text

(vi) CURRENT APPLICATION DATA:

- (A) APPLICATION NUMBER:
- (B) FILING DATE:

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 60/009,861
- (B) FILING DATE: 05-JAN-1996

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 5895 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

10 TCCATTATGA AGTCACAAGT ACTATAAGCT GCGATGTTAC CAATGTTTTT TAAAATCCCA 60
 GTAATAAAAT CAAAAAATAA GTTAAATAAT GTATTCATTT TAAGTCCTCC TTAATAAAGa 120
 15 aaataGGTAA TAATGTAATA GCTTCTATTA TGATGCCTAA TTGAATGAAT TGGGCAAATG 180
 GCTCTTTGAT GATAAGTGTG ATAATGAAAA GGGTTAACT AACATAATC GCATAATATT 240
 TTTTTCGTTT AATAAGTCGC ACAGGAATGG GCTTCTTTTT AGTTGCTGCA GGAGCATATA 300
 20 CTGAGATTAC ACCTAAAGAA ATAAGTGTAA AAATAATCAT AATTAAAAAG TTAATATGAA 360
 AATTACTAT TACTAAAGGT AAAAGTATAA ATAGTATAAT ACTTTCTACA TAACACCAAA 420
 AAGAAGAAGG TGCATGTGCa CCATGTGCAT GtCTTCTTAT TAAATAAAAT GTTAAATTCTG 480
 25 TAATTAACGT AACAGAAAA ATGTTTAAAA TATAGGCAAT AGTATACATA ACAATTAATT 540
 TACCTATATT TTTAGCTAAG ACCTGCATCC CTAATCGTAC TTGCAAAAAT TGAATATGAT 600
 30 CTAAGTTATT TCTCTTTTGA AGATACGTGG CAAACTGGTC AATTTTATTA TCAAAAATAAT 660
 TCAATTTTAC ACCACTCTCC TCACTGTCAT TATACGATTT AGTACAATCT TTTATCATTa 720
 TATTGCCTAA CTGTAGGAAA TAAATACTTA ACTGTTAAAT GTAATTTGTA TTTAATATTT 780
 35 TAACATAAAA AAATTTACAG TTAAGAATAA AAAACGACTA GTTAAGAAAA ATTGGAAAAT 840

AAATGCTTTT AGCATGTTTT AATATAACTA GATCACAGAG ATGTGATGGA AAATAGTTGA 900
 TGAGTTGTTT AATTTTAAGA ATTTTATCT TAATTAAGGA AGGAGTGATT TCAATGGCAC 960
 40 AAGATATCAT TTCAACAATC GGTGACTTAG TAAATGGAT TATCGACACA GTGAACAAAT 1020
 TCACTAAAAA ATAAGATGAA TAATTAATTA CTTTCATTGT AAATTTGTTA TCTTCGTATA 1080
 GTRACTAAAAG TATGAGTTAT TAAGCCATCC CAACTTAATA ACCATGTAAA ATTAGCAAGT 1140
 GAGTAACATT TGCTAGTAGA GTTAGTTTCC TTGGACTCAG TGCTATGTAT TTTTCTTAAT 1200
 TATCATTACA GATAATTATT TCTAGCATGT AAGCTATCGT AAACAACATC GATTTATCAT 1260
 50 TATTTGATAA ATAAAATTTT TTTCATAATT AATAACATCC CAAAAAATAG ATTGAAAAAA 1320
 TAACTGTAAA ACATTCCCTT AATAATAAGT ATGGTCGTGA GCCCCTCCCA AGCTCGCGGC 1380
 CTTTTTTGTA ATGAAGAAGG GATGAGTTAA TCATCATTAT GAGACCCGCC GTTAAATAT 1440

EP 0 786 519 A2

	TCATTTGCAA AGGGCGAAAT GGGTTCTTAC TGAGTTATCT ATTATAAAAA AATAAACATA	1560
	GACTTATGAA AAATCTCTCA TAAATCTATG TTTAGTCATG aCATGTGTTA AATATTATTT	1620
5	CGGGCGCTTC TTATTTATAC AAATCTAATT TAATACTTTT AAATACAGGT ATATTTTCgC	1680
	GTTGCTGTTC TACTTCATTT AAGTTTAAAT CTACAGTCAA AATATCTGCG GATTTCATTTA	1740
10	ATTCTCCAAC TAAATCTCCA TTTGGGTTTA TAACTATCGA ATGACCAGCA TATTCTGTGT	1800
	TACCATCGAA TCCAGTGCTA TTAGTTCCAA TGACAAACAT ATTATTTTCA ATTGCACGTG	1860
	CCTTTAGTAA TGAATGCCAA TGTGAAGAC GTGACATAGG CCATTGCGCC ACATAAAATG	1920
15	CAATTTTAGC ACCACTACGA GCAGGATATC TTAATAATTC TGGAAAACGT AAATCATAAC	1980
	AGATAAGTTG GGTCACATAA GTACCGTCAG ACAATTGAAA GGGTTCAGCT ACGTATTCGC	2040
	CAGCGGTAA AAATTCATGC TCTCTTAACA TAGGAACTAA ATGAACTTTG TCGTATTCaT	2100
20	TAATCAGCTG GCCACTTTTA TTCACACTAA AAGCTGTATT AAATATTTGA TTGTTTCTAA	2160
	TGTTAGAAAC TGACCCAGCT ACGATATCGA CTTTATATTT TTCAGCTAAA TGTTTAATAA	2220
	ATGAAAAACT TTGTCCTAGA TTATTATCTG CTTTTTCATT TAAATGCTCT AAATCATAGC	2280
25	CATTATTCCA CATTTCAGGT AAAACGACTA CATCTACTTC AGCATTGATA TTTTTTTCGA	2340
	ACCATTGCGT TATTTGAGTT TCATTTTTAG AACTATCTCC AAAACAATC GGTAATTGAT	2400
30	AAATTTGGAC TTTCATAACA TCACATCCTT GATAGATCTT ATATATAACT TACTAAAAGT	2460
	TATGTTGAAA CGCAAAAAAC GAGCACAAGA CATAAAATCA AAGTCCTAGG CTCTACAAAG	2520
	TTATATTGAC AGTAGTTGAT GGGGCCCCAA CATAGAGAAA TTGGAACACC AATTTCTACA	2580
35	GACAATGCAA GTTGGGGTGG GCTCTAACAT AAAGAAATAC TTTTCTTTA GAAATTAGTA	2640
	TTTCTTATAC ATGAGTTTTA CTCATGTATT CCTATTCTTA AGTGACATT AGCAGCGGCT	2700
	AATGTGTAAG AACTACTACA TAATGAATAA CTAATGATTC TTTATCATTT CTGTCCCAT	2760
40	CCTAACAATA TATTGATTAT TTTTTTATTA CGAAACGATC TTCCACTGGA TTAAATGTTT	2820
	TTTCGCCAGC AGCTTCACGA ATATCACCAA ATGGCATTG AGCAATAAGT TTCCAACTTT	2880
45	TAGGAATATT AAATTCATTT GAAGTCATCT CATCAACAAG TGGATTATAG TGTTGTAATG	2940
	AAGCACCTAT GCCTTTAGTA GCTAATGCAG TCCAAATTGC AAATTGATGC ATGGCATTG	3000
	TTTGAGTTGA CCATATTGCA AAATTATCAT AGTAGTTTGG CATTTGTTCT TGTAACCAC	3060
50	TTACAACATC TTGATCTTCA TAAAACAAAA TTGTACCGTA TGAATGTTTG AAGTTATCAA	3120
	TTTTTTGTTC AGTTGGCTCG AAATCACGAT TCTCTCCCAT GACTTCTTTT AAAATTGCTT	3180
55	TTGTGTTATC CCAAAATTTA TTATTGTTGT CATTTAACAA GAGAACAATT CTAGTTGATT	3240

	CATCGCTAAT TGATATCGAA TCTTTCAAAT TATATATTGA ACGTCTTTCT TCCATTGCAT	3360
	TGTCAAAGT CATTGCTTTT TTATCTTTTT TAAATAAGCC CATAATTATT GTCCTTCTT	3420
5	TAGTAAAGAA TACTTAATAG ACTAAGTATA AAATTTATAC TCGTACTTGT AAAGCAATAT	3480
	TTACGAAAAT TTCAAGAATA TTAATATTCA TTTTCAAATT CCAAATATAA ATGCATTTTC	3540
10	AACGCATATT TATTATACTT AGATTAATAC TTACATGAAA AAGGGAGGTG TCTCGTGAAA	3600
	TGTCATATCA TTGGTTTAAG AAAATGTTAC TTTCAACAAG TATTTTAATT TTAAGTAGTA	3660
	GTAGTTTAGG GCTTGCAACG CACACAGTTG AAGCAAAGGA TAACTTAAAT GGAGAAAAAC	3720
15	CAACTACTAA TTTGAATCAT AATATAACTT CACCATCAGT AAATAGTGAA ATGAATAATA	3780
	ATGAGACTGG GACACCTCAC GAATCAAATC AAACGGGTAA TGAAGGAACA GGTTCGAATA	3840
	GTCGTGATGC TAATCCTGAT TCGAATAATG TGAAGCCAGA CTCAAACAAC CAAAACCCAA	3900
20	GTACAGATTC AAAACCAGAC CCAAATAACC AAAACTCAAG TCCGAATCCT AAACCAGATC	3960
	CAGATAACCC GAAACCAAAA CCGGATCCAA AACCAGACCC AGATAAACCA AAGCCAAATC	4020
	CGGATCCAAA ACCAGATCCA GATAACCCGA AACCAAATCC AGATCCAAAA CCAGACCCAG	4080
25	ATAAACCAAA GCCAAATCCG GATCCAAAAC CAGATCCAGA TAAACCAAAG CCAAATCCGA	4140
	ATCCAAAACC AGACCCTAAT AAGCCAAATC CTAACCCGTC ACCAGATCCC GATCAACCTG	4200
30	GGGATTCCAA TCATTCTGGT GGCTCGAAAA ATGGGGGGAC ATGGAACCCA AATGCTTCAG	4260
	ATGGATCTAA TCAAGGTCAA TGGCAACCAA ATGGGAATCA AGGAAACTCA CAAAATCCTA	4320
	CTGGTAATGA TTTTGTATCC CAACGATTTT TAGCCTTGGC AAATGGGGCT TACAAGTATA	4380
35	ATCCGTATAT TTAAATCAA ATTAATAAGT TGGGCAAAGA TTATGGAGAA GTTACTGATG	4440
	AAGACATTTA TAATATTATT CGAAAACAAa ATTTAGCGG AAATGCATAT TTAAATGGAT	4500
	TACAACAGCA ATCGAATTAC TTTAGATTCC aATATTTCAA TCCATTGAAA TCAGAAAGGT	4560
40	ACTATCGTAA TTTAGATGAA CAAGTACTCG CATTAAATTAC TGGTGAAATT GGATCAATGC	4620
	CAGATTTGAA AAAGCCCGAA GATAAGCCGG ATTCAAAACA ACGCTCATTG GAACCGCATG	4680
45	AAAAAGACGA TTTTACAGTA GTTAAAAAAC AAGAAGATAA TAAGAAAAGT GCGTCAACTG	4740
	CATATAGTAA AAGTTGGCTA GCAATTGTAT GTTCTATGAT GGTGGTATTT TCAATCATGC	4800
	TATTCTTATT TGTAAAGCGA AATAAAAAGA AAAATAAAAA CGAATCACAG CGACGATAAT	4860
50	CCGTGTGTGA TTCGTTTTTT TTATTATGGA ATAAAAATGT GATATATAAA ATTCGCTTGT	4920
	TCCGTGGCTT TTTTCAAAGC CTCAGGATTA AGTAATTGGA ATATAACGAC AAATCCGTTT	4980
55	TGTAACATAT GGATAATAAT TGGAACAGCA AGCCGTTTTG TCCAAACATA TGCTAATGAA	5040

AATATTAATG AACTTACTGT TGTAGCAATA ATAAATGCCA CGATACGATT ACCTTTAATC 5160
 GCATTAAATA ATTCTCCAAA GATTACTTTT CTGAATACAT ATTCTTCTAA TAAAGGACCA 5220
 5 ATAATAGATA CAAAGAAGAT AAATATAGGT ATTTTTCGAG CAATAATAAT TAGCTTTTCT 5280
 GTATTAGGAC TTAAGTGTG TCCACCATAA ATTTGCGTTA ATACAATGCT CACTACCATT 5340
 10 TGATAAATCA TTACCAATGC AAATCCAAGC AATGCCCATG GAATGATATA TTTTITAGGT 5400
 TCTTTAACTT CTAATTCTAA TTTTGTGGA TTTTAAATTT TAAATTAAT TAAATAATC 5460
 GTCGTGGCGG CGATTAAAAA TAGAACAAGT TGTATGTAAA TGACTGCTTT AGTCAGTTCT 5520
 15 ATGCCACTAT ATTGTACAAA TGGTAATTTT TTTACAATGA GAAGCGGTAA AAATTGAGAC 5580
 AATATATAAA TAATAACAGT TAGCAATGAT GCCCATAATC tTGTACATAAT TTCTCTCAA 5640
 ATATTTGTTT ATAATTTATT TTATCGTAAA TAACTTGAAG TTACAAAACCT TAATTAAAAG 5700
 20 GTTATGACTT GAAATTTTGA CCAAATTTGA TTATTATAAA TGTATGTTAG CACTCTTTAA 5760
 TGTTAAGTGC TAACTTTTAG GTTTTTTAAG GAGGAACAAT CATGCTAAAA CCAATTGGAA 5820
 ATCGTGTGAT TATTGAGAAA AAAGAACAAG AACAAACAAC TAAAGTGGn ATTGTTTAAC 5880
 25 TGATAGTGCT AAAGA 5895

(2) INFORMATION FOR SEQ ID NO: 2:

30 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 6796 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

35

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

40 TTGAAAAAA CAAGGTACGA TTGGTTTAAT AACATATATG AGAACCGATT CTACACGTAT 60
 TTCaGATACT GCCAAAGTTG AAGCAAAACA GTATATAACT GATAAATACG GTGAATCTTA 120
 CACTTCTAAA CGTAAAGCAT CAGGGAAACA AGGTGACCaa GATGCCCATG AGGCTATTAG 180
 45 ACCTTCAAGT ACTATGCGTA CGCCAGATGA TATGAAGTCA TTTTGTACGA AAGACCAATA 240
 CCGATTATAC AAATTAATTT GGGAACGATT TGTGCTAGT CAAATGGCTC CAGCAATACT 300
 TGATACAGTC TCATTAGACA TAACACAAGG TGACATTAAT TTTAGAGCGA ATGGTCAAAC 360
 50 AATCAAGTTT AAAGGATTTA TGACACTTTA TGTAGAAACT AAAGATGATA GTGATAGCGA 420
 AAAGGAAAAT AAAGTGCCTA AATTAGAGCA AGGTGATAAA GTCACAGCAA CTCAAATTGA 480
 ACCAGCTCAA CACTATACAC AACCACCTCC AAGATATACT GAGGCGAGAT TAGTAAAAAC 540
 55

	AAAGCGTAAC TATGTCAAAT TAGAAAGTAA GCGTTTTGTT CCTACTGAGT TGGGAGAAAT	660
5	AGTTCATGAA CAAGTGAAAG AATACTTCCC AGAGATTATT GATGTGGAAT TCACAGTGAA	720
	TATGGAAACG TTACTTGATA AGATTGCAGA AGGCGACATT ACATGGAGGA AAGTAATCGA	780
	CGGTTTCTTT AGTAGCTTTA AACAAGATGT TGAACGTGCT GAAGAAGAGA TGGAAAAGAT	840
10	TGAAATCAAA GATGAGCCAG CCGGTGAAGA CTGTGAAATT TGTGGTTCTC CTATGGTTAT	900
	AAAAATGGGA CGCTATGGTA AGTTCATGGC TTGCTCAAAC TTCCCGGATT GTCGTAATAC	960
	AAAAGCGATA GTTAAGTCTA TTGGTGTTAA ATGTCCAAA TGTAATGaTG GTGACGTCGT	1020
15	AGAAAGAAAA TCTAAAAAGA ATCGTGTCTT TTATGGATGT TCGAAATATC CTGAATGCGA	1080
	CTTTATCTCT TGGGATAAGC CGATTGGAAG AGATTGTCCA AAATGTAACC AATATCTTGT	1140
20	TGAAAATAAA AAAGGCAAGA CAACACAAGT AATATGTTCA AATTGCGATT ATAAAGAGGC	1200
	AGCGCAGAAA TAATATTTTT ATTTCCTAGA TACATTTTAA GATTGTAAA TAGAATCATT	1260
	AGTGAATCTT ATTTTAAAGA TAGTAAAGGA TTAATCTAAA TAAGTGCGGA TAATATAAAC	1320
25	ATAACAACAT AATTAAmAGA CATAAATGAC aATAAAAGGA GTATAGAAAT GACTCAAAC	1380
	GTAAATGTAA TAGGTGCTGG TCTTGCCGGT TCAGAAGCGG CATATCAATT AGCTGAAAGA	1440
	GGAATTAAAG TTAATCTAAT AGAGATGAGA CCTGTAAAC AACACCAGC GCACCATACT	1500
30	GATAAATTTG CGGAAC TTGT ATGTTCCAAT TCATTACGCG GAAATGCTTT AACTAATGGT	1560
	GTGGGTGTTT TAAAAGAAGA AATGAGAAGA TTGAATTCTA TAATTATTGA AGCGGCTGAT	1620
	AAGGCACGAG TTCCAGCTGG TGGTGCATTA GCAGTTGATA GACACGATTT TTCAGGTTAT	1680
35	ATTACTGAAA CACTTAAAA TCATGAAAAT ATCACAGTTA TTAATGAAGA AATTAATGCC	1740
	ATTCCAGATG GATACACAAT TATCGCAACA GGACCACTTA CTACAGAAAC CCTTGCGCAA	1800
40	GAAATAGTGG ACATTACTGG TAAAGATCAA CTTTATTTCT ATGATGCGGC TGCTCCAATT	1860
	ATTGAAAAAG AATCTATTGA TATGGATAAA GTTTACTTAA AGTCCCGTTA TGATAAAGGT	1920
	GAAGCTGCAT ATTTAAACTG TCCTATGACT GAGGATGAAT TTAATCGCTT TTATGATGCA	1980
45	GTATTAGAAG CTGAAGTTGC GCCTGTAAAT TCATTTGAAA AAGAAAAATA TTTCGAGGGT	2040
	TGTATGCCTT TTGAAGTAAT GGCAGAACGC GGACGCAAGA CATTACTATT TGGACCAATG	2100
	AAACCAGTAG GATTAGAAGA TCCAAAGACT GGGAAACGTC CTTATGCGGT GGTTC AATTA	2160
50	AGACAAGATG ACGCTGCTGG TACACTCTAC AATATTGTTG GCTTCCAAAC GCATTTAAAA	2220
	TGGGGAGCTC AAAAAGAAGT CATTAATTA ATTCCAGGCT TAGAAAATGT TGATATTGTT	2280
55	AGATATGGTG TGATGCATAG AAATACCTTC ATTAATTCAC CGGACGTATT AAACGAGAAA	2340

	TATGTAGAAA GCGCAGcTAG CGGCTTAGTT GCAGGTATCA ATCTTGCGCA TAAAATATTA	2460
	GGCAAGGGTG AGGTAGTATT TCCGAGAGAA ACAATGATTG GAAGTATGGC TTACTATATT	2520
5	TCTCATGCTA AAAACAATAA GAATTTCCAA CCTATGAATG CTAACCTCGG GTTATTACCA	2580
	TCTTTAGAAA CTAGAATTAA AGATAAAAAA GAACGCTATG AAGCACAAGC TAATAGAGCT	2640
10	TTGGATTACT TAGAAAATTT CAAAAAACT TTATAAAATA GTTAGAAAGA CTAGATATGC	2700
	TATTCATTCT TAAGTCATCA ACGAGTAAGT AATGACTTTC TAAATGGAAA ATACTTATCC	2760
	TAGTCTTTTT AATTTTGGAA TTGTTACGTA TTTCTGACAA TTTAGAATTC GCATTCAAAA	2820
15	AATATCTAAA TAAATAACAC GCAATAAGTT GATTGATGTA ACATGTAAGA GAATGTTTTA	2880
	AATAAACTTT ATTTAAAAGG CAATGAAATA ATAAATGGCA AGGCTATTAA TAAAGACTTT	2940
	TAGTAATTAA TTTAAAAAAG AGGTATTCTA ATTAACAGGT TTTCCGATTA GTTACAATTA	3000
20	TTTAATTCTC AAAAGATTTA GAATTGATTA TCAAATTACT GTAAGCCCTT TGCTGTATAT	3060
	GCTACAATTC TTATTGATGG AGGGTAAATG TATTGAATCA TATTCAAGAT GCGTTTTTAA	3120
25	ATACATTGAA AGTTGAACGG AATTTTTTCGG AACACACATT GAAATCATAT CAAGATGACT	3180
	TAATTCAGTT TAATCAATTT TTAGAACAAG AACATTTAGA GTTGAATACT TTTGAATACA	3240
	GAGATGCTAG AAATTATTTG AGCTATTTAT ATTCAAATCA TTTGAAAAGA ACATCTGTTT	3300
30	CTCGTAAAAT CTCAACGTTA AGAACTTTCT ATGAATATTG GATGACGCTT GATGAGAACA	3360
	TTATTAATCC ATTTGTTCAA TTAGTACATC CGAAAAAGA AAAATATCTT CCGCAATTCT	3420
	TTTACGAAGA AGAAATGGAA GCGTTATTCA AAAGTGTAGA AGAGGACACT TCAAAAAATT	3480
35	TACGGGATCG AGTTATTCTT GAATTGTTGT ATGCTACAGG CATCCGTGTT TCGGAATTAG	3540
	TAAATATTAA AAAACAAGAT ATAGATTTTT ACGCGAATGG TGTTACCGTA TTAGGAAAAG	3600
	GGAGCAAAGA GCGCTTTGTA CCGTTTGGTG CTTATTGTAG ACAAAGCATC GAAAATTATT	3660
40	TAGAACATTT CAAACCAATT CAGTCATGCA ATCATGATTT TCTTATTGTA AATATGAAGG	3720
	GTGAAGCAAT CACTGAACGC GGTGTACGAT ATGTTTTAAA TGATATTGTT AAACGAACAG	3780
45	CAGGCGTAAG TGaGATTcAT CCCCACAAGC TCAGACATAC ATTTGCAACG CATTTATTGA	3840
	ATCAAGGTGC AGACCTAAGA ACAGTACAAT CGTTATTAGG TCATGTTAAT TTGTCAACAA	3900
	CTGGTAAATA TACACACGTA TCTAACCAAC AATTAAGAAA AGTGTATCTA AATGCACATC	3960
50	CTCGAGCGAA AAAGGAGAAT GAAACATGAG TAATACAACA TTACATGCAA CAACAATTTA	4020
	TGCTGTAAGA CATAATGGGA AAGCAGCTAT GGCTGGAGAT GGGCAAGTAA CGCTTGGTCA	4080
55	ACAAGTCATC ATGAAACAAA CGGCAAGAAA AGTGCGACGT TTATATGAAG GTAAAGTGTT	4140

	ATTACAACAG TTTAGTGGTA ACTTAGAAAAG AGCTGCTGTT GAATTGGCAC AAGAATGGCG	4260
5	AGGCGATAAA CAATTACGTC AATTAGAAGC TATGCTAATT GTAATGGATA AAGATGCTAT	4320
	TTTAGTTGTC AGTGGAAGTC GCGAAGTTAT TGCTCCAGAT GATGACCTTA TCGCTATTGG	4380
	ATCAGGAGGC AACTACGCAT TAAGCGCAGG ACGTGCATTG AAACGCCATG CATCGCATT	4440
10	GTCTGCTGAA GAAATGGCAT ATGAGAGCTT GAAAGTAGCG GCTGATATTT GTGTCTTTAC	4500
	CAACGATAAT ATTGTTGTCG AAACACTATA ATAATCAGAG CACGATAAAT AATTACGAGC	4560
	AATTAATTTT AGTTAAAAGA CGGAGGAATG AAATTAATGG ATACAGCTGG AATAAGATTA	4620
15	ACTCCAAAAG AAATCGTATC TAAATTAAAT GAATACATCG TTGGACAAAA TGATGCTAAA	4680
	CGTAAAGTGG CAATTGCCCT ACGTAATCGA TACAGAAGAA GTTTATTAGA TGAGGAATCA	4740
20	AAGCAAGAAA TTTCACCTAA AAATATTTTG ATGATTGGAC CAACCGGCGT TGGTAAAAC	4800
	GAAATTGCAA GAAGAATGGC CAAAGTTGTC GCGCGCCAT TTATAAAAGT AGAAGCTACT	4860
	AAATTTACTG AGGTAGGTTA TGTAGGACGA GATGTTGAAA GTATGGTTAG AGATCTTGTT	4920
25	GATGTTTCAG TAAGATTAGT CAAGGCGCAG AAAAAATCAT TGGTACAAGA TGAAGCAACA	4980
	GCTAAGGCCA ATGAAAAACT TGTAAAGTTA TTAGTTCCAA GTATGAAAAA GAAAGCGTCT	5040
	CAAACGAATA ATCCTTTAGA GTCACCTTTC GGAGGTGCAA TTCCAAATTT CGGACAAAAT	5100
30	AACGAAGATG AAGAAGAACC ACCTACTGAG GAAATTAAAA CAAACGTTT TGAAATTAAG	5160
	AGACAGCTAG AAGAAGGCAA ACTTGAAAAA GAAAAGGTAA GAATTAAAGT CGAACAAGAT	5220
	CCTGGTGCTT TAGGTATGCT AGGTACAAAT CAAAATCAGC AAATGCAAGA GATGATGAAT	5280
35	CAATTAATGC CTAAAAAGAA AGTTGAGCGA GAAGTTGCTG TTGAGACGGC AAGGAAAATC	5340
	TTAGCTGATA GTTATGCGGA TGAACATAAT GATCAAGAAA GCGCTAACCA AGAAGCGCTT	5400
40	GAATTAGCAG AACAAATGGG TATCATCTTT ATAGATGAAA TCGACAAAGT TGCGACGAAT	5460
	AATCATAATA GTGGTCAAGA TGTCTCAAGA CAAGGTGTTT AAAGAGATAT TTTACCTATA	5520
	CTTGAAGGTA GCGTTATTCA AACCAAATAT GGTACTGTGA ATACTGAACA TATGCTGTTT	5580
45	ATAGGTGCTG GAGCTTTCCA TGTATCTAAG CCGAGTGACT TGATACCAGA ATTGCAAGGT	5640
	CGTTTTCCGA TTAGAGTTGA ACTTGATAGT TTATCGGTAG AAGATTTTGT AAGAATTTTG	5700
	ACAGAACCAA AATTGTCATT AATTAAACAA TATGAAGCAT TGCTTCAAAC AGAAGAAGTT	5760
50	ACTGTAAACT TTACCGATGA AGCAATTACT CGCTTAGCTG AGATTGCTTA TCAAGTAAAT	5820
	CAAGATACAG ACAACATTGG TGCACGTCGA CTTCATACAA TTTTAGAAAA GATGCTAGAA	5880
55	GATTTATCAT TCGAAGCACC AAGTATGCCG AATGCAGTTG TAGATATTAC CCCACAATAT	5940

AAATATACAA AAGGAGAAAA ATTCATGAGC TTATTATCTA AAACGAGAGA GTTAAACACG 6060
 TTACTTCAAA AACACAAAGG TATTGCGGTT GATTTTAAAG ATGTAGCACA AACGATTAGT 6120
 5 AGCGTAACTG TAACAAATGT ATTTATTGTA TCGCGTCGAG GTAAAATTTT AGGATCGAGT 6180
 CTAAATGAAT TATTAAAAAG TCAAAGAATT ATTCAAATGT TGGAAGAAAAG ACATATTCCA 6240
 10 AGTGAATATA CAGAACGATT AATGGAAGTT AAACAAACAG AATCAAATAT TGATATCGAC 6300
 AATGTATTAA CAGTATTCCC ACCTGAAAAC AGAGAATTAT TCATAGATAG TCGTACAACT 6360
 ATCTTCCCAA TTTTAGGTGG AGGGGAAAGA TTAGGTACAT TAGTACTTGG TCAAGTACAT 6420
 15 GATGATTTTA ATGAAAATGA TTTGGTACTA GGTGAATATG CTGCTACAGT TATTGGTATG 6480
 GAAATCTTAC GTGAGAAGCA TAGTGAAGTA GAAAnAGAAG CGCGCGATAA AGCTGCTATT 6540
 ACAATGGCAA TTAATTCATT ATCTTATTCT GAAAAAGAAG CGATTGAACA TATCTTTGAA 6600
 20 GAACTTGGCG GTACGGAAGG CCTATTAATC GCATCAAAAG TTGCAGATAG AGTTGGTATT 6660
 ACTAGATCTG TAATTGTAAA TGCACACGT AAATTAGAAA GTGCTGGTGT AATTGAATCA 6720
 CGTTCTTTAG GAATGAAAGG TACTTTCATT AAAGTTAAAA AAGAAAAATT CTTAGATGAA 6780
 25 TTAGAAAAAA GTAAAT 6796

(2) INFORMATION FOR SEQ ID NO: 3:

30 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 2073 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

40 ATCTTAAAAT TnAAAATTAT CACGCCTTTT GaACAGCTTT GTAACCaTct GGACGATCAT 60
 KAAATTCCaA TGTAAATCCT GGTTTAAaGT TGATCTTTAA CCTTATTTAA AycACCAATT 120
 GTACGTATAT TATGTTGTTT AGCAAAATCA CGTTTTACAG CTAAAGCATA CGTATTGTTA 180
 45 TACTTCATTG GTTTTAACAT AGTCATTTGA TATTTCTTTT CAAGACTTTG CTTAGCTTGT 240
 TCATAAACTT TTTTCTCTTC TTTTGACTTC AATGGTTCTT TTGTTAATTC ACCTAAAACT 300
 GTTCCAGTAA ATTCTAAATA CCCATCTATA TCGTCAGATT TTAAAGCATT AAATAAAAAAT 360
 50 GCTGTTTTGC CCATACCATC TTTCACTTCT ACAGTATTTT TGGTCTCTTC TTCTATTAAA 420
 ATTTTATACA TATTTGTAAT AATCGATGGC TCGGAGCCAA GCTTTCAGC TAACGTAATT 480
 TTATCACCTT TTTGTGCAAA CATAGGAATA GCGATAGCCA GTATAATAAT CATCACTATA 540
 55

	TCAAATATAA TTGCCAATAA GGCTGCTGGA ATTGCACCTA ATAATATCAA CGATGCATTG	660
	TTACGGTCTA TACCTAATAA AATTAAATCT CCTAGTCCGC CTGCACCAAT TAATGCTGCT	720
5	AGTGTGCTG TACCTATAAT TAATACCATA GCCGTTCTTA CACCAGCCAT TATAACAGGC	780
	ATTGCTATCG GAAGTTCGAC TTTAGTTAAA CGTCTAAATG GTTTCATACC TATACCTTTA	840
10	GCCGCTTCAA TGAGTGATGG ATCAACTTCT TTAATTCCAG TATACGTATT CCTTAAAATT	900
	GGTAACAACG CATACTACTAC AAGTGCAATA ATTGCTGGCA CACGACCGAT ACCAAATAAA	960
	GGAATCATT AACTAATAA TGCCAACGAT GGTATGGTTT GAAGAATTGC CGCAATATTC	1020
15	ATTACGATTT CAGATATCGT TTTAGTCTTC GTTAATAAAA TACCTAATGG TACCGCAATA	1080
	GCAGTTGCAA TCAATAATGC GATAAATGAT ATTTGAATAT GTTCTATCAT TGTCGAAAAG	1140
	AGTTGCCCCCT TACGTTCACT CAATATGTCg AAAAAGTTAG TCATGTTGAG CTACCTCCTT	1200
20	TTTCTGGGAC AAATATTTGA AGATATCTTT CCTATCAATA ACATATTGAC CTACGCTATC	1260
	TTCTTGCAATG ACAATGACAC GCTCGCTCTC TGATAAAAGT TGATACAATA CTTCAATTGG	1320
	TTGATTGTCA TAAACAATTG GATAAGCGCT CATAGATGTA ACCTCATCGA TTGGTTTCAT	1380
25	AATATCCAAG TCACGGATAA TTGCGTTCTC TTCAACACAT GGCGCATCAT CTTCTAAATG	1440
	ACTACCCATA AATTGTTTAA CAAATTCACCT TTGAGGATTA TTTTAAATC CTTCTGGTGT	1500
30	GTCAATTTGT TCAATATGCC CTTCAATTCAA AAGACAAATC TTATCACCAA GTTTCATCGC	1560
	CTCTTGAATA TCATGTGTAA CAAATATGAT TGTCTTCTTA ATTTTAGTTT GTAATTCAAT	1620
	TAAATCATCT TGAAGTTTTT CTCGGCTGAT TGGGTCTAAT GCACTAAACG GTTCATCCAT	1680
35	TAAATAACT GGTGGATCAG CTGCTAACGC ACGTATAACT CCTACACGTT GTCGTTGCCC	1740
	CCCTGACAAT TCATCAGGTT TTCTGTTTTT ATATTTTTCA GGTTCTAATC CAACCATTTT	1800
	AAGTAATTCA TCTACTCTTT TATCTATATC TTTTCTTTT CACTTTTTCA TTTGTGGCAC	1860
40	TTGTGCAATa TTTTCTTTGa wTGTCaTATG TGGAATAAT GCAATCTGCT GcAATACGTA	1920
	TCCAATATCC CAACKCATTT CGTATACTGG ATAATCACTT ATTGGTTTAT CTTTAAAATA	1980
45	AATATAACCT TCACTTAAGT GAATGAGTCG ATTAATCATT TTTAATGTCG TAGTTTTTCC	2040
	ACAACCTGAA GGTCCAATTA GCACAAAAA TTC	2073

(2) INFORMATION FOR SEQ ID NO: 4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 13321 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

EP 0 786 519 A2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

	ACTATTCTAG CTTCATCAGT TATCATATAT TCTTTGAAAC ACTTGTAAGA AAATATAATG	60
5	AGTATTTACT ACATAATGAT ATTTCAAATT AGAAAAAAGG AAGTTATGAT TTAATGGCCT	120
	TGAGCCTATC ATAACCTCCT TTTATCATTT TATTGTTGTG TTGATGTTTC GATAACGTGG	180
	TACATCTTAT CAAACATCAA TTCGAAACCA TGCACCATGG CATCATGATA TTCTTTTTTC	240
10	TTTGTCTTGT ATTCTAAATT AGTAAATCGT CTTTCTTTTT CAACTAATGA ACGATAATAA	300
	AATAGCATTT GGGTGCCACC TGTTTCACGT TCAAAAAATT CTACCTCAAT GACATCTTGC	360
15	GTTTCACTTA GTCCAGGCAT ACCGATAGTC ATCTTAACGT ATTCATCCAT AACTAAAGAT	420
	TCATAAATGC CTTCAATCAC ATTTACTTTG CCATTACGTT GTTGATCTAC AATACGATAT	480
	TTACCGCCTT CTTTAACGTC CGCTTCAATC TCTTTATTCTG TTCTGGCTGA TGTCATAAAC	540
20	CATTGTTTCA ACAAATCTTT CTTTGTCCAA GCTTCGTATA CTAACCTCTGG AGAAAATTTA	600
	TAAAGCTTTT CAATTTCAAC TTCGACATGT TCATTCTCTA CATTAAATTT TGCCACTGTT	660
	GTCCACCCAC TTTCGCTCTT ACTTTTATTT TAACGTATTT TTGCTCAGTT CCAAACATAG	720
25	ATGATCATCA TTTTAAAAG ATTAGCGTTA TACGGTGAGT ACAACATGAT CTGTTAATAT	780
	AACAAGCCAC CTTACTTGGC TACATCGATA TATTGTTAAG CATTAAATGTT TCATTTCCTG	840
30	ACTAGTGTTT TTTTTTAGCT TTGGAAAATT AAATAAAATC GCAATAAGTC CGCATACACC	900
	TAATAATATA GGATAAATGC TGTATGGGAA TAACATTAAC GGTGAAATAC CAGCTACACC	960
	AGCCGCTGaa ATGACTTGCG GGCTATATGG TAATAAACCT TGGAAGCAGC CTCCAAATAT	1020
35	ATCAAGAATA CTTGCTGATT TCCTTGAATC TACATCATAT TCATCTGCAA TATTTTTTAGC	1080
	TAAAGGACCT GACATAATAA TAGAGATGGT GTTGTGTTGCC GTGGCAATAT CTGCGACACT	1140
	TACCAAACTA GCAATTCCTA ATTCTGCGCC ACGCTTTGAT TTCACTTTAG AGCGAACAAA	1200
40	TTGCAACAAC CATTCAATAC CACCATTGTG TTGAATAATA CCGACTAAAC CACCAATTAG	1260
	CAACGCAATC ATAGCAATAT CTTCCATGCT TATAATACCT TTGGACACTG CATCTAGTAG	1320
45	CCCCATCCAA CCGAATGAAC CATCTATGAG ACCAATGATT CCGGCTAATA ATGTTCCGCC	1380
	AATCAATACG ATAATGACAT TTACACCTAA TAATGCTAAT ACCAATACTA AGATATACGG	1440
	TACAACTTTA ATTAGATTAT AATCATAGTt TTTAGCATGA TTTAAAGAAA TGCCATTTCGT	1500
50	TAAGAAATAC AGAATAATAA TCGTTAAAT AGCACCTGGC AATACAATTT TAAAGTTTAC	1560
	TCTGAATTTA TCTTTCATTT TCGTATGTTG TGTTCCTAAC GCAGCAATTG TTGTATCTGA	1620
	AATCATTGAT AGATTATCGC CGAACATTGC ACCTCCAACA ACTGTAGCCa tTGctAGCGC	1680
55		

	TCCTACAGAC	GTCCCCATAG	ATATAGAAAC	AAACATACAA	ATCACAAACA	ATCCTACAAT	1800
	AATTAAATTT	TCTGGGATTA	ATGATAGTCC	TAAATTAACT	GTCGACTTTA	CGCCACCCAT	1860
5	TTTTTCAGCT	GTATTTGAAA	ATGCACCTGC	TAAAATAAAA	ATCAACATCA	TTAAAACAAT	1920
	GTTTGAATGG	CCTGCACCTT	TCGTGAAGAC	CTCAACTTTT	TTAGCAAATG	ATTCTTTTCG	1980
10	ATTCATTAAT	AACGCCACAA	TTACCGTTAT	CGTAATTGCA	ACATTTAATG	GCATTGAAGT	2040
	AAAATCACCT	GTGATAATAC	CTACGCCTAA	AAACAACGCC	ACAAATAATA	ACAAGGGGAA	2100
	TAATGCCCAA	GCATTGCTCT	TTTTATGTAC	TTCCATCCTT	TTTACCTGCT	TTCCAATTAA	2160
15	AAATACCTCT	TTCTCACAAA	CGATGAAGAA	AGAGGTTTTT	ATGTGCTTTA	CCTGCTTATC	2220
	TTCAAACCAT	TACGGTTACT	GGAATTGGCA	CATTCGAGAT	GTTGCCGAGG	CTTCATAGGG	2280
	CCAGTCCCTC	CACCTCTCTA	GATAAGTGAT	GCTTATTTAC	GTTTACGTTA	CAAGATAATC	2340
20	CTTAGTACGT	CAATCATAAA	TTAATCAGGA	GTCGTATAAT	ATTTTTCATA	AACAATCATT	2400
	GCTACTGTAA	TAATAATCAA	AACAATAATG	CTAATAACAA	GTAAAAGCCA	CCATTTAAGC	2460
25	ATTAATGCAA	TAAAAATGAA	CACGATAGAC	ACACTTACTA	ATATTAATGA	TATGACTTTA	2520
	AATTGCTGAA	CACGTTGCTT	GGAGATGACT	TTCAACTGTT	TGTTTGATAG	ACGCGTATTT	2580
	TTTATACTGA	TTCCCAGTAT	ATTTTCTAAT	ATTTGAACCA	ATACGATACT	TATTGCAAAT	2640
30	ATAATAATTG	GTAAAACATC	ATAGCTCCCT	ATAGTTAATG	TATAAATTAC	AAATCCAATG	2700
	TAAAGTAACC	CTGAGACAAA	GGATAAAAAG	TATGCGACGT	ATTTGTAAA	CTTAATGATA	2760
	TGCTTTTTAA	CGTTTTGATG	TGTAAACCAT	ACATTGCAAA	CGATCGCAAC	TGCTACAAAT	2820
35	AATGTGAATA	CTATATATAA	TGGTAATTTT	TGTTCAAGAA	AAACAGTCGC	TATTCCAAAA	2880
	GCTAATGCTA	AAATCAAAAA	TAATATAGCT	CTAGATACTA	TTAATGCCAT	AATAACAACC	2940
	CCTTTGTTTA	ATATCGAGTT	TGCAAATTTA	CGTTTATCAG	CGTTTCTATG	ATCAGTACTT	3000
40	CTACGGGTAG	CGTTTCTATG	TAATTTACAT	CATCTTAACA	TATAAATACT	TCGCTATTTA	3060
	ATTGAAAACA	TATCCTATTA	TTCTTTGTCC	GTTCTGACGT	TTAATATCTA	GCCTTAGGCA	3120
45	TTTCACTTGT	TAATGAATTT	AACTTTCTTC	CACTAACCGT	CCCTAAACCC	AATCCCGCAA	3180
	CAGTTTTTAA	CTTTTTTCGT	GTTGTCCTGA	CATCCTCATT	AAGAAAGTTT	ATTCTGCTTA	3240
	AAACTTATAA	TCCACACCCT	GAGCAAACGC	TCCTTATGAC	AGAGTATTAA	AATAAGCCGA	3300
50	TAAAGATACA	CACCTTTACC	GACTATTTAA	AATACACTTC	ACCAATTCAT	TTTAATTTAA	3360
	TGGATTGAAG	TAACTAAATT	AATATTATGT	TGTTCAATTA	AAAGCTTCAT	ACAAACCTAA	3420
55	TCTATTTGCA	CTCCACCGCT	AACACCGAAC	ACTTGTCCGG	TTGTATAACT	TGATTCTTCT	3480

EP 0 786 519 A2

	GTTTTTTGAC	CAAATGTTGG	GATTTTACTT	TGAGGTTGTC	CACCAGAAAT	TTGTAATGGT	3600
	GACCAGAATG	GACCAGGCGC	TACACAGTTC	ACTCTAATTC	CTTTTGGTCC	TAATTCTTCT	3660
5	GAAAAACTTT	TAGTTAATGA	AATAATTGCT	GCTTTTGAAG	CGGCATAATC	ATGAAGAATA	3720
	GGACTAGGAT	TATAACCTTG	TACAGATGAT	GTCGTTGTAA	TTGACGCACC	CGGTTTTTAAA	3780
	TATTCCAATG	CTTTTTGAAC	TGTCCAAAAT	AGCGGATAGA	CATTCGTTTC	AAATGTTTCT	3840
10	GTAAATGCCT	CAGTTGTAAA	TCCATGAATA	TCATCATGAT	ACTGTTGATG	TCCAGCAACT	3900
	AAAGTAACAT	TATCTAAGCC	ACCTAATTGT	TGATATGCTT	GTTCAACAAG	GTCATAGTTG	3960
15	AACTGTTTCA	CTCTTATATC	ACCAGGAATT	AACACTGCCT	TTTGACCACT	TTCTTCAATC	4020
	ACTTGGCGTA	CTTCTTGTGC	ATCTTGTTCT	TCACTCGGAA	GATAGTTAAT	CGCTACATCT	4080
	GCACCTTCTT	TAGCATACGC	AATTGCTGCT	GCACGCCCTA	TTGCTGAGTC	ACCACCTGTG	4140
20	ACTAATATTT	TATAGCCTTG	TAAGCGTTGA	TGACCTTGGT	AAGACGTTTC	GCCACAATCG	4200
	GGTGCTGGCG	TCATTTTACA	TTGTAAACCC	GGTACCTCTT	GTTCTTGTTT	TTCATAATCC	4260
	GTTGTTTTAA	ATTTTGTCT	AGGATCTTGA	GCTGCCATTT	TTTTACATCT	CCTTATTCGC	4320
25	TTAATGGTTA	TTATTTACCC	AATCTTCCTA	GGAACCTAAT	CATGATTACA	CTAAAAATTA	4380
	CTTTCTTCTT	TATAAAAACA	AGCTCGAATT	ATTCATGCAA	TAGTCTCTTT	ACAAATTCAA	4440
30	CAAAATACTC	AGGTACTTTT	TCCAGAATCC	TTTCATCCGG	TTTATATTGA	GGATGATGTA	4500
	AATCATATTC	ACTATGAGAA	CCAATTAACG	CAAATACACT	TGGAAAATGT	TGACTATAAC	4560
	CTGAAAAATC	TTCTCCAATC	GTAAGCGGCT	GTTCCATCAT	TCCCACCTTA	TATCCAACAT	4620
35	GTTGGGCTAC	TGCAATTGCT	TTATGCGTCA	ATGCCTCATC	ATTCATCACA	GCGCCAGGTA	4680
	AATGCGTATA	ATTTAAATTA	ATTTTCATAT	TATATGCTTG	AGCCAATCCG	TCCGCAATAT	4740
	CTTGTAATCG	TGTTTCTACA	AGCTTTCGTA	CCACAGGATC	AAAACACGC	ACTGTGCCTT	4800
40	GTACATACGC	ATGATCAGCA	ATGACATTCC	AAGTATTACC	ACATGATATT	TGTCCAATTG	4860
	TTACTACCGC	TTCATCAAAC	GCAGATAGAT	TTCTACTAAC	TATGGATTGA	ATACTATTAA	4920
45	TCAATTGCGC	CAACACAATA	ACTGGATCGT	TGCATTGTTT	TGGCTTTGCA	GCATGACCAC	4980
	CCACGCCTTT	AATATGAAAC	TCAAAACGAT	CTACTGCTGA	TGTAATTGCC	CCTGTTTTGA	5040
	TTGCAAATGT	ACCTACCGAA	CGCGATGGGT	CATTATGAAA	ACCCAATACT	GCTTGATCAT	5100
50	CTTTTAATGC	ATGTGTTTCA	ATAATTTTAA	AAGCGCCATG	TCCTAGTTCT	TCTGCTGATT	5160
	GAAAAATGAA	TTTAACACGC	CCAGTAAGAG	TGCCCTCAAT	TTCTTTTAAT	TTTACAGCTG	5220
	TAGCCAAAAT	ACTAGCCATG	TGAATATCAT	GACCACACGC	ATGCATAACA	CCTTCATTTT	5280
55							

	CAGCTATACA ACTCAGACCT TGTCCCACTT CAGCAACAAG CCCAGTCGCA AGTGGTAAGT	5400
	CTAATATTCT AATATGATGT TCTGTAAAA TATCTTTAAT TTTTGTGTA GTCTTAAATT	5460
5	CTTTATCGGA TAGTCTGGA AATTGATGAA AATACCTTCT CCAGGTAACA GCTTGATCTT	5520
	TTAATCCCAT CGGTCATTCC CCTTCCTTAA GTCAATGATA TGTTGTCTAC CCTACGATGA	5580
10	TCATCTTTGA CTATTAAACG ATGATTTTCA AACAAATGTAC TCTTGTTAAT TGCTTTTCGTT	5640
	AATGATAGAC AGTTGTTTAA TAATATCGTA AACTGTGTGT CAAACTATTC TAACTTTTAT	5700
	AATTGAGACT CTATACAAAA ACGTGTTCTC GAATATACTT GTTTTTACAA ACCACAAAAA	5760
15	GCTCTAAACA TTAGTTTAAA CCAATGCTTA GAGCTTCTA ATTATTTTAT GCTTTAAAAG	5820
	ATACTGTGTT ATCTACGATG ACCTTACCGT CTTAATAAAC TTTTCTGCG TGATTGATAC	5880
	CAAAATGATA TGAATATAT TCATGATTTG GTGCATCCCA AATTACTAAA TTAGCCTTAT	5940
20	CACCTGTGTT AATTGTACCC GCGTTAATGT CTATTGCTTT AGCAGCATTG ACCGTAACAG	6000
	CATTCCAAAC TTCATTAGGT GATAGCTTTA ATTTCAAGGC TGCAATCGCC ATAACAAGTT	6060
25	GTAAGTTGTT TGTGACACTA CTACCAGGGT TATAATCAGT TGCTAATGCA ATCGCACCGT	6120
	TATTGTCAAG CATGCCTCTT GCATCTGCAT AATCTTCTTT ACCTAAATAG AACGTCGTTG	6180
	CAGGTAAGAG GACAGCTACA GTATCACTAT TTCGCAACTT TTCTTTTCCT TTATCACTAG	6240
30	AAGCTACTAA GTGGTCTGCT GATATTGCTT GTTCATCAAT TGCTAATTCC AGTCCGCCTA	6300
	ACGGATCAAT TTCATCCGCA TGTATTTTCA CTTTAAAACC TGCTTCTTTG GCTTTTTCGA	6360
	TATAATGTTG CGATTGTTCT ATTGTAAATA CACCTGTTTC ACAGAAAATA TCCGCAAAGT	6420
35	CTGCATATTG TTTTACTTCC GGAAGTAAG CAATCATTTC TTGTAAAAAT GCCTCATTTG	6480
	AACTTGCCTC TTTAGGTACA GCATGAGGCC CTAGGAAAGT ATGTTTCATG TCTAAATCAT	6540
40	ATTTCTCAGC TAAACGATTA GACACTTTCA ATTGCTTCAG TTCATTTTCT CTATCTAATC	6600
	CATAACCACT CTTACTTTCA ACTGCAAGCA CGCCGTGTTT AATCATAGTA AGCAAATCAT	6660
	GCTCTGCTTT TTTAAACAAG TCATCTTCGG ATGTTTCTCT AGTAGCATTG ACGGTAGATA	6720
45	ATATGCCACC ACCCATTTCT AATATTTCAA GGTAAGACTT ACCTTGACGT TTTAATGACA	6780
	TCTCATGTTT TCGAGATCCA CCAAATGTGA AATGGGTATG TGCATCTACT AATGCTGGGG	6840
	ACACTACCTT CCCACTAGCA TCAATCGTCT CAGTCGCATC GTAGTCATCT GTATGTGTTT	6900
50	CAGCATATAC AATTTTGCCA TCTTTAATGA CAACTGTACC ATTTTTCACA ACATTTAATT	6960
	CATCTAATTC CTTACCCTTC AAAGGTTTAT CTGTTGATCT CGGTAAAATT AATTCTGCTA	7020
55	TATGATTAAT TATTAAATCA TTCATTACTT ATCACCTGCT TTATCAATCA TTGGAATATG	7080

	AACACCCATA	CCTGGGTCAG	TCGTCAATAC	ACGTTCCAAT	CTTCTTTTCAG	CACGCTCTGA	7200
	TCCATCTGCT	ACAACAACCA	TACCCGCATG	AAGTGAATAT	CCCATGCCAA	CACCGCCACC	7260
5	GTGATGGAAT	GAAATCCATG	AACCACCTGC	AGCTGTGTTA	ATGAGTGCAT	TCAATACAGC	7320
	CCAATCACCA	ACCGCGTCAC	TACCATCTTT	CATACTTTCT	GTTTCACGGT	TAGGACTAGC	7380
	AACTGAACCA	GCATCTAAAT	GGTCTCGTCC	AATAACAATT	GGTGCTGAAA	TTTCACCGTC	7440
10	ACGTACAAGA	CGATTTAAAG	CTAAGCCCAT	TTTCGCTCTT	TCTCCATAGC	CTAACCAAGC	7500
	AATACGTGAT	GGTAGTCCTT	GATATGAAAT	TTTTTCTTCA	GCTAAATCAA	GCCATCTTAA	7560
15	TAACTTTTCA	TTTTCTGGGA	AAAGTTTGCG	CATTTCTTCA	TCCGCACGCT	CGATATCTTT	7620
	TGGATCACCA	CTCAACGCAG	CAAAGCGGAA	TGGCCCTTTA	CCTTCACAGA	ATAATGGTCT	7680
	AATGTAAGCT	GGTACAAAGC	CTGGGAAGTC	AAAAGCATTT	TTCACTCCGT	TATTGAAGGC	7740
20	TACTTGACGA	ATATTGTTAC	CATAATCAAA	TGCTACAGCG	CCACGTTTTT	GGAATTCAAG	7800
	CATTAATTCA	ACATGCTTTG	CCATTGAAGC	TTGTGACAGT	TCAACATATT	TTTTCGGATC	7860
	TTTTTTCACGC	AATACTTTTG	CTTCTTCTAC	AGAGTATCCT	TGTGGCACAT	ATCCATTTAG	7920
25	CGGATCATGT	GCACTTGTTT	GGTCAGTAAT	AATGTCAATT	TTAAATCCTT	TTTCTAGAAT	7980
	CGCTTGATGG	ATGTCTACAG	CATTTCCAAC	TAACCCGATT	GATAATCCTT	CTCCACGTTT	8040
30	TTTCGCCTCT	TCTGCTAATT	TTAATGCTTC	ATCTAAATCA	GCTGTTTTTAA	CATCACAGTA	8100
	TTTCGTATCA	ATTCGCTTAT	CAACACGTGT	TTCATCAACA	TCCACGCAA	TTGCTACCCC	8160
	ATGATTCATA	GTAATTGCTA	ACGGTTGCGC	ACCACCCATA	CCACCTAAAC	CTGCTGTCAG	8220
35	TGTAACAGTG	CCTGCTAAAT	CTCCATTAAA	GTGTTGATTA	CCTAGCTCGG	CAAATGTCTC	8280
	ATAAGTACCT	TGCACAATAC	CTTGAGAACC	AATATATATC	CAACTACCGG	CTGTCATCTG	8340
	TCCATACATG	ATTAAACCTT	TTTTATCTAA	TTCAATTAAA	TGATCCCAGT	TTGCCCATTC	8400
40	AGGCACTAAT	ACTGAATTTG	AAATTAATAC	ACGTGGCGCT	TCTTCATGTG	TTTTAAATAC	8460
	AGCAACTGGC	TTTCCTGATT	GTAATAACAT	TGTCTCATCT	GATTCTAATT	CTCGTAACGT	8520
45	TTTCTCTATT	GCTTCAAAAG	CTTCCCAATT	ACGTGCTGCT	TTTCCAATAC	CACCATAAAC	8580
	AACTAAATCT	TCTGGTCTTT	CAGCAACTTC	TGGGTCTAAA	TTGTTGTATA	ACATTCTAAG	8640
	TACTGCTTCT	TGTTCCCAAC	CTTTACACTC	AATACTCAAA	CCTTTTTTTTG	CTTGAATTTT	8700
50	TCTCATAAAA	TTGCTCCTG	TTCTTTTAAG	AAGTTAATTC	CACTAAATTT	AAAACGCTTA	8760
	CATTATTATC	TTCAATATTC	ATTATAGTAT	GTTAAAATAT	AGCCAACAAA	TATAAATAAA	8820
55	CTAATTATCC	ATAGCTTGAA	TCTATAAATA	AAAGGAGCAA	AACACATGAA	AATTATTTCAG	8880

EP 0 786 519 A2

	CATATTAGCC AGCCATCTTT AACTGCTACG ATTAAAAAA TGGAAAGCAGA TTTAGGTTAT	9000
5	GACTTATTTA CACGTTCAAC AAAAGACATC AAGATTACCG AAAAAGGAAT ACAGTTTTAT	9060
	CGTTATGCGA GCGAATTAGT TCAACAATAT CGATCCACGA TGGAAAAAAT GTATGATTTA	9120
	AGCGTTACAT CAGAACCAAG GATAAAAATT GGGACTCTTG AATCTACGAA TCAATGGATT	9180
10	GCGAATTTAA TTCGAAAGCA CCATTCCGAC TACCCTGAAC AGCAATATCG TTTATATGAA	9240
	ATACATGATA AACATCAATC TATAGAGCAA TTAAGTGAATT TTAATATTCA TTTAGCTATA	9300
	ACAAATGAAA AAATAACCCA CGAAGATATA AGATCCATTC CTTTATATGA GGAATCTTAC	9360
15	ATTTTATTAG CACCCAAGGA AACATTTAAA AATCAAAATT GGGTAGATGT TGAAAATTTG	9420
	CCACTCATAT TACCAAACAA AAATTCTCAA GTGCGCAAAC ACTTAGATGA CTATTTTAAT	9480
	AGAAGAAATA TTCGTCCAAA TGTCGTTGTA GAAACAGATC GATTCTGAATC AGCAGTTGGA	9540
20	TTTGTTTCATC TCGGCTTAGG TTACGCTATC ATTCCGAGAT TTTATTACCA ATCATTTTAC	9600
	ACGTCTAATT TAGAATATAA AAAAATTCGT CCAAACCTAG GCCGAAAAAT TTATATCAAT	9660
25	TACCATAAAA AACGCAAACA CTCCGAACAA GTACATACAT TCGTACAACA ATGCCAAGAT	9720
	TATTTATATG GACTTTTAGA GGCTCTTTAA CTTAAGTTAT TAGAGCCTCT TATGCAGTTG	9780
	CTCAGTCAAC TGTATACCTT TTGCCTTTAA CTTAAGTTAT TAGAGCCTCT TATGCAGTTG	9840
30	CTCAGTCAAC TGTATACCTT TTGCCTTTAA CTTAAGTTAT TAGAGCCTCT TATGCAGTTG	9900
	CTCAGTCAAC TGTATACCTT TTTCTTTTAA CTTAAGTTAT TAGAGCCTCT TATGCAGTTG	9960
	CTCAGTCAAC TGTATACCTT TTGCCTTTAA CTTAAGTTAT TAGTGCCTCT TATGTAGTTG	10020
35	CGTAGTCAAC TGTATACCTT TTGCCTTTAA CTTAAGTTAT TAGAGCCTCT TATGCAGTTG	10080
	CGCAGATCAT CGTATAAAAA TTAATGACGT CATTTCAAAA ATCGATACAA AAATAATTTA	10140
40	TTATAAAAAAT TCTAAGAAAG AAGTGAAGCA GATGTTAAAA TCTATTAATC ATATATGCTT	10200
	TTCAGTCAGA AATTTAAACG ATTCAATACA TTTTATAGA GATATTTTAC TTGGGAAATT	10260
	GCTATTGACT GGTAAAAAAA CTGCTTATTT TGAGCTTGCA GGCCTATGGA TTGCTTTAAA	10320
45	TGAAGAAAAA GATATACCAC GTAATGAAAT TCACTTTTCA TATACACATA TAGCTTTCAC	10380
	TATAGATGAC AGCGAATTTA AATATTGGCA TCAGAGGTTA AAAGATAATA ACGTGAATAT	10440
	TTTGAAGGA AGAGTTAGAG ATATTAGAGA TAGACAATCA ATTTACTTTA CCGACCCTGA	10500
50	TGGTCATAAG CTAGAATTAC ATACTGGCAC ACTTGAGAAC AGATTAAATT ATTATAAAGA	10560
	GGCTAAACCA CATATGACAT TTTACAAATA AGGTGTCATT ATAAAAAGGC CTCTTGAAC	10620
55	CCGTTAAAAAT TTTAATTAAT TATTATATAA TAAGAGAACT TTTCAAACAA TACAGTTGTT	10680

EP 0 786 519 A2

TTACTGCAAT TATTTTTTCAA ATATATCAAC GTTAATATAA CTTCTATTAA GAAATACTCA 10800
 CATTCTGCCC TGCAATGCAA ATCTCGTCAC ATATAAATAT TTTTAATTAT TTTAAAAAAT 10860
 5 GATGCACTAA ATTAGCAACG AGCTTAGCAG TTCTATTGTC AGCGTCATAT GTTGGATTCA 10920
 TCTCAGCAAT ACTAACTGAA GACACCTTAT CACTTGGAAT AATACGTTTT GCTAATTCAA 10980
 10 GAACAGTATG TGGATACAAA CCTAACACTG CCGGCGCACT TACCCCAGGC GCAAACGCAC 11040
 TATCAATGAC ATCCATACAA ATCGTAAACA TAATGACATC ATGTTTCATGT ACAAACGTT 11100
 CAATCATATC TTTAATTGTT GGTGATACGT GACTCAATAA TTCATCTGCA AAGACATAAT 11160
 15 CAATCTTTTT CTCTTTAGCA TAATCAAATA AACTTTGCGT ATTACCACCT TGAGCAATAC 11220
 CAAGCACTAA ATAATCTGTG TTTTCATCTT CTTCTAAAAT TTGTCTAAAG CTCGTTCCAG 11280
 ATGTAGATTG TTGTTTCAGCA CGTGTATCAA AATGCGCATC AATATTTATC ACACCAATAG 11340
 20 ATTGTGTTGG ATAGACTTTA CGTGTGCTA AATATTGAGC ATACGCAATA TCATGTCCAC 11400
 CACCTAATAA AAATGTTTGT CTATGATTAG CAATTGACTT CGCTGCAAGC ATAGCAAATT 11460
 25 CTTTTTGAGT ATCAATTAAT TCCTCATGAT CATGATAAAC ATTTCCGTAA TCGACTAAAG 11520
 TTCAATTGA TTCAAATCCG GCAAACCTGC AAATGCTTGT TTAATCGCAT CTGGTCCTTC 11580
 TTTTGCACCA ATGCGCCCCCT TGTTTAAAGC AACACCTTTG TCAACAGCAT AGCCTAATAT 11640
 30 ACCGACCCCT GATGGCATACT TACTCTTTTC CAGCTTAGAC AAATCTTCAA ATGTTACTGT 11700
 TTGAAAATGT CTAAATTTTT TCGGGTCTGT TTCATATCT AACCTTCCAG TCCATAAATT 11760
 TGGTTCACCT TGCTTGATACA CAGCATTTC CCCTCTTATT TATGTGGCTT ATTAACAATT 11820
 35 AAAGTATAAC GTATAGGAAA TTTTGAATTC AATTCATAGT TAAATCCGTA TCTTAAAAAT 11880
 ACTTATCTAC ATTACTTTTA CCCCTATTTT CTATGTAATA ACGAATACTT AGCTGATTTA 11940
 TGTTAATAAA ATACGTCAAG ACTATTACAT TTTTATTAAT ATTGACATAG ACAATTTATC 12000
 40 TCTCGGCTTG TAATATGTAT AATTGTTACT AAAAGATATT TTGCTTGTTA CCTAATGGAG 12060
 GTTACATATA ATGAAGAACA ATAAAATTTT TGGTTTTCAA TGGGCAATGA CGATTTTCGT 12120
 45 CTTCTTTGTC ATTACAATGG CGTTATCCAT TATGCTCAGA GATTTCAGT CTATAATTGG 12180
 TGTCAAACAC TTTATATTTG AAGTTACAGA TCTAGCACCA TTAATTGCTG CAATCATTTG 12240
 TATACTCGTT TTCAAATATA AAAAGGTCCA ACTTGCAGGT TAAAATTCT CAATCAGCCT 12300
 50 GAAAGTAATT GAACGTCTAT TGCTAGCTTT AATTTTACCT TTAATTATTC TAATTATTGG 12360
 TATGTACAGC TTTAATACAT TTGCAGATAG CTTTATTTTA TTACAATCAA CAGGCTTATC 12420
 55 AGTACCTATT ACACACATTC TGATTGGACA TATTCTGATG GCGTTCGTAG TAGAATTCCG 12480

TGTGTGTTGGT TTGATGTATT CAGTTTTCTC AGCAAATACA ACTTATGGTA CAGAATTTGC 12600
 TGCTTATAAC TTCCTTTATA CATTCTCATT CTCTATGATT CTTGGTGAAT TAATTAGAGC 12660
 5 GACTAAAGGA CGTACAATTT ATATTGCAAC GACATTCCAT GCTTCAATGA CATTCCGACT 12720
 TATTTTCTTG TTTAGCGAAG AAATCGGCCGA TCTATTTTCA ATCAAAGTCA TCGCCATTTT 12780
 AACAGCAATC GTTGCAGTAG GATACATTGG TTTAAGCTTA ATTATCCGAG GTATTGCATA 12840
 10 TTTAACAACA AGACGAAACC TTGAAGAACT TGAGCCTAAT AATTATTTAG ACCATGTCAA 12900
 TGACGATGAA GAAACTAATC ATACTGAGGC TGAAAAATCT TCTTCAAATA TTAAAGATGC 12960
 15 TGAAAAAACA GGTGTAGCTA CTGCATCAAC GGTTGGTGTG GCTAAAAATG ATACTGAAAA 13020
 TACAGTGGCT GACGAACCAA GCATTTCATGA AGGTACTGAA AAAACAGAAC CTCAACATCA 13080
 CATAGGTAAT CAACTGAAT CTAATCATGA TGAAGATCAT GACATCACTT CGGAGTCAGT 13140
 20 AGAATCAGCm GaATCAGTTA AACAAGCACC ACmAAGTGAC gATTTaACAA ACGATTCAAA 13200
 TGAAGATGAA ATAGAGCAAT CATTAnAAGA ACCTGCGACT TATAAAGAAG ACAGACGTnC 13260
 25 ATCAGTTGTA ATTGATGCAG AAAACATAT CGAAAAAGCT GAAGAnCAAT CTTCAGATAA 13320
 A 13321

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 8549 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

ATGTGTTGTA AACTTTTATG TTGAAAAAGC TACTTATCTC AATGAAAACA AGTAGCATTT 60
 40 AATAAATTAA TTAGTATACA GCTAGTTTTT CTAATTGTTT TTTAACTTGA ATTAAGTTTG 120
 ACCGTATTAG AGAGGCAGAT TGATCCATCG TTTGAATTGC TTGTCCTTCA TTTTCGTTCA 180
 45 AGCCATTACA AACAACTTCA AACTGTTGTG CCATTTGATC AAGACGCGCA TGAGCTTGTG 240
 TGTTTAAAT AAACATATCG TCATAATGTG ATGGCGAATA GATAATTCGT CGTTGTATAC 300
 AAACGTATAA AAACCTTGTC ATATCAACGG TTTTGGCATT TTAAACCTC TGTGTTTTCC 360
 50 ACGCATGTTT GCCCTTATTT AAATAATTG CCCTTTTTTC GCCCGAAAA AAAACACAA 420
 AAAAATAACC AACTCCTAA ATTAATAGGT GGTGTGGTTT TGTTGATTGT AGGGGTATAA 480
 55 AAATAACCGC ATTATTAAAG ATACGGTTAC TCTGTTATCT GTAAATATAA TAGTAGTTTA 540

EP 0 786 519 A2

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

AAACAGGACT CCACATAAAA ATCAACTCCT TTATATACCA TAATGATACT ATATTTTCTA 660
 GTTTATTTCA ATTTTTCAGT TTTTAAAAAT GAGTTTCTGT TTTTATTTAT ACGCTTTTCT 720
 GTTTTCTTTT TAAATTTTAT CTTTTTGTTA TTCCATTTCAT TGTAAAATTC TATTAAATTA 780
 ACATAAAATT TTTCATGCCC TATTTTATTT GTTGATGAGA TATCAATGTA AAGACTCAAT 840
 ATTGTTTTTA AATAGATTTG ATGCAACGAC TGATAAACCG TATTACTATC TGCTATGTTA 900
 TTGGTAAAAT GCATAGAAAA ATATTCTAAT TTATTCATGC AATATATATG GGTTCATTA 960
 TACTTCTTAA TGAGTGTATT TATACCTTGC AATACGTCAT TACTTTTAAT AACAATTTCT 1020
 TTTTCACCTG TCGAAAAAGT CCACTGTTTA TCTCCTATAT TTTCTTTAAT TGTTTTCTTG 1080
 TTGTCAAATT CTAAAATTAT AGCCCGTAAA CACTCTTCTT TATAATTCTC GTTCTTGAAA 1140
 GTACGAAGCA AAATTTTTAT AAATTCGGTA TTGGTGACTT TTTTATAAGT GTGATATTTT 1200
 GCAATCTCTT TATCAGTAAA GACTGTTCTT AGTTCGTGAT TATCAAAACT TAAATTCATC 1260
 TTATTCTCTA ATTCATTAAT TTTATCTTGC AAACCAACAT TTTCTAAAAT TTTCTTGTTT 1320
 ATCTCCCCTA TATCAAAACT CCTTTTCGAA ATTAATTTTG AAAACTCGTC TGCCATTTCa 1380
 ACAGCCTTTT CTTTCCTTTT ATACCTTTTG TTAAATTTAT GAACCACCGT TGCAGCATAA 1440
 TACGATATCC CACCAGATAA AATAGATGaT ATTATCGGTA TGTATATATC ACCTTTCATA 1500
 TTTCCACCTC TTTTAACACA ATTAAGTATT ATGATACACA ACTTGCGCAA AAAGATGTAG 1560
 ACAGAACATA ATGGCGAACA AAAACAACCA CCCAGTAACT AGTATGGGTG GCGTAgACTA 1620
 TAACAACTCT ATGTTATCAA GATATATGTA TCGAGTGATG GCAAGGAAGA AGTCTCCTGC 1680
 GGGACCAACA GTCAGATATA TGGCCTCTGC CGGGCTATAT AGTTCACTCC TACTATATAA 1740
 AAGTAAGTAT AACATAAAAA GCACCCCGTA AACTGTTATA CGGGAATGCT AAAGTCATAT 1800
 ATACTACGGG GAGTAGTATG AAAACTATGC TCTCTATCGT AAGAAAAAAC ACCCAGTGAC 1860
 ATGCTTGGGT GAACAAGGAT AGATGTAAAT AGTTGATGCA TGTGTACACA TCATAACAAA 1920
 AAAGTAGCCC GAAGcTAGCT ATAACATAAA AAAATAGGCA AGTACCGAAG TACCTGCCAG 1980
 TTACGCACAT TTAAATCTTG AGAGTAATGT TAAAAAGTGT ATAGGAATAT TAACATCCAT 2040
 CCAAATAGTT ATTTAATAAC TGTAAGATTC CCTATAATTA ATGTAGCaAA ATTTTATTC 2100
 TAAGTAAATA CTAAATCGTG CTAACTTAC CAAACTACT TATTCTATTA CCTGCCTTGT 2160
 CTACCTCTCC TGTCGCTATA TAACGACGTT GTCCACTATT AGCAATATAA GTAATCCATC 2220
 TATAGCCATT GATGCAATAT GCGCCGTCAT ATTTAATTGT TGC GTTATTA GGTAATACAC 2280
 CTGTAATTCT TGAATTAGTT GAATAGCCGT CCCTTACGTT ATTACCTTTA ACATTGGCAA 2340

	CTGGCACTGG	TGGATTTTTT	TGGTTTTTAG	CTGATGTTTT	AACATTACCA	GCTACCAAAC	2460
	CACCTATAGG	CTTACCATGA	ATCGCACCGG	CTATTAATTT	AGAATACAAG	TCATAGTTTT	2520
5	TCTTAATCCA	ATCCATATCA	TTTTTATTAG	TAATAAAACC	TAATTCAGAT	AAACGATAGT	2580
	TTATATTTAT	TTCTGCTGAT	ACATTAACGT	TTAGTAAATC	ATTACGAGGT	GTTACACCTC	2640
10	TTATTTGTCC	TAAGTTATTT	TTAATAACAT	CTTGTATACT	TTTATCAATA	GTATCTGCAT	2700
	TGAATTGACT	TGAAATAATA	ACATGCCCAC	CACTTGCACT	TTCTCCTGCT	GCGTCTAAAT	2760
	GAATCTCTAG	AACAATGTCA	TACCCATGTG	ATTTAACCCA	ATATAAGCCA	TAATCTTTAT	2820
15	TATTTCTTAC	ATTAACACCG	TAAGCAGTAT	CTTGATACAT	ATCTTGTTGAT	TGACTTGAGC	2880
	CACCATATAA	TGCAACTTCG	TGACCTGCAT	GTCTTAAATA	CTTAGCGATA	TTTGGTGTTA	2940
	TATATTTACG	GATAAAATCA	CGTTCATTG	TTCCGTTTCC	GACTGCTCCA	GGATCGTTAT	3000
20	AACCATGACC	GGCTACAAGC	ATAATTTTTT	TAGGTTTAAT	TACTGCTTGC	TTTTTGGCAG	3060
	TTGCTTGCTT	AATAACGCTT	TTAGCTTTAT	CTCCAACACT	TACTTTATCT	GGGAAATTTA	3120
25	ATCTAATAAA	ATACATTGGG	TCATCGTAAT	AATGAACATG	TCTTGTAACG	GTTTCGGGAC	3180
	CCCAACCAGG	TTGCGCAACG	CCATTTGTCC	AACCTTTACC	ATTCCAATTT	TGGCCAAACG	3240
	ATGTGAAAGT	GTTTAGATTA	GCGCTCTCAA	CAATTTCAAC	ATGTCCaGct	CCGCCACCAT	3300
30	ACTTTGACGG	GAAAACGACA	ATGTCCAAC	TTTGCGGTAA	AAAGCTATCA	TAGTTTTTAA	3360
	TTATTTGCCC	GTATTTTTCA	ATCCTTGCTT	TATTATCAAA	TGGAATATTA	TAAGCGTATA	3420
	AACCTTGTA	CcTTTCGCCT	GTTGCTATCA	TAAAAACAT	ATTTGCGTAA	TCGTAACACT	3480
35	GAAATCCATA	AAACAAATCA	GGATTGAACT	GCTTCCCTAA	TGAATTATCA	AACCATTTTT	3540
	CTGCTTG GTT	TTTTGTTATC	AACATTGGTC	AACACCTACC	CTAAATCATT	TGTGTCGTTC	3600
	ATATTCGTAG	GTGTCATTAC	TTCTTTAATT	GGCGCTTGCC	CTGTTGCTTT	TCTATACTTG	3660
40	TTTTCAGCTT	TATATTTCTT	TAGCTTTTGA	TTTGCCCATT	TACCTTCTTG	AGATGTTGGA	3720
	TTATCTTTAT	ATGTAGTATA	TAAAGCAACA	ACTGTTAAGA	TAATCGATGA	AACACTTTCT	3780
45	TCATCTACTG	GTATCGGACT	TATACCTTTA	TTGCTAAAA	ACTGATTGAC	TAATGCTAAG	3840
	ATCAATACGA	TGTATCTTGT	TATTACTTTT	GCATCCATTT	GTTTGCTCCT	TTTATCCAAA	3900
	ATAAAAAGCC	AGTGCCGAAG	CACTGACTCT	TAACATTATC	TTACACTTAC	TAAACCAGAA	3960
50	ACACGACCAA	AAGCTATATC	CTAAAATTCC	CTTAAGCATG	GTAATCACCT	CCTTTAAATG	4020
	CCAAAAATAG	TTTTTAACAA	GGCTATAACA	AATGTACTTA	GAATCGTCCC	TATTAATCCT	4080
55	AGAATCCACA	TCTTGATGTC	TCTAATATTT	TTAGCATTTT	TCTCTTTATT	TTTTTCATCT	4140

EP 0 786 519 A2

	TGCGTTCTCA	GACTGTCTTC	TATTCTGTCG	AATTTTTCAA	ACATAGTCTT	ATCATTTTCT	4260
	TCTAATCGCG	TTAAACGCCA	ATCTTGTTTCG	TGTCGTTTGG	TAAATCCAAA	CATTACACCA	4320
5	CCCACTTTAT	TCAAATTAAA	AAGCCATAAG	ATTATAACCT	ATGACTCTAG	ATTTTCTGGA	4380
	TACTTTTCTC	CTGTAATAAT	TGCATATTCC	TCTTTATCTA	TAACTTCCAT	ATCTACATAC	4440
10	CACGCTATAT	CTTCTTTACT	ATATTCTTTC	AATTGATACC	ATGTTTTAAT	ATCTTCGAAT	4500
	GTTGGTGAAA	TTAATTTAAG	CATTTTTCAGT	CTCTCCTTTA	ACCTCTTCTA	ATTTTTTTATT	4560
	AAGTGTCACA	AGTTGTTTTG	CCATTAGTGC	ATTTTGCTTA	TTAACTTGCA	TCGATAACTT	4620
15	TGTACTTTGA	ACAACTTGTT	TCTGCATACT	AGCAACCATT	TTTCGTAAGA	TGTCATCAGA	4680
	AGCGACTGTG	TTTTGTTCTT	CACTGTCAAT	CTGTTGATGC	AAGTCATCTT	TTTCTTCTGA	4740
	ATAATCTTCG	TTAAAACTA	TTTCCCCATT	TGAATATTTA	AAGGCTTTAG	GTCTAAAAAC	4800
20	TTGAGAGAAA	TTTTCTGGTA	AATTTTCAAT	ATCAATACCT	TCTTCAAAGC	CACCAATGAT	4860
	AGCGTATGAA	ATTATCTCAT	TACGCTTGTT	AACTAATATT	TGCATTATTT	TCTCACTCCT	4920
25	ATAATTTTGT	TAATTGTCCC	TCTATTTGCG	TTCGCACCAG	AGCCTCTTTG	ACTTCCTAAG	4980
	TCGAAATAGA	CATCGTTTGA	TATAGTTAAA	GATGTACGAC	TAGATTTAGT	TAATCCAAAC	5040
	TCATAAACAC	CTCCACCATT	TCCATCACCA	TCTGGAAGAT	TTGAGGGATT	CAATGAAATC	5100
30	TTTCCTCCTC	CAAAGGACT	GCCAAACTCT	GTAAAGTCAC	CACCTGGAAA	AGTCCCATAA	5160
	AAAATTAATA	AAATAAATTG	GTCTAAACTC	TCATTTAAGT	ACAATGTAGA	GCCCACACCA	5220
	TTTGCTGTTC	CATCAAAAAT	AACCGAATAC	CTTTTATTAA	ACTTGTCATC	TGCGTATAAT	5280
35	TTAGCGTTAC	TTTCGGCCAT	ATTAGCTTTT	GATTGGGCAC	TTTGAACAGT	TTCAAAAGGT	5340
	GTATTGTAAT	CATTAATAGC	TAATTCTGAC	CACTCAGACC	ATGAACCCGC	TTCTTTTCTT	5400
40	TTAACAAATA	CTTTATTTGT	ACCGTTCGGT	CGATAAGTCA	TACGCTTGTA	ATCTGAAGTT	5460
	ACTACTAAAT	ATTCGACAGT	ACCGTTAGTA	CTAACACCTC	TTGGATAATT	TATAGCTTGC	5520
	GAAACATAAA	TAAATTGGGT	TGAATCACCT	ATTCTTTGTT	CTGGATTATT	AAAATCAAAT	5580
45	CCAGTAATCT	GCATTATCTT	ACCATCATCT	TTAGTAATCT	TAGCTTTTTG	CCAATTTGAA	5640
	GTAGAACCAC	TTGTGACTAA	ACCACCACTA	TTCACTGACT	GCTTGAAGGC	TTCATGTTTC	5700
	TCATCCATAT	ATCGCTTTTG	CTCATCGAAT	GTTCTTGAAT	ATGCTTGCGC	TTTATTTTCC	5760
50	AAATCAGATA	TATGGCTATT	AGCAAGTTGC	TTTAATTCAT	CTATACTTGA	AGATTTTGCT	5820
	ATTTGAATAT	CTGATAGACC	TTTTTCTTTA	GCTTTTTCAA	TCAGACTCGC	ATAATCTTCA	5880
55	CCATTTTTTA	TAGCCTCGTC	CATTGCTTTC	GCACGATCCA	TAATAGTTTT	TTCTAATTCC	5940

TCAACGTTAA ATGTGATAGT TCTCTCGACA ACTACCACGT CTGAATTACC TAATTCTGCA 6060
 ACCGAAACTT GAGCTTGATA ACTTCCATCT CGTTTAATTA CATCATTAGG TAATTGAAAT 6120
 5 TTTAAAATAC CTTTAAATGG ATCTAATATT TCTAGTGGAG CAACTACCAT GACTCCTTTA 6180
 CCTCGAATCG CTATTTCGTGC kTTGATATTT tCTTCACTCA ATAATAACGG TTGATTATTT 6240
 10 TTAGTGATAT TAAAAAGAAG AACAGAAGAA TCACTCTCTC CTGTTCTAAA AGTTATATCT 6300
 AGATTTGAAA TATTTCCATA ATGCGCTGTG TTTTCTAAAT TTATAGCTAC AGATTTCTCT 6360
 AAATTACTCA TTAACCTATA ATTCTCCCTT CGTGTAAGT CCATGGCCCT GAACTTGTTT 6420
 15 TACTATCATA ATTTTTCAAT AGTATCTCAG CAGATGCTGT AACACTATTA CGAACTAGCC 6480
 TATGAACAAA GCCACCTGTG TTTGAAGCTT CTACATATAA GTTCCAACCA GCTACCCCTT 6540
 TACGTTCACT TGGAAAATCT GTAAAACGTT TTGTATCATC CGTAGTTAAA TAAAACGACA 6600
 20 TGCCTACTAT GTTAATATCT GACATTTTTG TGATGAATGA AGGTACTCTC TCCCATTAC 6660
 CACTATTTTT AGGCACATAA TTCCAGTCCG AAATGTCTCC AGTTCTTCCA GAAAGCACCC 6720
 TTTCAAAAGT CATCATATTC CTTGCATAAC TATTACGCGT CAATATCTGA ATTACATCAC 6780
 25 CGCCAGTTTG TGGTGGCTTA ACTTCCAAGA ACCAACCTGC ATCAGCCAT TCTCTGGTA 6840
 ATGGGAAATC ATCGATTTGA ACTGTATGAT CAGTGTATAA ATAGTAAAGA CCTGGCTCTG 6900
 30 TTAACATCCC AAGATTCTTA AGTTTATCAG GCCTCATTGG TAAAGGTTTA ACTCTACCAC 6960
 CTGTGTCACT CaTGATAAAA GGAACGCCTC TTGAGTGAAG TATTTCTAAA ATACCTCTTT 7020
 GCCCAATCAT GAAAATACGA TGTGTTCTAT TTCCaTCACC ACCGACAGTA ACACCTAGCA 7080
 35 ~~TCAAAGCTTT TTTACCACTA TCTTTGTCAT AGTATATTTG CAAACCTTtC TgCTTCCGCA~~ 7140
 AATTCGCCAG GAAATGAATC tAgTGTTCCA CCATAGTCAG CATTAACTG ATACGCTTCT 7200
 TCTCCTGTTT CTAAATCGAA AGCCGTTAAA TAGTTTCTAT TATTTGGATT ACTGTCTCCT 7260
 40 GTATACCAAT ACAAGTATTT TTCATCAAAA GTCACACCCT GCATTGGTTG GGTTCGTTT 7320
 GTTAGTCTCA TAGGGATACT GATTTTATGC AAAACTTTAT CAATATTTTT ATCAACATCG 7380
 45 TCTAACTTC TTATCTCTAT ATAAnTCATT GAGTTTTCAA GTTCCCACTG ACTTCTAGGT 7440
 CTCTCaATTC TGTATAGAAT TTTATTTTCT TTTTCATTTA TGACAGGGGT GATGTAGGGT 7500
 TTTTCTGGGT GTCCTGTAAA TACATCTTGC ATACCATACT TGCCATAGCT AATTTCCACA 7560
 50 TTAGGCGTAT ACTTGAAACG AACTAATGTA TTCTCATTAT TACCATTTAA GATAAACTA 7620
 TAAATCCATA ACTCATcATC AATATATCTA TAACCGTTAT GTGTACCATG ACCCCCACCT 7680
 55 ACAATCAATG AGCTGTCTAT AAATTGACCA TTAGGTCTTA GACGACTTAG CATATAGCCA 7740

ATTACTGCAT TTGTAAgAGG TGCAAGTTCT GTCACAAATA AAAATTCTTG CTTATCAGGT 7860
TCAAAACGAT ACTCGATATC AAGAATTTCT TGTTTGGTCT TATTTAATTC TCTTATAGTT 7920
5 TCCTCTTTAT TAATTTGAGT TTTGGTTTCC CAATCGTCTA AATGTTCTTT TAATGTGTCA 7980
AAGGTTTCGC CGTTTACATT AACTCGAGCT TGAACAATCT CATTAGCACT GTTATTACGT 8040
10 GGTGCCACAA CAAGTGC GTT AATTTGACTT TGTAAGATT TGTTTACTGC TGCTTGCGAT 8100
CTACCATTAT AATAAATTTG CTCAGCGAAG TGTGAATTG TTTTAGCTyT CTGATGCAAC 8160
TTAAACTCTG TTGTCAAGCC AAGCGCAAAT TGCTCTATTC TTTGTAAGTT TTGTATTTCC 8220
15 TTAGCTCTAT AATCTCGACC TGCTAAAGCT CCCAAATCCT TTATTAAATA CAAATTTTCC 8280
ATAATGCACC TTCCTTTCTA ATAAAATAGC ACTGTACCAA GTTTCCCACT ATCGTCAACT 8340
GTTATTTTCC ACAATTTACC GTTTGGGGAT TTCTGTACAA TGCTATTTTG AATAATTgcC 8400
20 TGctTCGCCT ATTTTAAAT TATCTAATTT ATTTkTATCA TTTACCGAAA TGATACCGTC 8460
TTGAGGCAAT CCATCAATAn CACTACTGCC TGCATAAGGT ATCCCATTTA TAGCTTTCCA 8520
25 ATGTGTAGCT GGAAAGTACT GTTTATCGT 8549

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:

30 (A) LENGTH: 3601 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

AGGCGTGTAG TGA CTTACGG nTAGGAACT ATGTATCCGA ATGATTTATT GAGACCAAAA 60
AGGCATTAAA GTCCATTGAA ATATCnGGTA GCGmGTTGGT ACgTGGACGT GGGGGCCCTA 120
40 GATGTATGAG TCAACCATTa TTCAGAGAGG ACATTTAACG TAATAAATTA TAGAmACGAG 180
GGTGAAAATA ATGACAGAAA TTCAAAAACC GTATGATTTA AAAGGCAGAT CATTATTAAA 240
45 AGAAAGTGAT TTTACCAAAG CAGAATTCGA AGGACTTATT GATTTTGCAA TTACATTAAA 300
AGAGTATAAG AAAAACGGTA TTAAGCATCA CTACTTATCT GGAAAAAATA TTGCACTACT 360
ATTCGAAAAG AATTCGACGA GAACGCGTGC TGC GTTTACA GTTGCGTCTA TTGATTTAGG 420
50 TGCGCATCCA GAATTTT TAG GAAAAAATGA TATTCAATTA GGCAAAAAG AATCTGTAGA 480
GGATACTGCG AAAGTATTAG GTAGAATGTT CGATGGTATT GAATCCGTG GTTTTTCACA 540
ACAAGCTGTT GAAGATTTAG CGAAGTTCTC TGGTGTACCG GTGTGGAATG GATTAACAGA 600
55

	TCTAGAAGGA	ATAAACTTAA	CTTACGTTGG	AGATGGACGT	AATAATATTG	CGCATTTCATT	720
	AATGGTAGCA	GGTGCTATGT	TAGGTGTTAA	TGTAAGAATT	TGTACACCTA	AATCATTAAA	780
5	TCCAAAAGAG	GCATATGTTG	ATATTGcAAA	rGAAAAaGCG	AGTCAaTATG	GTGGTyCAGT	840
	CATGATTACG	GATAATATTG	CAGArcCAGT	TGAAAaTwCm	GATGCTATAT	ATmCAGATGT	900
10	TTGGGTATCG	ATGGGTGAAG	AAAGTGAATT	TGAACAcGTA	TTAATTTATT	AAAAGACTAT	960
	CAAGTGAATC	AACAGATGTT	TGATTTAACA	GGTAAAGATT	CAACGATATT	CTTACATTGT	1020
	TTACCAGCAT	TCCATGATAC	AAATACACTT	TATGGACAAG	AAATTTATGA	AAAATATGGA	1080
15	TTAGCTGAAA	TGGAAGTTAC	AGACCAAATC	TTTAGAAGTG	AACATTCAAA	AGTGTTTGAT	1140
	CAAGCTGAAA	ATAGAATGCA	TACAATTAAG	GCAGTAATGG	CAGCAACATT	GGGGAGTTAA	1200
	TCACTAAATG	GAACGATATG	AATATGATGT	GTCTGATGAT	ATAAGTGTCa	TGTACAGACA	1260
20	CCTCATATTG	GTATTAAAGG	AGAAATGAAT	ATGAACGAAT	CAGGAGATAA	CAAACCTCAGT	1320
	AAATCTTCTT	TAATTGGACT	AGTTATAGGA	TCCATGATTG	GTGGCGGTGC	GTTCAATATA	1380
25	ATGTCTGATA	TGGGCGGTAA	AGCCGGTGGA	TTAGCCATTA	TTATTGGTTG	GATTATTACA	1440
	GCTATAGGAA	TGATTTTCATT	AGCGTTCGTA	TTTCAAAATT	TAACCAATGA	ACGGCCGGAG	1500
	CTAGACGGTG	GTATTTATAG	TTATGmTCAA	GCAGGATTTG	GCGATTTTGT	AGGATTTATC	1560
30	AGTGmTTGGG	GATATTGGTT	CTCAGCGTTT	TTAGGCAATG	TTGCCTATGC	AACACTATTG	1620
	ATGTCAGCAG	TAGGTAACCT	TTTCCCGATT	TTTAAAGGAG	GCAACACATT	ACCAAGTGTT	1680
	ATTGTCGCCT	CGTTACTACT	CTGGGGTGTC	CATTTCTTGA	TTTTAAAAGG	CGTTGAAACA	1740
35	GCAGCATTTA	TCAATAGTAT	TGTTACTGTT	GEAAAGTTAA	TACCGATTTT	ACTTGTAATC	1800
	ATATGCATGA	TAATTGCATT	CAATTTTGAC	ACTTTTAAAA	CAGGCTTTTT	CAGTATGACG	1860
	TCAGAGGGTG	TATTGCCATT	TAGTTGGGCG	AGCACAATGA	GCCaaGTtAA	AAGTACGrTG	1920
40	CTAGTGACAG	TTTGGGTGTT	TATCGGTATC	GAAGGTGCAG	TAATTTTTTC	TAGTAGAGCT	1980
	nAAAATGAGA	AAGATGTAGG	TAGTGCCACG	GTTATAGGAC	TTATATCAGT	TTTAATTATC	2040
45	TATyTCTTAT	TAACTGTATT	AGCTCAAGGC	GTGATTTTGC	AAAATCATAT	TTGCAATTA	2100
	GATTCGCCAA	GTATGGCACA	GGTGCTTGCA	ACTATTGTAG	GTGGTTGGGG	ATCTACACTT	2160
	GTAAATATTG	GTTTAATTAT	TTCGGTACTA	GGTGCATGGT	TAGGATGGAC	ACTGCTTGCT	2220
50	GGTGAATTAC	CTTTCATTGT	TGCAAAAGAT	GGATTATTTT	CAAAATGGTT	TGCTAAAGAA	2280
	AATAAAAATG	GAGCACCTGT	AAATGCACTG	CTTATTACCA	ATATATTAGT	ACAATTATTT	2340
55	TTAATAAGTA	TGCTATTTAC	ACAGAGTGCG	TATCAATTTG	CATTTTCACT	AGCATCAAGT	2400

CGACAGCAAG CAACTACTAA ACAATGGACG ATTGGTATCA TAGCCTCAAT TTATGCTATA 2520
 TGGCTTATAT ATGCAGCAGG TATCAATTAC TTATTATTGA CGATGTTACT TTATATTCCA 2580
 5 GCTCTTCTTG TTTATACaAT CGkTCmAAAG rATWATCAGa CACGTTTGAT TAAATCAGrC 2640
 TATATTCTtT TTATGATTAT tATCGTACTT GCAGTTATCG GGTTAATTAA GTTATTGATG 2700
 10 GGAACGATAA ATGTTTTTTTA AAAGGAGCGA CAAAAATATG AAAGAGAAAA TTGTCATTGC 2760
 ATTAGGCGGT AATGCGATAC AGACAACAGA AGCAACAGCT GAAGCACAAC AAACAGCTAT 2820
 TAGATGTGCG ATGCAAAACC TTAAACCTTT ATTTGATTCA CCAGCGCGTA TTGTCATTTC 2880
 15 ACATGGTAAT GGTCCACAAA TTGGAAGTTT ATTAATCCAA CAAGCTAAAT CGAACAGTGA 2940
 CACAACGCCG GCAATGCCAT TGGATACTTG TGGTGCAATG TCACAGGGTA TGATAGGCTA 3000
 TTGGTTGGAA ACTGAAATCA ATCGCATTTT AACTGAAATG AATAGTGATA GAACTGTAGG 3060
 20 CACAATCGTT ACACGTGTGG AAGTAGATAA AGATGATCCA CGATTTGATa ACCCAACTAA 3120
 AcCaATTGGT CCTTTTTATA CGAAAGAAGA AGTTGAAGAA TTACAAAAAG AACAGCCAGA 3180
 CTCAGTCTTT aAAGAAGATG CAGGACGTGG TTATAGAAAA GTAGTTGcGT CACCACTACC 3240
 25 TCaATCTATA CTAGAACACC AGTTAATTCG AACTTTAGCA GACGGTAAAA ATATTGTCAT 3300
 TGCATGCGGT GGTGGCGGTA TTCCAGTTAT AAAAAAGAA AATACCTATG AAGGTGTTGA 3360
 30 AGCGGTTATA GATAAAGATT TTGCTAGTGA GAAATTAGCA ACGCTGATTG AAGCAGATAC 3420
 CTTAATGATT CTTACGAATG TAGAAAATGT ATTTATTAAC TTTAATGAAC CTAATCAACA 3480
 ACAAATCGAT GATATTGATG TAGCAACACT GAAAAAAtAC GCGGCACAAG GTAAGTTTGT 3540
 35 GGAAGGATCG tGTTGCCAAA AATAGAAGCT GCGtACgtTT GTTGAAAGtG GGGaAACCAA 3600
 A 3601

(2) INFORMATION FOR SEQ ID NO: 7:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 573 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

CGACACTATT AAATGAATTA GAGCACAATC TAACAAATCA AATTCATTTT TCAAAAGATG 60
 AACGACTCAC ACATATCGCT TTAAAGTTAT TCGAAACAAC CGATCCTGTT TCAACAAAGC 120
 AACTTGCGCA AGATGTTAAT GTTTCGCGTC GGACAATTGC AGATGATATT AAAATGATTC 180

TTATTGGTGA GGAAGATCAT TATCGTAAAG CGTATGCACA CTTTATACAT CAATATATGA 300
 AACAAAGCTGC ACCTTTTATA GAGGCGGATA TCTTTAATTC AGAATCAATC GCATTGGTTC 360
 5 GCCGTGCCAT TATTAAGACA TTAAATAGTG AAAATTATCA TTTAGTTCAG TCGGCTATCG 420
 ATGGCTTAAT CTATCATATA CTCATTGCCA TTCAGCGTTT AAATGAAAAT TTTTCGTTTCG 480
 ATATACCTAT CAATGAAATT GATAAATGGC GACATACTAA TCAGTATGCh ATTGCTTCAA 540
 10 AAATGATAGA AACTTAGAA CGCAGTGTA TGT 573

(2) INFORMATION FOR SEQ ID NO: 8:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1221 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

TTGATATTTA TAACGTTATA TTTTAATAGT TCACCTGGAT TATTAAATAA ATAGTCCGCC 60
 25 AAATTTTCTT TTTCTTTATC AATCTGaTkG TAATTAACaC TTTCGaCTTC TGTAGGAATT 120
 CTAATGTCAA CAGAAGCATT GATATAAGCT TGATGTTGCA TGCAATCACA CTCCTAATCC 180
 30 TTCATmTmAA ACGGAGAAGT AAACCCGTCA CTATTCAAAT TCAATCCTTT TGCCCAATCA 240
 ACAGGCTTAT TCATGATAGT TTCGATTTC TTAAGTCCAT TTGAACCTCT AGGTATTTCT 300
 ACAATTACTT CATCATGGAC ATGGCCAACT ATTTTAAAC CTAATGCTTC AAGCCTTGCT 360
 35 ~~ATAGAAATCG CAAGTAAATC CCTTGCAGTT GCTTGAACAA TATCTCGAC TAACTTCCCA~~ 420
 CCATACGTTT TTAACTTTGA CCATTTACGG TTAAGATCTA ACCCCATAAA TTCAACAACT 480
 TGACTACCCC AACTATTTTC ACCAACTAAA GCTTTTGGAT AAGCTAAAGC TCTTCCACTA 540
 40 GGCAGTTCAA TCATTAGAAA ACCTTTTTTC ATATAAAATC TAAGTCCATG TGTATGATGC 600
 GTCTTTCGGG ATTTTACAGT ATTAATTGCA GCCTCTTGGC AAGCCTTCCA AAAATTAAC 660
 ATGTTAGGAT TTGCGTTACG CCAACTATCA ACTAAACCTT GTAACCTCGTT TTCTTCAATG 720
 45 CCCATTTCCTA ATGCACCCAT TGCTTTTAAA GCTCCAGCGC CACCTTGATA GCCTAAAGCT 780
 AATTCGGACA CTTTTCTTTT TTGTCTGAGA GGGTCGCCTT TAGTTATGCT TTCTACCGGT 840
 50 ACATTAAACA TTTGAGAAGC CGATGCTTCA TATATCTTTC CGTGTGTGTT GAATACATCT 900
 AAACGCCATT GTTCTTTTGC ATACCATGCT ATGACTCTTG CCTCTATTGC AGAAAAATCA 960
 CTTACTGCTA GTTCATTACC TTCTTCAGCA GTAAATGTCT TCCTAACTAA TTGACTTAAT 1020

AGATCTCTTG CTATTTCTAA TTCAGTATCT GAAATATAAT GCTTTGTTAA ATTCTGAAGT 1140
 TGTACACCTC TACCTGCCCCA TCTTCCAGTA CCGGCACCGT AAAATTGAAA CAGACCTCTT 1200
 5 ACCCGTTCAT CACTGCACAT C 1221

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1090 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

TTTTGTTTGG TATGAGGTAG CAATGACGAC GTGTCATTGG TGGAGATTGT AAAAATACAT 60
 20 AATAAAAAGA AGCGGCAATG TATACCGCTC CTTTTTTATA CTACATACCG ATTTTCAACC 120
 ATCTCTTTCT ACTTAGTAAT AAGACAATAG TATTAATAT AAATAGAAGA ACGAAGAATG 180
 25 ATACTATATT TATAATTTCA GTAGGACACA TAAATGTTGA CTCGTTATTC AATATTTTTT 240
 CTACGGCACG ATACATCGTA TTGCTCGCCT CAAATGGAGC AACGATACCA AATATATTTT 300
 TATTAATGGC AACTAAGATG ACTGAACCAA TCCAATATAC AATGCTGATA CCTAAGCTGA 360
 30 TTAAAATGTT AGGTGAAACC ATACTAATCG TTCCAACAAC TAAGATATAT TGTAAGATAA 420
 CGAGTGAAAA TAAGATTATT AATAGTAAGT AATGTGAGAA ATCCGAATAT ATAATTGAAA 480
 TAATAGTGAT ACTTAGAATT ATGAACACTA AACATTCAAA AAATAACACT GCTACCTTTT 540
 35 TATAGAAGAA GGTAAGATA TTATCGCCAA TCAATTTATA AAACAGGATA TTTTATTCG 600
 AATACTCTTT ATTAATAAAA TATGCAATAA CAAATGAAAA TAGTAAGAAC CCTAATTGCG 660
 TTGCAACAGT ATATGAACTG AAGAAAAACT GGCTATAGCT TAACTTTTAA ACTTTGTCTA 720
 40 TACCTATTGG TAAAAAATAC CCAAGTAAGA AAAGGAATGT GAATAGCACA ACAAGCGTGT 780
 AAATAATTTT ATTGGAAATA CTTTTTTTAA ATTCTAATTT CAAAGTGGAC ACCTCAATTA 840
 45 TAAATTAATG TAATCATTTA TGAATCTTC TTTTGATTGG TACTCTTCTA TTTGAAGGTC 900
 TTTAAAAATA AAGTATTTAC CCGGCAAAGC ACTTAAATCG GATAAATTaT GTGTAATATT 960
 GATAATAGTT TTAGTTTGAT GGCTTTGAAT AAAATCATTT AAAAATTCAT AAATTTTCATT 1020
 50 AACTGTTTTT TTGTCTAAAG CGTTTGTAAC TTCATCTAAT ATGATTAAAT CATGATCTTC 1080
 CAATAAGAAA 1090

(2) INFORMATION FOR SEQ ID NO: 10:

(A) LENGTH: 904 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

10	TTAGGACTAT TTTATCATAT TCATTTAAAT TACGGCTAAA AATTTTAAAA ACGGGGATTA	60
	ATATATGGAA TTAAGCTATG AAAGTTAATT GATACTTGCA TTTTACGCTG ATTTATATAA	120
	GAATAACTAT TGTATAGTTT TAAAAACGAA CGTACGTTTG CAGGAGGCGA AATCATTGGC	180
15	AATGAATAAA CAAAATAATT ATTCAGATGA TTCAATACAG GTTTTAGAGG GGTTAGAAGC	240
	AGTTCGTAAA AGACCTGGTA TGTATATTGG ATCAACTGAT AAACGGGGAT TACATCATCT	300
	AGTATATGAA ATTGTCGATA ACTCCGTCGA TGAAGTATTG AATGGTTACG GTAACGAAAT	360
20	AGATGTAACA ATTAATAAAG ATGGTAGTAT TTCTATAGAA GATAATGGAC GTGGTATGCC	420
	AACAGGTATA CATAAATCAG GTAAACCGAC AGTCGAAGTT ATCTTTACTG TTTTACATGC	480
	AGGAGGTAAA TTTGGACAAG GCGGCTATAA AACTTCAGGT GGTCTTCACG GTGTTGGTGC	540
25	TTCAGTTGTA AATGCATTGA GTGAATGGCT TGAAGTTGAA ATCCATCGAG ATGGTAATAT	600
	ATATCATCAA AGTTTTAAAA ACGGTGGTTC GCCATCTTCT GGTTTAGTGA AAAAAGGTAA	660
30	AACTAAGAAA ACAGGTACCA AAGTAACATT TAAACCTGAT GACACAATTT TTAAAGCATC	720
	TACATCATTT AATTTTGATG TTTTAAGTGA ACGACTACAA GAGTCTGCGT TCTTATTGAA	780
	AAATTTAAAA ATAACGCTTA ATGATTTACG CnwGGgTAAA GAGCGTCAAG AGCATTACCA	840
35	TTATGAAGAA GGGATCaAAG rGTTgTTAGT atGTCCAaTG ArGGAAAAGA AGTTTTGCCT	900
	GACG	904

(2) INFORMATION FOR SEQ ID NO: 11:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 11271 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

45

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

50	GATTTCTAAA TCAAGATCTG TTTTACGATA ACCATTCAAA CCTTGACGTT CATCTTCTTC	60
	AGGTTGATTT TGTGCTGTG TGTCTTTGTT GTCAGAAAGTC GCTACTGTTT TTTTATTATC	120
55	TGTTTCTTTA GTCATAACAA ACGCCTCCGT TATAAACGC TATATTTAAT GATATGTGAT	180

EP 0 786 519 A2

	TTAATAAGAC GATTCAGCAA GTTTTAAAGT ATTATTTGAC TATGTTGGAT TAGGCATCTA	300
	GTCCTATAAT ATCACTGACA TTGTCAAAAT GATGATCTTT TAAGTAACGT GCGATGCCTT	360
5	TGTTCATTTT CTTAGTTAAA CCTGGGCCTT CAATAACAAG TGATGAATAA ATTTGAATAA	420
	GTGACGCACC GTGACGCATC ATTTTGATTG CATCTTCAGT ACTGAATACG CCGCCTGTAC	480
10	CTATAATTAA AAATTCACCA TTTGTTTGCT GATAAgCATA CTTAATCAAT TTTAAATTAC	540
	GTTCAAATAA TGGACGACCA CTCAAACCGC CTTCTTCGAC TTTATTAGCA GAAGTTAAAC	600
	CATCTCGTTG TCGCGTTGTG TTTGCTAAGA TGATACCGTC AAATGTCTCA GTAATCGCTG	660
15	GTAATAGTGC TTTTAAGCCA TCGAAATCCA TATCAGACGT TAGTTTTAAA TAAATTGGCA	720
	CTGTTACATC ATGTTGTTTT TTAAATGCTG TTAAAGCTTG GCATAACATT GAAAATTCAT	780
	CTTTATCATG GAAGTTTTGA AGATTTTCAG TATTTGGAGA ACTGATGTTG ACTGTGAAAA	840
20	ATGAAACGTC GTGTTTAAAC GTATCAATAA CCTTTATATA ATCTTGATAA CGCGCTTCAT	900
	AAGGTGTCAT TTTATTCACA CCAACATTGA TACCAACAGG TACTTGATAA GCATTTTTAC	960
	GCAATGACT TAGTGCTTTG TTCATACCAA TATTATTGAA GCCCATTCTGA TTTATCAAGG	1020
25	CGTCATCTTC TAATAATCTA AACATGCGTG GTTGAGGGTT ACCCGGTTGA GGTTTAGGTG	1080
	TGATACCACC TAATTCTAAA GCACCGAATC CAAGGTGTTT CAATGCTTTT GGTACTTCGC	1140
30	AAGATTTGTC GAAACCAGCT GCTAAgCCAA TTGGATTGTC GTACGTATTA CCTTGATCG	1200
	TTTGTGATAA CGTTGGATTG TTATAAGTAA ATAGTTTATC GACGACTGGG AATAAAACCG	1260
	GaAACTTTTG TaACGTTTTT AATGCATCGA TAGTTAGTCC GTGTGCTTTT TCGGGTTCGA	1320
35	TTTTGAATAA GAAAGGTTTA ATTAATTTGT ACATGAGTAT GCTCCTATTT CATTATATTT	1380
	GAGGCTTACT ATCCTCAACT TAATATATGT GAAATATATT CTTTTAATAG ACTAGCATTT	1440
	CCATACATAA TTTCTAGTT AAAACTAAAA AGTTTTGAAA ATTGACGCAA gTTTGAATAA	1500
40	CGTTTTTAAG ATTAAATCAT CCTAATTAGG CAATATTATA GTATAAAGTA AGTAGATTGG	1560
	AAGGTGTTTG TATGAATGAA CAATGGTTAG AGCATTTACC TTTAAAAGAT ATTAAAGAGA	1620
45	TTTCACCAGT GAGTGGTGGT GATGTAAACG AAGCATATCG AGTCGAAACA GATACGGATA	1680
	CATTTTTCTT ACTTGTCCTA CGTGGACGTA AAGAATCATT TTATGCTGCA GAAATTGCAG	1740
	GTTTAAATGA ATTTGAACGT GCAGGTATCA CGGCACCTAG AGTAATTGCA AGTGCGGAGG	1800
50	TTAACGGTGA TGCCTATTTA GTGATGACGT ATTTAGAAGA AGGGGCTTCA GGGAGTCAAC	1860
	GCCAATTAGG GCAACTCGTA GCTCAATTAC ACAGTCAGCA ACAAGAAGAA GGCAATTTG	1920
	GCTTCTCATT ACCTTATGAA GGTGGCGATA TTTCTTTTGA TAATCATTTG CAAGACGATT	1980
55		

EP 0 786 519 A2

	GGCTATGGGA TGCCAACGAT ATCAAAGTAT ATGACAAAGT GCGACGTCAA ATTGTTGGCGG	2100
	AATTAGAAAA GCATCAAAGT AAACCGTCTT TATTACATGG TGACCTATGG GGTGGTAATT	2160
5	ATATGTTCTT ACAAGATGGT CGTCCGGCGT TATTTGATCC AGCGCCATTA TATGGTGACA	2220
	GAGAAATCGA TATCGGTATT ACAACGGTAT TTGGTGGTTT TACGAGCGAA TTTTATGATG	2280
10	CGTATAATAA ACATTATCCA CTCGCAAAAG GTGCATCCTA TAGACTTGAA TTTTATCGTT	2340
	TATATTTATT GATGGTCCAT TTATTGAAAT TTGGTGAGAT GTACCGTGAT AGTGTTGCGC	2400
	ATTCTATGGA TAAGATTTTA CAAGATACAA CAAGTTAGTT AAGACGTTAG ATTGAGATAA	2460
15	ATAGATAATA TGCACAGATA TTTTACAAT GAGAAAGCGAT ACAGCTGCCT CAATAAAAAT	2520
	ATTTGTGCGT TTTTATTGTT GGAAAATAAA ATTTTAATCG CTATTGTAA TTTCTGTAAT	2580
	GTAAAACAAG GTTGAGTTAC AATAAAAGTG ATTTTATAAC TTTTGTTC AATAAATTCT	2640
20	AGGAATGATA CATATTTATT GATACAATAA TTTTGAATAT AATCATAAAA CAATATTTAA	2700
	GTATAATTGA ATGTTTGAAT ATCATATATT GATACAGTTT CTAATAATTT TAAAATAATT	2760
25	TAAATGGAGA GAGGTGTAAA TGATGAGTAC AGTTCAAAGT GATATTTTAA AGACCAATAG	2820
	TGCATCATCA TCTATTAAAA GCGCTGTTGA AACATGTAAT AATGTGTCGA AACC GGATAA	2880
	AGATGAAAGT ACAACAGTAA GTGGAAATAA TAATGCTCAT AGTGTGATAG ATGATTTGAT	2940
30	GAGTAAGAAT CAATCTGTTG CTGAAGCAAT ACGAACTGCG AGCGATAATA TACAAAAAGT	3000
	TGGTGAGGCT TTTGACCAA CTGACGTAAT GATTGGTAAT GAAATTGGTA AAAATTAAAA	3060
	CGTGGTGAAA TGATGTCGAA TAAACTGGAT GAAATCAATA AAATAATCAC AGCGAAACAT	3120
35	GAGCAAATGG ATGACTTATA TGATGAAAAG CGAGAGGTTA AAGCATTGAT AGATGAAAGT	3180
	GATGCGCTTA ATCATTTCGAT AGATCAATTA TATCAACATT TAGGTGAGCG TTATTATAGT	3240
	AGCAATATGG CTAGTCGTAT GGAACAGTTC CGCGATGAAT TTCATTTTGC GAAACGACGT	3300
40	TCAACGGAAG CGTTATACGA GCAGCAACAG CAAATTCAAC ATGGCATTCTG TAAAGTGGAA	3360
	GAAGAGATGA TTGACTTGGA AATGCGAAGG AATGTTGAAA TTGAGACGGT GACAAAGGAG	3420
45	GAAAATAAAT GGAAACAATA GGAAGCATT TTTATTTAAA AGAAGGTTCTG CAAAAGTTAA	3480
	TGATTATTAA TAGAGGmCCA aTTGTAGAAA TTGAAAATCA AAAGTATATG TTTGACTATT	3540
	CTGCATGTAA ATATCCGATT GGTGTTGTAG AAGATGAAAT TTATTATTTT AACGAGGAAA	3600
50	ATATAGATTC AGTTATTTT AAAGGTTATT CTGATCAAGA TGAGGTTAGA TTTCAAGAGT	3660
	TGTTTGAAAA TATGAAACAA AATTGGATA GTGAAATACA ACGTGGAGAA GTTACACAAC	3720
55	AATAAAGAAA TACTTTTCT TTATTGGGGT GGGACGACGA AATAAATTTT GTAAAAATAT	3780

EP 0 786 519 A2

	ATGTCATTCA	TAATCATTTG	AACTAAACGT	AGCAGCCTTA	AATTTTAAAA	AAAGACACAT	3900
	ACCAACTTCC	GAAATGTAGA	TGAATTCTCT	ACAATAACGG	AAGTTTTTCT	TTTAATATTG	3960
5	AAATTTCTCA	AGGATAGGTC	TATACTTTAT	AAATCGTAAT	TATTACGATT	TATAATCAAA	4020
	AACAATAACT	TGAAATAGAT	CATTGAGGGA	GTGTTAATAT	GCAACATCAT	AAAGTGGCTA	4080
10	TTATCGGTGC	CGGTGCTGCA	GGTATAGGTA	TGGCCATTAC	CTTAAAAGAT	TTCGGTATAA	4140
	CAGATGTCAT	TATTTTAGAA	AAAGGAACAG	TAGGACATTC	ATTTAAACAT	TGGCCGAAAT	4200
	CGACCCGTAC	GATCACGCCA	TCATTTACGT	CTAATGGATT	TGGCATGCCT	GATATGAATG	4260
15	CAATTTCCAT	GGATACTTCA	CCAGCATTTA	CATTTAATGA	AGAACATATT	TCCGGAGAAA	4320
	CATATGCTGA	ATATTTACAA	GTGGTTGCCA	ACCATTACGA	GCTGAATATC	TTTGAAAATA	4380
	CAGTTGTCAC	AAATATATCT	GTAGATGATG	CATATTATAC	GATTGCAACG	ACAACAGAGA	4440
20	TATATCACGC	GGATTATATC	TTTGTCGCAA	CAGGTGATTA	TAATTTCCCT	AAAAAgCCAT	4500
	TTAAATATGG	TATTCATTAT	AGTGAAATTG	AAGACTTTGA	TAACTTTAAT	AAGGGGCaAT	4560
	ATGTGGTTAT	CGGAGGTAAT	GAAAGTGGCT	TTGATGCTGC	ATATCAACTT	GCAAAAAATG	4620
25	GCTCTGACAT	CGCACTTTAT	ACTAGCACAA	CCGGTTTAAA	TGATCCGGAT	GCTGATCCTA	4680
	GTGTTAGATT	GTCACCTTAT	ACACGTCAGC	GACTAGGTAA	TGTCATTAAG	CAAGGTGCTC	4740
30	GCATCGAAAT	GAATGTACAT	TATACAGTTA	AAGATATTGA	TTTTAACAAT	GGACAGTATC	4800
	ATATCAGTTT	TGATAGCGGA	CAAAGTGTGC	TTACACCTCA	TGAACCAATA	CTAGCAACTG	4860
	GCTTTGATGC	AACAAAAAAT	CCAATCGTTC	AACAATTATT	TGTGACAACA	AATCAAGATA	4920
35	TTAAATTAAC	AACACATGAT	GAATCGACAC	GTTATCCGAA	TATTTTATG	ATTGGTGCAA	4980
	CAGTTGAAAA	TGATAATGCC	AAATTATGCT	ATATCTATAA	ATTTAGAGCG	CGATTTGCAG	5040
	TACTTGACACA	TCTTTTAACA	CAGCGGGAAG	GcTTACCAGC	TAAACAAGAT	GTCATTGAAA	5100
40	ATTATCAAAA	AAATCAAATG	TATTTAGATG	ATTATTCATG	TTGTGAAGTG	TCATGCACAT	5160
	GTTAGAAGTG	AAATATGATA	TGAGAACTGG	GCATTATACG	CCCATACCTA	ATGAACCTCA	5220
45	TTATTTGGTT	ATTAGTCATG	CGGATAAACT	TACCGCAACA	GAAAAAGCGA	AATTAAGATT	5280
	ATTAATCATA	AAACAGAAAT	TAGATATTTT	ATTGGCAGAA	AGTGTAGTTT	CTTcGCCTAT	5340
	AGCGAGTGAA	CATGTGATAG	AACAATTGAC	ACTATTTCAA	CATGAGCGAC	GACATTTAAG	5400
50	ACCTAAAATA	AGTGCGACAT	TTTTAGCCTG	GTTGTTGATA	TTTTTAATGT	TTGCATTGCC	5460
	AATCGGTATC	GCTTATCAAT	TTTCAGATTG	GTTTCAAAAT	CAGTATGTGT	CAGCATGGAT	5520
	AGAATATTTA	ACTCAAACAA	CATTGCTCAA	TCACGATATA	TTACAGCATA	TATTATTTGG	5580
55							

	ATTGATTAGT TTATCAACTG CTATAATTGA TCAAACAGGA CTCAAATCAT GGATGATATG	5700
	GGCAATTGAA CCGTCAATGT TATGGATAGG ATTACAAGGT AATGATATCG TGCCACTATT	5760
5	AGAAGGGTTT GGATGTAATG CAGCAGCTAT TTCACAAGCA GCACACCAAT GCCATACCTG	5820
	CACGAAGACA CAGTGTATGA GTTTAATAAG CTTTGGTAGT TCTTGTAGTT ATCAAATAGG	5880
10	TGCGACATTA TCTATTTTTA GTGTAGCTGG AAAGTCATGG CTATTTTATGC CGTACTTAAT	5940
	ATTAGTACTT TTAGGTGGCA TCTTACATAA AGGATATGGT TGAAAAAGAA TGATCAACAA	6000
	CTTAGCGTTC CGCTACCTTA TGATAGGCAA TTACATATGC CAAATATACG TCAAATGTTG	6060
15	CTACAAATGT GGCAAAATAT ACAAATGTTT ATCGTTCAAG CGCTACCTAT TTTTATCACA	6120
	ATCTGTCTTA TTGTTAGTAT TTTATCACTA ACGCCAATTT TGAATGTTTT ATCACAATA	6180
	TTTACACCTA TATTATCGTT ATTAGGCATC TCGTCAGAAT TGTCACCAGG GATTTTATTT	6240
20	TCAATGATTC GAAAAGACGG CATGCTCTTG TTTAATTTGC ATCAGGGCGC CTTATTACAA	6300
	GGAATGACAG CAACACAGTT ACTACTACTT GTGTTTTTTA GTTCAACATT TACAGCGTGC	6360
	TCGGTCACAA TGACGATGCT TTTGAAACAT TTAGGTGGTC AGTCAGCACT AAAATTAATT	6420
25	GGAAAGCAAA TGGTGACATC ATTGTCTTTA GTTATTGGTG TAGGCATCAT TGTTAAAATA	6480
	GTAATGCTGA TTATTTAAAA AAAATGAACT ATAAGTGAAT ATAGAGTCAT GTCAGTCAAT	6540
30	AGGAGATCTA TCTTGGAATA TGCTATTCAT ATGAAGTATA AGAGGAGAGT CGCAGATGAA	6600
	AATAGTTATT ATAGGTGGGT TTTTAGGTGG CGGTAAACG ACTGTCTTAA ATCATTGTCT	6660
	CGCTGAATCA TTAAAGGAAT CGCTGAAACC AGCAGTCATC ATGAATGAAT TTGGGAAAAT	6720
35	GAGTGTGAT GGTGCCTTAG TATCTGAAGA CATACCTTTA AGTGAAGTGA CAGAGGGGTG	6780
	TATCTGTTGT GCAATGAAAG CAGATGTATC AGAACAGTTA CATCAATTAT ATTTAAAAGA	6840
	GCAAACAGAC ATTGTATTTA TTGAATGTAG TGGGATTGCA GAACCGGTCT CTGTCTTAGA	6900
40	TGCTTGTTTA ACGCCTATTT TAGCTCCGTT TACAACAATT ACACATATGA TTGGTGTAAT	6960
	AGACGCAAGC ATGTATAAAC ACATTAAATC ATTCCCTAAA GACATCCAAG GCTTATTTTA	7020
	TGAGCAATTA GCATATTGTT CTGTCTTATT TGTTAATAAA ATAGATTCAG CAGATGTTGA	7080
45	AACAACGAGC AACTATTGA AAGATTTAGA AGTTATTAAC CCAGAGGCCG ATATACAAGT	7140
	CGGTATGCAT GGCAGCGTCA CTTTGCCAAT ATCAGTTAGA CAAATGACAG CAACTTCTGA	7200
50	CAATAACAT AAGTCTTTAC ATCAAATGAT TAATCATCAA TTTGTGCAAT CACCAGTCAA	7260
	ATGTACTAAA GCAGAGTTTA TAAAACGTTT AGCATGCCTT CCGTCTCATA TTTATAGGTT	7320
	GAAAGGGTTT ATGACATTTG AAGACACCGC ACATACGTAT CTCATTCAAT TTACACAAGG	7380

55

EP 0 786 519 A2

	CGGAAAGGGT ATTTCAAAAG AAGACTATCA ATGTTTGGAA CAGTAGTGTT TTCAGTGGAA	7500
	GAGAATGGTT AACATGCCTT CATGTATAAT AACGAGTTGA TTTGAACGTT TAAGCGTAAA	7560
5	TAAAAATAAG CTTGGTCAGC CATCAAATAT AATTTGAAAA CTGTCCAAGC TGTTTTATTA	7620
	GAGAACAAATC AATTAACCCC ACATATTTAA TAATACATCA GCAAAGCCTT CAGGTTTTTG	7680
10	AATATAACCT AAGTGACCGC CTGGAATATC TACAATAGGT ATGCCAGTTT CTTTATTTAT	7740
	ATAAAAGTTA ACATCTTGTC GGAAGGAGCC TCTAGAATCT GTCCCATTTA GTAGGGTGAT	7800
	TTTATCGCTG TATTTTGTGA AATCATCCAA AGTAATATCT GAATGCGTAT ATTGTCTAAT	7860
15	TTCAAATTCT GACCAGAACA TCGTACGTTT GTACTGTTCT ATACGTCCTT CTTCAGTATC	7920
	AGCAGGTTGA GACATCATTT TTGCATCAAT TGGTGCATA TTTAATGTTT CGCCAAATGT	7980
	TTTCATGCCT TTTTCTAAGC CTTCTGTTAA AATTTGATGC ACAATGTCAT CATTTTTATC	8040
20	TTTCCAATAA GTACTGTCTG GTAAAAATGT ATTAATTGGT GGTTCTGTAA ATGCAATCTT	8100
	TTTAACGACT TCAGGGTAAT CTTTAAACAC ATGCATCGCA ACGATTGAAC CTGAACTTGA	8160
25	ACCTAATATA TAGACAGGTT CATCACTTAA TGACTTTGCA AGTTCGGCAA TGTCCTGTGC	8220
	GTCGCGTTTG ACACGATAAT CACTGTCAGG GTTTGAAGCG GAATCAGGGA GTGGTTCAGT	8280
	TAACTCGCTT TCTCCATAAT CACGACGATC AACGGCTACA ACAGTAAAAT GGTCTTTTAA	8340
30	CTGTTCTGCA AGAGGCAGAA AAATGTCTCC GGTACCGTTT GCACCAGGAA TAAAGATGAG	8400
	CACGGGTCCT TGTCCGACTT GGTGGTATCG TAATTTAGCG CCTTGTAATT CTAAAGTTTC	8460
	CATATTCAAT GACCTCCATT TGTTAATTGT TAGGTGATAA ACCTAATAAT TTAGCACCAT	8520
35	TTGTATAACT TATTTTCTCT TTTTCTTCAT CTGTTAAACC CAGTTCATCT AAAAATACAC	8580
	CTAATTTTTTC AGGCTCAATA TATGGATAAT CAGCAGCATA AAGAATTCTA TCAATACCTA	8640
	CTTCTTTCTT GACTAAATCA AACTGTGGCT TCGTTAACAT GCCACTCGGT GTGATATAAA	8700
40	AATTATTTTT AAAGTAATAG CTTACAGGGT GGTTCAAATG TTCAGCGAAT AAAGCTTCAT	8760
	CCATACGTTT TAAGAAGAAT GGGATAAACT CACCCCAATG TCCAATAATC ATATTTAACT	8820
45	TTGGATAACG ATCAAAAATA CCAGATAATA CTAGATGTAT TGTATGAATG CCGACATCAA	8880
	TGTGCCAACC ATAACCAAAA CAAGCAAATG TTGCCGCAGT TACTTCAGGA TAATTTCTT	8940
	TATAGTATGA TTGATAAATG TCACTGTTAA CTGGCGCGGG ATGTAGATAA ATCGGTACGT	9000
50	CTAAATTTTC AGCTGTTTTG AAAATAATGT CATATTTGTC TTGATCAAGA AAACCATCTT	9060
	GTGCACGTCC CATAATGAGC GCACCTTTGA ATCCTAAATC ATTGATGCAA CGTTCGAATT	9120
55	CTCGCGCTGC GGCTTCAGGC TCATTGATAG GTAAAGTTGC AAAGCCTACA AAGCGATTGG	9180

EP 0 786 519 A2

	TCTGACCAAC	CAAATTTGAA	GGAGAACCAT	TTCCATAAGA	TAAGACTTGA	ATTTGAACGT	9300
	CTTGATTATT	CATAAATTGG	ATACGTTTCA	CATGATGTGA	TAATTCGTCG	GCATTTGTAA	9360
5	AACCTGTCTT	TTTTTcAAGG	CCTTCTAACA	TTACTTTTCAT	CGGTACACCT	TTAGGATCTG	9420
	CTGATATCGC	ATTCATCGTT	TCTTTTTGAA	TATCTTCAAT	GACATAATGT	TCTTCAAACG	9480
10	TAATACTTTT	CATTTACTTC	GCCTCCATAT	TGTATTGCAT	GTTTATTGCA	TCTATTGCAG	9540
	AAGCATTTTT	TATATACCTC	TAATTTCAAT	GTTTGTAACA	TAAAATTGAT	CTACCAAGGC	9600
	ATCTCTCCAT	CGCCATTAAT	AAATGTACCT	GTTGGGCCAT	CTGCACCAAT	CGTTGCTAAT	9660
15	TGAATGATTG	GCTTGATTCC	TTCAGAAACG	TGTTTGGAAT	TATTACTAAA	ATCACCAACT	9720
	AAATCAGTAT	TTGTAGCGCC	TGGATCAGCA	GCATTGATTT	GCATGTTAGG	TAATCCTTTA	9780
	GCGTATTGTA	GCGTTAGCAT	TGTTACTGCC	GATTTAGACG	AACAATAAGC	TAATGAATTC	9840
20	ACTTTAGATT	CAGCTGTTTC	GGGGTTTGTA	ACCATTCCAA	ATGAACCTAA	ACCACTTGAT	9900
	ACGTTGACGA	CAACAGGTTG	TTCAGATTTT	TCTAAGAGAG	GGACGAATGT	ATTCATCATT	9960
25	CGTACGATAC	CGAATACATT	CGTTTGATAT	ACTTCTTCAA	CGTCACGAGG	TGTCAATTTG	10020
	GAAGGTGCTG	AAAATTGACC	AGATATACCT	GCATTGTTAA	TGAGGATATC	AAGACGGCCT	10080
	TCTTTTTTCAG	CAATCATGTT	ATAAGCATT	TTGACTGAGT	AGTCACTTGT	AACATCTAAT	10140
30	TGTACATAAT	GAACACCTAA	TTTTTGTTGAT	GCTTGTTGTC	CTCTTACATC	ATTCCGAGAA	10200
	CCTATATAAA	CTTTGTAAAC	CAATGCTTTA	AGTGCCTCTG	CACTTGCATA	GCCTAACCCT	10260
	TTATTGCCTC	CTGTGATTAA	CACAATTTTA	GTCATTACGT	CCCACCTCAT	CTAAATAAAT	10320
35	GTTTAATAAA	TAATTTCTGT	ACGCTTCAAT	TGAAATATGG	CGATGCTCTA	TTTGGAAGGC	10380
	AAATACACTA	GTTGATAATG	ATTGCAACAG	CATATCTGTT	TTGAAATCGT	GTAAGTGTCG	10440
	TCATÉGCTTT	TAAATAAGTC	ATAATAAAAA	TCAAATAATT	CTTGATAAAA	TGCGCTTTGG	10500
40	TAAAAACGTA	ATTTATTGTT	GCCTGCTTCA	ATACATTGCA	GTAGTGCCTT	ATTATCGATT	10560
	TTAAATTGTA	AAAGATAATC	TAACGACACT	TGCATAACCT	CATAATTAGA	ATGATAGTCA	10620
45	TCTTTAATTT	GCTTAAAATG	AGTGATAAAA	ATATCAAGGT	CTCTTTGTAT	GACGTAGTAG	10680
	CATAAATCGC	TTTTATCTTT	GAAATGTCGA	TACAATGTCC	CCATACCGAT	ACCTAGTTCT	10740
	TTAGCAATAC	GATTCATACT	AATGTTTTCA	ACGCCTTCTT	CATCAAAAAG	TTTGTGCGCT	10800
50	ATTTCTTCAA	TTCGTTGCCT	ATTCTCTTTT	GCATCTTTTC	GCATGATTAC	ACCTACTTAA	10860
	AATTCTCTAA	AATTGACAAA	CGGATAACTC	TCCGTTTATT	ATAAAACGTG	TTAAGAAAGT	10920
55	TAGCAATGAA	TTTGCAATAA	CTATTAAATA	TCATAAAAGA	AAAGAGTGTT	GATAATGTCT	10980

ACCTTATCGG TTCAAATGAT TGCTGAAAAA CTGAATGTCA CTACAGAAGA TGTGGAAAAA 11100
 GTATTAGCTA TGACAGCGCC ACTAGGCATT TTTAGTCATC AATTACAACG ATTTATTTCAT 11160
 5 TTAGTATGGG ATGTCAGAGA TGTAATAAAC GACAATATTA AAGGAAATGG ACAAACACCA 11220
 GAACCATATA CGTATTTAAA AGGTGAAAAA GAGGACTATT GGTTTTTAAG A 11271

(2) INFORMATION FOR SEQ ID NO: 12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 6261 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 15 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

20 CAACCCGTTT AGAACAAAAT AAAAACCGTA CAATTTTATC ATCTTAATGA TTATTGTACG 60
 GAAAAACTTT TTTACATCAT ATCTGCATGT GCATAATCGA TATCGGTAAA TTTATTATAT 120
 TGTTTCATAA AATGTAACCT AACTGTGCCT GTTGGACCGT TACGTTGCTT AGCAATGATA 180
 25 ATTTCAATTT CACCGTTTTT ATCATTCTGT TGTGGCTCGA AACCACCATC ATCGTCATCA 240
 TCTTCATCGC CGCCACGGTT ATAGTAATCA TCACGGTATA AGAATGCAAC GATATCGGCA 300
 TCTTGCTCAA TCGAACCGA TTCACGAATA TCACTCATCA TTGGACGTTT ATCTTGTCGT 360
 TGTTCAACAC CACGAGATAA CTGACTTAAT GCGATAACTG GACATTTTAA TTCACGGGCT 420
 AATGCTTTTA ATGTACGAGA GATTTTCAGAA ACTTCCTGTT GTCTGTTATC GGACGCACGT 480
 35 GAACCACTAC CTTGAATCAA CTGTAAGTAG TCAATCACAA TCATGTCTAA GCCATGTTCT 540
 TGCTTTAATC GACGACATTT AGAACGTAAA TCATTAATTC GAATACCCGG TGTATCATCA 600
 ATAAAAATCT TCGTACGTGA TAATTTACCT ACCGCTATAG TAAACGACT CCAATCTTCC 660
 40 TCAGTCATAG TACCGTTTCT TAAGCGGTTT GAGTCAACAT TTCCAGAACT ACAAATCATA 720
 CGTGTGGCTA ACTGATCAGC ACCCATCTCT AGCGAGAAAA TACCAACTGT ATACATATCT 780
 TCATGCGTTG CAACTTTTTG TGCAATATTA AGTGCGAACG CAGTCTTACC TACAGATGGA 840
 45 CGCGCTGCAA GGATAATTAA ATCATTTTCG TTGAACCCTG CTGTCATTTG GTCTAAATCT 900
 CGATATCCTG TAGGTATACC TGGTGTGTTGA CCACTATTTT GATCAAGCTC TTCAGCTGTT 960
 50 TCATACACTT GTCCTAAGAC GTCTCGAATG TCTTTAAAGC CATCGCTTTC ACGAGAAGAT 1020
 GATAGCTCTA AAATTCGACG TTCTGCATCA CTTAAAATCG CATCTAGTTC AAGTTCATCA 1080
 TTATATCCAT CATTGGCAAT ACTATCTGCA GTTTGAATCA ATCTACGTTT TAATGCATGC 1140

EP 0 786 519 A2

	TCTGCAAGAT	ATTGCGGGCC	ACCCGCTTca	TTCAACGTAC	CTTCCGTCGA	TAATTGATCC	1260
	ATCAATGTTA	CAACATCAAT	TTCTTTATTA	TCTTCATTTA	AGTGCATCAT	TGCACGGAAA	1320
5	ATATGTTGAT	GGGCACCCCT	ATAAAACGAC	TCAGGAAGCA	AAACTTCCTG	AGTAGTATTA	1380
	ATCAATTCTG	GATCTATAAT	AATTGAACCT	AAGACAGACT	G TTCAGCTTC	ATTGTTATGC	1440
10	GGCATTTGAT	TTTGCTCATA	CATTCTATCC	ATGAATGGTT	ACACCTCTTA	TTTCAATCCA	1500
	ACTTTATTGT	TCAACTGTGT	GTACGCGAAT	TGTACCTTCA	ACTTCTTTAT	CTAATTTAAC	1560
	AGGTACATTC	GTATATCCTA	GGGAATGAAT	TCCATTTGGT	AAATCCATTT	TACGTTTATC	1620
15	AATTTTAAATA	TCATGTTGTG	CTTTTAGTGC	TTCGGCAATT	TGTTTTGTAC	T TACTGACCC	1680
	AAACAATTTA	CCACCTTCAC	CAGTTTTTGC	TGaTACTTCA	ACTTCAATGT	TTGATAACGT	1740
	TTCTTTTAAAT	GCTTTAgCAT	CTTCAATTTT	TTGTTGGCGT	TCTTGTTTTG	CACGTTTTTT	1800
20	CTGTAACTCT	AATTGTTTTAA	GGTTACCTGG	TGTTGCTTCT	ACAGCATAAT	TCTTTTTTCAA	1860
	TAAGAAGTTA	TTTG CATAAC	CTACTGGTAC	TTCTTTAACT	TCACCTTTTT	TACCTTTACC	1920
	TTTACCTTTA	ACATCTTGTG	TAAAAATTAC	TTTCATGCAT	CTTCACTCCT	ACTTAATTGT	1980
25	TCTGTAATTG	CTTGTTGTAA	TTGTGCTATC	GCCTCTTCGA	CTGTCACACC	TTTAAGTTGT	2040
	GTTGCCGCAT	TGGTTAAATG	TCCACCGCCA	CCAAGTGCTT	CCATTGTTAA	CTGGACATTT	2100
30	ACTGAACCGA	GTGAACGCGC	AGATATACCA	ATCAGATTAT	CTTCACGTCT	CGCAACAACA	2160
	TATGATGCTT	CAATACCTTC	TAAACTTAAC	AGTTCATCTG	CTGCTTGTGC	AACTGTTACT	2220
	GGATGATAAA	TTTTATCGTC	TGAACCATGC	GcaATGGCTA	TGCCATTATC	TTCAACTTTT	2280
35	ACAGTTCGAA	TTAATTCAGA	TCGATTAAATG	TAAGTATCCA	CATCATCTTT	TAAGAAATGT	2340
	TGCGTTAAAA	TCGTATCTGC	ACCATGTGCA	CGTAAATAAC	TCGCTGCATC	GAATGTTCTT	2400
	GATCCTGTTC	GTAATGTAAA	GTTTCTTGTA	TCTACAATAA	TACCTGCATA	CATCACTGTT	2460
40	GATTCAAGAC	GTGTTAAACG	TTGTTCTGTT	GGTTGATATT	CCAGTAACTC	TGTTACCAAT	2520
	TCAGCTGTCTG	AACTTGCGTA	TGGTTCCATA	TATATCAACA	ATGGATTAGA	GATGAAGCTT	2580
45	TCACCACGTC	TATGATGATC	GATAACAAC	TTACGGTTTG	CTTTATTTAA	GACATTTTCA	2640
	TCTAAAACCA	GTTCCGGTTT	ATGCGTATCA	ACAATCACTA	CGGTTGTCTT	AGATGTCATC	2700
	ATATCCCAAG	CATCATCTGA	TGTAATAAAT	CGCTCTCTTA	ACTCTGGCTT	TTTATCTATT	2760
50	TCGTTTCATCA	CGCGTCGTAA	TGTTGGATCA	ATGTCAGTCT	CATTTAATAC	GATGTATGCT	2820
	TCTAAATTAT	TCATCATTGC	AAATCTAGAC	ACACCGATTG	CTGCACCAAT	TGCATCTAAG	2880
55	TCAGGACGTT	TATGTCCCAT	GATAATGACT	TTGTCACCCT	CTGCAAGGAT	ATCTTTTAAAC	2940

EP 0 786 519 A2

	CCATAGAAAC GCACATTACC ATTAATACTT TTAATTGCAA CTTGGTCGCC ACCGCGTCCT	3060
	AATGCTAAGT CTAGGCCTGA TTGTGATAAT TCACCTAAGT CGATTAAATT TTCAGTACCT	3120
5	TCACCAACAC CGATACTTAA TGTTAATTGG GCACGATAAC CAACACTTTT TTCACGTAAT	3180
	TGACTCAAGA TATCAAATTT AGATTCTTCT AAGTCAGCTA ATATTTTGTG ATTTAAATAG	3240
10	GCTACGAATT GATCGGAACT GTATCTTTTG AAAAATATAT TATACTCAGT TGCCCATCGA	3300
	CTAATGACAC GCGTTACCAT TGAGTTGATT TCCGAACGCT GCGTATCATT CATATTTTGC	3360
	GTAATCTCAT CGTAGTTATC TAAAAATAAT GTCGCAATGA TTGGTTTAGA ATTTTCATAT	3420
15	AGTTCATTTG TTTGTACTTG TTCAGTTATA TCAAAGAAAT AGAGGCAGTG ATCATTCTCA	3480
	GAATAACGTA CTTGGAAATG ATACTGATTA TATTCTATTT CAACGGATTT CACTCTATCT	3540
	AATTGCTTTA AAATGTTTGG AAATACTTCA TTTACAGATT CAGAAATGAC ATTCGCTTCC	3600
20	ATATGATCTG TCATAAATTG GTTAACCCAT TCGATGTGAT CATTTTCATC TAAAACAATG	3660
	ATACCAATTG GTAAATGTTT GATTGCTTTA TTATTTGTTG TTGAAATTTG AGCACTCAAA	3720
	CCATCTACAT AACTATCCAT TTTCATTAAA GCTTGTCTGA ATAAATGAT GCTAACAATA	3780
25	ATCATCACGA CAAGAACGAT AGATGCAATT AGTGCTATAA GACTATTAAA GATAAACCAT	3840
	ACACCCATTA AAACAATTGC TGTGATGATC ATGATGACAA ATGGTATTAG TAAAGCTTTC	3900
30	TTAGTGGACT GCCGATTCAT TATTCCACCT CTATTCACCT TTTAGAATTA TTTTTCATGA	3960
	TTCGCTTCAA ATTCAAACTT AAATCGATAA CACCAAGTAG TCCTACAATA TGTGTCGTAG	4020
	GTGTCAGTAT TGTACCGATA ACCAATAGTA AAATCGTTAC TGCATTTCGGC AAACCTTTCG	4080
35	CTTTACCAA GAAATGAATA ACACTTAAAC CTTGAATATA CATTACTAAT GATAACACAA	4140
	GTTGGAAGTT TAAAAGAATG CTCTGGAACA CACTCGGTTG ACCTGTAAAT AATAACATA	4200
	TGATAACAAT AATGTATATC CATAATAAAA TACCGCTCAT TTGCCACGCG AAAAGTGGCT	4260
40	TAAATACAGG TGTAGCGATT TTAAATTTTC GTAAAATCGG AAATGTAACG ATTAAGTTAA	4320
	TTAAGACGAT TAAAAATGTA ATGATAATGA TGAAACCTGG TAATTGAACG GTCGCTTGTC	4380
	TAAACCCTTC TTCTAATATT TGGGTCATAT TCGCATCGGC ACCGCTCATC GTAATCGCTT	4440
45	CATGTAATGT TTGCTTGAAA GGTTTTACTA TGCTCGCTGA TGGTGGAATC CTTCCGAATG	4500
	TTTGTAGTAA CATAAAAGCG ATTAATGAAA TTAACTCAT CGCTACTGTT GTTACGTATA	4560
50	ATATTCTTTC TTTAGACGTT CTTTCTTTGA GCAATTGACC AATAATTAAA CTTGCAATTA	4620
	AGACTAATAT GATGGCACTT AAAACGAAAG TATTACCTAA AACAGTTGTT ATAATTACTG	4680
	TAATAAGTGC ACTAATCCCG AAAGATTGTA TTGATTTATT CCATAAAACG ATACCTGGTA	4740

55

EP 0 786 519 A2

	CAAATACCAA CGCAATCGTT GCAATTATTG TTGCTTTAGG TTGTATTTTT GAAAACACAT	4860
	AAGCCACTCC CATATTTTTTA ACTATAGCTA TTATTTTAAC CTCTTTAATG AAAATTAACA	4920
5	ATTTATAGAT TGTATGCTTC TATTTCAATT AATTGAATAA TAACTTTCAT GTTTTATAAG	4980
	TAATTAACAT ACTCATTTGA ATCGCTTTTG TGTGCTTTCA TTTTCAACAT GATTATTTAA	5040
	TCCCACTACA TAGCAATCAA GCTTGATTTA GATTTACAAT ACATTTCCAC TCTCATGTAC	5100
10	TCTAGATGTT TTTGAATATG ATAAGTGTGA TTTAGTGGCT TCATTCTTTG AAAATATATA	5160
	TTATTACTTA CGCTTAAAAT GCTTTAAATT TAAGAAATGA TATAAGTTAG GTGCCCAGGT	5220
15	ACTAAAGTTT AGTAGGaATC CATCATGCCC AACATTATCA GGCACGAAGA AATGACGATG	5280
	ATATTTAAAA CGTTCACCTA ATGCACGAAC TTGATCATCC GGATATAGCA AATCATCTAT	5340
	GAACCCCATC GTTAACACTT TTGTTTCTAA ATTTTTAAAA ACATGCGTTA CGTCTGTGCG	5400
20	ACCTCGGTCA ATGTTGTGAC TATCCAATAC ATCTAGCAGT GTCAGATAAC AATTCAAATC	5460
	AAAATGTTCT TTAAATTTAT TACCTTGATG TTGTTGGTAT GCGACTACTT CATCCGGCGT	5520
	AAAACGTTCA TCATAACTTT TTGATGATCG ATATGTCAAA AAACCTAATT GGCGTGCAAT	5580
25	ACTTAGACCT TCCTTACCAC CAAGATGAAT GGCTTGCCCT GCAATTTTCAT TGAAAGCTCT	5640
	ACTATAAGAT GATGTTTCGAC TTGTTGCAGC AAGGATAATG GCTTTATCTA CTTCAAACCTG	5700
	TTGATTGTAG AGTAGTTCCA TTGCTTGCAT ACCTCCAAGA CTTCCCCCTA TTAAAAATATT	5760
30	AATCTTATCA TAACCAAGGG CTTGTATACC TCGTTCATTC GCTCTGACTA TATCTCTTAA	5820
	TGTTAATTTT TTAGGAAAAT GAGGGTCGTT TAAAGGTGAA CTTGAACCGA AAGGACTACC	5880
35	AATAACATCA AATGTTAAAA ATTGATAATC GTGAATGGGT ATATATCCCC CATCAATAAT	5940
	TTCTCGCCAC CAACCCGGAT AATCATCTGT TCCATATGTT AAATGATTGC CAGTTAATGC	6000
	ATGAGAAACT ACAACTAATG GTTGTCCATG ATAACCGACA TGCTCATATC TCAAACGCAA	6060
40	GTAATCTATG ACTTCCCCAG ATTCTGTAAT AAATTCCCCT AAATTTAAAG TATCTACTGT	6120
	GTAATTTGTC ATTGTTCTTT CCTCCTTAAA CAAAAAACT TCTCACCCTA TTGAAAAGTA	6180
	AGAAGTCTTT ATACTTATCA TTCGAGTAAC TCGTTGGTTT TAGCACCGTG CTATAAAGTC	6240
45	GGTTGCTGAA GTATCACAGG G	6261

(2) INFORMATION FOR SEQ ID NO: 13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1222 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

EP 0 786 519 A2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

	ATGCGATTAA CTCTGAAAT ATCTTTTCCA TATTTACGTh TTAAATTATT CAGCAAATTC	60
5	ATACGAGaTT CATACTCGTT yAACACTTGT TCGTCGAATT CTGTATTAGC CATTTCATCA	120
	TATAACTCAT GTTTTGCATC TTCTAAAATG TAGTAAAATT GATCAATATC TTCTTTTAAT	180
	TTGTCATATT TGTTTGGAAC TATATCGTTT ATTGTTAACA AATGGTTGCT TAGTTCATAT	240
10	AAACGATCAG TGATAGCATT TTCATCCGTT AATGTCATAT ATGCGTTATT AAGCGCTAAG	300
	CTTAATTTTT CAGAGTTTTG AATGCGTTTA ATATCTATTT CAAGTTGCTC TATTTCGCCT	360
	TCTTTTAGAT GTGCTTCAGA CAATTCTTCT AATTGGAATT TCATTAAATC TAAACGCTGT	420
15	AGCAATGCTT GGTCTGCTGA TTCTAAATCT TCTAACTCTT GCTTTTTTGGC TTTATAATTT	480
	TGAAAAGTTT GGTGATATTT ATCCAACAAA TCTTGATAAC GTGATTCTGC GTAATTATCC	540
20	AATAATGTTA AATGGTATTT TTGTTTCAAC AAAGACTGCG TTTCATGTTG GCCATGAATA	600
	TCTAATAATT CTTCGATAAC TTTTCGTAAA TCTTGTAAG TAACTGTTTG ATTATTAATT	660
	TTACAAAGAC TTTTACCAGA GCTGAAAATT TCCCGTTTAA CTAATAAAAA ATCTTCATCT	720
25	ACATCAATAT CCATATTTTT CAATATATGT ATAGCATCTT TACTCTCGTC AATATCAAAT	780
	ATACCTTCGA TGACAGCCTT TTTTTCACCA TGTCTTACAA AATCAGATGA AGCTCTCATT	840
	CCAATTAATT GTCCAATTGC ATCTATAATA ATTGACTTAC CTGAACCCGT TTCACCACTT	900
30	AAAACAGTTA AACCATCAGA AAATTGAATT TCTAATTCTT CAATAATAGC AAATTGCTTG	960
	ATTGATAAGG TTTGTAACAT AAATCATCG CATCCTTATA ACAAATTGAA AATTCTTGAC	1020
35	TTGATTTTCA CACTTGCTC TTTGCTTCGA CAAATAATTA AACAAGTATC ATCACCACAA	1080
	ATTGTGCCTA GTACTTCTTC CCAATTGATT TGGTCTAATA TAGCTCCAAT AGATTGTGCA	1140
	TTACgAGGTA TGTTTTTAGA ACAAGTAAAT TATCAGTACC ATCTATATTA ACAAAGGAAT	1200
40	CCATTAAATA ACGTCCCAAT TT	1222

(2) INFORMATION FOR SEQ ID NO: 14:

(i) SEQUENCE CHARACTERISTICS:

45	(A) LENGTH: 1021 base pairs
	(B) TYPE: nucleic acid
	(C) STRANDEDNESS: double
	(D) TOPOLOGY: linear

50

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

TTTGTATTATA TTACnTnAAA TAATTGCATT ACTTTTTTACT GATGGTACAA CTTTCCATCC	60
---	----

55

TTCTTTTGGC ACGACATAAT TGTCTTTATC TTGAACTAAA TATCCGCCAG ATACTGAAAC 180
 AAACTCTTCT TCGTTACTGT CTATAGTCAT ATCAATTTCT AATAATCTTA CATTCTTCTT 240
 5 TTGTTTTAAA ATATCTAATG CTTTCATCTGT AAATTTTGGT GCAATAATGA CTTCCAAAAA 300
 GATACTATGC AATTGCTCTG CTAACCTCAGG TGTTACAGCT CGGTTTAATG CAACAATTCC 360
 ACCAAATATT GATTGACTAT CCGCTTCATA CGCATGTTGA AATGCTTGTT CTATCGTGTC 420
 10 ACCGATACCA ACACCACATG GATTCATGTG TTTAACCGCA ACTGTAGCAG GTGTATCAAA 480
 CTTTTTAACT AAAGCTAGTG TAGCATCTGC ATCTTTAATA TTGTTATAGC TTAATTGTTT 540
 CCCATGTAAT TGTTTAGCGC CTGCAATCGT GTGCTTAGCA TTCGAAGTTC TCACAAAATA 600
 CGCTGATTGT TGTGGATTTT CTCCATATCT TAAAGTTTCT TTATCCCCTT TAAAGAAACG 660
 TACAATCGCT TCATCATATT CTGCAGTATG CTCAAAACT TTAATCATT AATGATTGTCT 720
 20 ATATGACTCA TCTAACGAAT CGTTTCTTAA TCGCGTCAAT ACTTCTTGAT AATCTGCCGG 780
 ATGTACAATT GTTGTTACAT GTTTATAGTT TTTAGCTGCA GCACGTAACA TTGTTGGACC 840
 ACCAATATCA ATATTTTCAA TTGCTTCGTC CATCGTCACA TCAGGGTTTG CAACAGTTTG 900
 25 TTGGAATGGA TATAAATTAA CTACTACCAT ATCAATTAAA TCTATATGTT GTTCTGATAA 960
 TTCATTTAAA TGCTGCGGTT TATTCGATC AGCTAAAATG CCACCATGAA CAGCCGGATG 1020
 T 1021

(2) INFORMATION FOR SEQ ID NO: 15:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 3759 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:

TCATTCACTC CTAAATTGTT ATTACACTAT TACACaTAGC TAATCATCAA TGTGAAATCA 60
 CCTTCAAAGA CACTATCCAA ATCTTCAGAA GTCAAAATAA AGTTTGTACC AGTAGTCAGT 120
 45 TTGAAAATTT CACCATCGAC AATCATTTGC CCTTCGCCTT CCAACACTGT AACTAAACAG 180
 AACTCTCTAG GCTTCATATA ATTTAACGTG CCAGAAATTT CCCATTTAAC CAATGTAAAG 240
 AAATCATTCG ATACAATGTG TGTACACTTA TGGTTTTCAA TAATTTGCTT TTCAGGCAAA 300
 50 ATATTAGGTA ATGGTGCATT GTACTGAATA ACGTCTAAAG CTTTTTCAAT ATTTAACGGT 360
 CTATCATTAT ATTGATTATC TTGACGATTG AAATCATAAA GTCTATATGT AATGTCTGAC 420

EP 0 786 519 A2

	ATAAAAtAGa ATTCyCCAGG kTTTACTtTA AtatATCyAA gTAtCGaCtC tATCGTTCCG	540
	TGTTGAACAT GATTGCAAC TTCTTCTCTA GACTCTGCTA ATGTCCctAT AACTATTTCT	600
5	GCATCTTCTT CTGCATCTAT AATATACCAA CATTcAGATT TGCCATATTG CCCgTTTTCA	660
	TGCTCATAAG CATAAGAATT ATCAGGGTGC ACATGAATAG AAAGTGATTc TCTTGCATCC	720
	ACTATTTTtag TTAGAAGCGG AAAATCTTTG CTTGGGAAAT CACCAAACAA TTCACGATGT	780
10	TCTGACCAAA TACGGTCTAA TGTTTGACCT TGATATGGTC CATTaATAAT CTCGCTCGTA	840
	CCATTTGGAT GTGCTGACAC ACACCAACAT TCCCCAGTT GTATCATTGT CTAATTGATA	900
15	TCCAAACTCA CTTAGACGTT GACCGCCCCA TAATTTTGTt TTTAAAATTG GTTGTAaaaa	960
	TAATGGCATT GTTGcACCTC CATtGTGATT AAGTAAGCAA TAGAACTCTG ATGTTGTtGT	1020
	TCCATTATAT TTTGATTTTG TTCTCATtTA CATCGTATTA TTAActTCCA CATTTCAAAT	1080
20	TAActATTAG TGATTGTACC ATATTTACTA ACATTGCAGT ACTGCCAATT AAAAGnGCTT	1140
	CACTTAAATT TACAGTACTT TAACATTTTc AAAAATTTAT AGCATAGAGA TTATATCTCT	1200
	CTTACATTTG TACATATTTc CCTTTAAATT TACTCGCCCA TTATACCAAT TAATAaACAA	1260
25	CTTTAATAGT TGTGCCATAC ATTGTTCAAA TTCTTTGTAA AACGCATAGA CAATACGTAC	1320
	TTATTCATAC TTATAATTCA TCATTTTCAA AAAATAACGA GTTACGAAAA AGTAACCCGC	1380
	TTCAAATCAT ATTTACTATC CTTATTAATC CGTTTCATTT TCAAATTGAG TTAAAGCATC	1440
30	TTTAATGTCC TGATCAccAC TAATAATTTG AAActCTtGG TGATTAAAAT GATTGGATGT	1500
	GACAATTTCT TTTAATACTG TCGCAACATC TTCTCTAGGA ATTTcACCTT TACCATCAAA	1560
35	ATATTGTGCA GCTTCTATCT TTCCAGATCC TGCTGCATTT GTAAGTGCCC CTGGATGTAA	1620
	AATTGTATAA TTCAAACCTG nAACGTCTTA AATAGTCATC AGCGTAATGT TTAGCTATTG	1680
	TATATGGCTT TAAATCACCG CTATCATCAA AAGCCTGACG TCTCGAATCA TATGTTGAAA	1740
40	CCATGACATA GTGTTTAATA TTGGCCTCTT TACTCGCAAT CATTGATTtA ACAGCACCAT	1800
	CTAAATCGAC AATAATTGTT TTATCTGCAC CCGTGTtCCC TCCAGAACCT ACTGAAAAGA	1860
	TAActTTTATC GAATGGTTTA AACGTCTCAG TTAAAGTCTC TATTGAATCA TTTTCAACAT	1920
45	CAACAAGAAT TGCTTTcATA CCTTGtGATT TTAACGCATT AAGTTGATCT GATTGCCTAA	1980
	CACCAGCAGT AAATGGTACA TTTTCTTTTG CTAATTGTtG CACTAGTAAC GAACCTACAC	2040
	CGCCATTAGC ACCTATAACC AAAATATTCA TTTACAACAC TCTCCTATkT ATTATTCTCT	2100
50	ATGCCATACC ACTTTATGAG ATATGTAAAA CTTGTTACAA CTATAAAAAAT CAATTGACAT	2160
	ACTACTGGGA ACGTATTAAA TTAATATATG AACAAATATT CATATGAAAG GATTGTcATA	2220
55		

	tCaAGGCATT AGcGATTACA ATCGAATACG TATCaTGGAA TTGTTATCaG TCAGCGAAgC	2340
	AAGTGTGGT CACATTtCAC ATCAATTGAA TTTATCTCAA TCAAATGTCT CGCACCAATT	2400
5	AAAATTACTT AAAAGTGTGC ATCTTGTGAA AGCAAAACGA CAAGGCCAAT CAATGATTTA	2460
	TTCATTAGAT GACATCCACG TAGCAACTAT GTTAAAGCAA GCCATACATC ACGCGAATCA	2520
10	TCCTAAAAGAA AGTGGGTTAT AATATGTCTC ATTCACATCA TCATCATGAC CATATGCATA	2580
	GTCATGTAAC TACAAATAAT AAGAAAGTAT TGTTTATATC GTTTTAAATA ATCGGTCTAT	2640
	ATATGTTTAT CGAAATCATC GCGGTCTCC TTGCTAACAG CTTGGCATTa CTATCTGACG	2700
15	GTATCCATAT GTTTAGCGAC ACATTCTCAT TAGGTGTTGC ACTTGTCGCA TTTATTTATG	2760
	CTGAAAAGAA TGCCACAACt ACAAAAACAT TTGGTTATAA ACGTTTCGAA GTACTCGCAG	2820
	CGTTATTTAA CGGTGTAACG CTTTTTGTAa TAAGTATTTT GATTGTTTTT GAAGCGATTA	2880
20	AACGTTTCTT TGTTCCTTCT GAAGTTCAAT CAAAAGAAAT GTTAATCATT AGTATTATCG	2940
	GTTTAATTGT CAATATCGTT GTTGcATTCT TTATGTTTAA AGGCGGCGAC ACTTCACACA	3000
	ATTTAAATAT GCGTGGTGCT TTTCTACATG TTATCGGAGA CTTATTAGGT TCAGTTGGCG	3060
25	CCATTACTGC AGCTAkTTTA ATTTGGGCAT TTGGATGGAC AATCGCCGAT CCTATCGCAA	3120
	GTATTTTAGT TTCCGTTATT ATTTTAAAAA GTGCTTGGGG TATCACAAAA TCTTCAATTA	3180
	ACATTTTAAT GGaAGGCACA CCAAGTGATG TTGATATAGA TGAAGTTATA ACTACTATTA	3240
30	AAAAGGATTC ACGAATACAA AGTGTGCATG ATTGCCATGT TTGGACAATT TCAAATGATA	3300
	TGAATGCATT GAGTTGTCAT GTTGTTGTAG ACCATACATT GACAATGAAA GAATGTGAAT	3360
35	TATTATTAGA AAaCATTGAG CATGATTTAT TACATTTAAa TATTCACCAT ATGACTATTC	3420
	AATTAGAAAC GCCTAATCAC AAACATGATG AATCGATTAT ATGTTcAGGA ACACATAGTC	3480
	ATTCaCATAA CCATCATGCT CATCATCACG CGCATGTACA TTAATAATTT TAACCTACTG	3540
40	CCATTGCATC GATTAAACTT TTCAATGGCA GTAGGTTTTT TATGTCTTTA TGGCGACTTG	3600
	TTTGGTCTTT GATGATGCAA TGTTTATTAA CAAATTTTCA ACTATTATTT CTTACATTAG	3660
	TCATATTTTT GACAATTTAC TATTATAAAT CTCTAACTTT AGTCACTTTA ATTAATTTTT	3720
45	ATTAGATATT AATATGAAAA TAACGTGTTT TTTGTTATT	3759

(2) INFORMATION FOR SEQ ID NO: 16:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 13086 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:

	TAATTATCGC GCATAACAAA ACATTAGCAG GACAATTATA TAGTGAGTTT AAAGAATTTT	60
5	TTCTTGAAAA CAGGGTGGAA TACTTTGTAA GTtACTATGA TTATTATCAn CCAGAGGCAT	120
	ACGTACCGTC TACTGACACT TTTATTGAAA nAGATGCCTC AATCAnTGAT GAAATTGATC	180
	AACTACGACA TTCTGCTACA AGTGCATTAT TTGAACGCGA TGATGTAATT ATTATTGCTA	240
10	GTGTAAGTTG TATATATGGT TTAGGTAATC CTGAAGAATA TAAAGATTTA GTAGTAAGTG	300
	TTCGAGTTGG TATGGAAATG GATAGAAGTG AATTACTTAG AAAACTTGTc AGATGTGCAA	360
	TATACACGAA ATGACATCgA TTTcCAACGA GGAACGTTTC GAGTGCGTGG TGATGTAGTG	420
15	GAAATATTCC CAGCCTCTAA AGAAGAACTT TGTATAAGGG TTGAGTTTTT CGGCGATGAG	480
	ATTGACCGTA TCCGAGAAGT TAACTACCTA ACAGGTGAAG TGTTGAAAGA AAGAGAACAT	540
20	TTTGCGATAT TCCCAGCTTC TCACTTCGTA ACACGTGAAG AAAAGTTGAA AGTTGCGATT	600
	GAACGTATTG AAAAAGAATT GGAAGAACGA TTGAAAGAAT TACGAGATGA GAATAAATTA	660
	CTAGAAGCGC AAAGGTTAGA ACAGCGTACC AACTATGATT TAGAAATGAT GCGAGAGATG	720
25	GGATTCTGTT CAGGAATTGA AAACTATTCC GTACATTTAA CTTTGCGACC ACTGGGTTCC	780
	ACACCATATA CTTTATTGGA TFACTTTGGC GATGATTGGT TAGTAATGAT TGATGAATCA	840
	CATGTGACAT TACCGCAAGT TCGAGGCATG TATAACGGAG ACAGAGCGCG TAAACAAGTT	900
30	TTGGTGGATC ATGGGTTTAg ATTACCGAGT GCATTAGATA ACCGTCCACT TAAATTTGAA	960
	GAATTTGAAG mAAAGACAAA ACAACTTGtG TATGTATCTG CAACGCCTGG ACCATACGAA	1020
	ATTGAACATA CGGATAAGAT GGTGAACAA ATTATTCTGTC CTACTGGTTT ACTGGATCCT	1080
35	AAGATTGAGG TTAGACCTAC TGAAAATCAA ATTGACGATT TATTAAGTGA AATTCAAACA	1140
	AGAGTgAGCG TAATGAACGC GTACTTGTTA CAACGCTCAC TAAAAAGATG AGTGAAGATT	1200
40	aACCACATAC ATGAAAGAAg CGGGTATTAA aGtTAATTAT CTGCATTCAG AAATCAAGAC	1260
	ATTAGAACGA ATTGAAATAA TTAGAGACTT ACGAATGGGT ACATATGATG TTATCGTAGG	1320
	TATTAATTTA TTAAGAGAGG GTATTGATAT ACCAGAAGTT TCTCTAGTTG TCATATTAGA	1380
45	TGCAGATAAA GAAGGGTTTT TACGTTCTAA CCGCTCATTa ATTCAAaCAA TAGGTAGAgC	1440
	TGCGCGTAAC GATAAaGGTG AAGTCATTAT GTATGCCGAT AAAATGACTG ATTTCGATGAA	1500
	GTATGCAATT GATGAGACAC AACGTCGTCG AGAAATACAG ATGAAACATA ATGAAAAACA	1560
50	TGGTATTACA CCTAAAACAA TTAATAAAAA AATACATGAT TTAATTAGTG CTACTGTTGA	1620
	AAATGACGAA AATAATGACA AAGCACAAAC TGTGATACCT AAGAAGATGA CGAAAAAGA	1680

EP 0 786 519 A2

TTTTCGAGAAA GCTACAGAAT TAAGAGATAT GTTATTTGAA TTAAAAGCAG AAGGGTGACA 1800
 AGTAAATGAA AGAACCATCC ATAGTAGTAA AAGGTGCTCG TGCGCATAAC TTGAAAGATA 1860
 5 TTGATATCGA ACTACCTAAA AaTAAATTAA TTGTTATGAC AGGTTTATCT GGGTCAGGTA 1920
 AATCGTCATT AGCATTTCGAT ACTATATATG CTGAAGGACA ACGACGTTAT GTTGAATCAT 1980
 TAAGTGCCTA TGCGCGTCAA TTTTATAGGCC AAATGGACAA ACCAGATGTT GATACAATTG 2040
 10 AAGGATTATC GCCAGCAATT TCAATAGATC AAAAAACAAC AAGTAAAAAT CCAAGATCAA 2100
 CTGTAGCAAC AGTAACAGAA ATATATGATT ATATACGTTT GTTATATGCA CGTGTGTTGTA 2160
 AACCTTACTG TCCAAATCAC AATATAGAAA TTGAATCGCA AACAGTACAA CAAATGGTTG 2220
 15 ACCGCATTAT GGAATTAGAG GCACGTACAA AGATTCAATT ATTAGCACCT GTCATCGCTC 2280
 ATCGTAAAGG TAGTCATGAA AAGCTAATCG AAGATATTGG TAAAAAAGGT TATGTACGTT 2340
 20 TAAGAATCGA TGGCGAAATT GTTGATGTAA ATGATGTACC TACTTTAGAT AAGAACAAGA 2400
 ATCATACAAT AGAAGTTGTT GTAGACCGAT TAGTTGTAA AGATGGAATT GAAACACGAC 2460
 TAGCTGACTC TATAGAAACT GCCTTAGAGC TTTCAGAAGG ACAATTAACA GTCGATGTCA 2520
 25 TTGACGGGGA AGACCTTAAG TTTTCAGAAA GCCATGCTTG TCCTATATGT GGATTTTCAA 2580
 TCGGAGAGTT AGAACCAAGA ATGTTTAGCT TTAACAGTCC TTTTGGTGCT TGTCCGACAT 2640
 GTGATGGCTT AGGCCAAAAG TTAACAGTCG ATGTAGACTT GGTGTTCCC GACAAAGATA 2700
 30 AGACGCTAAA CGAAGGTGCA ATAGAACCTT GGATACCGAC GAGTTCTGAT TTTTATCCAA 2760
 CATTGTTAAA ACGTGTTTGT GAAGTTTATA AAATCAATAT GGATAAACCT TTTAAAAAGT 2820
 TAACAGAACG TCAACGTGAT ATTTTATTGT ATGGTTCTGG TGACAAAGAA ATTGAATTTA 2880
 35 CATTTACACA ACGTCAAGGT GGTACTAGAA AACGAACAAT GGTTTTCGAG GGTGTAGTTC 2940
 CTAATATAAG TAGACGATTC CATGAATCTC CTTCAGAATA TACACGTGAA ATGATGAGTA 3000
 40 AATATATGAC TGAACCTACCT TGCGAAACTT GTCATGGAAA GCGATTGAGT CGTGAAGCKT 3060
 TATCTGTTTA TGTAGGTGGT TTAAATATTG GTGAAGTAGT CGAATATTCA ATCAGTCAAG 3120
 CGCTGAACTA TTATAAAAAC ATTGATTGT CAGAACAAGA TCAAGCGATT GCAAATCAAA 3180
 45 TATTGAAAGA AATTATTTCC CGACTCACTT TTTTAAATAA TGTGGGACTT GAATATTTAA 3240
 CGTTAAACAG AGCTTCAGGT ACACCTTCAG GTGGTGAAGC ACAACGTATT CGATTAGCAA 3300
 CGCAAATTGG GTCGCGTTTG ACTGGTGTCT TATATGTATT AGATGAGCCA TCAATTGGAC 3360
 50 TGCATCAAAG AGATAATGAT CGATTAAATTA ATACACTTAA AGAAATGAGA GATTTAGGAA 3420
 ATACTTTAAT TGTAGTTGAA CACGATGATG ATACAATGCG TGCGGCTGAT TACTTAGTGG 3480

55

EP 0 786 519 A2

AGGTAATGAA AGATAAAAAA TCATTAACAG GACAATACTT GAGTGGTAAG AAACGTATTG 3600
 AAGTACCTGA ATATCGCAGA CCGGCTTCAG ATCGTAAAAT TTCTATACGT GGAGCTAGAA 3660
 5 GCAACAATCT TAAAGGGGTT GATGTGGACA TACCACTATC AATCATGACG GTTGTTCACAG 3720
 GTGTATCAGG TTCTGGTAAA AGCTCATTAG TAAATGAAGT ATTATACAAA TCATTAGCTC 3780
 AAAAAATTAA TAAATCTAAA GTAAAAGCCAG GATTGTACGA TAAGATTGAA GGTATTGATC 3840
 10 AACTTGATAA AATTATTGAT ATTGATCAAT CACCAATAGG TAGAACGCCA CGCTCTAATC 3900
 CAGCAACATA TACTGGTGTG TTTGATGATA TACGTGATGT GTTTGCGCAA ACAAATGAAG 3960
 CTAATAATTCG AGGATATCAA AAAGGGCGTT TTAGTTTTAA TGTAAGAGGT GGACGCTGTG 4020
 15 AAgcTTGTAA AGGTGACGGT ATTATTAAAA TTGAAATGCA TTTTTTACCT GATGTTTATG 4080
 TTCCTTGTGA AGTGTGTGAT GGTAAACGAT ATAATCGTGA GACACTAGAG GTTACTTACA 4140
 20 AAGGTAAAAA TATTGCTGAC ATTTTAGAAA TGACTGTTGA AGAAGCAACA CAATTTTTTG 4200
 AAAATATTCC TAAGATTAAG CGCAAGTTAC AAACACTAGT TGATGTTGGT CTTGGATACG 4260
 TCACATTAGG TCAACAAGCT ACAACGTTAT CAGGTGGTGA GGCTCAACGT GTGAaACTTG 4320
 25 CATCTGAAC TCAATAACGT TCAACTGGTA AATCTATTTA TATCCTAGAT GAACCGACAA 4380
 CAGGGTTACA TGTTGACGAT ATTAGTAGAT TATTAAAAGT ATTAAACCGA TTAGTTGAAA 4440
 ATGGTGATAC TGTTGTAATT ATTGAACATA ACCTAGATGT TATCAAAACA GCAGACTATA 4500
 30 TTATAGACTT AGGTCTTGAA GGTGGTAGTG GCGGTGGTAC TATTGTTGCG ACTGGCACAC 4560
 CCGAAGATAT TGCTCAGACA AAGTCATCAT ATACAGGAAA GTATTTAAAA GAAGTACTTG 4620
 AACGAGATAA ACAAATACT GAAGATAAAT AAGATTAAAA GAAGTGAAGG ATGTTATAAA 4680
 35 TTTATCCTTC GCTTCTTTTT ATTAATTTAG TAATGAATAG TAGAAAGAAA AGATGCGTAA 4740
 AAAGAAATTAT GTTAAGATAG GGTCAATCTA GAGTAGTTAA ACATAAATCG AACTGGGAGT 4800
 GGGACAGAAA TGATAAAGAA TCACTAATGA TTTATTATGT AGTGTTCTT TGTCATTAGC 4860
 40 CACAGCTATT GTGTACTTAA AAATAGGaAt GCaTgAGTGC AACTCATGCA TAAGaAATAC 4920
 TAATTTCTAA AGAAAAAGTA TTTCTTTATG TTGGGGCCCC GCCAACTTGC ATTGTTTGTA 4980
 GAATTTCTTT TCGAAATTCT TTATGTTGGG GCCCCGCCAA CTTGCATTGT TTGTAGAATT 5040
 TCTTTTCGAA ATTCTTTATG TTGGGGCCCC GCCAACTAAT TCCAATATAT CATTGTAGAG 5100
 CTTAGGTCAT TGATTTTTGG CTCGGACTTT TATGGCGATA TGAACCATGT AAATTAAGCA 5160
 50 AGCAATAAAT TAATGATTGA TATTGACTTG TAAAATAATA ACAATAATGA ACAATTAATA 5220
 TTTATTTTAG CTTTCAATG TAGATTGGTG TTATATTTTT GATATGATAA GAAGAGATGT 5280

55

EP 0 786 519 A2

	ACATTAAAGT TAGATTTAAT CGCTGGTGAA GAAGGACTAT CGAAGCCAAT TAAAAATGCT	5400
	GATATATCAA GACCGGGCTT AGAGATGGCA GGTTATTTTT CACATTATGC GTCAGATAGA	5460
5	ATACAACTAT TAGGAACAAC GGAAGTATCG TTTTACAATT TATTACCAGA TAAGGATCGC	5520
	GCAGGTCGTA TGCCTAAACT ATGCAGACCA GAAACGCCTG CAATTATTGT GACACGTGGA	5580
	TTGCAGCCAC CAGAAGAATT AGTTGAAGCT GCAAAAGAAT TAAATACCCC ACTTATAGTT	5640
10	GCTAAAGATG CGACTACAAG TTTAATGAGT CGCTTAACAA CGTTTTTATA GCATGCACTT	5700
	GCAAAGACGA CATCTTTACA TGGTGTTTTA GTAGATGTTT ACGGTGTTGG TGTACTAATT	5760
	ACCGGTGATT CAGGAATAGG TAAAAGTGAG ACTGCGTTGG AATTAGTTAA ACGTGGGCAT	5820
15	AGATTAGTAG CAGATGATAA TGTAGAAATA CGTCAAATTA ATAAAGATGA ACTAATAGGG	5880
	AAACCACCAA AGTTAATAGA ACATCTATTA GAAATACGTG GACTAGGTAT TATCAATGTT	5940
	ATGACTTTAT TTGGCGCGGG TTCAATATTA ACTGAAAAAC GAATTAGATT AAATATTAAT	6000
20	TTGGAAAACT GGAACAAGCA AAAGTTATAT GACCGCGTAG GTCTTAATGA AGAGACGCTA	6060
	AGTATTTTAG ATACTGAAAT CACTAAAAAA ACAATACCTG TAAGACCTGG TAGAAATGTT	6120
25	GCGGTAATTA TTGAGGTCGC TGCAATGAAC TATCGATTAA ATATCATGGG CATTACACG	6180
	GCCGAAGAAT TTAGTGAAAG ATTAAATGAA GAAATTATCA AGAACAGTCA TAAGAGTGAG	6240
	GAGTAGGTTG AATGGGTATT GTATTTAACT ATATAGATCC TGTGGCATTT AACTTAGGAC	6300
30	CACTGAGTGT ACGATGGTAT GGAATTATCA TTGCTGTCGG AATATTACTT GGTIACTTTG	6360
	TTGCACAACG TGCACTAGTT AAAGCAGGAT TACATAAAGA TACTTTAGTA GATATTATTT	6420
	TTTATAGTGC ACTATTTGGA TTTATCGCGG CACGAATCTA TTTTGTGATT TTCCAATGGC	6480
35	CATATTACGC GGAAAATCCA AGTGAAATTA TTAAAATATG GCATGGTGGA ATAGCAATAC	6540
	ATGGTGGTTT AATAGGTGGC TTTATTGCTG GTGTTATTGT ATGTAAAGTG AAAAAATTA	6600
	ACCCATTTCA AATTGGTGAT ATCGTTGCGC CAAGTATAAT TTAGCGCAA GGAATTGGAC	6660
40	GCTGGGGTAA CTTTATGAAT CACGAGGCAC ATGGTGGATC GGTGTCACGC GCTTTTTTAG	6720
	AACAATTACA TTTGCCTAAT TTTATAATAG AAAATATGTA TATTAACGGC CAATATTATC	6780
45	ATCCAACATT CTTATATGAA TCCATTTGGG ATGTCGCTGG ATTTATTATC TTAGTTAATA	6840
	TTCGTAAACA TTTAAAATTA GGAGAAACAT TCTTTTTATA TTAACTTGG TATTCAATTG	6900
	GTCGATTCTT TATAGAAGGA TTACGTACAG ATAGCTTAAT GCTCACAAGT AATATTAGAG	6960
50	TTGCACAATT AGTATCAATT CTTTAAATTT TAATAAGTAT AAGTTTAATT GTATATAGAA	7020
	GGATTAAGTA TAATCCACCG TTGTATAGCA AAGTTGGGGC GCTTCCATGG CCAACAAAAA	7080

55

EP 0 786 519 A2

	TTATGGCGTG	TATACCGTCT	TGTTAAATTT	TCGAAAGTTT	TTAAGAATGT	AATTATCATT	7200
	GAATTTTCGA	AATTTATTCC	AAGTATGGTA	CTGAAAAGAC	ATATATATAA	ACAACTTTTA	7260
5	AATATTAATA	TCGGTAATCA	ATCGTCGATA	GCTTATAAAG	TAATGTTAGA	TATTTTTTAC	7320
	CCAGAACTGA	TTACGATTGG	TAGTAACAGT	GTTATTGGTT	ACAATGTAAC	AATTTTGACG	7380
	CATGAAGCAT	TAGTTGATGA	ATTTTCGTTAT	GGACCAGTGA	CGATAGGATC	TAACACTTTG	7440
10	ATTGGTGCAA	ATGCTACCAT	TTTACCCGGT	ATAACGATTG	GTGACAATGT	AAAAGTTGCA	7500
	GCTGGTACGG	TTGTTTCAAA	AGATATACCG	GATAATGGAT	TTGCATATGG	CAACCCTATG	7560
	TATATAAAAA	TGATTAGGAG	GTGACAAATTT	TATGGCGCAA	AAGAATAATA	ATGTAATTCC	7620
15	AATGACTTTT	GATGATGCAT	TTTATCGTAA	AATGGCTAAA	CAGAAGTTTA	AACAAAGAGA	7680
	ATATAAACGA	GCTGCTGAAT	ACTTTGAAAA	AGTGTTAGAA	TTGTCACCTG	ATGATCTGGA	7740
20	AATTCAAATT	GATTATGCAC	AATGTCTAGT	GCAACTTGGT	ATTGCTAAAA	AAGCAGAACA	7800
	TTTATTTTAT	GACAAATATTA	TTTATAATAG	GCATCTAGAA	GATAGCTTTT	ATGAATTGAG	7860
	TCAGCTCAAC	ATTGAAGTTA	ACGAACCAAA	CAAGGCATTG	TTGTTTGGTA	TTAATTATGT	7920
25	TATTGTTAGC	GACGACCAAG	ATTATAGAGA	TGAATTAGAT	CAAATGTTTG	ATGTGAAATA	7980
	TCAAAGTGAA	GAACAAATTG	AACTTGAAGC	TCAATTGTTT	GTAGTTCAAA	TACTATTCCA	8040
	ATATCTTTTT	TCTCAAGGTC	GATTAAAAAG	TGCAAAGAAT	TATGTCTTAC	ATCAACCACA	8100
30	AGAAGTTCAA	GATCATCGTG	TAGTACGTAA	TTTATTGGCA	ATGTGTTATT	TATATCTCGG	8160
	TGAATATGAT	ACgGCTAAAG	CATTGTACGA	aGCACtATTA	CAAGAGGATA	GTACaGATAT	8220
	ATATGCATTA	TGCCATTATA	CTTTGCTACT	TTATAACACT	AAGGAAAATG	AACAATATCA	8280
35	AAAATATTTA	AAAATATTAA	ACAAAAGTTGT	ACCTATGAAT	GACGATGAAA	GTTTTAAATT	8340
	AGGTATTGTA	TTAAGTTATT	TAAAGCAGTA	TCGTGCATCA	CAACAATTGT	TGTACCCTTT	8400
	ATATAAAAAA	GGGAAATTTT	TATCAATTCA	AATGTACAAT	GCTTTAGCAT	ATAATTATTA	8460
40	TTATTTAGGT	GAAGAAGACG	AAAGTCATTA	CTACTGGGAT	AAATTGAAGC	AAATTTCTAA	8520
	AGTGGAATT	GGACATGCCG	CTTGGGTAAT	TGAAAATAGC	AAAGAAGTTT	TTGACCAACA	8580
45	TATTTTGCCA	TTACTTCAAA	GTGATGACAG	TCATTATCGT	TTATATGGTA	TTTTTTTATT	8640
	GGATCAATTA	AATGGTAAAG	AAATTGTGAT	GACGGAAAGT	ATTTGGCAGG	TTTTTGAAAA	8700
	TCTAAATAAT	TATGAGAAAT	TGTATTTAAC	GTATTTAGTT	CAAGGTTTAA	CGCTCAATAA	8760
50	ATTAGACTTC	ATTCATCGCG	GCTTATTAAC	GCTTTACCAT	AATGAATTAT	TTGTAAGTGA	8820
	AAATGATGTA	ATGGTTGCAT	GGATTAATCA	AGGTGAACTC	ATAATTGCTG	AAAAAGTAGA	8880

55

EP 0 786 519 A2

	TCGAAACGTT	ACAAAGAAGC	AAATTACAAC	ATGGTTAGGC	ATAACACAAT	ATAAACTGAA	9000
	CAAAATGATT	GAATTTCTCT	TGAGCATATA	GATTTATGAA	AAGTTAGATT	TATTATATAA	9060
5	TGCGCATAAT	GATTAATAAT	GAGGAGGCGT	TAATAAAATG	ACTGAAATAG	ATTTTGATAT	9120
	AGCAATTATC	GGTGCAGGTC	CAGCTGGTAT	GACTGCTGCA	GTATACGCAT	CACGTGCTAA	9180
	TTTAAAAACA	GTTATGATTG	AAAGAGGTAT	TCCAGGCGGT	CAAATGGCTA	ATACAGAAGA	9240
10	AGTAGAGAAC	TTCCCTGGTT	TCGAAATGAT	TACAGGTCCA	GATTTATCTA	CAAAAATGTT	9300
	TGAACACGCT	AAAAAGTTTG	GTGCAGTTTA	TCAATATGGA	GATATTAAAT	CTGTAGAAGA	9360
	TAAAGGCGAA	TATAAAGTGA	TTAACTTTGG	TAATAAAGAA	TTAACAGCGA	AAGCGGTTAT	9420
15	TATTGCTACA	GGTGCAGAAT	ACAAGAAAAT	TGGTGTTCGG	GGTGAACAAG	AACTTGGTGG	9480
	ACGCGGTGTA	AGTTATTGTG	CAGTATGTGA	TGGTGCAATC	TTTAAAAATA	AACGCCTATT	9540
20	CGTTATCGGT	GGTGGTGATT	CAGCAGTAGA	AGAGGGAACA	TTCTTAACTA	AATTTGCTGA	9600
	CAAAGTAACA	ATCGTTCACC	GTCGTGATGA	GTTACGTGCA	CAGCGTATTT	TACAAGATAG	9660
	AGCATTCAAA	AATGATAAAA	TCGACTTTAT	TTGGAGTCAT	ACTTTGAAAT	CAATTAATGA	9720
25	AAAAGACGGC	AAAGTGGGTT	CTGTGACATT	AACGTCTACA	AAAGATGGTT	CAGAAGAAAC	9780
	ACACGAGGCT	GATGGTGTAT	TCATCTATAT	TGGTATGAAA	CCATTAAACAG	CGCCATTTAA	9840
	AGACTTAGGT	ATTACAAATG	ATGTTGGTTA	TATTGTAACA	AAAGATGATA	TGACAACATC	9900
30	AGTACCAGGT	ATTTTTGCAG	CAGGAGATGT	TCGCGACAAA	GGTTTACGCC	AAATTGTCAC	9960
	TGCTACTGGC	GATGGTAGTA	TTGCAGCGCA	AAGTGCAGCG	GAATATATTG	AACATTTAAA	10020
	CGATCAAGCT	TAATTCGAAG	TCGAATTAAG	ATGTTGAGCT	GTAAATTATT	TGGATATTTA	10080
35	TTTTAATAGT	GTCATCACAG	CGTTAAAATA	ATGTCTTACT	TTTAAATTAA	AGCAAATTAT	10140
	ATAGAAAAC	AGAACTTAGT	ACGTATCATT	TGTGCGTTTC	AATGAGTTCT	AGTTTTTTTA	10200
	TATGTTATAT	TAAACTTATA	ACTTTATGGG	AGTGGGACAG	AAATGATAAA	GAGCCACTAA	10260
40	TGATTTATTA	TGTAGTGGTT	CTTAAACATT	AGCCACAGCT	AATGTGTACT	TAAAAATAGG	10320
	AATACATGAG	TAAACTCAT	GCATAAGAAA	TACTAATTTT	TATAGAAAAA	GTATTACTTT	10380
45	ATCGTTGTCC	CACCCCAACT	TGCACATTAT	TGTAAGCTGA	CTTCCGCCA	GCTTCTGTGT	10440
	TGGGGCCCCG	CCAACTTGCA	CATTATTGTA	AGCTGACTTT	TCGTCAGCTT	CTGTGTTGGG	10500
	GCCCCGCCAA	CTTGCACATT	ATTGTAAGCT	GACTTTTCGT	CAGCTTCTGT	GTTGGGGCCC	10560
50	CGCCAACTTG	CATTGTCTGT	AGAAATTGGG	AATCCAATTT	CTCTATGTTG	GGGCCCACAC	10620
	CCCAACTCGC	ATTGCCTGTA	GAATTTCTTT	TCGAAATTCT	CTGTGTTGGG	GCCCACACCC	10680

55

EP 0 786 519 A2

ACTCGCATTG CCTGTAGAAT TTCTTTTCGA AATTCTCTGT GTTGGGGCCC CTGACTAGAG 10800
 TTGAAAAAAG CTTGTTGCAA GCGCATTTTC ATTCAAGTCAA CTACTAGCAA TATAATATTA 10860
 5 TAGACCCTAG GACATTGATT TATGTCCCAA GCTCCTTTTA AATGATGTAT ATTTTITAGAA 10920
 ATTTAATCTA GACATAGTTG GAAATAAATA TAAAACATCG TTGCTTAATT TTGTCATAGA 10980
 ACATTTAAAT TAACATCATG AAATTCGTTT TGGCGGTGAA AAAATAATGG ATAATAATGA 11040
 10 AAAAGAAAAA AGTAAAAGTG AACTATTAGT TGTAACAGGT TTATCTGGCG CAGGTAAATC 11100
 TTTGGTTATT CAATGTTTAG AAGACATGGG ATATTTTGTG GTAGATAATC TACCACCAGT 11160
 GTTATTGCCT AAATTTGTAG AGTTGATGGA ACAAGGAAAT CCATCCTTAA GAAAAGTGGC 11220
 15 AATTGCAATT GATTTAAGAG GTAAGGAACT ATTTAATTCA TTAGTTGCAG TAGTGGATAA 11280
 AGTCAAAAGT GAAAGTGACG TCATCATTGA TGTATGTTT TTAGAAGCAA GTACTGAAAA 11340
 ATTAATTTCA AGATATAAGG AAACGCGTCG TGCACATCCT TTGATGGAAC AAGGTAAAAG 11400
 20 ATCGTTAATC AATGCAATTA ATGATGAGCG AGAGCATTTG TCTCAAATTA GAAGTATAGC 11460
 TAATTTTGTG ATAGATACTA CAAAGTTATC ACCTAAAGAA TTAAGAAGAAC GCATTCGTCG 11520
 25 ATACTATGAA GATGAAGAGT TTGAAACTTT TACAATTAAT GTCACAAGTT TCGGTTTTAA 11580
 ACATGGGATT CAGATGGATG CAGATTTAGT ATTTGATGTA CGATTTTAC CAAATCCATA 11640
 TTATGTAGTA GATTTAAGAC CTTTAACAGG ATTAGATAAA GACGTTTATA ATTATGTTAT 11700
 30 GAAATGGAAA GAGACGGAGA TTTTCTTTGA AAAATTAACT GATTTGTTAG ATTTTATGAT 11760
 ACCCGGGTAT AAAAAAGAAG GGAAATCTCA ATTAGTAATT GCCATCGGTT GTACGGGTGG 11820
 ACAACATCGA TCTGTAGCAT TAGCAGAACG ACTAGGTAAT TATCTAAATG AAGTATTTGA 11880
 35 ATATAATGTT TATGTGCATC ATAGGGACGC ACATATTGAA AGTGGCGAGA AAAAATGAGA 11940
 CAAATAAAAAG TTGTACTTAT CGGTGGTGGC ACTGGCTTAT CAGTTATGGC TAGGGGATTA 12000
 AGAGAATTCC CAATTGATAT TACGGCGATT GTAACAGTTG CTGATAATGG TGGGAGTACA 12060
 40 GGGAAAATCa GAGATGAAAT GGATATACCA GCACCAGGAG ACATCAGAAA TGTGATTGCA 12120
 GCTTTAAGTG ATTCTGAGTC AGTTTTAAGC CAACTTTTTC AGTATCGCTT TGAAGAAAAT 12180
 45 CAAATTAGCG GTCACCTATT AGGTAATTTA TTAATCGCAG GTATGACTAA TATTACGAAT 12240
 GATTTCCGAC ATGCCATTAA AGCATTAAGT AAAATTTTAA ATATTAAAGG TAGAGTCATT 12300
 CCATCTACAA ATACAAGTGT GCAATTAAAT GCTGTTATGG AAGATGGAGA AATTGTTTTT 12360
 50 GGAGAAACAA ATATTCCTAA AAAACATAAA AAAATTGATC GTGTGTTTTT AGAACCTAAC 12420
 GATGTGCAAC CAATGGAAGA AGCAATCGAT GCTTTAAGGG AAGCAGATTT AATCGTTCCT 12480

55

GCGTTAATTC ATTCTGATGC GCCTAAGCTA TATGTTTCTA ATGTGATGAC GCAACCTGGG 12600
 GAAACAGATG GTTATAGCGT GAAAGATyAT ATCGATGCGA TTCATAGACA AGCTGGACAA 12660
 5 CCGTTTATTG ATTATGTCAT TTGTAGTACA CAAACTTTCA ATGCTCAAGT TTTGAAAAAA 12720
 TATGAAGAAA AACATTCTAA ACCAGTTGAA GTTAATAAGG CTGAACTTGA AAAAGAAAGC 12780
 ATAAATGTAA AAACATCTTC AAATTTAGTT GAAATTTCTG AAAATCATT AGTAAGACAT 12840
 10 AATACTAAAG TGTTATCGAC AATGATTTAT GACATAGCTT TAGAATTAAT TAGTACTATT 12900
 CCTTTCGTAC CAAGTGATAA ACGTAAATAA TATAGAACGT AATCATATTA TGATATGATA 12960
 ATAGAGCTGT GAAAAAATG AAnATAGACA GTGGTTCTAA GGTGAATCAT GTTTTAAATA 13020
 15 AGAAAGGAAT GACTGTACGA TGAGCTTTGC ATCAGAAATG AAAAATGAAT TAACTAGAAT 13080
 AGACGT 13086

20 (2) INFORMATION FOR SEQ ID NO: 17:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1350 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - 25 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:

30 CATTAGTCAT GAAAATAGCC GACAACTTCA TCTGTGAAAT CACCGGCCTT TTATTTTAGC 60
 TAACTTTATT TCTGATTTTA CGATTTTAAT TGATCATACA GAGAAAGTGA TCTTTTACA 120
 ATTTCTAAAA ACTCATGATC TATATTGGAC ATTTGATGAA AATAAGACAA AATGTTTTCT 180
 35 ~~GTTAGETTCT CTTGTTTTGG GAATGAATCA TCTTCTTTAA TCCAAATCGC TAATTCGCCT~~ 240
 AATGTTGTTT TATCATCTTT AAATGTTTGT ATATATTCGT AAAAGCTCAT AGTATTCCTT 300
 CTCTCAATTT ACTTATATAA ATCCTACCAC GAAAGCTTTC AAGAAAACAC AATTAAATGT 360
 40 CTATTTAGTG AACTTTTTTAA GGTGTGTCAC TCTTTTAATG TCTGCCAATT AGGTCAATTA 420
 ATCATCACA TGTACAATTA ACTCTATTTT CAGTTCATAT ACTCACACAC CGTTTTTGAA 480
 CAACACATTA ACTTCTCATT TAGATAAAAC GCAAAAAAGC CTGGCACCAA TACAATAGAT 540
 GCCAGACTAA GAGTCTACTA TATAAATTTA TTTAGCGTAT GGTTTTACTT CGATTGCACC 600
 TTCATTTTCA TCATGAACAC CATGCTTATA ATAATCAATA TATTGTGGCT CTAAAGGCTT 660
 50 TCTGCCACGT ATAATGTCTG CTGCTTTTTT AGCTAACATT AAAACAGGTG CGTGATATTT 720
 GCCATTTGTC GTACGTGGCA TAGCTGATGC ATCAACTACA CGTAAATTTT CCATACCGTG 780

55

ACTACAAGAT GGGTGTAAATG CTGTTTCACC ATCTCTACGA ACCCAATCAA GAATTTCTTC 900
 GTCTGTTTGC ACTTCTGGTC CTGGTGAAAT TTCTCCACCA TTGAATGGAT CCATTGCTTT 960
 5 TTGAGATAAG ATATTTCTTG CTACACGAAT TGCTTCTACC CATTCTTTTT TATCTTCTTC 1020
 TGTTGATAAA TAATTAAAGC GGATACTTGG TTTTTCGAAT GGATCTTTAG ATTTGATTTT 1080
 CAAGCTACCA CGAGAGTTTG AATACATTGG TCCTACGTGA ACTTGATAAC CATGTGCGAC 1140
 10 CGCTGCCTTT TGACCATCAT ATCTTACAGC TATTGGTAAG AAATGGAACA TTAAGTTAGG 1200
 ATAAtCAACT TCGTTATTTG AACGTACAAA TCCGCCACCT TCAAAATGGT TAGATGCTGC 1260
 15 TGCACCTGTA CGTGTGAAAA TCCATTGTAA ACCAATAAAT GGcATGCGCT TGAtATCTAA 1320
 GCTTGGCtGt AATGATACAG GTTCCTTACA 1350

(2) INFORMATION FOR SEQ ID NO: 18:

20 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1376 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

25

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:

TAATGCTATT GGCAACACCA TATATGAAAn CTCCAAACGA TCCTAAACCG ACTATAGATT 60
 30 CACCAAATTT nACAATCCAT GAATAAGTA GTGGCCATAA GAATAACAAT ATGACAACATA 120
 AAAATGTACA GTAAATGCA GTCATAATTG GAACTAGACG TTTACCACTA AAAAATGATA 180
 ATGCTAATGG TAATTCTGTT TCACTAAACT TATTGTATGC ATAAGCTGCT ATTAAACCTA 240
 35 TTACAATACC AACAAAGACA TTGCCATTAT TCATCTTTTC AAAAGCTGAA TTTATTTCCG 300
 AtGCTTTTCAT TCCTAATAAA GCGCTAATT TCATTGGTGA TAATACAACT GTAACATAAA 360
 40 AATATCCTAA CGTrGCTGCA rGCGsGACTG CACCATCATT TTTCTTTGCC ATTCCTATAG 420
 CTACACCAAT TGCAAATAAA ATACCTAATT GCTCTAAAAT CGTAGTACCT ACCGTAGTAA 480
 AGAACATTGC GATTTTCGGC GTCGCATGAA GTGCATTTAA CGTATTACCA ATTCCGGCAA 540
 45 TAATTGCTGC AGCCGGTAAA ATGGCAACTG GTAACATTAA CGAACGCCCT AAATTTTGGA 600
 AAAATTTATA CATTGAATGT CATCCTTCTT AAAATAATGT AGAAATATAA AGATTACTAA 660
 TGTAAC TAGA ATA ACTACTT CGATACTCCG TTATAGTCAC CTAGGCTTAC TAACCAGCTA 720
 50 TATTTCTACC TCAAGTTATT TTATAAACTT TTTACAATTT CATGCAATTC TTGTTGTAAC 780
 TTTGCTGTTT GTGTTTCAAT CTCTTTTGTA ATATAATCGA TACGCTCGTT TCGTTTTAAA 840

55

AAAGACCGTG AATCTTAGTA GGACCAACAT AAGCAACAGG TAATATTGGT GACTTACTTA 960
 ACATTGCAAT TGTGAAGCA CCaCGTTTCA AAGGTGCACC TTCTTGCGAT GTGCGAGAAC 1020
 5 CTGTTGGGAA GATACCAACT GTCTTATTAT CTTTCAACAA ATTGATTGGG CGTTTTAAAG 1080
 TACTAGGTCC TGGATTTTCA CGATCTACAG GAAATGCATT TAAAGACGTT AAAAATTAC 1140
 CAATCCATTT ATTTTGAAT AATTCTTTT TAGCCATATA ATGAATTTGA TTAGGATATA 1200
 10 ATGCCATACC TAGCATAATG ACTTCGTTAT AACTTTCATG CGTACAAGTT ACGACATATT 1260
 TACTATCCTT AGGAATATTA TCTTTACCGA TTACGTATAA TGATTTTGAC ATTTTAACTA 1320
 AAATGAAATT CAAAATCTTA CTAATCACTG AATACATTGT GCCACCTACT TAACTT 1376

(2) INFORMATION FOR SEQ ID NO: 19:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 7363 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 19:

TTGTCATACC AATATTTTGT AAAATATGGA ACACAAGTAA AGTGACGAAA CCAACGATAA 60
 AGATTTTGTT AAATTGATCT TCAATTTTCG CAGCTAATCT TATTAGATGG AAGATTAAAA 120
 30 ATAAAAATAT TAAGATCAAT ATGACAGAAC CGATAAAGCC AAGTTCCTCT CCAATCACTG 180
 AAAAGATAAA GTCAGTATGA TTTTCAGGTA TATAAACTTC ACCGTGATTG TATCCTTTAC 240
 CTAGTAACTG TCCAGAACCG ATAGCTTTAA GTGATTCACT TAAATGaTAG CCATCACCAC 300
 35 ~~TACTATATGT ATAGGGGTCA AGCCATGAAT TGATTGCTCC CATTGATAC AGTTGGaCAC~~ 360
 CTAATAAATT TTCAATTAAT GCGGGTGCAT ATAGaATACC TAAAATGACT GTCATTGCAC 420
 CAACaATACC TGTAATAAAG ATAGGTGCTA AGATACGCCA TGTATACCA CTTACTAACA 480
 40 TCACACCTGC AATAATAGCA GCTAATACTA ATGTAGTTCC TAGGTCATTT TGCAGTAATA 540
 TTAAAATACT TGGTACTAAC GAGACACCAA TAATTTTGAA AAATAATAAC AAATCACTTT 600
 GGAATGATTT ATTGAATGTG AATTGATTAT GTCTAGAAAC GACACGCGCT AATGCTAAAA 660
 45 TTAAAATAAT TTTATGAAT TCAGATGGCT GAATACTGAT AGGGCCAAAC GTGTACCAAC 720
 TTTTGGCACC ATTGATAATA GGTGTAATAG GTGACTCAGG AATAACGAGC AAGCCTATTA 780
 50 ATAATAGACA GATTAAGAAA TACAATAAAT ATGTATAATG TTTAATCTTT TTAGGTGAAA 840
 TAAACATGAT GATACCTGCA AAAATTGCAC CTAAAATGTA ATAAAAAATT TGTCTGATAC 900

EP 0 786 519 A2

	TTGCTAAAAAC AGCTATAGTG GCTACTAATA CCCAGTCTAC TTTGCGAAAC aATGCTTATC	1020
	CGGCTGTTGA CGAGATGAAT AATTCAATTGC AAACCTCCTTT TATACTCACT AATGTTTATA	1080
5	TCAATTTTAC ATGACTTTTT AAAAATTAGC TAGAATATCA CAGTGATATC AGCTATAGAT	1140
	TTCAATTTGA ATTAGGAATA AAATAGAAGG GAATATTGTT CTGATTATAA ATGAATCAAC	1200
	ATAGATACAG ACACATAAGT CCTCGTTTTT AAAATGCAAA ATAGCATTAA AATGTGATAC	1260
10	TATTAAGATT CAAAGATGCG AATAAATCAA TTAACAATAG GACyAAATCA ATATTAATTT	1320
	ATATTAAGGT AGCAAACCCT GATATATCAT TGGAGGAAAA CGAAATGACA AAAGAAAATA	1380
	TTTGTATCGT TTTTGGAGGG AAAAGTGCAG AACACGAAGT ATCGATTCTG ACAGCACAAA	1440
15	ATGTATTAAA TGCAATAGAT AAAGACAAAT ATCATGTTGA TATCATTAT ATTACCAATG	1500
	ATGGTGATTG GAGAAAGCAA AATAATATTA CAGCTGAAAT TAAATCTACT GATGAGCTTC	1560
20	ATTTAGAAAA TGGAGAGGCG CTTGAGATTT CACAGCTATT GAAAGAAAGT AGTTCAGGAC	1620
	AACCATACGA TGCAGTATTC CCATTATTAC ATGGTCCTAA TGGTGAAGAT GGCACGATTC	1680
	AAGGGCTTTT TGAAGTTTTG GATGTACCAT ATGTAGGAAA TGGTGTATTG TCAGCTGCAA	1740
25	GTTCTATGGA CAAACTTGTA ATGAAACAAT TATTTGAACA TCGAGGGTTA CCACAGTTAC	1800
	CTTATATTAG TTTCTTACGT TCTGAATATG AAAAATATGA ACATAACATT TTAAAATTAG	1860
	TAAATGATAA ATTAAATTAC CCAGTCTTTG TTAAACCTGC TAACTTAGGG TCAAGTGTAG	1920
30	GTATCAGTAA ATGTAATAAT GAAGCGGAAC TTAAAGAAGG TATTAAAGAA GCATTCCAAT	1980
	TTGACCGTAA GCTTGTTATA GAACAAGGCG TTAACGCACG TGAAATTGAA GTAGCAGTTT	2040
	TAGGAAATGA CTATCCTGAA GCGACATGGC CAGGTGAAGT CGTAAAAGAT GTCGCGTTTT	2100
35	ACGATTACAA ATCAAAATAT AAAGATGGTA AGGTTCAATT ACAAATTCCA GCTGACTTAG	2160
	ACGAAGATGT TCAATTAACG CTTAGAAATA TGGCATTAGA GGCATTCAAA GCGACAGATT	2220
	GTTCTGGTTT AGTCCGTGCT GATTTCTTTG TAACAGAAGA CAACCAAATA TATATTAATG	2280
40	AAACAAATGC AATGCCTGGA TTTACGGCTT TCAGTATGTA TCCAAAGTTA TGGGAAAATA	2340
	TGGGCTTATC TTATCCAGAA TTGATTACAA AACTTATCGA GCTTGCTAAA GAACGTCACC	2400
	AGGATAAACA GAAAAATAAA TACAAAATTG ACTAACTGAG GTTGTTATTA TGATTAATGT	2460
45	TACATTAAAG CAAATTCAAT CATGGATTCC TTGTGAAATT GAAGATCAAT TTTTAAATCA	2520
	AGAGATAAAT GGAGTCACAA TTGATTCACG AGCAATTTCT AAAAATATGT TATTTATACC	2580
50	ATTTAAAGGT GAAAATGTTG ACGGTCATCG CTTTGTCTCT AAAGCATTAC AAGATGGTGC	2640
	TGGGGCTGCT TTTTATCAAA GAGGGACACC TATAGATGAA AATGTAAGCG GGCCTATTAT	2700

55

	AAACCCTAAA	GTAATTGCCG	TCACAGGGTC	TAATGGTAAA	ACAACGACTA	AAGATATGAT	2820
	TGAAAGTGTA	TTGCATACCG	AATTTAAAGT	TAAGAAAACG	CAAGGTAATT	ACAATAATGA	2880
5	AATTGGTTTA	CCTTTAACTA	TTTTGGAATT	AGATAATGAT	ACTGAAATAT	CAATATTGGA	2940
	GATGGGGATG	TCAGGTTTCC	ATGAAATTGA	ATTTCTGTCA	AACCTCGCTC	AACCAGATAT	3000
	TGCAGTTATA	ACTAATATTG	GTGAGTCACA	TATGCAAGAT	TTAGGTTTCGC	GCGAGGGGAT	3060
10	TGCTAAAGCT	AAATCTGAAA	TTACAATAGG	TCTAAAAGAT	AATGGTACGT	TTATATATGA	3120
	TGGCGATGAA	CCATTATTGA	AACCACATGT	TAAAGAAGTT	GAAAATGCAA	AATGTATTAG	3180
	TATTGGTGTT	GCTACTGATA	ATGCATTAGT	TTGTTCTGTT	GATGATAGAG	ATACTACAGG	3240
15	TATTTCAATT	ACGATTAATA	ATAAAGAACA	TTACGATCTG	CCAATATTAG	GAAAGCATAA	3300
	TATGAAAAAT	GCGACGATTG	CCATTGCGGT	TGGTCATGAA	TTAGGTTTGA	CATATAACAC	3360
20	AATCTATCAA	AATTTAAAAA	ATGTCAGCTT	AACTGGTATG	CGTATGGAAC	AACATACATT	3420
	AGAAAATGAT	ATTACTGTGA	TAAATGATGC	CTATAATGCA	AGTCCTACAA	GTATGAGAGC	3480
	AGCTATTGAT	ACACTGAGTA	CTTTGACAGG	GCGTCGCATT	CTAATTTTAG	GAGATGTTTT	3540
25	AGAATTAGGT	GAAAATAGCA	AAGAAATGCA	TATCGGTGTA	GGTAATTATT	TAGAAGAAAA	3600
	GCATATAGAT	GTGTTGTATA	CGTTTGGTAA	TGAAGCGAAG	TATATTTATG	ATTCGGGCCA	3660
	GCAACATGTC	GAAAAAGCAC	AACACTTCAA	TTCTAAAGAC	GATATGATAG	AAGTTTTAAT	3720
30	AAACGATTTA	AAAGCGCATG	ACCGTGTATT	AGTTAAAGGA	TCACGTGGTA	TGAAATTAGA	3780
	AGAAGTGGTA	AATGCTTTAA	TTTCATAGAG	ATTAGTCGAG	GGACCTTTTA	CTTATAAAAA	3840
	TGATTTGAAT	TAATACTAAA	AGATTACAAA	GAAGAGGTGG	TTTTGTGTGT	AAATACAAAA	3900
35	TTGCCTTTTT	CTTTTTATGT	TAAATCTATA	AATTTGAAAC	TAAATCAAGG	TTAATTCTAT	3960
	GTACACACTT	TATATAGGAA	GTAGTTTGAA	TGTTTATATA	ATGTTTTTACA	AAAAGATGTA	4020
40	GTATTATAAT	GTCTAATTTT	ACATGTGTTT	CAGTAAAATT	TGTTGTGGAA	TGTTAACGAT	4080
	ATACGTATTT	TATAAAAaAT	TTTTTATAAT	GATTATTCTG	ATGATGCGTA	ACGCTTACAT	4140
	CTTATCTAAT	GCTAGCTTTT	TGACAAAAAT	ATGACAATCA	ATTAATGTGA	TTCTAATAAA	4200
45	TATTCGCAAA	TTGCTTTATT	GCGATTAAAT	TTTTTTGGTG	GTACTATATA	GAAGTTGATG	4260
	AAATATTAAT	GAACCTATAT	GCAAAAAGTAT	ATTGAGAAAT	AAACAGGTAA	AAAGGAGAAT	4320
	TATTTTGCAA	AATTTTAAAG	AACTAGGGAT	TTCGGATAAT	ACGGTTCAGT	CACCTGAATC	4380
50	AATGGGATTT	AAAGAGCCGA	CACCTATCCA	AAAAGACAGT	ATCCCTTATG	CGTTACAAGG	4440
	AATTGATATC	CTTGGGCAAG	CTCAAACCGG	TACAGGTAAA	ACAGGAGCAT	TCGGTATTCC	4500

55

EP 0 786 519 A2

AGAATTGGCA ATGCAGGTAG CTGAACAATT AAGAGAATTT AGCCGTGGAC AAGGTGTCCA 4620
 AGTTGTTACT GTATTCGGTG GTATGCCTAT CGAACGCCAA ATTAAAGCCT TGAAAAAAGG 4680
 5 CCCACAAATC GTAGTCGGAA CACCTGGGCG TGTTCGAC CATTAAATC GTCGCACATT 4740
 AAAAACGGAC GGAATTCATA CTTTGATTTT AGATGAAGCT GATGAAATGA TGAATATGGG 4800
 ATTCATCGAT GATATGAGAT TTATTATGGA TAAATTCCA GCAGTACAAC GTCAAACAAT 4860
 10 GTTGTTCTCA GCTACAATGC CTAAAGCAAT CCAAGCTTTA GTACAACAAT TTATGAAATC 4920
 ACCAAAAATC ATTAAGACAA TGAATAATGA AATGTCGTGAT CCACAAATCG AAGAATTCTA 4980
 TACAATTGTT AAAGAATTAG AGAAATTTGA TACATTTACA AATTTCTAG ATGTTTCATCA 5040
 15 ACCTGAATTA GCAATCGTAT TCGGACGTAC AAAACGTCGT GTTGATGAAT TAACAAGTGC 5100
 TTTGATTTCT AAAGGATATA AAGCTGAAGG TTTACATGGT GATATTACAC AAGCGAAACg 5160
 20 TTtAGAAGTA TTanAGAAAT TTAAAAATGA CCAATTAAT ATTTTAGTCG CTACTGATGT 5220
 AGCAGCaAGA GGACTAGATA TTTCTGGTGT GAGTCATGTT TATAACTTTG ATATACCTCA 5280
 AGATACTGAA AGCTATACAC ACCGTATTGG TCGTACGGGT CGTGCTGGTA AAGAAGGTAT 5340
 25 CGCTGTAACG TTTGTTAATC CAATCGAAAT GGATTATATC AGACAAATTG AAGATGCAAA 5400
 CGGTAGAAAA ATGAGTGCAy TcGTCCACCA CATCGTAAAG AAGTACTTCA AGCACGTGAA 5460
 GATGACATCA AAGAAAAAGT TGAAACTGG ATGTCTAAAG AGTCAGAATC ACGCTTGAAA 5520
 30 CGCATTCTTA CAGAGTTGTT AAATGAATAT AACGATGTTG ATTTAGTTGC TGCACTTTTA 5580
 CAAGAGTTAG TAGAAGCAAA CGATGAAGTT GAAGTTCAAT TAACTTTTGA AAAACCATTA 5640
 TCTCGCAAAG GCCGTAACGG TAAACCAAGT GGTTCTCGTA ACAGAAATAG TAAGCGTGGT 5700
 35 AATCCTAAAT TTGACAGTAA GAGTAAACGT TCAAAAGGAT ACTCAAGTAA GAAGAAAAGT 5760
 ACAAAAAAAT TCGACCGTAA AGAGAAGAGC AGCGGTGGAA GCAGACCTAT GAAAGGTCGC 5820
 ACATTGCTG ACCATCAAAA ATAATTTATA GATTAAGAGC TTAAAGATGT AATGTCTTGA 5880
 40 GCTCTTTTTT GTTTTCAATA ATTGATTCTC TGTAATATC aAAGTaCTAA CGTTTTAAAG 5940
 GTTAAATATT TAATTGGATT GAGATCTGTA TGCGGTATA TCaTTCTGTG TAAATATGGT 6000
 TCTCCACCAA ATGTGGTGAG TATATAATTT AAAGAACTAT TTTTAAATTA AGAATAATCG 6060
 45 AACATAAATA AACTTTATGA AATTTCAGTA TCATGTTCTT ATAAAAACA ATAGGGCTTT 6120
 TTGctGACGC TAGTGCGGA TAAATAATAA GTTGAATATA AAAAAGATCA CTGCCAATCA 6180
 50 TTCGTTAAT GGCAGCGATC TTTTTATTT AATTATTTCT CTTCCACTG CAACATTTGA 6240
 TAACCAATGC GTGGATGTGT TTTAATAATA TCTTTGCGT CCTCATGACA TTGTGAAAGT 6300

55

CCATATATTC GTTTAAATAT CATCTCATAA GTGAGTACTT TTCCTTTATG ATTTGACAAT 6420
 AGTTCTAACA AGCTAAATTC ATTTGGCGTC AAATGTACCT CCTGATTATT AATAACAACA 6480
 5 GATTTGGAGC CAAAGTCGAT GCTTAGCAAA CCGTTAGTAA ATACAATGTT AGTTTCTTGA 6540
 TGTGACTTAG CGATTCTCTC GATGACTCGT ATTCGTGCCC GAAGCTCATC AACATTAAAA 6600
 GGTTTAGTCA TATAGTCATT CGCACCCTTA TCTAAAGCTT GAATAATTGT TTGTTCTTCT 6660
 10 TGTCTTGAC TTATTACAAT GATAGGAATG TCAGTATGTT GCCTGATTTC TGAAATCAAA 6720
 CATAATCCAT CTTTATCTGG TAAACCTAAA TCTAATAAAA TGACATCTGG TTTATCAATT 6780
 15 TGAATTTTAA AGTGTGCTTG TGTGGCATTG TCGGCTGTAG TTACATTGTA ATAATCTAAA 6840
 GTTAATGCAA CATCAAGTAA ATGTGTGATT GCGTGATCAT CTTCAATTAT CAATATTTTA 6900
 GATTGCATTA TACGTCTCCT TCGTTAAAGT CTGTATATAT ATTGAAATAG AATATACTGC 6960
 20 CGTGTGGTTG GTTCGGTTTA TATTGTAAGT TTGATTGATG TTTGTGTAGG ATAGTCTGTA 7020
 CTAAATATAA GCCTAGTCCC ATGCTTTCTT TTTGGTTATC TTTAAAATAT TTATTTGATC 7080
 CTGTGTAAAA AGGCTCGAAT ATCTTTTGTt GTTCTTCTAA ACTAATTCCA GGTCCCTTCGT 7140
 25 CTATAACGGC AAATTCGATT TGTTCATAGC TAGCATAACG AATAGATAAA TTGATTTTGG 7200
 TGTCAGTAGA AGTGTGTTTA ACTGCATTTT CAATCAAATT GAAtAAAgCT TGTAATAATCA 7260
 ACTTACTGTC AATGTGTATA AACtGTAAAT TTA CTGAGGA TGATACAGTT ATACGCTTTT 7320
 30 TTAAATGGCG ACGTTCTAAA ATACATATCG ATTTCTTATA CTA 7363

(2) INFORMATION FOR SEQ ID NO: 20:

(i) SEQUENCE CHARACTERISTICS:

35 (A) LENGTH: 10470 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 20:

TTAACAATCG ATAACCACAA TACTTCTATT GTAATTGTTT AACGATTTCh CGATTAAAAT 60
 45 CATCTAAATC GTCTGGTACT CGACTTGTTA CAATATTGTT GTCTACAcTa CTGACTCATC 120
 AACTACATGT GCGCCTGCAT TTGATAAATC TTTGCGTACA TTTAATACTG CTGTTAACGT 180
 ACGACCTTTT AAATCGTCTG TATCTATTAG TATTTGTGGC CCATGACAAA TGGCAAATGT 240
 50 TGGTACATCA TTTT TAGTAA AGTATTTAGC AAATGTGCCA TATCGACCTT CTGTATCTCC 300
 ACGTAAATGA TCTGGTGAAA ATCCTCCAGG AATTAATAAT GCATCATAAT CTTCTGGTTT 360

EP 0 786 519 A2

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

ATTTGCAGTA TCTCCAATCA CTACAGTATT AAAGCCTGCA TTCTCTAATG CCTCTTTTAGG 480
 GCTTGAATAT TCTATATCTT CAAATTCGTT TGCTAGAATA ATTGCTACTT TTTTAGTCAT 540
 TGAAAATCAC CTTTCTATAT ATCATTGATA TAATTACTAT AGACAAGTAA ATCAGTGATT 600
 AAACATACAA GATATAAAAA ATATTAAGCG ACTGTCGCGA TATCTAACCC TAACACATCT 660
 TATGTGGCAT TTACTIONAGAT ACTAATTTAA CCTTTTCTTC AAGCTGATCT AACAAATCCAA 720
 TCCATTTCATC TATATCTTCA ACACGTACTT CATCAGGATT TACATGATCG ATATCCTCAA 780
 TAAACTTATT TAAACGCGCT TTTATCTGTT CGATTGTTTG CTGTTCAATC ATAAAAAGTT 840
 AACTCCTTTT ATTTTGTTTT CTTTTTCATT ATTATCCTAA CAGAAATTGC GTTAAAGCGA 900
 TATAATCTTA GCTATATTTA TGACATTCAA ATTATTTTGA CTTTTAAAAA TCCCCTTTTC 960
 AATTAACATA AATTAAGAGA TAATTTGTTA CGAGTGATAA TACGAAGkGG TaTCATACCG 1020
 ATATGAACCA AATAGAAAGA AGGAAGTTTA AGACGATGAA TAGCGTCAAA TTGAAGCAAC 1080
 CTGTTAGCAT TTACAATGAT CCATGGGAAG TGAAATTTAT ATACATTTAA ATTTTCATGAG 1140
 ACAATAAACG TTGATTTAAT GCGTTTTTTT GCCTTTTTTA TTTTCCTTAT TTTTCTGTT 1200
 TTACAACAAA ATGGTATCAA AAATGGTATC ATTTGTAGTT ATTTTAGCTT CACATATTAA 1260
 AACCAACCACA CTCCTAAATT AATAGGTGGT GTGGTTTTGT TGGTTGTGTG GGGATAAAAA 1320
 TAACCGCATC AGTTAAGATG CGGTTATCTA GCAAGGGCCA CGTATTTATA AATACGTTTA 1380
 GAATCTCTTC GGCAACTTTG CTATAGACAG TCTATGCTGT TACTAAATTA TACCACCACA 1440
 CAAACCTACT CCCATTTCAGG AACACAGAGC TTTGTCGCTC GTCAGCAACG TCATATGAAT 1500
 TCTCAGTTCA TGTTGTGGTG ACACTTTAAA CGGTCTGTGC CAGTAGCGAC CGAGTCATTT 1560
 CAAGAATGAC CATTTTCACAT TTATATTATA ACACTTGTCG TCGGTAAGTG TATAGTTTTT 1620
 CAGTTGTATT TAAAGTTAAG TTATCTACTT CGCGCTTTCC TTGCCTTAAT TGTGAAATTA 1680
 CATATTGCGC TACGCCAGTT TGTTTGTAAG TTTGGTAACC TGTTATATCA CTTTTGATCA 1740
 ATTCAATTAT TTTTAATTTA TAATCACTCA TATTATCTAC GTCCATTCTT TTTATCTAAA 1800
 CAATAAAAAAT GTGTCTTTCT CCCGATAAAT AATAACAATG GTAGGCTTAA TAAAAACAAT 1860
 ATTAAATACA TTTGTTCTGT CATAATTGAA AACCTCCAAA TAATATTATA TTATATAAGT 1920
 GTAAGGAGGA GCCATCAGGC TCCAAGCATA ATGTTAATCT TTGTTGTTTG GCTTTCGGTC 1980
 TAGGTAGCCG AGATGCCaTT CTCTAAGTTG TTTTAACACT TCTGGAATTA TCAGTACTGC 2040
 CAATACTTGA TGTTCTAGAA GTGTTTTTAT TATGTCTAGC ATGAGGCTTT TCACCTCCTT 2100
 ACACATAATT TGTAAGTCAT CAACTAACCT ACAAATATAA TTATACTAAA CAAATGTTTA 2160

EP 0 786 519 A2

	GTTATCTACA	TTTAAATCTT	GAGAGAAATG	TTAAAAAGTT	CTAGTAAAAT	AATAGCACAT	2280
	TTTATCTTTA	AATGTAAATA	GAAAGCAGGT	ATGTAACGCA	CCTGCTTAAA	TAGaCATGAC	2340
5	TATGTCATTc	TAACTGATTT	CTCCCCATAA	GTCACCTAAT	ATCTGATTAG	GTGGGGCAGA	2400
	ACCATTCCAT	GTTCTAATAG	GCAAGTAATA	ACGTTGCCCC	TCCCATGTAT	ATCCTACCCA	2460
	AACATGACCA	TCTTGTAACA	TCACTTCTGT	ATAATCACAA	TACCCACCAG	GTTGGAACTG	2520
10	ATAACCCACT	GGACAAGATA	AGAATGGCCC	CACTTTTCTT	ACTGTGATTG	GTTGATTGCC	2580
	GTTTGTGAAT	CTAGCACTTT	CTTCCATGTA	GTAAGTACCA	TATTTATTAC	GTTTCCATGC	2640
15	ACTTGCAACT	GGTTTAACTG	TATTACTTGA	AGCGCTTGAC	TCATTAGAGA	CAGTGGCAAC	2700
	CGGTATTTTA	CCATCCATGT	ACGCCCTAAT	CTGCTTGATA	AAGTAGTCTT	TAAGTTGCAA	2760
	CCGCTTGTCT	TCTGGCAATA	GACCGCGAGT	TACTGGGTCA	AAACCAGTGT	GTAAAACCGA	2820
20	ACTTCTATGA	GGGCATGATG	TTGAAGTAAA	TTCATTGTGC	AATCTGATTG	TATTTCTGTT	2880
	TGCTGGTAAT	CCCCATTTTT	TCAACAATCT	AGCGCATTCT	TGGAAAGTTG	CCTGTTTATT	2940
	TTTAAAGAAT	GTCGCGTTAT	CTGCGCCCAT	TGATTGACAT	ACTTCAATAC	CGTAATAATA	3000
25	TTTATTACCT	ATTTGATTAG	CGGTATGCCA	ACCTACTTGT	GATTCATCTA	AGGCTTGCCA	3060
	AACTGTGTTG	CCTGATACGT	AACTATGCGC	AATGCCCGCT	TCTAATCTTG	ATAAAGGTGC	3120
	ATTTACTAAT	CCGTTACGAT	ATGCTTCAGC	AGTCGCCCCCT	TTGCTCCCTG	CGTCGTTGTG	3180
30	TATAACTATA	CCTTTAGGGT	TACTACCACG	CTTAGGTAGG	TCATAACCTT	TAACCACATC	3240
	TTTGATGATT	TTAAGTTCTA	CTGCTTTAGG	TTGTGGCTTA	GCTGTTTCTT	TTTTAGGTGC	3300
	TTGTGTAGGA	GATTGAACTG	ATCGTGCGCG	TGTCTCACTT	TTAAAATTCT	GACGGATAAA	3360
35	CCACATAGGG	AAATCATAAG	CATGTTGTCT	TCTTGTAACT	TTTTCCCAAC	CCCAGCCGGG	3420
	TTGTTCGATT	CCGTCAGTCC	AGCCACCGCC	TAGCCAATTC	TGCTCATATA	CAATGATGTA	3480
40	ATCTAAAGTT	GCTTCAATTA	CCCATGCAAC	GTGACCATAT	CCAGCACCGT	AGTTGCTACC	3540
	GAATACCACC	ATGTCGCCAG	GTTGTGCTAA	GAAGTCCGGT	GTATTTTGGT	ATACAGTAGC	3600
	TAATCCGTCG	AAGTTGTTAG	CGAACGGAAT	ATCTTTTGCA	CCTAAACCTT	TTAGAAGTAA	3660
45	TCCAAACAAA	ACTTTCCAAC	CAGCATTTGGC	ATAATCAAAG	CATTGAAATC	CATACCATAA	3720
	GTCCACATTG	AATTGTTTTT	CCTCAGAAAGT	TTCAACCAC	TCTATAAACT	CATTTTTAGT	3780
	TAATTTTGCT	TGCATTGTCT	CCACCTCCAT	GATGATACTC	ATTCACATCA	AAGCCAACAT	3840
50	CGTTAGAGGC	GTCTGTGAAA	GGTTGTGATG	TATCATATTC	TTTTGGTGcT	TTCGCGCTTA	3900
	ATTCGGGCGT	TAAACTACTG	TCTTGTGATG	ATTTCCACGT	AACTTGTGTT	TCTTCTTTTT	3960

55

EP 0 786 519 A2

	TTGGGTCAGT AATAACGCCA ATACCTGTAA GTAACGTGAG GATAGCGCCT ATAATTGCGC	4080
	TAGCTTGATT TAATTGAGTA GATAAATCTA ATCCGAATAA ATCCGTGACT TGCTTGATAA	4140
5	ATAGCAACAA TGCTCCAAC TAAACCAGTTA GTACTGCTTT GTTTTTGAAT CTCAATTTCC	4200
	AGTTAATATC CATTTGTTTG CTCCTTTTAT CCAAAATAAA AAAACGACTA AAAATTAGTC	4260
	GTTTAAAATT ATTCAATGGT CAATGTCGGA GATCCTGAAT AAACATCACT TATAGTGACG	4320
10	TACAACATCC CTGAAGGATT ACTAAAGTTG ATATTTTTAC TTGCAACTCC GCTATTGACT	4380
	CCTGATATTC CTAAATCACT TGACCCTAAA TTAGTTTGCG AAATCCTCAT TATACCGCTA	4440
	CGTACATTTT CTATTGTCAC CTGATAACTT TTATTGGGTT CAACTCCATT TATTGTCCAT	4500
15	TTTGCTGTTG ATTCTTCTAT GCTATCCGGA TATTTATTTT TAGGTAAGGG TTTTATTACA	4560
	AAAGATGAAG GCTTTTTCCA TACTTGGATA TTTCCAGCAT ATACTTTTGT ATATTCTTCA	4620
20	CCTTCGTAAA TAAACTTCTT TACATTTTTA AAATTACCTT CCATAAAAAT CACCCTTTAA	4680
	TTAAATATAA CGTATTCGGG TCTTTTTGAT ATATATAGTT ATATTCATTT TCTGTTCTG	4740
	TCCAAATTTT AACCGTCGGT TGAGATGCGC TTTTGTAGTT ATATAAATTA TCCGCTTGTT	4800
25	GTTTAGTAAA AGCTTGAGAT GACAAAACAT ACCGCTCGTC ATGATTATGA TTTTTTGGAG	4860
	CATATAAATC ATTTAGTGTT TGTTTGAATT CCTCAAAATC TTCTGTATTA ACTTTTGAGC	4920
	CAATCTGTTG CAATACACTT TCTGAAATAG AGTTGTTTTG TATTGCTTCT GCTAATTCTC	4980
30	TTAATGTGTT CATAGATTCA GGC GCGCTAT CAACTAGTTC AGCAATTTTT GTATCCGTAT	5040
	ACGTTTTAGA GTCGTTGAGA GTTGTATCTT TGATTTTTTC AACTTCTTGC AATTTATTTT	5100
	CTAACCCCTC AACATTTGCG ATATTGATTT TGTCCAATAA CTCAGGTTCT GCTTTGATAT	5160
35	CTGTATCTTT ACCATCAATT TGCCACATTT TAGTGTCAGG ATTGATTGAT ACTACAGTAC	5220
	CGTTTTTACC GGGTGC GCCT TGTTCTCCTT TTTTACCTGC TTCACCTTTT GCTCCAGGTT	5280
	GTCCCGGTTT ACCTTTATCA CTTTTCGCAC CTTTAAATCT ACTTTCATTC TTTTCGATGT	5340
40	AAGAAATGAC ATCTTTATCT ATTTTCTCTT TAAAGTCTTT GCTCAATAAA TCTGTCGCGT	5400
	TATCTTTTAA AATTCTCGTA ATAGCATCAT CTACCAATTT AACATCGATT TCTTTTGCTA	5460
45	CAGCAGATTC AATACCACTA TCAACGATAT TGAAAGAAAA GTTTGCGACA TGTATTTTTT	5520
	CTTCTTCTTT CTCTAAAAAC AGCTTACAGC GAACATAACC AGCGTGTTTG ATAACCTTTT	5580
	TAGGTATCTT GTAGGTAAGG AAACCTTTTA CAACATCGTC GATAATAAGG GGCTCATTTT	5640
50	TGAATATAGA GCCATCTTCC ATAAACAAAT GTAATCTAGG TGTTAAGCCA TGTGCTTTTA	5700
	GATCGATACG ACCTTGTTTG TCATTGATAC CTATTCTTAT AGATGCTGTA TTTTCATCTT	5760

55

EP 0 786 519 A2

	CAACATCTTT	TATTTTGTAC	ATTTACACAC	CTCTTTATTT	ATATTTATCC	CTTGTGAAGT	5880
	AGATACCTTT	TAAGCCGATT	TGTTTATATA	ACTTAGCGAT	TGTACTTGCT	TGATGTTGGC	5940
5	ACCACTCTAT	AGCAGTAGCG	TATTGGTGGG	TAGCTGGATT	CTTAGGATTC	CATCTAATTC	6000
	GGTACAATGT	GTTTTGACCT	TTATTGATGT	AATCCTTTCT	TACGAAGCTA	GCACCGCCCA	6060
	TGATTGCTTT	TGCTGGAGAT	GTCCAACCTT	TATTCCTTGC	AAACGTCATT	GCGTAGTTAG	6120
10	GATTGTTGTC	GTAAGCGCCA	ATGCCGAAGT	AGTTGTATAC	TCCATCTTTT	CCGTTAGCGA	6180
	AGTTACTTGT	TCCATATCCA	CTTTCTAAGA	AAGCATGCGC	GATTAAATAA	ATTCATTAA	6240
15	TGTTGTGCTT	TTTACAAGCT	TCTGCGAACG	CTTTACCTTG	ATTATTCAAT	GTTCCCTTAC	6300
	CTTTAAGTAT	CTTATTAAGT	GCGCTAACTG	AAACACCTTG	ATACTTGCCT	AAATTAAGCA	6360
	TTTGGTAGCA	TTGTGTGTTA	CTTTCCCAT	TACGCTTTAC	ATTCATTGCT	GAACTCGTTT	6420
20	GTGCTCGTGT	AGCGTTA	scC AACCCCAAGC	ATTAGATTTT	TTCGGGTAC	CTCTTGCCAT	6480
	TTGTTTATCC	AGTGCTTGTT	TGAATGTATA	AGGACTCGTT	TCTGTTATGA	TCTGCGGTTG	6540
	TTTAGATGCC	GAACCATTGT	TGGCTGTTGG	TGACGAGTCT	CTTACATTAG	CTATATCAGC	6600
25	GTTTTTATTA	TCTACCATAA	CTTTTATTCT	AGATTTTGTT	ACTGTTGGCT	TAGTTATAGA	6660
	ATTTAATAAT	TTTTCTCTGT	TTTTAAATAT	ATTAAGTAAT	GCCTTTTCTA	ATGCTTCGTA	6720
	TTTATCTTTA	GGAGGAACAC	CGTTGTCAAT	CATATTCCAA	TTAACATGTT	CCAACATTGA	6780
30	ACGCCAAATG	CTGTCGTCTA	CTTTTAAATT	TTCAATACTT	AGAGGTATCT	CATATTTGGC	6840
	CATCATATCT	ACAGCTACAA	CCATTGCGTG	AATCTCATT	AAAATAAATT	CATTTTTACT	6900
	CGCACTATAA	TCTTCACATA	CGTCTATAAC	TATATAATCA	GGTTCATTAG	GAACCTCAAA	6960
35	TACAGCTCTT	CTAGGTGCCC	AAATATTATG	TCTATCAACA	TAAAAGTGGG	GATATTCTAC	7020
	ATCCTGTTTG	TATTTCTTCC	TACTGTTATA	TAAACTTTCT	ACCGAGCTCA	TCGTTTGTGC	7080
40	GTTTCTAATC	ATTATTCCTT	TAGGTTTTTC	GAGTCGTCGA	TTACCTTCTA	CTATAAAGTG	7140
	ATAAATATAT	TCTGGATAAT	TAACCTCTTG	GCTAGAAATA	GTGTACTTTA	TAGTTGTTAC	7200
	ATCTTTCCAA	ATTGGAACCT	TTTTATTATT	TTTTTCGTTA	TCATCACTAT	CATCTTCTGG	7260
45	TTTAGGTGCC	GGTGTAGTTT	TGTCTGGATG	ATATGGTGGT	CTAACAAAAT	ATTTAACCCC	7320
	TCCACCTGGT	CCATCATGAT	AAGAGTGTTC	AATTTTATAA	GGTGGACTTC	CTGTTGCGTT	7380
	ATTTGTATAC	CAGTTTTGAT	CTACGCCATA	CCAATAGTCT	TTTGTGCATG	GTCCCACTAC	7440
50	AATGTTTACA	TGTCCTGCCC	AACCACCAGT	CCAAACACCC	CAGTCGCCTG	GTTGTGGTAC	7500
	AAAATCTTTT	GTATTTCTAA	TTATCTTGAA	ATCTCTACCT	CTATAATTGG	ATTTTTGAGC	7560

55

EP 0 786 519 A2

	TAAATCCCAG CATTGTGCTC CCATTCCAGA ACCAGGTACA TCAATAGCTA TTTTGTTTTT	7680
	AGCGATATAT AACGCCCATT CAACCACTTC ACTAGCTGTG GGCTTTCTAT TTTTCGGATT	7740
5	AGGTAATCCC ATGTATGCAC CTCATTTCAA TCAAAATAAA AAGCCAGTGC CGAAGCACTG	7800
	ACTCTTAACT GTTATTTACA TTTACCAAAC CAGAAGCACG CCCAGAAGCT ATATCCTAAA	7860
	ATCCCTTTAA GCATGGTAAT CACCTCCTTT AAATACCAAA AACAGTTCTT AGTAAAGCTA	7920
10	TGACAATCGT ACTGAAGATA GTCCCTATCA AACCTAGAAT CCACATTTTT ATGTCTCTAA	7980
	TATTCTTGGC ATTCTTTTCT TTATTCTTTT CATCTTCTAC CTTGTCGCGC TTTAATTCTT	8040
	CAAAATTTCT ATCTAATTTG TCATAAATCT TTTCTTGCGC TCTAAGACTA TCTTCTATTC	8100
15	TGTCGAATTT TTCAAACATA GTCTTATCAT TTTCTTCTAA TCGCGTTAAA CGCCAATCTT	8160
	GTTTCATGTCG TTTGGTAAAT CCAAACATTA TGCCACCCAC TTTATTCAAA TAAAAAGCC	8220
20	ACAAGCATTA CACCTGTGAC TTTTCATCTT TTGTTTCTGG ATATTTTTTCT CCAGTGATTA	8280
	AAGCGTATTC TTCTTTATCG ATTAAACCTT TGTCTACGTA CCACTTAATT TGCTCGTTTT	8340
	TATAGTAACC CCAAACATAA AAAGTTTTAA TGTCTTTAAA AGTTGGATAA ATCATCTTCA	8400
25	TTATTTAAAC GTCCCCCTCA GTACTTGTTT TGTTAGTTTT CAGTTCAGTC AACTGTTGTG	8460
	TTAACATAGC GTTTTGTTGA GCTAATTCCA TTGTTAATAC GTTTACTTGT GCCACCTGCA	8520
	TTTGCATACT CGCAACCATT CCGCGAAGTT CCTCATCACT TAAATCTGAC GCACTTTGTT	8580
30	GGTTTGATGC ATTCGGTACG TCTTCTTTTT CGAAATTGCT ATTGTATTTA ATTCGCCGT	8640
	TAGTGAAAAC AAACCTTTCTA GGTTCGAACT CTTCTTTAAA TTTAATAGGC ACATTGTTAT	8700
	CATCTACATC TAACTATTG CGTAAACCGC CAGTATTAAAC GAATCCGATA ACTTCGTTTT	8760
35	TATCGTTTAC TGTGATTTTC ATTATTCCA CCCATAATT TTAGTTATAG TAACTTTGTT	8820
	GGCAJTCGCT CCAGAACCTG ATGTTTTACC TAAATCAAAG TACACATCGT TATCTATTCT	8880
	TAAAGTAGTG CTACTTGTTT TGGATAGTAA GCACTCATAA ATACCGCCAC CGTTGCCGTC	8940
40	TGAGTCAACT ACATTCGCTT TACTCAATTG AATCGCGTTA GGTAATGCGG TTAGTCCGAA	9000
	TCCCTCAATA ACGCCACCTG GATAAGTCC ACTTACCAAC AAAATAGAAT AGTTTGTGTA	9060
45	CGGTTTCAGTT AGATTGATTG TTGTACCTAC ACCATTTGCG CCACCGTCGA ACAATACCGT	9120
	TGATTTATGT TCATTAGGAA CTGTCCACTG TTGCTCAAGT CTGCCGTTTG TGATTGATCG	9180
	TGTGTAAATC TTTTATAGAGT TATAAGGTGT GAAGTTAAAT AGCTTGTTTG TATCATCTTT	9240
50	AACGAATACC GATAAATAAC CCTCATAACT TTCAACGCTA CCTGGTAAAT CCGGCACTCT	9300
	TGTTGCATAG TAATTACCAG CAGTTAAATA TCCCAAATCG CCTTGCGCAT TATTTAAGTT	9360

55

EP 0 786 519 A2

GAATTTATCA TCTACATACT GCTTAGCTTG ATTTAAAGCG TTGTTAGACG TTTCTTCAAC 9480
 AAATTGCTTA GTTAAGTTTC CATCATTCTT TTTATAAAAC GGGTACCATG TGCCGTAGAT 9540
 5 TTTGTATTTT GTGTACTCAT CGTTTGAATC GTCTGGGTAC CATGTTGCAC GAGCAGTATT 9600
 ATTATCAACA ACATAAACAA CTAACACACC AGATTTGCTT GATGTATAAG TTGATTCATC 9660
 GAACGAAGAA CCGTCATCAA CACCATCTTG TCCAGGCTTC TCTAACGTGC CTATATCCGT 9720
 10 CTTTTCTGGC GCATCTGTTG CATTAGTAAT ATGAATAATC CTAGATGTGT TAACTGCGCT 9780
 TAAAACGCTA TCTATGGACT GCTCATACGA TTCAATTGCT TTACCGTAAT CATCTGTAAG 9840
 TTTAGACTTT TGCCAAATCG TTGTTGAATT ACCTTTAACA AGGTCAGCGC CATTGATTTG 9900
 15 TTGTTCAACT TCGTTAACAC GTTCAAAAAT CGCTTGCTCT TTTTCAACTA TTTTATCGAA 9960
 TTCAGCTGTA ACAGCTTGTG TTGCACTAGT TTGCGTCGCA GTAATAGCTT GTATAGCTTC 10020
 20 GTTTTGCTTG ATTTGATTTT GTTGAATGCC TTTTGTGCGA CTATCATTCA CTTTTGCTAT 10080
 TAACGTTTGT GTATCAGCCA TATTTTGCTT TAATTGGTTA AAATCTTTAC CGACAGCTTC 10140
 GATAGTATCT TGAATAGATT TGATATAAAC AAGCTTTGTT ATACCATCAA ACCCACTAAC 10200
 25 TAAATCATTT TCAATATTGA AGCTAAATTG ACGTTCAACA ACAACATTAT TACTCCCGTT 10260
 TTGTGTAAAG AATGCCTGAG CATGCACCTT GCCTGAATGT TTTAAAAATT CATTCCGGTAT 10320
 CACATACTGC AAACGCCCCAT TAATTGCGTC TACTATCGTT AATTCGTCTG AAATATAAGC 10380
 30 GCCTCTATCT ACGTTATAAT CATCGGTTTT TAAACGATA GATGTTTTAA CATGTTTACA 10440
 ACTTATAGAT AAGGGTCTGT TATnCTTAGT 10470

(2) INFORMATION FOR SEQ ID NO: 21:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 3647 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 21:

ATCAGATCTT GAGAATCGAG TTATTAAGTC TATCGAAGAC TTAATAAAAA TCCAACCATT 60
 CATGCCTACA CAAGATTTTG ATTTTAAAC TAAAGAAATT CAATCAAACA TTTCTGAAGA 120
 AAGATTTATC GAAATGATTC AGTATTTCAA AGAGAAAATA ACAGAAGGGG ATATGTTCCA 180
 50 AGTTGTGCCA TCAAGAATTT ACAAATATGC GcATCATGCT AGTCAGCATT TAAATCAACT 240
 TTCGTTTCAA CTGTATCAAA ATTTAAAACG ACAAACCCA AGTCCATATA TGTATTATCT 300

EP 0 786 519 A2

	TCAAATTGTA	ACAACTAATC	CTATTGCAGG	TACGATTCAA	CGTGGTGAGA	CGACACAAAT	420
	AGATAATGAG	AATATGAAAC	AACTACTTAA	TGATCCAAAA	GAATGCAGCG	AACATCGTAT	480
5	GCTAGTTGAT	TTAGGACGTA	ATGATATTCA	TAGAGTAAGT	AAAATCGGTA	CCTCAAAAAT	540
	TACTAAATTA	ATGGTTATTG	AAAAATATGA	ACATGTTATG	CATATCGTAA	GTGAAGTCAC	600
	AGGTAAAATA	AATCAAAATT	TATCGCCAAT	GACAGTTATT	GCGAATTTAT	TACCAACAGG	660
10	TACCGTTTCA	GGTGCACCAA	AATTACGTGC	AATTGAAAGA	ATATATGAAC	AATATCCACA	720
	TAAACGGGGC	GTTTATAGTG	GTGGTGTTGG	ATACATAAAT	TGTAATCATA	ACTTAGATTT	780
	TGCATTAGCA	ATTCGAACGA	TGATGATAGA	TGAGCAGTAT	ATCAACGTAG	AAGCTGGTTG	840
15	TGGCGTTGTA	TATGATTCTA	TTCCTGAAAA	AGAACTGAAT	GAAACGAAAT	TGAAAGCTAA	900
	AAGCTTATTG	GAGGTGAGCC	CATGATCTTA	GTTGTAGATA	ATTATGATTG	CTTTACATAT	960
20	AACCTAGTGG	ATATTGTTGC	TCAACATACT	GACGTCATTG	TTCAATACCC	TGATGATGAT	1020
	AATGTGCTGA	ATCAATCGGT	GGACGCTGTT	ATTATATCTC	CTGGTCCAGG	GCATCCATTA	1080
	GACGATCAAC	AGTTAATGAA	AATCATATCA	ACCTATCAAC	ACAAACCCAT	TTTAGGTATT	1140
25	TGTTTAGGGG	CTCAGGCACT	GACTTGTTAC	TACGGTGGAG	AAGTCATTAA	AGGCGACAAG	1200
	GTTATGCACG	GCAAAGTTGA	TACACTAAAG	GTTATATCGC	ATCATCAACA	TCTGTTATAT	1260
	CAAGATATAC	CAGAACAGTT	TTCAATTATG	AGATATCATT	CATTAATAAG	TAACCCTGAC	1320
30	AATTTTCCAG	AAGAATTGAA	AATTACTGGA	CGTACCAAAG	ATTGTATACA	GTCATTGCGAG	1380
	CATAAAGAAA	GACCGCATT	TGGTATTGAG	TACCATCCTG	AATCATTTGC	TACAGACTAT	1440
	GGTGTCAAAA	TAATTACAAA	TTTCATTAAT	CTAGTGAAGG	AAGGATGAAA	ACCATGACAT	1500
35	TACTAACAAG	AATAAAAACT	GAAACTATAT	TACTTGAAAG	CGACATTAAA	GAGCTAATCG	1560
	ATATACTTAT	TTCTCCTAGT	ATTGGAAGCTG	ATATTAAATA	TGAATTACTT	AGTTCCTATT	1620
	CGGAGCGAGA	AATCCAACAA	CAAGAATTAA	CATATATTGT	ACGTAGCTTA	ATTAATACAA	1680
40	TGTATCCACA	TCAACCATGT	TATGAAGGGG	CTATGTGTGT	GTGCGGCACA	GGTGGTGACA	1740
	AGTCAAATAG	TTTCAACATT	TCAACGACTG	TTGCTTTTGT	TGTAGCAAGT	GCTGGCGTAA	1800
45	AAGTTATAAA	ACATGGTAAT	AAAAGTATTA	CCTCaAATTC	aGGTAGTACG	GATTTGtTAA	1860
	ATCAAATGAA	CATACAAaCA	ACAACTGTTG	ATGATACACC	TAACCAATTA	AATGAnAAAAG	1920
	ACCTTGATAT	CATTGGTGCA	aCTGAATCAT	ATCCAATCAT	GAAGTATATG	CAACCAGTTA	1980
50	GAAAAATGAT	TGGAAAGCCT	ACAATATTAA	ACCTTGTTGGG	TCCATTAATT	AATCCATATC	2040
	ACTTAACGTA	TCAAATGGTA	GGCGTCTTTG	ATCCTACAAA	GTTAAAGTTA	GTTGCTAAAA	2100

55

	AAGCAACACT ATCTGGTGAT AATTTGATAT ATGAATTGAC TGAAGATGGA GAAATCAAAA	2220
	ATTACACATT AAATGCGACT GATTATGGTT TGAAACATGC GCCGAATAGT GATTTTAAAG	2280
5	GCGGTTCCACC TGAAGAAAAT TTAGCAATCT CCCTTAATAT CTTGAATGGT AAAGATCAGT	2340
	CAAGTCGACG TGATGTTGTC TTAATAAATG CGGGTTTAAAG CCTTTATGTT GCAGAGAAA	2400
	TGGATACCAT CGCAGAAGGC ATAGAACTTG CAACTACATT GATTGATAAT GGTGAAGCAT	2460
10	TGGAAAAATA CCATCAAATG AGAGGTGAAT AATATGACGA TTTTATCAGA AATTGTTAAA	2520
	TATAAACAGT CACTTTTACA AAATGGCTAT TATCAAGACA AACTTAATAC CTTGAAAAGT	2580
	GTGAAGATTC AGAATAAAAA ATCTTTTATA AACGCAATTG AGAAAGAACC AAAGCTAGCA	2640
15	ATTATTGCAG AAATTAAATC GAAGAGTCCT ACAGTTAATG ACTTACCTGA ACGAGATTTA	2700
	TCGCAACAAA TCTCAGATTA TGACCAATAT GGTGCAATG CCGTGTCAT TTTAACTGAT	2760
	GAAAAGTACT TTGGTGGTAG TTTTGAAAGA TTACAAGCAT TGACGACAAA AACCAACATTA	2820
20	CCCGTATTAT GCAAAGACTT TATTATAGAC CCGCTTCAAA TTGATGTTGC TAAACAAGCT	2880
	GGTGCATCTA TGATTTTATT GATCGTTAAC ATCTTATCTG ATAAACAATT GAAAGATTTA	2940
	TATAACTACG CTATATCGCA AAATCTAGAA GTGTTAGTTG AAGTACATGA TCGCCATGAA	3000
	TTAGAACGTG CCTATAAGGT TAATGCTAAA TTGATTGGTG TAAATAACAG GGACTTAAAA	3060
	CGATTTGTTA CAAATGTGGA ACATACAAAT ACTATTTTAG AAAATAAAAA AACAAATCAT	3120
30	TATTATATTT CTGAAAGTGG TATTCACGAT GCATCTGATG TAAGAAAAAT CTTGCATAGT	3180
	GGTATCGATG GCTTACTAAT AGGTGAGGCG CTTATGCGTT GTGACAATCT ATCTGAATTT	3240
	TTACCACAAC TGAAAATGCA AAAGGTGAAG TCATGATGAA ATTGAAATTT TGTGGCTTTA	3300
35	CATCAATAAA GGATGTTACA GCGGCCAGTC AATTACCTAT TGATGCGATA GGTTCATCC	3360
	ATTATGAAAA AAGTAAAAGG CATCAAACAA TTACCCAAAT AAAAAAGTTA GCGTCTGCTG	3420
	TTCCAAATCA TATCGATAAA GTATGTGTCA TGGTAAATCC TGATTTAACA ACAATTGAAC	3480
40	ACGTATTAAG CAATACGTCA ATTAACACAA TACAGTTACA CgGCACAGAA TCTATTGATT	3540
	TTATACAGGA AATTAAAAAG AAATATTCAA GCATTAAAAT CACTAAAGCT TTAGCTGCAG	3600
45	ATGgAAAACm TwATCCCAAA caTtAAtnAA tnTTAgGGGG TCCGTGG	3647

(2) INFORMATION FOR SEQ ID NO: 22:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 5966 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 22:

	CcAcCTTGAC CACCTTTACG TGGAATCTTT TcMcCTkGAG CAACaTCGaT AATaTATATT	60
5	GAAAgTCAAC AAGTTCTGGA CTAAATGTTG CTGCTAAGTT ATCGCCACCA GATTCTATGA	120
	AAATTAGTTC TATATCGTCA TGACGTTCTA ATAATTCGTC TATTGCTGCA AAGTTCATAG	180
	ATGCATCTTC ACGAATCGCA GTATGAGGAC ATCCACCAGT TTCAACACCA ATGATACGAC	240
10	TTTCAGGTAG AACTCCTGAA TTTACTAATA TCTTTTCGTC TTCTTTTGTA TATATATCAT	300
	TTGTAATAAC GCCGATACTC ATTTCTTTTG AAAGACGTTT TACAACCTTT TCAATTAATT	360
15	GTGTTTTTACC TGCACCTACA GGACCACCAA TACCAATTTT AATCGGATTT GCCACAATTA	420
	TAACCTCCTA TGATATGAAA tTCTAACATT GaCGTTCTCA TGCGCCATTT GATTTAGTTC	480
	TAAACCAGGC GCTGTCATGC CAAAATCTGC TTCTTTTAAT TCGAAAATCT GCTTTCTTGT	540
20	TCCTTCTATA TAAGGAATCA TGTGAGTAAC TATCTTTTGA CCAGCAGTTT GTCCAAGTGG	600
	AATAGCACGA ACAGCATTTT GAGTTAACT TGAAACATTT TGATATAAAT AGTAATCAAT	660
	AATCGTTTCA ATATCTACAC CTAAATGATG GCCTAGCATA GTAAAACAAA TAGCTGGATT	720
25	TnACTTTGCT TTCTTATCTT GCATTTGTTG ATGATACCAA GCAATCCATG GGCTATtATA	780
	AAGTTCTAAA GCCAATTTAA CCATGCGAGT CCCCATTTGT kTTGCACCAA CACGTGTTTC	840
30	TTTAGGTAAG TTTTGrACAr ACATCAGTTT ATCTATGTGT AATACTTTTT GTGTATCATC	900
	ATTTTCCAAT GCATCATAAA CTaaACGCAT GGCTAAACCA TCAGAATAGG TAAGTTGCTC	960
	TTGTA AAAAC ATTTTTAACC AAGCAATAAA AGTATGATCG TCATGAATTA TATTTTCGTTG	1020
35	AATATATGTT TCAAGACCAA ATGAATGACT GAAAGCACCT GTTGGAACCT GTGAATCACA	1080
	GAACTGAAAT AATCTTAAGT GTGTATGATC AATCATGAGA ATGCCCTATA TGTCTGAAAG	1140
	CCTTATTAAC TTTACGGTCT TCTCGAACAT ATGGGATGCC TAAACTTTTT AATAAATCTT	1200
40	CAACTAAATA ATCATATTGT ACTAGCATTT CAGTCTCTGT AAATTGTGCT GGCAAATGAC	1260
	GATTTCTTAA TTGATGGGCT ATATCTCCCA TTTCTTGCAA TGTTCTTGGT TGAATCACTA	1320
	AAAGATCTTC TGAATTAACA TCCACAATAA TCATATTATG GTCATCTGCG TATAAAATAT	1380
45	CTCCATATTG TAAGTCAATA GGTGTGTTTT AACGAATGCC TATTTTCAGTG CCATGGTCTG	1440
	TAACGACTCT TTGAATACGT TTAACAAGAT CTGAATTTTC AAGGTATACT TTTTCGACGT	1500
50	GCTTTTGTTT TTCTGAATTT GACAAATTGG CAATATTGCC TTGGATTTCT TCAACAATCA	1560
	TTCTATGTTT CTCCTAGAAT AAGAAGTATC TTTGAGTTAA TGGTAACTCA GTTGCTGCAT	1620
	TACTTGTAAT TTTTCTCCA TCTACATATA CTTCATATGT TTGTGGATCA ACGTCTAATT	1680
55		

EP 0 786 519 A2

	GACGCACCAT	GCGTTTTAAA	TTTAATGCAC	GATTGATACC	ATTTTCATAA	GCAGTTTTAG	1800
	ACACGAATGT	CATTGACGTA	CTTGTAAGGT	TTCCGCCGTA	TTGACCATAC	ATTTTACGGT	1860
5	ACTTCATCGG	TTCAGATGTA	GGTATAGAAC	CATTTGCATC	GCCATTTACG	GCAGAGTTAA	1920
	TTAATCCGCC	CTTTACAAC	AATTCAGGTT	TAACCCCAAA	GAAAATTGGG	TCCCATAAGA	1980
10	CAATGTCAGC	TAGTTTGCCC	GGCTCGATAG	ATCCTACATA	TTCAGAAATA	CCATGTGTAA	2040
	TTGCTGGGTT	AATTGTATAT	TTAGCGATAT	AACGTTTGAT	GCGATTATTA	TCATTATGTT	2100
	CAAAATCACC	ATCTAAAGGA	CCACGTTGTT	CTTTCATGCG	ATGTGCTACT	TGCCATGTTC	2160
15	GTGTAATTAC	TTCACCTACA	CGGCCCATTG	CTTGTGAATC	GGAACATAATC	ATACTGAATA	2220
	CACCCATATC	TTGCAGAACA	TCTTCTGCTG	CAATCGTTTC	TTTACGAATA	CGTGAATCTG	2280
	CGAATGCGAT	ATCTTCAGGA	ATAGCCGCAT	TTAAATGGTG	AGTAATCATT	ACCATATCTA	2340
20	AATGTTTCATC	TACAGTATTA	TGTGTATAAG	GCAAAGTTGG	ATTTGTAGAT	GAAGGTAAAA	2400
	TATTTGAAAA	TGCAGCGGAT	TTAATTAAAT	CAGGCGCATG	ACCGCCACCA	GCACCTTCAG	2460
25	TATGGTACAT	ATGAAGTACA	CGGTCTTTAA	CAGCAGCCAT	TGTGTCTTCC	ATAAATCCTG	2520
	CTTCATTTAA	AGTATCTGCA	TGTAATGCAA	TTTGAACATC	AAATTCATCA	GCAACATCTA	2580
	ATGCATGACT	CAAAGCAGAT	GGTGTTCAC	CCCAGTCTTC	ATGTACTTTT	AATCCAATTG	2640
30	CTCCGGCATT	GATTTGTTCA	ATGAGTGCAG	TTGGATTTGT	TGCTTGTCCT	TTACCTGTAA	2700
	AACCGACATT	AATCGGTAAA	CCTTCGGCAG	CTTCTAACAT	TCTATGAATA	TGCCATGGAC	2760
	CTGGAGTTAC	AGTTGTTGCT	TTAGAACCTT	CTGAAGCACC	AGTACCACCA	CCAATATGAG	2820
35	TCGTAATACC	ACTTTCTAAT	GCGAECTCTG	CTTGTTCAGG	ATTAATAAAA	TGAACATGAG	2880
	TATCAATACC	ACCAGCAGTG	ACGATTTTAC	CTTCAGCGGC	AATGATATCT	GTTGTTGAAC	2940
	CTATAATAAT	GTCGACATTA	TCCATTATAT	CTGGGTTGCC	GGCATTACCT	ATGGCGAAAA	3000
40	TATAACCATT	TTTAATGCCT	ATATCAGCTT	TAACCACTTT	ATCGTAATCG	ATAATAACGG	3060
	CATTAGAAAT	GACAAGGTCT	GCAACGTTCA	CGTCATCACG	TGTTACACGA	GGATTTTGCG	3120
45	CCATACCGTC	TCTAATAGAT	TTACCACCAC	CAAAAGTAGC	TTCTTCACCA	TAAACCGCAT	3180
	AGTCTTTTTTC	TATTTGAGCA	AATAGATTCTG	TATCACCTAA	ACGAATGGAA	TCTCCAACAG	3240
	TTGGACCGTA	TAAGCTCGTA	TATTGATTTT	GCGTCATTTT	AAAGCTCATG	ATCTTTTTTCC	3300
50	TCCTTTTTTTA	TTCACGTTTT	CAGCACCGTT	ATCTCCGAAT	ACACCTGCAT	ATTCATCATT	3360
	TTCATCAGTT	GGGCGATAGA	CACGTGACTC	ATCGATAGGA	CCATTGACCA	TACCACGAAA	3420
55	ACCAAAAATT	TTACGTTTGC	CAGCATATTC	AACTAATTGA	ACTTCTTTTT	TATCCCCAGG	3480

EP 0 786 519 A2

	TTCGAAATCT	AATGCTGCAT	TTGCTTCATA	AAAATGAAAA	TGTGAGCCCA	CTTGAATTGG	3600
5	TCGATCTCCT	GTATTTTCAA	CTTCGATAAC	TGTTTCAGGA	TGATGGTTAT	TAATTTCAAC	3660
	CTCTGTACTT	TTTGAATAAA	TTTCTCCTGG	TATCATTGGA	CTGCCTCCTT	TAAACAATAG	3720
	GGTGATGTAC	TGTGATTAAAC	TTAGTACCAT	CGGGGAACGT	AGCCTCGATT	TCGATATCTG	3780
10	TAATCATGTG	TTGACACCA	TCCATGACAT	CTTCTTTGTT	TAGAATTTGT	CTACCATAAC	3840
	TCATTAACTC	TGCAACGGTC	TTACCATCGC	GTGCACCTTC	TAATAATTCA	TCGCTGATTA	3900
	AAGCTAATGC	CTCAGGATGA	TTTAGTTTCA	AACCACGTGC	TTTACGACGA	CGTGCAACTT	3960
15	CCGCCGCCAC	TACAATCATT	AATTTGTCTT	GCTCTCGTTG	TGTAAAATGC	AAATTAAAAAC	4020
	CCCCAATTTT	ATATTAGATA	CaATTTACAA	AATTTATATT	AATCCTAATT	GTTGTGATAA	4080
	ACAAGTAATA	TACAAAGTTC	AATGTGTAAT	TAGAAAATTA	TATTTTTTAGC	ATATCCGATA	4140
20	TTGAAGCAAA	CAATCTAATC	GAAAACAAAT	AGTGGAATAT	ATTTATGTAA	AAACCAAAAT	4200
	AGTTTTTAAT	ATAACTTTTC	ATAGAATAGT	AGTATATTAA	TGAGTAATGA	TTCAAAGGAA	4260
	AGGTGAAAGA	TTTGAAGATA	ATAGATGTGC	TTTTGAAAAA	TATATCTCAG	GTTGTGTTAA	4320
25	TTAGTAATAA	ATGGACAGGA	TTATTTATCT	TAATAGGATT	ATTTGTAGCC	GATTGGACAA	4380
	TTGGATTAGC	GGCTATTGTA	GGTAGCATCA	TCGCCTATAC	TTTTGCGCGT	TTTATAAAAT	4440
30	ATAGTGAGGC	AGAGATTAAT	GATGGGTTAG	CTGGATTTAA	TCCAGTGCTA	ACTGCCATTG	4500
	CGTTAACAAT	CTTTTTAGAT	AAGTCAGGAT	TAGATATTGT	TATAACAATG	ATAGCAACTT	4560
	TATTAACGTT	ACCAGTTGCT	GCTGCAGTGA	GAGAAGTTTT	AAGACCATAT	AAAGTTCCGA	4620
35	TGCTGACGAT	GCCTTTTGTC	ATTGTGACTT	GGTTTACAAT	TTTACTTTCA	GGACAGGTTA	4680
	AATTTGTAGA	TACATCGTTA	AAGTTAATGC	CTCAAAACAT	TGAAACGGTT	AATTTTAGCA	4740
	ACAATGATAG	AATaCATTTC	ATTCAGTCAT	TATTTGAAGG	ATTCAGTCAA	GTATTTATCG	4800
40	AAGCGAGTGT	AATTGGTGCC	GTATGTATTT	TAATCGGCAT	ATTGATAGCA	TCAAGAAAAG	4860
	CAACACTCTT	AGCTGTTATA	GCTAGTTTGT	TAAGCTTTAT	CATTGTAGCT	CTATTAGGTG	4920
45	GTAATTATGA	TGATATTAAT	CAGGGATTAT	TCGGTTATAA	CTTTGTATTA	ATGGCAATCG	4980
	CACTAGGATA	TACATTTAAA	ACAGCGATTA	ACCCTTATAT	TTCGACTTTT	TTAGGTGTGT	5040
	TATTAACAGT	AGTGGTGCAA	CTAGGTACAA	CAACATTGCT	TGAACCGTTT	GGCTTACCTG	5100
50	CATTAACATT	GCCATTTATT	ATCGTGACAT	GGATTTTATT	ATTTGCTGGT	ATTAAACATG	5160
	ACAAAGTAGA	TGCTTGATAG	TTAAATCAAA	CCTAATATTG	TTTGAATATC	ACCTTAAACT	5220
55	ATACAGCGAA	TTGTATAGTT	TAAGGTGTAT	TTTTATGGAT	AAAATTAAGT	GCATACTTAA	5280

GTGTTAAACT AGGAATAAAT AATTTATATT GTGTGTTGTG TGGGGTGAAT AATATGAATG 5400
 ATATGGATAA TTCCTTTTTA ATAACAACGG AAATTCAAAG AAAATGGATT GAAAAATTCA 5460
 5 AAGTAATTAG AGATACATTT AAGGCTAAAG CTGAATATAA TGATCAACAT AGCCAATTTTC 5520
 CATATAAAAA TATTGAATGG TTAATTAAAG AAGGTTATGG AAAATTAACG TTACCAAAAG 5580
 CATATGGTGG TGAAGGTGCG ACCATAGAAG ACATGGTTAT TTTGCAATCA TTTTATAGGCG 5640
 10 AACTTGATGG TGCCACAGCA TTATCTATTG GTTGGCATGT GAGTGTCGTA GGACAAATTT 5700
 ATGAACAGAA ATTATGGTCT CAAGATATGT TGGAGCAATT TGCTGTTGAA ATTAATAATG 5760
 15 GTGCATTAGT TAATAGAGCA GTTAGTGAAG CTGAAATGGG TAGTCCAACA AGAGGGGGAA 5820
 GACCAAGTAC ACATGCTGTT AAAGCTGATG ATGGGTATAT TTTAAATGGT GTGAAGACAT 5880
 ATACATCAAT GAGTAAAGCA CTAACACATA TTATTGTTGC TGCTTATATA GAAGAATTAG 5940
 20 AAAGTGTGG TTTTCTCTTA GTAGAC 5966

(2) INFORMATION FOR SEQ ID NO: 23:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17310 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 23:

CTGTGTCATC GCGAAATAGT TAGGGTCATT CATTAAATCCT TTTGAACGTA TTTCATCAAA 60
 35 ATATAACAAT TTCATTAGTA AAGGGGACTT GTTCAAACCA GCTATAATAC AAAATAGACC 120
 TATAGTCACA CTGCTTATAA TATAAGAGGT AACGATCACT TTTTGCTAT TACCTAACTT 180
 AAAGGTGATC ATCCCTAAAT AGAAATAAAT GACTACAAAT GCATATTTAA CTGTAGATGC 240
 40 AAGAACTTCC TTAACCGTAA TAAATATCAA ATCATCAAAA AATaGCaAAC AArGCGTAAT 300
 AATCATACGA TATGTATACA AAATAATGAm AAAGTGTmAA AAATGATTTG CCTTTAATAA 360
 ATGGTTAGCG AAAAACAGTA AATAAACTAA TATTAGTAAT GTGATAAAGT CAGCTATAGA 420
 45 AACATTCACA CCGGCAATAA CCGAAGATTG CTGAATAAAA ACCGCTAAAC CGATAAGTAA 480
 CAATGTTAGT AATTTACTAT TGTGTTGATT TTCCATTATA AACGTCTTCC ACTTCTTTAA 540
 50 TCATTTTCTC CTCAGTAAAA CATTCTAAAT AACGTTTTCT AGATTGATTA CTCATTTTGA 600
 TGTAATCACT GTCTATTAAA TATTTTCCCA GGACTTTAGC AATAGTTTCG GGTGTTGTGT 660
 TCATCATACA TATACCATTA TCAGCTACTA ATTCTGAAAT ACCGCCAACA TGACTGGCTA 720

EP 0 786 519 A2

TTATTAAAAT AAACGTATCG TATTGTGATA ATAAATGACT CGCATTAAATG ACATTGCCCA 840
 AAAATGTGAC ATCATTTTCT AACCCAGCTT GTACAACTTG TTGCTGACAA TCATTTAATG 900
 5 TAGGTCCATC GCCTATAAAT GTAAAATGCG CATGATTACT GTTATGTAAT TTCAATATCT 960
 CTATTGCCGC GATTAGATTT TGTGGCAATT TTGGATAAGC AAATCTTGCA ATCATAACAA 1020
 10 ATTGATGCTT TGTCGGGGCA TTAATCTGTA AATCTTGTTT ATTAGGCAAC ATTCCAATA 1080
 CTTTCGCCAAT ATTGTTATGT GATTGGCTTT TTAGCGTTTG CTTAACAGCG GGAACATCTG 1140
 CAATACCATT ATGTATTGTG GTTAATTTCA ATCGATTAAA TCGATATTTT AACGCTAACT 1200
 15 GTTTATCGAA ATCTGAAACA CAAATAATGC TATCTGTAAT AAGTGACATT AATTTTTTCGA 1260
 TAACTAAATA TAGAAATTTT TTAGCTGGTT TAACACCCTC TGTAAGGCC CATCCATGTG 1320
 CAGTAAAAAC TATACGTGTG TCTTTCGATT TCGAAATGAa CTtCGCAATT CGTCCGACCG 1380
 20 TtCCAGCTTT GGAAGAATGT AAATGGATAA CATCAGGTTT AATTTTCGAG AATAACTGTG 1440
 CTAACACTTT GACAGCTAAA ATATCTTGTT TAAAGTCAAT TGGACCTACT AAATGTTTGA 1500
 TAATAATTAC ATTAACCTT GCATCTAGTT GTTCAATCAT TGGTCCATGA TTGCCTACAA 1560
 25 TGACATAAAC ATCATTGTGT ACGCAAAAAT GGTTGGCGAG TTGAATGAGA TGTGTTTGTG 1620
 CACCACCATT GTCTGCTTTA GTAATACAAT ATATAATTTT CAACTGTTAC AAACCCCTTT 1680
 30 AATGCTATAC TTTCAATTTT TTAACATGGC TATCTCATCA GATGAATAGT ATTTATAGCC 1740
 ATGCAAAATCA ATGATGGCAC ATATTTCTTA ATGCCATTTG ATACTGTCTC AAGGGATTCC 1800
 TCGTTATACT GTAACAATTG GTCACAATCT TTAAAATATA ACTTTTATTT GAACTTATTA 1860
 35 AGTAAATTAA GACTACCTTG AGCCTTCCCC TGTAATAACA ACCATCAATG TTCTAATTGA 1920
 TATATATAGT TCCATCATT AACTACCTTT ATGTATATAT TTCATGTCAT ATTTCAGTTT 1980
 TTGTTCGGGT GTTAAGTCAT ATCCACCTTG AATTTGCGCA AGTCCTGTGA ACCCTGGTGT 2040
 40 AACAAAGACAT CTTTGCTCGA AACCTATCAC TTCTGAACTA AATAATTCTA CAAATTCCGG 2100
 ACGTTCCGGG CGTGGTCCAA TAAAACATCAT TTCCCCTTTA ACAACATTAA TTAGTTGTGG 2160
 45 TAATTCATCA ATGCGTGTTT TACGAATAAA CTTCCCGACA TTTGTTATAC GATCATCATC 2220
 TTTATCAGCC CATTGCGCAC CGTTTTTCTC TCGTTTTTTG CACATCGAAC GTAATTGTGA 2280
 TATTTTAATT AATTTACCCA TCTTCCCAAC TCTAACCTGA CTATAAATAG GGTTCCTGG 2340
 50 CGAATCTATG ACGATAGCAA TGGCGAATAT AACCATAATC GGTAAAGTTA AAAATAATAA 2400
 AACAAATGCTT AAAATTAAGT CAATCGCACG TTTAATTGGG TAATAGCTTT TTCTCACTTC 2460
 TTCTAGTTTG TCTAATTTTC TTTGATAGGC ATAACCCTTA TTATTATGGA CAGCTTCAAT 2520
 55

EP 0 786 519 A2

	AATTAAAGTA ATCCTTTAAA CCTGTTTCTA CTGTATATTT AGGAACAAAT CCTAATGCCT	2640
	TTAAGTTAGA AATATCTGCA TAAGAATGCT TAATATCTCC TTTTCGTGCT TCTTTAAATT	2700
5	CATGCTCGAC TGATTTTCCA TATAATTCAC CAATAATACG ATAAACCTCT AATAAATTAG	2760
	TAAAAGTGCC TGTACCAATG TTATAACCGT GTCCAATTGC ATCTTTGTGT TCCATAATTA	2820
10	AGCGTACAGA TTGAACAACA TCATATACAT ATACAAAATC TCTAGTTTGC AGTCCGTCAC	2880
	CAAAAAATGT AAATGGCTTG TTATGCTCAA ATGAATCGAA CATCTTTGAA ATCACACCTG	2940
	AATATTGTGA CTTAGGATCC TGTCTTGGCC CAAATACATT AAAAAATTTA ACAACCGCTG	3000
15	TTGGTATGTT ATATAACGAA CAATAATTTA ATGTCGTCCG TTCGCCGTAA TATTTATCTA	3060
	TTGCATATGG TGATAATGGT AAGATTAATG ATTGATCACT TTTAGGCAAA TCAGGAAGAT	3120
	CACCATAAAC AGCTGCTGAC GAAGCAAAGA TAAAACGTTT TATATGATTA TTATATTTTT	3180
20	TAATGATTTT TAACAATCTT AATGTTGCTA CGACGTTTAT TTCTTGAGAT AAGATAGGTT	3240
	TCTCAACCGA CTCAGCAACA CTAACATAATG CTGCTAAATG AATAACATAA TCAAATTGAT	3300
25	ATGTCTTCAT GATTTGTTCA ACTGCATCAT ATTCACGAAT ATCTAATTCA AACACATGAT	3360
	CGTCAGCCAA ACTTTTAATA TTTTCTCGTT TACCTGTTCT ATAGTTATCT AGAACATAAA	3420
	CATCATAATC TTGTTGTAAA TCATCTACTA AATGCGACCC AATAAAACCA GCCCCACCAG	3480
30	TTATCAAAAC TCTTTCCAAA TCTTCCACCT CATTATATAA TTAAAAATAT ATCATAAAAA	3540
	CATAAAGTAT TGTAAGCTTT TTATCGATAT TTTTATTTA TAAAAATAAA ATGAGATAAC	3600
	TTTGTGAATT TTTATTGAGA TAAATTAGAT AGTGGTGTTT TTGTGATGTT TTATAATATC	3660
35	TTGGGTGTGT TAATACTAAT AATGCTTTCA ACTGATGCAT TAGACTGTGA CATCATAACT	3720
	CACTTAAGAA CTTGCTTAT TAATTTTCTA CCAATACACT CCCTTCTAAG TGCATAAAA	3780
	AATCCTTACT GCTAAGTGAT TAACTTAAC AATAAGGATT TATTTATCAT TAGTGGATGA	3840
40	TTATTAAACGG AATCTCATAC CACCATCTAC AATAATTGTT TGTCCAGTAA TGTAATCAGA	3900
	GTCTTTACCA GCTAAGAAGC TCACTACATT TGAAACATCT TCTGGTTGAG AAACCTCTGCC	3960
45	CAAAGCAATC TGAAGTGTA ATTGTTCCCA ACCCATGCT TCAGGTTTAC CTGCTTCTTC	4020
	GGCTGTTGCC ACTGCGATAC TTTCCATCAT TGGTGTTTGA ACGATACCAG GTGCGAATGC	4080
	ATTCACAGTA ATACCTTCAG ACGCTAAATC TTGTGCGGCT ACTTGTGTGA AACCTCGCAC	4140
50	TGCGAATTTT GTACTGCAAT ATAAAGACAA GCCTGGGTGA CCCTCAACGC CTGCTTGAGA	4200
	TGTTGCATTG ATAATTTTAC CGCCATGATT GAATTTTTTA AATTGTTTAT GTGCGGCTTG	4260
55	AATACCCCAT AGCACACCTG CAACGTTTAC GCCATATACT GTTTTAAACT GTTCTTCAGT	4320

EP 0 786 519 A2

	GCCAAATTGC GCGGCAGTTT GTCTTAcTGC GTTAAATACA TCATCACGGT TTGATACATC	4440
	TGCTTTGATA GCAATAGCTT TTGTACCATC ACTTGATAAT TTAAGTGCAG CTGCTTTTGC	4500
5	CCCTTCTTCA TTGAAATCAA CAACTGCTAC TTTGAAACCA TCTTCCACTA AACGTTCTGC	4560
	AATTTTAAAA CCAATCCCTT GTGcTCCGCC AGTTACTAAT GCTACTTTGT TGTTTGT CAT	4620
10	AAAGATCACT CCTCAAATTT CTTTCCTTTA ATTACATTTT ACTCCTCTTC ATTTGAATAG	4680
	TACAACAAAG GTAGCTCCAT TTAACAAAAT ATTCAGATAT TTAAGGTATA GTTAAACGCA	4740
	CTACCATTAG TGATTGGCAA TGC GTTTTAAA TGTCGTTTTA AAAGTTCTTA TGTTGAATAT	4800
15	TATTTTTTTTA AGTCTCTCGA TTAGTTTGTC ATCAATCTTT TTTCGAGACA TGGTCTTTTG	4860
	ATTCAATAGG CGGTTCCGTG TTATCACTGA CAACTTTAGT TGTAGCTTCA TCTTTATGTA	4920
	TTTCTTCGTT AAATCCTTCA AGGTTTTTTAG TCGTGGGATT TTTAACCTCA GGATGTTCCA	4980
20	TCATGTCTTG ACTATCAAGT TCCTTTTTTAC ACGTGTCTTT ATGTGATGCT TGATTTGCGT	5040
	TCCCTTTACT TTTTTGAATA GTGGTAGTAT CTGCTGCAGC TACTAATTTT TTTCTACCTA	5100
	AAATAGATAT GGCTGAAACA AACCAGAGTA TTGCAGATAC AAAGTTGCAT AATACTAAAG	5160
25	CGATAATAGC CAATACAATT AATATGACAC CTTTGTGAAAT CCTTTCTTTA AATAAGTCAG	5220
	ATGCCAATAC GATGACAGGT ACGATTGAAA GTATAATTAC AAATATAGAA ATTATTGCCG	5280
30	ATATAACTAT TGTTACTATT AAATAATCAG CTCTGCTACC TGATAATAAA TAGAAAAGGC	5340
	CGAAAATTAG TCCATAGCAA ATTACAAACC CACATAAAGT TATAGCCATG AGTACTATAT	5400
	AAGCTATTTG AAAATATAAA CCTATCTTTA TGAATGATTT TTCTACATTT TTTTCCATGT	5460
35	CTATTCCCCA TTTATTTAAA ATTTATACTT TACCTTAAAT ATTCTCTTTA TTCTTTAGTG	5520
	ATTTTATCTT TAGATTCAAA TTGATTCTCT GTACTTTCAA TATCAACTTT TTCATTTTCG	5580
	TCTGTcCGATT CATCTTTTGA GTATTTATTc CAAATCAGCA AAATACCACC AATCAGCCAT	5640
40	AAAATTGACG AAAGGAAATT ATATAAACAC AGTGCAATAA TAGCATAAAC AATAAAAAAGT	5700
	GCACCTCGGA TTACAGAGTA ACTTTCCATA TAAATCGCAG TAAAGATGGT TGGTAAAACA	5760
45	GTGAAAAGAG CCAATATTAA TCCTAATAAA AAAATTGTTT CGTAATCAGA TCCTCCAGCA	5820
	ATATTAATAG ATATCATCCT AACAAAAACG AACTAAAAT ATATTTGAGC TACGATGCCT	5880
	ATCCAAATTG CTATTTTTTCC TATAATTGAG CTCATACTCA TTCCCCATTT ATTTAAAATT	5940
50	TATACTTTAC CTTAATATAC CTTATTTTAT TTAATTTTTA TATGCAAAAT ACAAAAATGG	6000
	AGAACTTCAA TATTTATAAA ATATCAAAAG TTCTCCACAC TATATTGTTT TATTATATTT	6060
	TCGCTATCAA TACGCTAAAT CATCATATTT CCCTCAACAT CACAGTAAAA CTATTGCTCC	6120
55		

EP 0 786 519 A2

	TTCCAATTGC	GCAGTTGTTT	AACATCATCA	TCTTGTTTAA	GTAATGCCAG	TGGTACTTGA	6240
	AGATTAAGAC	ATCGTCCTGA	AATATTAAAG	CGTGTCACAC	CTGCTGGCAC	AGTTTCCCCT	6300
5	TTATGAACAA	CCGCTTCAAT	TTCTTATAA	CTCAATGGCT	GATACTTCAT	GAGTACATCT	6360
	TGTTGAGAAA	GACAAGGATA	TGTACCTTGT	GCAATTCTCT	CTACAGAACA	ACAACCACTA	6420
	TAACTTGCGA	CAACCTTTTC	CCATACTTGA	AAATGTGCTT	CGCCTAAATC	TTTTGTATAC	6480
10	AAATATTGTT	CTGTATCACC	ATGACACATT	GTAATAAATG	GCGCTTCTTG	TCTTGTCTCA	6540
	GTAGTCCATG	GCAAGCGATG	TTCTTGTTGT	AACGTTTCCC	ACCACACACC	AAATGGAACT	6600
15	TTATGTTGCC	ATGTACTAAT	TGAATATTGT	GTTTCATGGA	TTTCTTGAC	TGGAACCTTC	6660
	TTACATCCTA	ACGCTTTCAA	ACTTGTATAC	CGATGCACAC	CATCTATAAC	CATATATCTA	6720
	CCATGTTGCA	TCGCTGTCAC	TAAAATAGGA	TGACGTATAA	AATCATCTGC	TTCAATACTA	6780
20	CTTTTCGTTT	TTTCCAATCT	TAAAGGTTTC	AATGTTTCGT	GAAGATCAAT	CTTATCTACT	6840
	GGTACCAATT	TTAAATGTTT	ATGAATATGA	TTCAATAGTT	ATTCATCCTC	CTTTGTTTGT	6900
	GTTAAATAAA	TAAATTCAGG	ATGTGGATGG	CTTAAGAAAT	CGTGATGTGA	AATAGACCAT	6960
25	CCGTATGCAC	CTGCATATTT	GAAAACAATA	ACGTCGCCTG	TACTGATTGC	GTCTATCTGT	7020
	ACTTCTCTAG	CAAAGACATC	TTTCGGTGTA	CATAATTGAC	CGACTAACGT	TGTGTCCTGT	7080
30	CTCGAAATTG	AAACTTTTTT	AAATGAATAT	GGATTGTCCT	TATAGCGATA	AATGTCAAAA	7140
	GGATGGTTAT	GTTGCCAAGA	TACCGGCAGT	CTAAATTGTT	GCGTACCTCC	TCTTAATATG	7200
	GCATACCAAG	CACCATGTAC	TTTCTTAATG	TCTAGCACTT	CTGTCACATA	GTAACCAATA	7260
35	TGTGCCACAA	TAAAGCGCCC	ACATTCAAAG	TTCAATGTCA	CATCTTCCAT	TTCTTGCTCA	7320
	ACGATAAGTG	TTTTAAAACG	TTCTACAAAA	TTATCCCATT	CAAATTGGTT	AGTTAAATCT	7380
	GCATAGTTAA	CGCCTATGCC	ACCACCAAGA	TTGATATGTT	TGAGTGGAAG	TCGATGTTTT	7440
40	TCAGACCATG	CCTTTGCTTT	TTTAAAATAA	AGTTTCACTA	CATCGACATG	TAAATTCGAG	7500
	TCTAAATTGT	TAGAAATAGA	ATGAAAATGA	AATCCATCTA	GATGAATCTT	TGGCATTGCG	7560
	AGCGCAGcTT	cAATGACATC	ATCAACTTCG	TCTTCAGAAA	TACCAAATTG	TGTTGGGCGT	7620
45	CCTGCCATAT	GCAACGTTGC	ATTGGGAAAT	GGTCCTGCTA	AATTAACACG	CAATAAAATG	7680
	TGTTGTGTCT	TATCTTCATC	TTCTAAGATG	GCATTTAGCC	GTTGTAATTC	ATGCATACTT	7740
50	TCAACATGAA	TACGCTGAAC	ACCTTCACTT	ACTGCATATC	TTAGTTCCCTC	GTCTGTCTTA	7800
	CCAGGGCCAC	CAAAAATAAT	ATGATTTGCT	GGTTTAAAAG	CAAGACCTTT	TGCTATTTCA	7860
	CCTTGAGATG	CAACTTCGAA	TCCTTCAACA	TACTGACTAA	TTGTATCTAG	GATTTTTTCGT	7920
55							

EP 0 786 519 A2

	TGTTGCAAAT	GATGTTCCAG	TCCGACTAAA	TCATAGATAT	AATGACAAAC	TGGATGAGAT	8040
	TGTGCTTTTA	ATTGTTCAAT	AACAGGTTGA	ACTATACGCA	TTAGCCTTCA	TCCCCTTTCT	8100
5	GTTTAGACGT	CGCTAGAGAT	GCACTTAAAT	GCGGATATAT	TTTTCCGCGA	TCATCACCTA	8160
	AAATAAATGT	TTGTACACCT	TGTGCCTGCC	ATTTTGCAAT	ATCTTCATCT	TCACGTGGTA	8220
10	ATGCACAAAA	ATGTTTACCA	TGTGCATTCA	CAACTTCAAA	AATATGTTGA	ACATGTGATG	8280
	TTACTTGATC	ATCACGCGTT	TGCCATGGTA	TGCCAAGTGA	CTGCGATAAA	TCTGCGGCAC	8340
	CTTCGACTAT	CATGTCTAAA	CCTTCGACTT	GTGCTATATC	GTCAATGGCC	ATAACCCCTT	8400
15	CAACATCTTC	TATCATGGCA	ATCACCATAA	TATGCTCATT	AGCCATCTCC	ATTGCATCAA	8460
	GTAATGGTGT	ACGTCCAAAT	CTTGCCATGC	GACCACCATT	CAAACCTTCT	AATCCTTGCG	8520
	GGTAATAACG	ACTTAATTTT	ACAATATGCT	CAACTGTCTC	ACGATCTTTA	ACGTGTGGCA	8580
20	CAATAATACC	TCTCGCACCC	ATATCCAACA	CTTTAATGAT	ATCTCTATCT	ATCACTGCAG	8640
	TGACACGTAC	AATTGGTATA	ATATGCGCTG	CTTCAGCTGC	ACGAATTAAA	TGCGCTAGTG	8700
	TCTCATCATT	AATCGCCACG	TGTTCTGTAT	CAATCACAAC	AAAGTCATAC	CCGCTTGCTG	8760
25	CGATAACCTC	GATCATCAAT	GGGTCCGGTA	TAGAATTAAA	AATGCCATAA	ACTGAATCAC	8820
	CATTGTTTAA	TCTATGTTTC	AGAGATAGTT	GTTGCATCAT	TGATACCTCC	TACACCTAAT	8880
30	GGATTTGTAA	CATGATGAAT	TCTTAACTCG	GAGTCACTTA	ATAATCGACG	TGTCGTTAAC	8940
	TTTTCAACTT	GAATCGTAGG	TTCAAACAAA	TCGAAATGTT	GATAGTTATT	CAACTCTGGA	9000
	AATGCTTCTT	GATACGCCTC	GATGATGCCT	TTAACCCTAT	GCCATTGCAG	CTCCTCATCG	9060
35	ATACCATATT	GCTTTTCAAT	AAATAAGATG	ATTCGGCGA	TATTAATAAA	GAAAAATGCA	9120
	TCATGTAAAA	AGTCGCGTAC	TAAACGTTTC	TCATCTGTTT	CAATAAATGA	ATTACTATTC	9180
	ACTTTTAT	GTGCTTCTGG	CATTGGCTTT	AATGTCAGGT	GTGAAGCAGC	TTCACTTAAA	9240
40	TGCTCACGCT	TAAAACGAAC	ACCATCATGG	AAATCTTTTA	AGGCAATACG	TGTAGGCCAA	9300
	CCATTTTCAT	GAATGAGCAT	CATATTTTGT	GCATGCGATT	CAAAGGCAAT	ACCGTGATAA	9360
	TAAAGCATAT	GAATCATTGG	ACGAATCGCT	ACAGCTAAAA	ATTGCTTTGT	CCAAGCTTCA	9420
45	GAACCATATT	GTTTAATCCA	ATTTTCAATG	AATGGTACAC	CATCCTTATC	ACTTGCATAA	9480
	AGTGCAATTAA	ATGGTATCGC	ATCCTCTTCA	TCGATTAAACA	TATGATATAT	ATTTTCACGC	9540
50	CATATAACAC	CTAACGCACC	ATAAACTTGA	GTTTGTTTAT	AAGGCGAAAG	TTGTGTATTT	9600
	AAATAAGACT	GTCCTAAGAC	TTCCCCTAGA	AAAAGTGTCT	TTAATTCATC	TTTTAAATAC	9660
	ATATCTTGTT	GCTGTATCTG	CTTTAACCBA	TCCGTAATTT	GCGCTGCATT	TTCAATTGTA	9720
55							

	TATTTTGTGCG	TGTCTATTGG	CGACATCGTA	CGAATCGATT	GTTGAGGGTG	ATATAGCTCA	9840
	TCACTTTCCC	CTAACCATAG	TACTGTGCCA	TTAAGCCTTT	CTTCAGCCAA	ATCAACTTGG	9900
5	ATGACATGTT	CAAAC TGCCA	TGGGTGTACA	GGTATCATCT	CAACATCATT	TACATGTTTG	9960
	CCAGATGCTT	CAATTTGCTG	TACAAAATGT	TCATAAGTCT	TATCGCCAAC	TTGTTGACGT	10020
	AACATTTTCG	TAAC TACAAC	ATTTCTTGAT	ACCGTCGTTT	CTACTTTATC	TTTGTGCGATA	10080
10	GCTAACCCT	GCAGTTTAA	GTTTGGTACA	AAATCAGGAC	CAAATTTCAA	ATTATCACTC	10140
	AACGTAAATC	CTAAACGTGA	TTTGTAACCT	GGATGATACT	GATGCCCTTC	CATCGCATAA	10200
15	AATTCATAGT	CGTTAAATGT	CTCAGGTGTT	GCTGGTGGGT	TTGATTCTCG	ATACTGCATA	10260
	CTTTGCGTAT	CTTTTAATTC	TGTCTGTAAT	AACTCGACAA	TAAATTGTTC	TAGCTTTTCA	10320
	TCATTTTTAG	GAAATGTAAA	TACAACCTCT	CTCAATAATT	GTGTATAGTC	TGTTGTTGTA	10380
20	TCTGCCTCAT	CTCCTACGAC	ACGCTCAATT	GGTGATGTGA	TACGTATACG	ATCAAAGCTA	10440
	TGTGTCTTTT	CAGCAGTAAA	ACGATACTCT	GAATCATGTC	CTTCTATTGT	AAAATGACCG	10500
	ACACCGTCTT	GATATGACGC	TTTATACACA	ACAATATTCT	CATAAATAAG	TGATGATACC	10560
25	AGTTGGTGCA	TCACTCTAGT	CTTTACACGA	TTAAGAATTG	TTTGATTAC	AATACGATAC	10620
	CTCCTTGTTA	TGACAAATTG	GATTTGGTAT	ATGTGTATAA	ATAGGGTTTG	CACCACAATC	10680
	ATTCAATTTA	CTCATCAAAT	TCGCTTTAGC	CGCAATGGTC	GGCGTTTGAT	ATAAATCTTC	10740
30	TACACAGTCA	ACAAATACTG	CGTTATTTCG	GTATTCTTTT	TTCCAAGTCA	TAAGACGATG	10800
	CGCTACAAGT	TGCCATAACA	CAACTTCATT	TCTAGTCGCT	TTACCAATAG	TTGATACTAA	10860
35	ATGTCCTAAG	TGATTTACTA	CAACGTAATA	TTTAAGACGA	TGCCATGCTT	CATCATGTGC	10920
	ATATACAACA	GGGCTTGATG	CTGCCACAAC	ATTTGGCACA	AGCTGTTTTT	CAGTAGCAAT	10980
	CGTTCTAGAT	AGACAAATGC	CTTCAAGATC	TCTGACAAAG	CATACGTCGG	GTATGCCATC	11040
40	TTTTAATTCA	ATTAATGTAT	TTTGTTACATG	TGCTTCTAGA	CTAATGCCTG	TGTTACTAAA	11100
	CAGCTTTAAT	ATCGGCAATA	ATGTACGATT	CAAATAACAT	TCAAGCCATG	CTTCTGGTGC	11160
	TAAACCACTT	TGCTCAATCA	CTTGTGATAA	CTTAGACATC	GGTGAATCAG	GCATCGTTTC	11220
45	AAATAATGAC	GCCAATACAT	GAATATCTTT	ATCAGCATGG	TAATTCCGTA	TCCCTTCACG	11280
	AACAATCATG	GCACTATTTG	TTAATAAATC	CATTTCAAGT	TCAACTGTTT	GCCCTAATGG	11340
50	ATTCGGTAAC	AATGCACGAT	ATCCTTCTTC	AAACATCAAT	TTAAATGGG	GTGTTTCAAC	11400
	CTCATCTTTG	ACTGATGCGA	TAAC TTGCGC	GGCATCAATT	GTCCGTTCAA	TCTGTTCAAG	11460
	GTCATTGCGA	CGTATAAAAT	TAGTGATTTT	AACGTGTATC	GGTAATTTTA	AATAAATGTT	11520

	GCCAAGGTCT	TTTATTAAAC	CTTGTTCACT	ATATTGCATA	TACTGTGGAT	GCTGTCGCAA	11640
	CACATTGATT	TGATAAGGAT	GTGTTGGTAA	TAAAATAAAA	TCTTTGGGTA	TCTCTGATAT	11700
5	ATCTATGTCT	GCTAATTGAT	ACAACACTTT	CTCAACCTGA	TCTTCTTTAC	CTTCTACATA	11760
	GCGCGTGAGC	AGAACATCTT	GATGCACAGC	TAAATAATGC	AATTGGAATG	ATGTATGACA	11820
10	TTCGGGTGCA	TATTTCTCTA	AATCTGCTTC	TGAAAACCCA	CTTGCACTCT	TAGGAGTCGG	11880
	ATGAAATGGA	TGACCTAAGT	ATAAAGATTG	TTCTGAAACG	ATATAACGAT	CCTCTACGTA	11940
	GTCTATTGTG	TTACTTTGCA	AATAACGTGC	CGTGCGATGA	ATGCTATTAT	CGATGTCAGA	12000
15	CATAATTTGC	GCCATATGTT	GTTGCACTGC	CGTTTGATTA	TCTGCACTTT	GAGCCATATG	12060
	TTGCAAAATA	CGCGCAATTG	CTTCTTTATA	AGTTGTTATT	TTTTTACTTT	TTCCATCGAT	12120
	AAGCCATACC	TCTGGATGAT	ACATATGATG	CCCCATCGCA	GACCAATAGC	GAAATTCACC	12180
20	CGTTAAAGTT	TCGAGCTCTG	ATAATTGTAT	AGACCATTGA	TGATTTTGAG	GTGGTACTTG	12240
	ATATAAATTT	TCTTCTCTAA	AATATTCATT	TAAAATGCGT	TCGATAGCCG	CATACGCTGC	12300
25	ATGTTGTATT	AATTCTTTAT	TTTGCACTTT	TTTGTTTCAA	CTCCCATAAT	TTCATTAATG	12360
	TGTGATCGTT	GATTTGATTA	GTGATGGTTG	AACAAATTAA	AAATAAACTA	CTTACTGCAA	12420
	ATACTACGCC	CATAACGATA	AACGTAGTAG	CTGGTGTAGT	ATAACTTGTA	ATGGCAGCGC	12480
30	cACTaAGACT	GCCAATAATT	TGACCAACAA	CTAACATACT	GTTTCGTCGTT	CCAACAAATG	12540
	TGCCTTTAAG	TTGTTGATGA	CACGCATTCA	CGACAACAAA	CATGACACTT	TGAATCAATG	12600
	CACTATATGT	TAATCCTTGA	AGTATTCTTG	CAGCCATTAA	AAACTCTATA	TTCGTCGCTA	12660
35	AACCTTGCAG	TATCGCACTA	CAACCACATG	CAATCGTGGC	AAATATATAT	ACTGATTTAA	12720
	CATATGATTT	ATCATTAAAG	CGTCCCCATA	AAGGCGCGCT	TAATATCGAA	GCCGTCCAAA	12780
	ATGCGGACTG	TAAAAATCCA	ATCACACTAC	GGTCATCTAT	CGCTGTATGA	TTCACTGATG	12840
40	AAGCAAGTGG	TGATAATGCA	GTTAGCATGC	CATACATAGC	AAAGTTTGCT	AAAACGCCAA	12900
	CGATAATAAA	TCGACATGTT	TGTTGTGTGC	ATAATAGACA	TTGAAATGAA	CGGCGAATAC	12960
45	CTTTATTAAT	ATTTGGTGTT	TGTGATTTTG	GCATATGTGT	CGTTTCAATC	AATTTTAATG	13020
	CACCGAAAAT	ACAGACAATA	AAAGTAATAA	CGGCAATACT	CATCAGTAAC	GCACTAAAAC	13080
	CTAATATCGA	AGCTGTAACA	CCGCCAATTA	ATGGCCCCAC	AAGAGACCCT	GCGCTGACTG	13140
50	AACTTTGCAG	TCTTCCTAAT	ACCTTTCCAC	GATCTTCAGC	TGGCGCCTCT	GCACTCGCAA	13200
	ACGCACTTGA	TGCATCAACA	ACACCACCAA	ATAGTCCCTG	CAATAACCTC	ACAAGTACAA	13260
55	ACTGTAATGG	TGTCGTACAC	AATGCCATTA	AAAATAAGCA	TACCGCCAAA	CCAAGTAACG	13320

EP 0 786 519 A2

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

ctATCATCGT CGTTACAGCT GGAGCAGCAA TCGCTATACC ACTCCACAAC TGTATTTCTA 13440
 CGACTGATAG ATTTTGTAGT GATGCCATAT AAATTGGCAA TAATGGCACA AGTACTGTCA 13500
 GTCCAGCAAT CGCTATAAAC TGA CTGAGCC ATAAATGCG AAAGTTACTG CGCCATATAG 13560
 ACTGATTAAT CATATGTCAC CATTGGATTT GGTACGGTAG TTAAACCTGA AGGCATACTA 13620
 CCTCCACCAC TATCACGTTG ATATAGCAAT GGTAAATAAAA TTTGTTTGAA TGGCCACGTC 13680
 TGT TTATCAA ATAAATGTG TCTGACAGCT AGCTGATCAG TTGTAACCCA GGAAATAGTT 13740
 GCCACTTCAT TTTTAAAT TTGTTTAAAC AACGACATAA GTTCATGCTC ACTTACACCA 13800
 AATAAATCTT GAATTGCATC AATAATGGCA TATAGATTTA CCGATACAGC TAATGTTTGA 13860
 AAATAAGCAA AGAATGTTTC CAAATCCTCA TTAATTAGCG TATTAGGTGT ATCTTCTCTG 13920
 ACGACATACT TCGGCAATGA AAGCTGATGT GCTGTTAGCC ATGGTTTATA AATTCTGACA 13980
 GTATCATGAT CACGTAACAC GCATTTTGT ACACGTC CAT TCAAATGA CAACAATATA 14040
 TTTTGACCAT GCAACTCTGG TAATGCGCCG TATTGCATAA ATGATAGTGT TACCTTTAAA 14100
 AAGACTTGCG CGATATCTTC AAATAACGTC ATGACATCAT TTTTAGAAAT ATTATCTTTT 14160
 CCACAAATCA TTTGATATAA AGTGCGATCA TTTGCCGCGA GTGCTGCCAT TGACACTAGC 14220
 TGTGCGTAT CATTTTGGC TAGCACTTCG GGATACTTTC TTAGCTGAAC AGTTAGATGA 14280
 CCTAATTGAT CTTTGAAAAT ATCATTATCT TGACCCATAT ATGACCACCA AGCTGTTTCA 14340
 TCACAAACCA TGACATACTT AGCTAGTGCT TCATCTTTT CTATAAGCTG ACGTAATAAT 14400
 TGTCTGCTT GTTCTCCGTT TTTCATGTAA CGCGTAGGCG TTAGCCTTAA TGCGCCTAAT 14460
 GACTGCATTG CAAATGGTAC TTTGACATGG TTATACGGTG CGCCAATATC AATTAATGAA 14520
 CGCATACTTG AAGACGACAG ATAATCTCCA AATTTTAACG GTAATAGTAC AACCAACTTT 14580
 TCACTAATCT CTTTCGCAA GACGTTCCGGC AGAATATGCT GATATTGCCA AGGATGTACC 14640
 GGAAATAGTA CATAGTCATC TATTGATAAC CCTTGATCAT TTAACATGTC TGTCGCTTGT 14700
 TCTTTTATAG GTACTGTCAA ATTTTCTAAT TCATCGATAT TTGCAGTATC GCCATGAATC 14760
 ATATGTGTCT TTTTAACTGC TGCAACCATT AAAGGAAATG ATTGATTTAA TTCAGCTTGA 14820
 TACACTTGAT AATCCGCTTC TCTTAATCCT CTTTTTCTT TAGCTAATGG ATGAAATGGA 14880
 CGATCTTTTA AACTTGCAA CTGCTCTGAC ATCACAAAAG GATGTGACGC TAAATCTAAT 14940
 TCTGATAATT GTTTAGCAAG CTGTGTGGCA GCAGTAGTCA GTCCTTCTTC AACGCGAGCC 15000
 ACTTCCCAT CATGACTTAG ATCACAAATC ATATTAGCAA TTGTTTGCCA AAATTCAGCT 15060
 GCCGTTAAAG GTTGCTTAGA CACCCTCCC TCTATCGTAA TTGTTGTGA ACTTTCGTAA 15120

EP 0 786 519 A2

TATATCAAAA GCGTTTGTCC GTTTTCTTTA GTAATCTCAC TATTCGATAC AATTCGGGCT 15240
 ATATCTTCAA ATAATAATGC ATCAACTAAA TCTCTTAATA TTATCGCTTG TGCTGTATTG 15300
 5 ACTGCTGTAT GATTCTGCAA TGTTCAGACA CCTCGCATT CTTAATATAGG TTCAATGTTG 15360
 TCCCAATATT TTGTTGTTGT GCCTGTTGAT AAATAAAATA AGCACTTGAA ATATCTTCGA 15420
 10 TAGCCATACC CATCGGATTA AGTAATATGA TCTCATCATC GTCTTCACGT CCTGGTATGT 15480
 CACCTGTCAC AAGTTGTCCT AGTTCAGCAT GAAGAGCTTC TTTGCTGAAT TTACCTTCTA 15540
 ACACCAATTG GTTAATAGTT TTCTTTTCTC GATTACATTG TGACCAGTCA TCTACTACGA 15600
 15 CTTTGTGAGC TTTAATAAAG ACTTCTTTAT GCACATCCAT GATAGAAATG TTGCTAATAA 15660
 ATGCACCCTT TTGTAACCAA TCATATTCAA TGTATGGTTG ATCCGTTACG GTACATGTAA 15720
 TGACTACTTC ACCATTTGAT ACTGCTTCTT TAGCATTTTC TGTCGCAATA AAATTAATTT 15780
 20 CCGGACGCTG TTGTTGCCAT CTATCAACAA AGCGTGCACA TGCTTCAGAG AATTGATCGT 15840
 AAACAAACAC GCGTTCAATA TGATCGAATT GCTCTAACAT ACTTTGTAAT TGCTTGTCTC 15900
 CGATTAGCCC GCATCCAATG ATTGTTAAGT CTTTAAATCC TTTTTTAGCC AAATGCTTTG 15960
 25 CTGCAATCAC TGAAACTGCT GCAGTACGCA TACTACTAAT TAAACTTGCT TCCATAACTG 16020
 CAATTGGATA ATTCGTTTCT GGATCATTCA AAATAATGAC GCCACTTGCA CGCTCCATAT 16080
 30 TACGTTTCGA TGGATTGTGCG TGCTTACTAC CTATCCACTT AATACCTGAA ATTGCGTGTT 16140
 CACCACCGAT ATGACTTGGC ATTGCAATAA TTCGATCTGC GATGTGTCCA TTTTCAGGAT 16200
 CCTGTCTTAA ATACGGCTTA AGCGGTTGTA CAAATCATT GTGCGCATGG GCTGTTAATG 16260
 35 CTTCTGTAA TGCGTCCACA TAAACTTGTG AATGATTACC TCCCCTTGT TCAATATCTG 16320
 ATCTATTTAA ATACAACATC TCTCTatTca TTCTGaTTTA ACTCCTTGTC TTGATTTTCAT 16380
 TTTTCTAAC CATGTATCTG AATAAACTAA ATCTAAGTAA CGATCGCCTC GATCTGGTAA 16440
 40 AATCGTGACA ATTGTTGCAC CTTCTTCAAT TGACGTTATC AACTGCTCAA TCGCTGCAAT 16500
 AATCGAACCT GTTGAAcCTC CGGCAAATAT GCCTTCATAA TCAATCAGTT TTCGACAGCC 16560
 45 CAAAGCAGAT TGATAATCAT CTACATGGAT CACTTGATTA ATTTCTGATC TATTCAATAT 16620
 TTCGGGTACA CGACTAGCAC CGATACCAGG TAATTCTCTA TTAATAGGTT TGTCACCAAA 16680
 AATGACTGAC CCTTTCGCAT CAACAGCAAC AATTTGTGCG TTTGGATGCA CTTCTTTTAT 16740
 50 TTTTCTACTC ATACCATAA TGCTACCTGT CGTGCTGACT GGCGCGACAA AATAATCTAT 16800
 AGGTTGCTTA ATTGTTTCAA CAATCTCTGT GCCTGCACCA TGATAATGGG ATTGCCAATT 16860
 TAACTCATT GCATATTGAT TAATCCAATA TGCATCGTCA ATAGTGGCTA ACAGTTCTTG 16920
 55

TACATTGGCA CCATAACTTT TAATAATTTT CAAATTTGTT GGTGATATTT TAGGATCAAC 17040
 AACACACGTG AGTTTTAATC CCTTGATTTT AGCTATCATT GCCAACGCAA TGCCTAAATT 17100
 5 ACCAGAAGTA CTTTCAATTA AATGTGTATT CTCAGTGATT AAACCATGTT TAATACCATG 17160
 TTCAATGATG TACTTGGCAG GTCGATCTTT CATGCTGCCT CCAGGATTCA TATACTCTAA 17220
 10 CTTTGCAAAC ACTTCATGTT TCGGAAATAG TTGATGAAGT TGAACCATAG GTGTTTGCCC 17280
 TACAGAATCT AACAATGAAT CGTGCACATG 17310

(2) INFORMATION FOR SEQ ID NO: 24:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 5423 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 24:

ATACTAGTAA GCGCATCGGT TATTGACATC GAATTCAACT TTAACAGTTT TCATGTTCCG 60
 25 TGATGTTTCa ATAGAATGTG TGTGTTGTAC TTGCGCATTT ATATTTCCAC CTAAATTACT 120
 TAAGTTTCCT GTAATACTAG AAATGTCAGG TCGGTTTAAT GTAGGTTGAA ATGCATCAAC 180
 30 TACTTTATCT GCAACATTAG AACATTACG GATAACTTTA CTTGAATGAT TATCTATACC 240
 TTTAACGAAA CCTAACATTG AATACATACC AACATCCATG AATTCACGTG AAGGTGAGTG 300
 AATACCTAGC GCTCTTTTGG CTGCATTAA AGCACCTTTT GCTACACTAG CTGCTTTTTTC 360
 35 ~~AGCTAAGTCT CTAGCCATAT TAGCAATACC TCTCATCAAA GCAGGGATCA TATCAGCACC~~ 420
 TGCTGATACA AAGTCATCCA CAAAGCTTTT AACTTTATTT ACTGCATTTG TCATACCTTG 480
 ACTA~~ACT~~TTTG TTTACAACAT TAACGAATCC TTGAACAACT CTATTAACAA rGTTAATTAG 540
 40 CGTACtTGt~~t~~ ATAGTAGATA CCCaTnGCAT ACCTTTAGTG ACmATGAAGT TCCAAGCTTG 600
 AGACATTTTG TCTGATATAG TTGAAACAAC TTGTGTGAAT ATGCTTACAA CTTTATTCCA 660
 AATTGTCGTT AATATACCAG ATAAGAACT CCAAATCGTA TTCCATATAT TAGAAATAAA 720
 45 ACTCCATGCC GCTTGTAACG CAGTAGATAT AGCTGTAGTG ATAGCGTTCC AAACCTTAGT 780
 TGCCACAGTA ACTATAGTGT TCCACAACGT TTGTAAGAAC GTCCAAATAG CGTTCCAAAT 840
 50 TGTTATTGCG ATAGTCATAA TTGTGGTAAA CACTGTAGTT ATTACAGTGA CTAACAAATT 900
 CCAAATCGTA GTAGCGATTG TAATTATCGT ATTCCAGATT GTACTTAAGA ACGTCCAAAT 960
 AGCTGTCCAT ATCGTCATAA CTATTGTCAT TATCGTCGTG AAAACAGTTG TAATGATTGT 1020
 55

	ATAAGCGACT ATTTGATTCC AAACAATCAT TATAAAATTG TAAACATTCTG ATACTGCTGT	1140
	AGTGATAGCT GTTAAAATAG CATTCCTATC AACCGAAGCT ACAGCTTTTA ATACATTCCA	1200
5	AACATTAACC ATAAACGTTT TTATCGCATT CCAAGCATTT ATAATAAAGT TTCTGAATCC	1260
	TTCAATTTTA TTCCACAATA AAACGAATAT AGCTATTAAT GCAGCAATTA CACCAATTAC	1320
10	TATTGTTATT GGACCGCCTA AAATACCAAA CACAGTTACT AGTCCTGTGA TAGCATTTCT	1380
	AATTAATCCA ATCTTACCGA ATAACAATTG GAATATAACT GATATAATTT TTAATGGTCC	1440
	TTTTAATAAC ATGAACGCAC CTTTTAAAAT TGTTAATCCC GCTCTTAATA AACCGAACTT	1500
15	ACTTACTAAT GCAATGTTTC TACCTATTAA TCCGCCACCC ATAAAGTTAG ATACAGCAAG	1560
	AATAATCGGT ATTAAAAATC TAAATGCACC AACTAAAGTT ATAATGACAC CAACTAATTG	1620
	TGCTGTAGCT GGATGCGCCT CAAACAAGTT AGCTATCCAA CCAGTTATTG CAACTGCAAC	1680
20	GCGTAATACT GCACTAGCTA TAGGAGCCAT TGCTGTTGCG AATGCATTA ATCCTCTTGC	1740
	GATGTTTCCA ATCAATTGCA TTATTAGTGG TCCATTTGTT TGTATATAAC TGACAAAGTC	1800
	TTTAAACCCT TGAGATTGTC CTACTTGTTT AGACCATTCC CTAAACTTAG CTGTCATTTG	1860
25	TTCAAGAGAT TGGAATATGC CAGTTGATGA TCCGCTGAAT GCATTCATCA AATTGTTAAT	1920
	TCCAACGAAA ACATTTTTGA AAATATTACC AATGATAGGT AAGTTTGTTT TTGTGTATTC	1980
30	AATAAAACGA GTTATCGAAT TTTCTCCAGC TGCCTATTA GCCCAGTTAG AGAAAGATTG	2040
	ACCTAATCTA TCCAACCAAT CAGCCGACCA TTGAAACAGT GGTGCTAATT GCGTGAATAC	2100
	ATTGACTAAT CCGTCACCAA AACCACCTGC AGCACTTAAT AGCTTGTTAA ATACCGAAAC	2160
35	ACCCGTTGTA TTCATCATAT TAAAGAATCT TGAAGCTACA CTGCTATTTT CAGCCCATTT	2220
	AAGCACGCTT TGAGACGCTT CTTCCATTCC TCTTGAAATA CCACTAAAAA ACGGTTGTAA	2280
	GCTCTGCATT GCAGTTTTAA CAGTATTTAA ACCATTTGCA AGAGTTGTGA AGATAGCGGA	2340
40	TTGATTTTGC TTTATAATAT CAGTCCATGC TGACTTTACG CCATCTAACG CTTTTTTGTA	2400
	TTGTTTGTG GCTGAGCTAG CTTGTAAAGT GCCATCATT AAGCATCTTA TAGCGCTGAT	2460
45	AGCCATTGCG CCAAACGCTA CAAATCCTGC TCCCGCTATT GCTACGGCAC CACCTAAAGC	2520
	AAGTACACCA CCAGTTAACA CTTTGATAGC GTTTAATAGC GCAAATACTA CAGGTACTAC	2580
	GCTCGCTATT ACAGGTATTA AGATACTAAA AGATGATGTA AGTAATCCAC CAACCATATT	2640
50	AGAACCTACA GTACCGAACA CACGGAACAT ATTAGCTAAA TTCCCCATCT GTCTTTGAAA	2700
	ATTGTCATTT GCTTTTATTA TGTAGGCATA AGCTTTCTTT AAACCATTAG TATCGACATC	2760
55	TACCTTTGTT GTTTTTTTGT TCGGCAATGC GTCTAATGAT TTTTAAACG CATAAATAGT	2820

	AAGTTCCTTCT	TTAGTACGTT	TGATTTTAGA	GTTAGCAACA	CCATTGTCCA	CGTCTATAAT	2940
	AGCTTTGGCT	TTAGACCTAT	TTAATGCTTC	GAGACTAGCT	TTAGATACTT	TTAACACTCG	3000
5	ATTGAATTTA	CTGTTATCTG	CATTGACGTC	AATATTGACA	CGTTTCTTTT	CTAATTCTGA	3060
	TAATTTAGCT	TCTGTTTCAG	CGATATCTTT	AATCAACTTT	TGTTTTTGCA	ACTTAACTTC	3120
10	TGGTGTAAC	TCTTTAGAGT	TTAGTTTGTC	TAGTTCAAAA	TTCGATTCTA	GTACCTTTTG	3180
	TTGTAAATCT	TGTATACTAG	CATCTAATTT	AGCTTTTACA	TTTTTGTTAC	TAAAGGCATC	3240
	TAAAGACTTT	TTAGCAACTT	TGATAGTTTT	TTGTAAATTT	TTATCGTTAG	CGTTTAATTC	3300
15	AACATCTTTA	GTTTGATCTG	CTACTCGTTT	AAATCTTTGC	ACAGACTTAA	CCGCACTATC	3360
	AATTTGCCTT	TTGAATTTGG	CTACACTAGC	TTCAATAGTC	GCTTTAATTT	TATATTCCGT	3420
	CACATTAACA	CCTCTCTTTC	TATTGCTTAT	TAAATTCTGC	TATAACTTTA	AAGAATTCAT	3480
20	TATTTTGTGG	TTCGTATTCA	TCACGTTTCG	TACTAAATCT	TATATCTTTA	CCTTCGTTAA	3540
	GCCGTTGGAT	ATTTTCTTCA	TAAGGCAATA	CGTCGTTTGC	ATTGTTAAAA	ACATATTCTT	3600
	CTTTAGGTTT	ATTTTCTGTC	CCAACATTTT	TAGTAGCTGC	AGCATCACGA	ATAGCAAACG	3660
25	CAAGTTTGTA	ACGTTCGAAT	TCTTGGGTTA	GCATTTTATA	CTCTTTCGCA	TACATTCGAT	3720
	AGTTATATTC	TGTTAATGTC	ATTTGCTCAA	TAACGTTCAA	ATCTGTAATA	CCAAGTGTG	3780
30	ACATACAAGT	TATAACGATT	CTGTCGTAAG	TTATTAGGCT	TCCGCTGGTT	TTTCTTCCGT	3840
	TTCCACTACT	TCGACTAGGT	TTCGGGTCAT	AGGTCGCTTT	CCCAACTCCG	TTAAAATATC	3900
	CGAACCGAAT	TCTTCTAGTC	CGATATTTTC	TGCGATTTCA	TCTAATGCTT	CATCAATGTT	3960
35	ATTAATAGTA	ATTGCTTGTT	TTTTTAAGTG	AGATGTAGCT	GCGATTAAAA	CTTCGCCAAT	4020
	CACAACCGGA	TTTCCACTTT	CTAAACCTAC	AGGCAACATT	GATACACCTT	GACCGATAGA	4080
	AGCTTGGTTCA	ACTTTTAAAC	CTAATCGGTT	ATCGATTCTT	CTTAAAAATT	TAAAACCAAA	4140
40	ACTTAATTCT	AATGACTTTC	CGTTAATTTT	TACATTCATA	ACTTAAAATC	TCCATTCATA	4200
	ATTAATTTAA	ACAAAATAAA	mArGCTTAAC	GCCCTATTTT	TATACCTCTC	TTGGTGCAAC	4260
45	CGGTGGTGAA	TCTACTTTAG	GTTGTGGAAT	TGCTGTTAAA	TCTTCGCCAG	TTAATGCATC	4320
	TGCTTTTGTA	GTGTCGTGGA	ATCTGTATcC	AGTCGCCTTA	AGTTTCTTTG	TTACAGCCTC	4380
	AGGTAGTGTT	GCAAATCCAC	GTTGGAAACG	ACCATTCACT	CCATATTCAT	ATTCATATTC	4440
50	ATCAATACCG	TTAGCTTCTG	CTTTTAATTC	AAATTTATTG	TGGAAACCTT	GGAAATATTT	4500
	CGCTTTAAAT	TTAGCGGAAT	CCCCATTTTT	GCCTGGTATT	CTACTTTCAA	CTTCCCAAGC	4560
55	TTCATACAAT	ACGCGATCTA	CAACTGCATC	TTCAATTTCA	TCTGCAAAAT	CGTCACCATA	4620

GTCCATTGTA TCCTCTGTAT CTGTATCAGC TTCATGTGAT AAGCCGTATT CAGTTAAAAA 4740
 AAGCATTTTA GTAGCATCTA CTTTTTCGCC AGCTTTTCTA AATAAAATAA TACGATCATT 4800
 5 ACTATTTTTC ATATTTGCCA TTCAATATTC CTCCGTTTTT TAAAATGTTT TGTAAGATAT 4860
 CGTTACTGAT GTGTGTAGCA ATTCTTGATT GGTAGTATCA TCAACTAACT GTGTGATGTT 4920
 10 AGTATCTTCT TCTTCAAAGT CATAATCGTT TGTTTTAACG CTAGGTGTTA AATCATCAAT 4980
 ACATCTTTTA ACAAGTCCGT CATGATGTCC TAAATCATCG CTTACACTCC AAATATCAAT 5040
 AACTAAATTC GTATCGCCAG AATAACTATC AAACGTGTAC TTACTTCTAT TTGACTCCGG 5100
 15 CATTTTTTATT ACAAAAAAAG GATACGGAAT CTCTTGTTGC ATCTCTTTAC GAGAAATAAC 5160
 AGGGAATCCA TATCCTTGTA GCGTTTCATA CGCTTTATTA TAAAGTTGTA AGTTCGGTGT 5220
 CATGCTTTTA TCTCCTATTC AAACAACGCT TTCAATTCTT CTACAGTTGA TTTCTTAATC 5280
 20 ACTTCGTATA CCGGCCACAT AAAAGGTTCA GCCTCCATGT ATCGAGTACC AAATTCTAAG 5340
 AAACCACTAT AAGCTGCGTG CGATGTGATA GTGTATTGCA AATCGCCAGT TTTTTTATAT 5400
 CTGATATTGC GTGATAAATT ACC 5423

(2) INFORMATION FOR SEQ ID NO: 25:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 6251 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 25:

AAACGCAGAT GTTCAATTAG AACCAGTCTA TCGTATTAAG GAAGGTATTA AACAAAAGCA 60
 AATACGAGAC CAAATTAGAC AAGCGTTAAA TGATGTGACA ATTCATGAAT GGTAACTGA 120
 40 TGAACATAAGA GAAAAATATA AATTAGAGAC CTTGGACTTT ACTTTGAACA CATTACATCA 180
 TCCTAAAAGT AAAGAGGATT TATTACGTGC TCGTAGAACC TATGCATTTA CTGAACTGTT 240
 TTTATTTCGAA TTACGTATGC AATGGCTAAA TAGATTAGAA AAGTCATCTG ACGAAGCAAT 300
 45 TGAAATTGAT TATGACATAG ACCAAGTTAA ATCATTTATT GATCGTTTAC CTTTGAAC 360
 AACTGAAGCA CAGAAATCCA GTGTTAATGA AATTTTTAGA GATTTAAAAG CACCAATACG 420
 50 TATGCATCGA TTAATTCAAG GTGATGTAGG TTCAGGAAAA ACAGTAGTTG CTGCAATTTG 480
 TATGTATGCG TTAATAACTG CTGGTTATCA ATCAGCATTG ATGGTACCAA CTGAAATTTT 540
 AGCAGAGCAA CATGCTGAAA GTTTAATGGC TTTATTTGGA GATTCTATGA ACGTTGCATT 600

EP 0 786 519 A2

TACGATTGAT TGTTTAATTG GAACCCATGC TTTGATTCAA GATGATGTGA TTTTCCATAA 720
 TGTGTTGTTTA GTAATTACAG ATGAACAACA TCGATTTGGT GTGAATCAAC GCCAGCTTTT 780
 5 AAGAGAAAAA GGTGCAATGA CGAATGTGTT ATTTATGACA GCAACGCCGA TACCAAGAAC 840
 ACTAGCAATA TCAGTTTTTG GTGAGATGGA TGTGTCTTCA ATTAAACAAT TACCAAAAGG 900
 10 TCGTAAACCT ATCATTACTA CTTGGGCAAA GCATGAGCAA TACGATAAAG TTTTGATGCA 960
 AATGACCTCA GAGTTGAAAA AAGGTCGTCA AGCATATGTC ATTTGCCCGC TAATAGAAAG 1020
 TTCTGAGCAT CTCGAAGATG TTCAAATGT TGTCGCATTG TACGAGTCTT TACAACAGTA 1080
 15 TTATGGTGTT TCCCGTGTAG GGTATTGCA TGGTAAGTTA TCTGCCGATG AAAAAGATGA 1140
 GGTCATGCAA AAGTTTAGTA ATCATGAGAT AAATGTTTTA GTTTCTACTA CTGTTGTTGA 1200
 AGTAGGTGTT AATGTACCGA ATGCAACTTT TATGATGATT TATGATGCGG ATCGCTTTGG 1260
 20 ATTATCAACT TTACATCAGT TACGCGGTCG TGTAGGTAGA AGTGACCAGC AAAGTTACTG 1320
 TGTTTTAATT GCATCCCCTA AAACAGAAAC AGGAATTGAA AGAATGACAA TTATGACACA 1380
 AACAACGGAT GGATTTGAAT TGAGTGAACG AGACTTAGAA ATGCGTGGTC CTGGAGATTT 1440
 25 CTTTGGTGTT AAACAAAGTG GaTTGCCAGA TTTCTTAGTT GCCAATTTAG TTGAAGATTA 1500
 TCGTATGTTA GAAGTTGCTC GTGATGAAGC AGCTGAACTT ATTCAATCTG GCGTATTCTT 1560
 30 TGAAAATACG TATCAACATT TACGTCATTT TGTTGAAGAA AATTTATTAC ATCGTAGTTT 1620
 TGACTAATTG CCATGCTGAT TTGTCAATTT GAGTGCAACa CTTCGTTAAT TGAGTGATAT 1680
 GACACTTGAA CTATTTAAAT GTAAAGTGGT ATTTTAACAA TTTATAAATT TTCGACTAAA 1740
 35 TAATAGCTAA ATATTACAGT TATTTGTGTA GTCGGTTAAA TAGAAAGTGT TATGATATGT 1800
 GAGGAATGTT TAAGACTAGG TACTAAAAAA TGAGGGGTGA GACGTTGAAA CTAAAGAAAG 1860
 ATAAACGTAG AGAAGCAATC AGACAACAAA TTGATAGCAA TCCCTTCATC ACAGACCATG 1920
 40 AACTAAGCGA CTTATTTCAA GTGAGTATAC AAACAATTCG TtAGaTCGC ACTTATTTAA 1980
 ACATACCAGA ATTAAGGAAG CGTATTAAAT TAGTTGCTGA AAAGAATTAT GACCAAATAA 2040
 45 GTTCTATTGA AGAACAAGAA TTTATTGGTG ATTTGATTCA AGTCAATCCa AATGTTAAAG 2100
 CGCAATCAAT TTTAGATATT ACATCGGATT CTGTTTTTCA TAAAACTGGA ATTGCGCGTG 2160
 GTCATGTGCT GTTTGCTCAG GCAAATTCGT TATGTGTTGC GCTAATTAAG CAACCAACAG 2220
 50 TTTTAACTCA TGAGAGTAGC ATTCAATTTA TTGAAAAAGT AAAATTAAAT GATACGGTAA 2280
 GAGCAGAAGC ACGAGTTGTA AATCAAACCTG CAAAACATTA TTACGTCGAA GTAAAGTCAT 2340
 ATGTTAAACA TACATTAGTT TTCAAAGGAA ATTTTAAAT GTTTTATGAT AAGCGAGGAT 2400
 55

EP 0 786 519 A2

TTAGAAGCCG TACAAAAGGC TGTGAAGAC TTAAAGATC TAGAAATTAT ACTTTTCGGT 2520
 GACGAAAAAA AGTATAATCT GAACCATGAA CGAATCGAAT TTAGACATTG TTCTGAAAAG 2580
 5 ATTGAAATGG AAGATGAGCC TGTTAGAGCG ATTAAACGTA AAAAAGATAG CTCAATGGTA 2640
 AAAATGGCTG AAGCTGTGAA ATCTGGTGAA GCAGATGGAT GTGTGTCAGC AGGTAATACT 2700
 10 GGTGCTTTAA TGTCAGCTGG TTTATTCAAT GTTGGACGTA TTAAAGGTGT AGCTAGACCG 2760
 GCTTTAGTAG TAACATTGCC AACGATTGAT GGAAAAGGTT TTGTCTTTT AGACGTTGGT 2820
 GCAAATGCTG ATGCTAAACC TGAACACTTA TTACAGTATG CGCAACTAGG GGATATTTAT 2880
 15 GCTCAAAAAA TTAGAGGTAT TGATAATCCG AAAATCTCAT TATTAAATAT AGGAACCGAG 2940
 CCAGCTAAAG GTAATAGTTT AACGAAAAAA TCATATGAGT TATTAAATCA TGATCATTCA 3000
 TTGAATTTTG TTGGGAATAT TGAAGCGAAG ACATTAATGG ATGGCGATAC AGATGTTGTA 3060
 20 GTTACCGATG GCTATACTGG GAACATGGTC CTTAAAAATT TAGAAGGTAC TGCAAAATCA 3120
 ATCGGTAAAA TGTTAAAAGA TACGATTATG AGTAGTACTA AAAATAAAATT AGCAGGTGCA 3180
 ATATTGAAGA AAGATTTAGC TGAATTCGCT AAAAAGATGG ATTACTCAGA ATACGGTGGT 3240
 25 TCCGTATTAT TAGGATTGGA AGGTACTGTA GTTAAAGCAC ACGGTAGTTC AAATGCTAAA 3300
 GCTTTTTTATT CTGCAATTAG ACAAGCGAAA ATCGCAGGAG AACAAAATAT TGTACAAACA 3360
 30 ATGAAAGAGA CTGTAGGTGA AtCAAATGaG TaAAACAGCA ATTATTTTTC CGGGACAAGG 3420
 TGCCCAAAAA GTTGGTATGG CGCAAGATTT GTTTAACAAC AATGATCAAG CAACTGAAAT 3480
 TTAACTTCA GCAGCGAACA CATTAGACTT TGATATTTTA GAGACAAATGT TTAGTGATGA 3540
 35 AGAAGGTAAA TTGGGTGAAA CTGAAAACAC ACAACCAGCT TTaTTGaCGC aTAGTTCGGC 3600
 ATTATTAGCA GCGCTAAAAA ATTTGAATCC TGATTTTACT ATGGGGCATA GTTTAGGTGA 3660
 ATATTCAAGT TTAGTTGCAG CTGACGTATT ATCATTTGAA GATGCAGTTA AAATTGTTAG 3720
 40 AAAACGTGGT CAATTAATGG CGCAAGCATT TCCTACTGGT GTAGGAAGCA TGGCTGCAGT 3780
 ATTGGGATTA GATTTTGATA AAGTCGATGA AATTGTGAAG TCATTATCAT CTGATGACAA 3840
 AATAATTGAA CCAGCAAACA TTAATTGCCC AGGTCAAATT GTTGTTCAG GTCACAAAGC 3900
 45 TTAAATTGAT GAGCTAGTAG AAAAAGGTAA ATCATTAGGT GCAAAACGTG TCATGCCTTT 3960
 AGCAGTATCT GGACCATTCC ATTCATCGCT AATGAAAGTG ATTGAAGAAG ATTTTTCAAG 4020
 50 TTACATTAAT CAATTGAAT GCGGTGATGC TAAGTTTCCT GTAGTTCAAA ATGTAAATGC 4080
 GCAAGGTGAA ACTGACAAAG AAGTAATTAA ATCTAATATG GTCAAGCAAT TATATTCACC 4140
 AGTACAATTC ATTAACCTCAA CAGAATGGCT AATAGACCAA GGTGTTGATC ATTTTATTGA 4200
 55

EP 0 786 519 A2

	AACATCAATT	CAAACCTTTAG	AAGATGTGAA	AGGATGGAAT	GAAAATGACT	AAGAGTGCTT	4320
	TAGTAACAGG	TGCATCAAGA	GGAATTGGAC	GTAGTATTGC	GTTACAATTA	GCAGAAGAAG	4380
5	GATATAATGT	AGCAGTAAAC	TATGCAGGCA	GCAAAGAGAA	AGCTGAAGCa	GTAGTCGAAG	4440
	AAATCAAAGC	TAAAGGTGTT	GACAGTTTTG	CGATTCAAGC	AAATGTTGCC	GATGCTGATG	4500
	AAGTTAAAAGC	AATGATTAAA	GAAGTAGTTA	GCCAATTTGG	TTCTTTAGAT	GTTTTAGTAA	4560
10	ATAATGCAGG	TATTACTCGC	GATAATTTAT	TAATGCGTAT	GAAAGAACAA	GAGTGGGATG	4620
	ATGTTATTGA	CACAACTTA	AAAGGTGTAT	TTAACTGTAT	CCAAAAAGCA	ACACCACAAA	4680
15	TGTTAAGACA	ACGTAGTGGT	GCTATCATCA	ATTTATCAAG	TGTTGTTGGA	GCAGTAGGTA	4740
	ATCCGGGACA	AGCAAATAT	GTTGCAACAA	AAGCAGGTGT	TATTGGTTTA	ACTAAATCTG	4800
	CGGCGCGTGA	ATTAGCATCT	CGTGGTATCA	CTGTAAATGC	AGTTGCACCT	GGTTTTATTG	4860
20	TTTCTGATAT	GACAGATGCT	TTAAGTGATG	AGCTTAAAGA	ACAAATGTTG	ACTCAAATTC	4920
	CGTTAGCAGC	TTTTGGTCAA	GACACAGATA	TTGCTAATAC	AGTAGCGTTC	TTAGCATCAG	4980
	ACAAAGCAAA	ATATATTACA	GGTCAAACAA	TCCATGTAAA	TGGTGAATG	TACATGTAAT	5040
25	ATATTTGAGC	TAAAGCTCAT	TGACGCAGTG	GTTGACTGGT	CATCCAATGG	AGAATTGTCT	5100
	GACCTAGTCA	ACTTTGCGGG	GGAAATTCTA	AGCAACCTAG	ATAAGGTTCC	AGAATTTCTC	5160
30	CCTAAGAAAC	ACTAATCAAT	aaATTGWTAA	GTGTTTCTAA	AATTTCTACT	TGTTTTTTAG	5220
	AATTTAAAAT	GGGAAAATAT	AGTAGTCTAT	GTATAGGCAT	TTTAAAGGA	GGTGAATCGA	5280
	CGTGGAATAT	TTGATAAAG	TAAAAGATAT	CATCGTTGAC	CgTTTAGGTG	TAGACGCTGA	5340
35	TAAAGTAACT	GAAGATGCAT	CTTTCAAAGA	TGATTTAGGC	GCTGACTCAC	TTGATATCGC	5400
	TGAATTAGTA	ATGGAATTAG	AAGACGAGTT	TGGTACTGAA	ATTCCTGATG	AAGAnGCTGA	5460
	AAAAATCAAC	ACTGTTGGTG	ATGCTGTTAA	ATTTATTAAC	AGTCTTGAAA	AATAATAAAT	5520
40	CTTACATCTG	GGTCGTCAGT	ATTGTCGACT	CAGTTTTTTT	CTTTAATTAT	CAATAGTTTT	5580
	AACGTAAAAT	TAAAGATGAT	TCAAGAGCAA	CACATAAAGG	AGATAAAATA	ATGTCTAAAC	5640
	AAAAGAAAAG	TGAGATAGTT	AATCGTTTTA	GAAAGCGCTT	TGATACTAAA	ATGACAGAGT	5700
45	TAGGCTTTAC	TTATCAAAAT	ATTGATTTAT	ACCAACAAGC	ATTTTCGCAT	TCGAGTTTTA	5760
	TTAATGATTT	TAATATGAAT	CGTTTAGACC	ATAATGAGCG	TTTAGAGTTT	TTGGGTGATG	5820
50	CGGTATTAGA	ATTGACGGTT	TCACGATATT	TATTTGATAa	ACATCCCAAC	TTGCCAGAAG	5880
	GGAATTTAAC	AAAAATGCGT	GCCaCTATTG	TATGTGAGCC	CtCACTkGTA	ATATTTGCGA	5940
	ATAAAATTGG	ATTGAACGAA	ATGATTTTAC	TTGGTAAAGG	TGAAGAGAAA	ACAGGGGGAC	6000

EP 0 786 519 A2

ATCAAGGACT AGATATAGTT TGGAAATTTG CTGAGAAAGT CATTTTCCCA CATGTAGAAC 6120
 AAAATGAGTT ATTAGGCGTG GTAGATTTTA AAACACAATT CCAAGAATAT GTGCACCAGC 6180
 AAAATAAAGG TGATGTAACC TATAATTTAA TAAAAGAAGA GGGACCGGCA CATCATCGTC 6240
 TATTCACCTT A 6251

(2) INFORMATION FOR SEQ ID NO: 26:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 4920 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 26:

ACCTACTGAA GTTGCTAATT TTTTGGAGCA ACTAAGCACT GAAATTGAAC GTCTTAAAGA 60
 AGATAAAAAA CAACTTGAAA AAGTAATCGA AGAGAGAGAT ACTAATATTA AGTCTTATCA 120
 AGACGTGgCA TCAATCTGTA AGTGaTGCTT TGATACAAGC TCAAAAAGCT GGTGAAGAAA 180
 CTAAGCAAGC TGCAGAGAAA CAAGCTGAAG CGATTATAGC TAAGGCAGAA GCGCAAgcTA 240
 ATcAAATGGT TGGTGACGCG GTAGAAAAAG CACGCCGTTT AGCATTCCAG ACTGAAGATA 300
 TGAAACGTCA ATCAAAAGTA TTTAGATCGC GTTTCCTGAT GTTAGTTGAA GCGCAATTAG 360
 ACTTATTTAA AAACGAAGAT TGGGATTACT TGTTGAATTA TGATTTAGAC GCTGAACAAG 420
 TGACGCTTGA AAATATTCAT CATTTGCATG AAAATGATTT AAAGCCAGAT GAAGTTGCAG 480
 CAAATGCACA AAATAATGCA TCAAATACAC CAGACAATAA TCAACAATCC AATGATTCAG 540
 AAACAATAA GAAGTAAGAA TTAAATAAAG ACAGACGCGT AATATACATT TAACTTTTCA 600
 CAGCGAATTA GGTAATGGTG AGAGCCTAGT AAAAGCATGT ATGTTATATC ACTGGCTTTT 660
 TAATATTTAA ATAATGTAAT GAGAGAACTC TAAGTTGAGT TAATAAGGGT GGTACCGCGA 720
 GCAATCGTcC CTTTTAATTT AACTTAGAGT TTTTAAATTT TTTAAGGAGT GAAAAAATG 780
 GATTACAAAG AAACGTTATT AATGCCTAAA ACAGATTTC CAATGCGAGG TGGTTTACCA 840
 AACAAGGAAC CGCAAATTCA AGAAAAATGG GATGCAGAAG ATCAATACCA TAAAGCGTTA 900
 GAAAAAATA AAGGTAACGA AACATTcATT TTACATGATG GCCCACCATA CGCGAATGGT 960
 AACTTACATA TGGGACATGC CTTGAACAAA ATTTTAAAAG ACTTTATTGT ACGTTATAAA 1020
 ACTATGCAAG GGTTCTATGC ACCATACGTA CCAGGTTGGG ATACACATGG TTTACCAATT 1080
 GAACAAGCAT TAACGAAAAA AGGTGTTGAC CGAAAGAAAA TGTCAACAGC TGAATTCCGT 1140

EP 0 786 519 A2

	TTAGGTGTTT	GTGGTGACTT	TAATGATCCA	TATATTACAT	TAAAACCTGA	ATACGAAGCT	1260
	GCACAAATTC	GTATTTTTTG	AGAAATGGCA	GATAAAGGTT	TAATTTATAA	AGGTAAAAAG	1320
5	CCAGTTTATT	GGTCTCCTTC	AAGTGAGTCT	TCATTAGCAG	AAGCAGAAAT	TGAATATCAC	1380
	GATAAACGTT	CAGCATCAAT	TTACGTTGCA	TTTGACGTTA	AAGATGACAA	AGGTGTCGTT	1440
10	GATGCAGATG	CTAAATTTAT	TATCTGGACA	ACAACGCCAT	GGACAATTCC	ATCAAATGTT	1500
	GCGATTACCG	TTCATCCTGA	ATTAAAATAT	GGTCAATACA	ATGTAAATGG	cGAAAAATAT	1560
	ATTATTGCAG	AAGCCTTGTC	TGACGCTGTA	GCAGAAGCAC	TGGaTTGGGA	TAAAGCATCA	1620
15	ATCAAATTAG	AAAAAGAATA	CACAGGTAAA	GAATTAGAGT	ATGTTGTAGC	ACAACATCCA	1680
	TTCTTAGACA	GAGAATCGTT	AGTGATTAAAT	GGTGATCATG	TTACTACAGA	TGCTGGTACA	1740
	GgTTGTGTAC	ATACAGCACC	AGGTCACGGG	GAAGATGACT	ATATTGTTGG	TCAAAAATAT	1800
20	GAATTGCCAG	TAATTAGTCC	AATCGATGAT	AAAGGTGTAT	TTACTGAAGA	AGGCGGCCAA	1860
	TTTGAAGGGA	TGTTCTATGA	TAAAGCTAAT	AAAGCCGTTA	CTGATTTATT	AACAGAAAAA	1920
	GGTGCACAT	TAAAATTAGA	CTTTATTACA	CATAGCTATC	CACACGACTG	GAGAACAAAA	1980
25	AAACCTGTAA	TCTTCCGTGC	TACACCACAA	TGGTTTGCCT	CAATCAGTAA	AGTAAGACAA	2040
	GATATTTTAG	ATGCAATCGA	AAATACAAAC	TTCAAAGTAA	ATTGGGGTAA	AACACGTATT	2100
30	TACAATATGG	TTCGTGACCG	TGGCGAATGG	GTTATTTCTC	GTCAACGTGT	GTGGGGTGTA	2160
	CCGTTACCAG	TATTTTATGC	TGAAAATGGC	GAAATTATCA	TGACGAAAGA	AACAGTGAAT	2220
	CATGTTGCTG	ATTTATTTGC	AGAACACGGT	TCAAATATTT	GGTTTGAAAG	AGAAGCGAAA	2280
35	GACTTACTAC	CAGAAGGATT	TACACATCCA	GGCAGCCCTA	ACGGTACATT	TACTAAAGAA	2340
	ACAGACATTA	TGGACGTTTG	GTTTGATTCT	GGTTCATCAC	ACCGTGCCGT	GTTGGAAACA	2400
	AGACCGGAAT	TAAGTTTCCC	AGCGGATATG	TATTTAGAAG	GTAGTGACCA	ATATCGTGGT	2460
40	TGGTTCAACT	CTTCTATCAC	AACTTCAGTT	GCTACAAGAG	GAGTATCACC	TTATAAATTC	2520
	TTACTTTCTC	ATGGTTTTGT	TATGGACGGT	GAAGGTAAGA	AAATGAGTAA	ATCTTTAGGT	2580
45	AATGTGATTG	TACCTGACCA	AGTGGTTAAA	CAAAAAGGTG	CTGATATTGC	GAGACTTTGG	2640
	GTAAGTAGTA	CGGACTATTT	AGCTGATGTT	AGAATTTCTG	ATGAAATTTT	AAAACAAACA	2700
	TCTGATGTTT	ATCGTAAAAT	CAGAAATACA	TTAAGATTTA	TGTTAGGTAA	CATTAACGAT	2760
50	TTCAATCCTG	ACACAGATAG	CATTCCTGAA	TCAGAGTTAT	TAGAAGTGGA	TCGTTACTTG	2820
	CTAAATCGTT	TACGTGAATT	TACTGCAAGT	ACGATTAACA	ACTATGAAAA	CTTTGACTAC	2880
55	TTAAATATTT	ATCAAGAAGT	TCAAACTTTT	ATCAATGTTG	AGTTAAGTAA	TTTCTATTTG	2940

	CAAACAGTGT TATATCAAAT TTTAGTTGAT ATGACGAAGT TGTTAGCACC AATCTTAGTG	3060
5	CATACAGCTG AAGAAGTTTG GTCTCATACA CCACATGTTA AAGAAGAAAG TGTTCACTTA	3120
	GCAGACATGC CTAAAGTTGT AGAAGTAGAT CAAGCTTTAT TGGATAAATG GCGTACATTT	3180
	ATGAATTTAC GTGATGATGT GAACCGTGCA TTAGAACTG CTCGTAATGA AAAAGTTATT	3240
10	GGTAAATCAT TAGAAGCTAA AGTTACGATT GCTAGTAACG ATAAATTTAA TGCATCTGAA	3300
	TTCTTAACTT CATTTGATGC ATTACATCAA TTATTTATCG TGTCACAAGT TAAAGTTGTA	3360
	GATAAGTTAG ACGATCAGGC AACAGCTTAT GAACATGGTG ATATTGTCAT CGAACATGCA	3420
15	GATGGTGAAA AATGTGAAAG ATGTTGGAAC TATTCAGAGG ATCTTGGTGC TGTTGATGAA	3480
	TTGACGCATC TATGTCCACG ATGCCAACAA GTTGTAATAA CACTTGTATA ATTGAAATTG	3540
	TATAAAGTAC TCATACAGAT GATATAAATT AAAGCTCTCT TCATAATCAT GTTGTAGTTT	3600
20	TTGTTGACAT GATGAAGAGA GTTTTTTTGT GAATAAAAAA ATGACCAAGT TACCGGTCAT	3660
	ATATGTAAAA AATGTGCGAT TTAATAAAT AAAAATTATT CAGGAATGGT ACAAATTCTC	3720
25	TGAGGCATAT AAATGCGTTA TAGTTGCTAT TCTCAATTAT GTTCGCGATA ATTTTAAGTA	3780
	AAAGTAAGCA CAGATATTGA ATTTGATAGG AGTTAATTGA ATGTATCATA ACAGTAACGC	3840
	AAACTTTGTC AATGGTATCA CTTTAAATGT GAGAGATAAG AATGAATTAA AGCCATTTTA	3900
30	TGAGGACATA TTAGGATTAA ATATTATAAA TGAGACATTA ACATCGATAC AATATGAAGT	3960
	AGGTCAAAAT AATCATGTCA TTACACTTGT TGAATTACAA AATGGACGTG AACCTTTAAT	4020
	GTCCGAAGCG GGAAGTTTC ATATCGCAAT TAACTACCT CAAATTAGTG ATTTAGCTAA	4080
35	TTTACTAATT CATTTAAGCG AATATGATAT TCCAGTTAAC GGAGGTATAC AGCCTGCTTC	4140
	GTTATCATTA TTTTTGAAG ACCCGGAAGG AAACGGTTTT AAATTTTATG TTGATAAAGA	4200
	CGAAGCGCAA TGGACGAGGC AAAATAATTT AGTAAAAATT GATATTAGAC CATTAAATGT	4260
40	ACCGAGATTA GTGAGTCATG CAACAAAATT GTTATGGTTA GGTATTCCAG ATGACGCTAT	4320
	TATAGGTGCA TTGCATATTA AGACAATTCA TTTATCAGAG GTAAAAGAGT ACTACCTCGA	4380
45	TTATTTTGGA TTAGAGCAAT CGGCATATAT GGATGATTAT TCAATATTTT TAGCATCGAA	4440
	TGGCTATTAT CAACATTTGG CCATGAATGA TTGGGTATCA GCAACGAAAC GTGTAGAAAA	4500
	TTTTGATACG TATGGATTAG CAATTGTTGA CTTTCATTAT CCTGAAACAA CACATTTAAA	4560
50	TTTACAAGGT CCGGATGGTA TCTATTATCG CTTTAATCAT ATCGAAGTTG AAGATTAGTA	4620
	TATACTTTGA ATGGACGAAC CATATAATGA ATCGTTTTTA ATGATCTTTT TATACAAGTT	4680
55	ATGAAGGAGG CTGGGACATT AAGTTCCTAG GCAATGTAAA AAGCTGATTT CTATTAATTA	4740

TTTTCCTTAT ATTAATTGCC ATTAATACAA AACCTAGCTC TCGTTTAACT TTATTTATTC 4860
 CTCGAACTGA CATTGnGTG AACTCAAAAT nGCCTACTTn CTTAAATTAC CAATATCTAT 4920

(2) INFORMATION FOR SEQ ID NO: 27:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 626 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 27:

TGGATTGCCA TTACATGGAC AAGATTTAAC TGAATCAATT ACACCATATG AAGGTGGTAT 60
 CGCTTTTGCA AGTAAACCAT TAATTGATGC TGATTTTATT GGTAAATCTG TATTAAAAGA 120
 TCAAAAAGAA AATGGTGAC CAAGAAGAAC AGTGGGATTA GAATTACTTG AAAAAGGAAT 180
 TGCAAGAACT GGTATGAAG TTATGGATTT AGATGGAAAT ATTATTGGAG AAGTAAC TTC 240
 AGGAACACAG TCTCCATCAT CAGGAAAATC AATTGCACTT GCAATGATAA AAAGAGATGA 300
 GTTTGAAATG GGTAGAGAGT TGCTTGTTCA AGTTCGTAAG CGTCAATTAA AAGCGAAAAT 360
 TGTTAAGAAA AATCAAATTG ATAAATAATT AAAAAGGGGT GTGCATTGTG AGTCATCGTT 420
 ATATACCTTT AACTGAAAAA GACAAGCAAG AAATGTTACA AACAATTGGT GCAAATCTA 480
 TAGGAGAATT ATTCGGTGAT GTACCAAGTG ACATTTTATT AAATAGAGAT TTAAATATTG 540
 CTGAAGGCGA ACGGAGAACA ACGTACTTA GAAGATThAA TCGCATTGCA AGCAAGAGTA 600
 TCACTAGAGG AACGCGTACA TCGTTT 626

(2) INFORMATION FOR SEQ ID NO: 28:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1126 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 28:

nGGAAGTGGT GTATATATTT GTAATGAGTG TATTGAATTA TGCTCAGAAA TCGTCGAAGA 60
 AGAATTAGCT CAAAACACTT CTGAAGCGAT GACAGAATTA CCTACTCCTA AAGAAATTAT 120
 GGATCATTTA AACGAATATG TTATTGGTCA AGAAAAAGCT AAAAAATCTT TAGCTGTAGC 180
 TGTTTATAAC CACTATAAGC GTATTCAACA ATTAGGACCA AAAGAAGATG ATGTTGAATT 240

AACCTTAGCC AAGACGTTGA ATGTACCATT TGCAATTGCA GATGCGACAA GTTTAACTGA 360
 AGCTGGTTAT GTAGGCGATG ATGTTGAAAA TATCTTGTTG AGATTAATTC AAGCAGCTGA 420
 5 CTTTGACATT GATAAAGCCG AAAAAGGTAT TATTTATGTA GATGAAATTG ATAAAATTGC 480
 ACGTAAATCT GAAAACACAT CTATAACACG TGACGTTTCA GGTGAAGGTG TTCAACAAGC 540
 10 ATTGCTTAAA ATCTTAGAAG GTACGACTGC AAGTGTTCCG CCACAAGGTG GACGCAAACA 600
 TCCAAACCAA GAAATGATTC AAATTGATAC AACAAATATC TTATTTATTC TTGGTGGTGC 660
 CTTTGATGGT ATTGAAGAAG TGATTAAGCG CCGTCTTGGT GAAAAAGTTA TTGGTTTCTC 720
 15 AAGCAATGAA GCTGATAAAT ATGACGAACA AGCATTATTA GCACAAATTC GCCAGAAGA 780
 TTTGCAAGCC TATGGTTTGA TTCCTGAATT TATCGGACGT GTGCCAATTG TAGCTAATTT 840
 AGAAACATTA GATGTAAC TGTTGAAAAA CATCTTAACG CAACCTAAAA ATGCACTTGT 900
 20 GAAACAATAT ACTAAAATGC TGGAATTAGA TGATGTGGAT TTAGAGTTCA CTGAAGAAGC 960
 TTTATCAGCA ATTAGTGAAA AAGCAATTGA AAGAAAAACA GGTGCGCGTG GTTTACGTTC 1020
 25 AATCATAGAA GAATCGTTAA TCGATATTAT GTTTGATGTG CCTTCTAACG AAAATGTAAC 1080
 GAaGGTAGTT ATTACAGCAC AAACmATTAA TGrAGaACTG AACCAG 1126

(2) INFORMATION FOR SEQ ID NO: 29:

30 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 4392 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 29:

40 ATTGACTTCT TAGCAATnAA TaTGAGTGAA GAACGTACTG TTGAAGTACC AGTTCAATTA 60
 GTTGGTGAAG CAGTAGGCGC TAAAGAAGGC GCGTAGTTG AACCAACCATT ATTCAACTTA 120
 GAAGTAACTG CTACTCCAGA CAATATTCCA GAAGCAATCG AAGTAGACAT TACTGAATTA 180
 45 AACATTAACG ACAGCTTAAC TGTTGCTGAT GTTAAAGTAA CTGGCGACTT CAAAATCGAA 240
 AACGATTCAG CTGAATCAGT AGTAACAGTA GTTGCTCCAA CTGAAGAACC AACTGAAGAA 300
 GAAATCGAAG CTATGGAAGG CGAACAACAA ACTGAAGAAC CAGAAGTTGT TGGCGAAAGC 360
 50 AAAGAAGACG AAGAAAAAAC TGAAGAGTAA TTTTAATCTG TTACATTAAA GTTTTATAC 420
 TTTGTTTAAC AAGCACTGTG CTTATTTTAA TATAAGCATG GTGCTTTTGT TGTATTATA 480
 AAGCTTAATT AAACTTTATT ACTTTGTACT AAAGTTTAAT TAATTTTAGT GAGTAAAAGA 540
 55

EP 0 786 519 A2

	CTTACTAAGC TAAAGAATAA TGATAATTGA TGGCAATGGC GGAAAATGGA TGTGTGCATT	660
	ATAATAATAA ATGAAACAAT TATGTTGGAG GTAAACACGC ATGAAATGTA TTGTAGGTCT	720
5	AGGTAATATA GGTAAACGTT TTGAACTTAC AAGACATAAT ATCGGCTTTG AAGTCGTTGA	780
	TTATATTTTA GAGAAAAATA ATTTTTCATT AGATAAACAA AAGTTTAAAG GTGCATATAC	840
10	AATTGAACGA ATGAACGGCG ATAAAGTGTT ATTTATCGAA CCAATGACAA TGATGAATTT	900
	GTCAGGTGAA GCaGTTGCAC CGATTATGGA TTATTACAAT GTTAATCCAG AAGATTTAAT	960
	TGTCTTATAT GATGATTTAG ATTTAGAACA AGGACAAGTT CGCTTAAGAC AAAAAGGAAG	1020
15	TGCGGGCGGT CACAATGGTA TGAAATCAAT TATTAAAATG CTTGGTACAG ACCAATTTAA	1080
	ACGTATTCGT ATTGGTGTGG GAAGACCAAC GAATGGTATG ACGGTACCTG ATTATGTTTT	1140
	ACAACGCTTT TCAAATGATG AAATGGTAAC GATGGAAAAA GTTATCGAAC ACGCAGCACG	1200
20	CGCAATTGAA AAGTTTGTTG AAACATCAGC ATTTGACCAT GTTATGAATG AATTTAATGG	1260
	TGAAGTGAAA TAATGACAAT ATTGACAACG CTTATAAAAG AAGATAATCA TTTTCAAGAC	1320
25	CTTAATCAGG TATTTGGACA AGCAAACACA CTAGTAACTG GTCTTTCCCC GTCAGCTAAA	1380
	GTGACGATGA TTGCTGAAAA ATATGCACAA AGTAATCAAC AGTTATTATT AATTACCAAT	1440
	AATTTATACC AAGCAGATAA ATTAGAAACA GATTTACTTC AATTTATAGA TGCTGAAGAA	1500
30	TTGTATAAGT ATCCTGTGCA AGATATTATG ACCGAAGAGT TTTCAACACA AAGCCCTCAA	1560
	CTGATGAGTG AACGTATTAG AACTTTAACT GCGTTAGCTC AAGGTAAGAA AGGGTTATTT	1620
	ATCGTTCCTT TAAATGGTTT GAAAAAGTGG TTAACCTCTG TTGAAATGTG GCAAAATCAC	1680
35	CAAATGACAT TGC GTGTTGG TGAGGATATC GATGTGGACC AATTTCTTAA CAAATTAGTT	1740
	AATATGGGGT ACAAACGGGA ATCCGTGGTA TCGCATATTG GTGAATTCTC ATTGCGAGGA	1800
	GGTATTATCG ATATCTTTCC GCTAATTGGG GAACCAATCA GAATTGAGCT ATTTGATACC	1860
40	GAAATTGATT CTATTCGGGA TTTTGATGTT GAAACGCAGC GTTCCAAAGA TAATGTTGAA	1920
	GAAGTCGATA TCACAACGTC AAGTGATTAT ATCATTACTG AAGAAGTGAT CAGCCATCTT	1980
45	AAAGAAGAGT TAAAACTGC ATATGAAAAT ACAAGACCCA AAATAGATAA ATCAGTGCGC	2040
	AATGATTTGA AAGAAACGTA TGAAAGCTTT AAATTATTCG AAAGTACATA CTTTGATCAT	2100
	CAAATACTAC GTCGCTTAGT AGCGTTTATG TATGAAACAC CTTGACAAT TATTGAGTAT	2160
50	TTCCAAAAAG ATGCAATCAT TGCAGTTGAT GAATTTAATC GTATTAAAGA AACTGAAGAA	2220
	AGTTTAAACAG TAGAGTCTGA TTCGTTTATT AGCAATATTA TTGAAAGTGG TAATGGATTT	2280
55	ATAGGACAAA GTTTTATAAA ATATGATGAT TTTGAAACAT TGATTGAAGG CTATCCTGTC	2340

EP 0 786 519 A2

	TCATGTAAAC CTGTCCAACA ATTTTATGGG CAATATGACA TTATGCGTTC TGAATTTCAA	2460
	CGATATGTTA ATCAAACTA TCATATCGTG GTTTTGGTCG AAACCGAAAC TAAAGTTGAA	2520
5	CGTATGCAAG CGATGTTAAG TGAATGCAT ATTCCATCAA TAACAAAATT GCATCGCTCA	2580
	ATGTCATCGG GGCAAGCAGT GATTATTGAA GGCAGTTTAT CTGAAGGATT TGAACTACCT	2640
10	GATATGGGAT TAGTTGTCAT TACTGAGCGT GAgcTTTTTA AATCAAAACA GAAAAAGCAA	2700
	CGAAAACGTA CGAAAGCTAT CTCAAATGCT GAAAAAATTA AGTCTTACCA AGATTTAAAT	2760
	GTGGGAGATT ATATTGTTCA TGTGCATCAT GGTGTTGGTA GATATTTAGG TGTGAGACG	2820
15	CTCGAAGTGG GGCAAACGCA TCGTGATTAT ATTAAATTGC AATATAAAGG TACGGATCAA	2880
	CTATTTGTTC CAGTAGATCA AATGGATCAA GTTCAAAAAT ATGTAGCTTC GGAAGATAAG	2940
	ACGCCAAAAT TAAATAAACT CGGTGGCAGT GAATGGAAAA AAACAAAAGC TAAAGTTCAA	3000
20	CAAAGTGTTG AAGATATTGC TGAAGAGTTG ATTGATTTAT ATAAAGAAAG AGAAATGGCA	3060
	GAAGGTTATC AATATGGGGA AGACACAGCT GAGCAAACAA CATTGGAATT AGATTTTCCA	3120
25	TATGAACTTA CGCCTGACCA AGCTAAATCT ATCGATGAAA TTAAAGATGA CATGCAAAAA	3180
	TCGCGTCCAA TGGATCGCTT GCTATGTGGT GATGTTGGTT ATGGTAAAC TGAAGTTGCA	3240
	GTGAGAGCAG CATTCAAAGC TGTAATGGAA GGAAAGCAGG TTGCATTTTT AGTTCCTACA	3300
30	ACTATTTTAG CTCAGCAACA TTATGAGACG TTAATTGAGC GTATGCAAGA TTTTCCTGTT	3360
	GAAATTCAAT TAATGAGTCG TTTTAGAACG CCTAAAGAGA TAAAACAAAC TAAGGAAGGA	3420
	CTTAAAACTG GATTGTGTTA CATAGTTGTT GGTACACACA AATTACTTAG TAAAGATATA	3480
35	CAGTATAAAG ATTTAGGGCT GTTGATTGTA GATGAAGAAC AACGATTGG TGTACGCCAT	3540
	AAAGAGCGTA TTA AACATT	3600
	ATACTAGAA CATTGCATAT GAGTATGCTA GGTGTGCGG ATTTGTCAGT GATTGAAACG	3660
40	CCGCCAGAAA ATCGTTTCCC AGTTCAAACA TATGTATTAG AACAGAACAT GAGTTTTATC	3720
	AAAGAAGCTT TAGAAAGAGA ACTATCCCGT GATGGCCAAG TGTTTTATCT TTATAATAAA	3780
45	GTGCAATCCA TTTATGaAAA ACGAGAACAA CTCCAGATGT TAATGCCAGA TGCTAACATT	3840
	GCAGTTGCTC ATGGACAAAT GACAGAGCGC GATTTAGAAG AAACGATGTT AAGTTTTATC	3900
	AATAATgAAT ATGATATTTT AGTAACGACG ACGATTATTG AAACAGGTGT CGATGTCCCA	3960
50	AATGCAAATA CTTTGATCAT TGAAGATGCA GATCGCTTTG GATTGAGTCA GTTGTATCAA	4020
	TTAAGAGGTC GTGTTGGTCG TTCAAGTCGT ATTGGTTATG CATACTTCTT ACATCCAGCA	4080
	AATAAGGTAC TAACTGAGAC TGCAGAAGAT CGATTACAAG CGATTAAAGA ATTTACGGAG	4140
55		

TTAGGTAAAC AACAGCACGG CTTTATTGAT ACAGTTGGAT TTGATTTGTA CAGTCAAATG 4260
 TTAGAAGAAG CTGTAAATGA AAAACGTGGT ATTAAGGAAC CAGAATCTGA GGTGCCAGAA 4320
 5 GTCGAAGTTG ATTTAACTT GGATGCATAT TTGCCAACAG AATATATTGC AAATGAACAA 4380
 GCTAAAATTG AA 4392

(2) INFORMATION FOR SEQ ID NO: 30:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 729 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 15 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 30:

20 TTTCTTTTGA ATCTATATCG AGGTGGTTGG TAGGTTTCATC TAAAATAAGT ACATTGTCAC 60
 GTTGCAACAT AAGTAGTGCT AGTTGTAAAC GTGCTTTTTTC ACCACCAGAT AAATCATTTAA 120
 TTATCTTTTT AACATCGTCT TGTACAAATA AGAAACGTCC AAGAACTGCT CGAATATCTT 180
 25 TTTCAATTCAT TAACGGATAT TGATCCCACA CATAATCTAA AATCGTTTTTA CTAGATTTAA 240
 ATTCTGCTTG CTTTTGATCA TAATAACCAA TTGTAAATT TGCGCCGAAA GTAATATCGC 300
 30 CATTAAAGCGC TTTTTGTTGA TTAGCAATAG TTTTAATTAA GGTCGATTTT CCAATACCAT 360
 TTGGCCCAAT GATTGCTATA TGATCGCCTT TAGAGACCTC TATACTCATA GGTTTGGTAA 420
 TTGCAGTTTG ATAACCGATT TCTAAATTTT TTACATGCAT GACGTCATTA CCTGTATTCC 480
 35 GGTCAAAGCC AAATTGAATA TTGCACTTT TGGCATCTAA CATTGGTTTA TCAATGCGTT 540

CCATTTTTTC TAAAATCTTA CGTCTACTTT TTGCCATTCC ACTTGTTGAA GCACGGGTAA 600
 TATTTTTCTC AACAAAAGTT TCTAATCGTT TTATTTCTGC TTGTTGACTT TCATATTCTT 660
 40 GCATTCGTTT TTGATAATAT AAATCCCGTT GCTGTATAAA TTCCTCGTAA TTACCAACAT 720
 AGCGTTTGA 729

(2) INFORMATION FOR SEQ ID NO: 31:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 13856 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 50 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 31:

	TGATGTTTCG ATACATTTGT TGCACCTTGT GGATATACTT TAAAGGTTGT GTCGTATGTT	120
	TCCTTACTAT CTTTAGCTTC AGATTCCCTGT GATTCAACCG TTTTATATTT TTCAAGTGCA	180
5	TGTCCTTCAA TATCAACTCG TGGAAATAATG CGATTCAACC ATGCTGGTAA ATACCACGAA	240
	CCTTTtCCAA ACAATTTTCgt TAATGCAGGA ATTAACATCA TtCTGACTAC GAAGGCATCA	300
10	AAGAGTACAC CAAACGCTAA TGCCATACCC ATTGATTTAA TCATGACATC TTCTTGGAAT	360
	ACAAACGCAA AGAAGACACT AAACATAATT AATGCAGCTG CTACAATAAC AGGACCGCTT	420
	TCTTTCAATC CTACTTTGAT AGAATAATCA TTATCCCCTG TTTTACTATm yyCTTCATGr	480
15	ATTCGCGACA TAAGGAAGAC TTCATAATCC ATCGCTAATC CAAATAAGAT ACCTATAGTA	540
	ATAACCGGTA AAAATGCTAG CATTGGTCCT GTCGTTTCAA TACCAAACAG ACCTTTCATA	600
	AAACCATCTT GCATTACTAA TGTTGTAAAT CCTAATGTTG CCATTAATGA CAAGACGAAT	660
20	CCTAAACTG CTTTTAATGG TATTAGAATT GAACGGAAGA CAATCATTAA TAAGAAAAAT	720
	GCTAATACAA CAATGACTGA GGCAAATAAA GGTATCGCCT CATTTAACTT TTTAGACATA	780
25	TCAATATTAA TGACACTTTG TCCCGAAATC TCCGTTTTGA ACCCATATTT ATCTTGTGCA	840
	TCTTTATGAT AATCTCGTAA ATCATGCACT AAATCATTTG TACTCTCTGC ATTAGGCCCT	900
	TGCTTAGGTA TCACGACCAT CAAAGCGTAA TCATTATCTT TACTCATTTG TGGTGGCGTA	960
30	ACGATATCTA CATTTTTCTT ATCTTTAATA TCTTTATATA CAGACTGTAA ATCTTGTGT	1020
	AATCCTTG TG GATCATCCTT TTTATCTTTC ACATTTATCA ACATCGGTAT TTGGCCATTA	1080
	AATCCTTCAC CAAATTTATC CGAGATAATA TCGTAAGCTT TTTTCTGTGT AGAATCTGCT	1140
35	GGTTTAAACAC CGTCATCTGG AATACCAAGT CGCATATGAC TAACTGGTAT TGCAGCTGCT	1200
	ACTAATATGA TTAAACCTAG TAATACTGCC GCAAGTGCAT TTCCTGTAAT AAATTTAGAC	1260
	CATGGCGTAT CAATATCTTT TTTGAATTTA GACTGTAAAT TATTCACTTT AATGCGTTtA	1320
40	TGGAAAAATGC TTATTAATGC AGGTAATAAA GTTAAAGCGC TAAGTACTGC AAAAACAACA	1380
	CTAATTGCCG AAGCAAATCC CATTACCGCT AAGAAGTCAA TGCCTACTAA TGATAAACCA	1440
45	CATACTGCAA TTACAACTGT TACACCAGCA AAAACAACCTG CACTACCTGC TGTTCCTATT	1500
	GCAAGACCAA TGCCTTTAAT GTAATCTGTT TCAGTTTTCA TAACTTGTGC ATATCTGAAT	1560
	AAAATAAATA ATGCATAATC GATACCAACT GCTAGTCCAA TCATTACGGC TAATGTCAGT	1620
50	GTGACATTTG GTATATCGAA TGCATAAGTT AACAACTGA TAATACCTAC ACCAGAGGCT	1680
	AGACCAATCA ATGCACTTAT AATTGGTAAT CCTGCAGCAA TGACTGAACC GAATGTGATT	1740
55	AACAGTACAA CAAATGCAAC AATAATACCA ACTAGTTCAG AATTACCGCC TACTTCTGTA	1800

EP 0 786 519 A2

	AAATGACTTTT TAACATTATC TCTAGAGCCA TCTTTTAAAG ATGTTTGACT AACGTCATAT	1920
	GTGATATCTG CAAATGCAGT TGTTTTATCT TTACTAATTT GCTTATTTTC ATAAGGATCT	1980
5	GATATTTTAT CAATGTGCTT GTCATCTTTT TTAATATCAT CTAACGTTTT CTTAATATCT	2040
	TTAGTAATGT TCGGTTGCAC AATACCATCA TCTTTAGTCG TCTTAAAGAC AACACGTATT	2100
10	TGTGCCTTTT CACTATCTTG ATTAAAATGT TTTTCAATCT TTTTATTCGT ATCTAACGAC	2160
	TCTAATCCTG TCATTTTAAAT ATCATTGTCA AATTTCCGTG CATTTGTAGC AAGTGGTATC	2220
	AATATTGCAG CTACAATCAC TATCCATGCA ATGACCGCGG ACCATTTATG TTTTGCGATG	2280
15	AATGTCCCCA TCTTATATAA AAATTTTGCC AAAGTATATT GCCTCCTTTT AAAATCAACG	2340
	TTATAGTTTA AATATACAGT GTAGATTATT GTTCGATTAT AGTATCTATC CCCGACCTCT	2400
	TAAAGAATCA ATTGGAAAAT TTTGTATATT AAACACACA CAAAGGAGAA ATGTAGATGA	2460
20	AAGAGACTGA TTTACGAGTT ATAAAGACAA AAAAAGCATT GTCGAGTAGC TTGCTACAAT	2520
	TGTTAGAACA GCAATTATTC CAAACGATTA CTGTCAATCA AATTTGCGAC AACGCACTCG	2580
25	TACACCGTAC AACATTTTAT AAACATTTTT ATGATAAATA TGATCTTCTA GAGTACTTGT	2640
	TCAATCAATT GACTAAAGAC TACTTTGCTA GAGATATCAG TGACCGTCTT AATCATCCAT	2700
	TCCAAACGAT GAGTGATACG ATTAATAATA AAGAGGATTT GAGAGAAATC GCAGAATTCC	2760
30	AAGAAGAAGA CGCTGAATTT AATAAAGTAT TAAAAAATGT CTGCATTAAA ATTATGCATA	2820
	ACGATATCAA AAATAATAGA GACCGTATCG ATATTGACAG CGACATCCCA GATAATCTCA	2880
	TATTTTATAT TTATGACTCG TTGATTGAAG GTTTTATACA TTGGATAAAA GATGAAAAAA	2940
35	TTGATTGGCC TGGCGAAGAT ATTGATAACA TTTTCCATAG ATTAATCAAT ATTAAGATTA	3000
	AATAGTAGAT GAGAAACTCA TGAGCGTTAC CAACATTCAT AATAAAAACG ATAGTGKACA	3060
40	CGTTAATGAA TTCGTGTACT ACTATCGTTT TTTATTTTTA TCGTGCTTAT CGCTATTAAA	3120
	ACAACTGATA CACAACACAT AAACATGAA GAAAAAATA AATCCGCTAT CTAAATGACT	3180
	TTGACTCAGT TGTTTAAATG ACCAAATTGC TAATACAATT CCCATTATTA TTGAAATAAC	3240
45	GTATCTCACA TTCTTATACC TATAATCCTT TTCTAAAAAT ATGGTTGCTA TTACTIONAATT	3300
	TTTAAAGTTA TAAATAAAAA GAGCCAACCG CAATGGATGG CCCTTGTTCA TTATGAAGCA	3360
	TTAGAACATT TCTGAAACAA CCTTTTGTTT TAAGAAGTGT AATAAGTAGT CTGGACTACC	3420
50	TGTTTTAGCG TCCGTACCTG ACATTTTGAA ACCACCAAAT GGATGGTATC CAACAACTGC	3480
	TGAAGTACAG CCTCTGTTAA GGTATAAATT GCCTACATCA AATTCGTTTA CCGCTTTAAT	3540
55	CCAATGCTCG CGATTATTTG TAATCACTGC ACCAGTTAAA CCGTAATCTG TATCATTTGC	3600

EP 0 786 519 A2

	TTCTTCTTGC ATGATTCTAT CTTTAGATTT AAGTCCTGAA ATGATTGTTG GTTCTACAAA	3720
	GTAACCTTTT GAATCATCAG TGCCGCCACC TTGTTCTAAT TTACCTTCTT CTTTACCAAT	3780
5	CTCAATATAA TTTTAAATCT TATCAAATTG TTTTTTATTA ATAACCTGGGC CCATATACGT	3840
	ATTGTCTACA GTATTGCCCA ACGTTAATTC TTTTGTTAAT TTGATTGATT TCTCTAATAC	3900
10	TTCGTCATAA ACGTCTTTAT GCACAATTGC ACGTGAACAT GCTGAACATT TTTGACCAGA	3960
	AAAACCAAAT GCTGACGTTA CAATAGCTTC TGCTGCCATA TCTGTATCAA TATTTTCATC	4020
	AACTACAATG GCATCTTTAC CACCCATTC AGCGATAACA CGTTTCAAGA AGTTTGTACC	4080
15	TTCTTGAACA ACGGCACTAC GTTCATAAAT TCTAGTACCT GTCGCACGTG ATCCTGTAAA	4140
	TGTAACGAAA TCGGTATCTT TATGATCAAC TAAGTAATCA CCAATTTCTT TCGGATCACC	4200
	AGGAACAAAG TTAACACGC CTTTGGTAA TCCTGCTTCT TCTAAAATTT CCATTAATTT	4260
20	ATAAGCGATA TAAGGTGTAT CCTCAGCAGG TTTCAATAAC ACTGTATTAC CTGCCACAAC	4320
	TGGTGCTAAA GTTGTACCAG CCATAATCGC AAACGGGAAG TTCCACGGCG GAATTGTAAC	4380
	ACCTGTACCA ATTGATTTAT AGAAATATTT ATTGTGTTCA CCTTCACGAT CAAGTACTGG	4440
25	CTTACCTTGA GCCAAGTCCA TCATTGAACG TGCATAGTAT TCAATAAAAT CAATACCTTC	4500
	AGCTGCATCA CCAACTGCTT CATCCCATGG CTTACCTGCT TCATAAACCA TAATTGCTGC	4560
30	AATTTCCGCT TTTCGACGAC GAATAATTGC CGAAACACGT AACATAAGCT CTGCACGATC	4620
	ATTTGCTGAC CATGTTTTCC AAGATTTATA AGCTTCGTTT GCTGCTTTAA ACGCATCTTC	4680
	AACATCTTGT TTTGTTGCCT TTGATGCATT TGCAATCACT TGTGATGTGT CTGCAGGATT	4740
35	GATTGATTTA ATTTTGT CAT TTTGAAAAT CTTCTCTCCA TTAATCACTA ATGGTATGTC	4800
	TTGACCTAAT TCTTTTTTCCA CGTCTTTCAA TGCTTTCTTA AACATATCCA CATTTTCTTG	4860
	GACTGAAAAA TCGTAACCAG GTTCATTTTT AAATTCTACT ACCATGTACA CTTACCCCTT	4920
40	ATAAATTTTG AAAGTGGTTT AACCCTTTGA TTTAATGATA TAACATCATT TAAACTCATT	4980
	TTACTATGAT TAAGGTTAGT TTTGCAATCG CTTTCATTTT TATGTTTTAT CACTTATTCT	5040
45	CAAGTATTTT GAAATTGATT GGTTACTTTT TAAAATTTAT ATGGGTCGCA ACTGCTACTT	5100
	TATCGTTTCG TCATTTAATG TTTCGGATGG TAGGTCATTA TCAATTTTAC GAACGACTTT	5160
	ACAAGGGTTT CCAACCGCTA AGCTGTGTGG CGGAATATCT TTAGTGACAA CACTACCAGC	5220
50	ACCAATCACA CTGCCTTCTC CAATCGTCAC CCCTGGTAAC ACGGCTACAT GACCGCCAAA	5280
	CCAAGTATTA CTGCCAATAT GAATGGGTCC GGCTTTTTCA AAACCTTCAT TTCTATGATG	5340
	GAAATTAAGT GGATGTGTG CTGTGTAGAA TCCACAATTA GGTCTATATA AAACATTATC	5400
55		

	TCCTAGTTTA	ACGTTCCAAC	CATAATCTGT	ATCAAAAGGA	ATCGAAATAC	TTACATTGTC	5520
	TGTTGTTGTT	TGAAATAATT	GATCAATTAA	TTCTTTTCTT	TTATTTGTAG	CACTCGGTCT	5580
5	TGTATGATTT	AATTCAAAGC	AAATATCTTT	CGCTCGTGCA	CGTTCATTGA	TTAAGTATTG	5640
	ATCAAAGTTT	GCATCGTACC	ATTTTTCTGC	TAACATTTTT	TCTTTTTCAG	TCATTACACC	5700
10	TTTCAACTCC	TAATAACTTA	TTTACTTGTT	TAAAAGTTAA	TCAAATAAAC	CTTCGCCTAT	5760
	GCAACTAATA	CGCTATAACA	TTATGAAATC	ATGACCTTAT	CACCCTTATC	TATACAATTC	5820
	TCGCATCAAA	TACTGCTAAA	GTAGTAGATA	AATTCAATAC	TACAGACGCA	TTCATTTTTT	5880
15	AATCTATTAA	CGTACAATGT	GAGTAAGAGA	AATATAAAGG	AGTATGATAG	CGATGAGAAT	5940
	ATTAATTACA	GGCACAGTTG	CTATCTTAAT	CATTCTAGGT	TTGGTCAAAA	CGATACAAGA	6000
	TTACGAAATG	ACAAACGACA	CGAGTCGTCA	GTTGTCAGAC	AACAAAGATG	ATGATAAAGT	6060
20	CATCCATCTT	AATAATTTTA	AAAATTTACA	TGCGAAAGAA	TTTAACCCAT	CTGATTTCTT	6120
	TTAAGTCACC	TAAGAATTGC	AAATCCAGAA	GTCATTTAAG	TTTTACCTTT	CATTCATACA	6180
25	TCCTTTAATA	TTAATTACGA	CTTCTTTTAT	ATAGATGCTA	AGTAGAGAGA	TTGTTGTGCA	6240
	ATGTTTGCAC	GGCAATCTCT	CTTTTTCTTT	TTAAAATTGG	TAAAAGTAAA	ACGCAACGAT	6300
	TGACTTATAT	ACCTATAGGG	GGTACATTAG	ACGTGTAACA	ATGAATCACA	GGGAGGCAAT	6360
30	AATGTGGCTA	ATACGAAAAA	AACAACATTA	GATATCACTG	GTATGACTTG	TGCCGCATGT	6420
	TCAAATCGTA	TCGAAAAGAA	ACTGAATAAA	CTTGATGACG	TTAATGCCCA	AGTGAATTTA	6480
	ACTACAGAGA	AAGCAACTGT	TGAGTATAAC	CCTGATCAAC	ATGATGTCCA	AGAATTTATT	6540
35	AATACGATTG	AACATTTAGG	TTACGGTGTC	GCTGTAGAAA	CTGTCGAATT	AGACATTACA	6600
	GGTATGACTT	GTGCTGCATG	CTCAAGCCGT	ATTGAAAAG	TGTTAAATAA	AATGGACGGC	6660
40	GTTCAAAATG	CAACGGTCAA	TTTAACAACA	GAGCAAGCTA	AAGTTGACTA	TTATCCTGAA	6720
	GAAACAGATG	CTGATAAACT	TGTCACTCGC	ATTCAAAAAT	TAGGTTATGA	CGCGTCTATT	6780
	AAAGATAACA	ATAAAGATCA	AACGTCACGC	AAAGCTGAAG	CGCTACAACA	TAAATTGATT	6840
45	AAGCTTATCA	TATCAGCAGT	ATTATCTTTA	CCACTATTAA	TGTTAATGTT	TGTACATCTT	6900
	TTCAATATGC	ATATACCAGC	ACTATTTACG	AATCCATGGT	TCCAATTTAT	TTTAGCTACA	6960
	CCTGTACAAT	TTATTATTGG	ATGGCAATTT	TATGTAGGTG	CTTATAAAAA	CTTAAGAAAT	7020
50	GGTGGCGCCA	ATATGGATGT	ACTTGTTGCT	GTTGGTACAA	GTGCAGCATA	TTTTTACAGT	7080
	ATTTATGAAA	TGGTTCGTTG	GCTAAATGGC	TCAACAACGC	AACCGCATTT	ATACTTTGAA	7140
55	ACAAGCGCCG	TACTAATTAC	CTTAATCTTA	TTCGGTAAGT	ATTTAGAAGC	TAGAGCGAAG	7200

EP 0 786 519 A2

	TTAAAAGATG	GTAATGAAGT	GATGATTCT	CTAAATGAAG	TACATGTTGG	AGATACACTT	7320
	ATCGTTAAAC	CAGGTGAAAA	GATACCTGTT	GATGGCAAAA	TTATTAAAGG	TATGACTGCC	7380
5	ATCGACGAAT	CTATGTTAAC	AGGTGAATCT	ATCCCTGTTG	AGAAGAATGT	TGATGATACT	7440
	GTAATTGGTT	CAACGATGAA	CAAAAACGGT	ACTATTACTA	TGACAGCAAC	AAAAGTTGGC	7500
10	GGGGACACTG	CGTTGGCAAA	TATTATTAAA	GTTGTCGAAG	AAGCTCAAAG	TTCTAAAGCG	7560
	CCGATTCAAC	GATTGGCAGA	TATTATTTCT	GTTTATTTCTG	TTCTATCGT	TGTTGGTATC	7620
	GCACTATTAA	CATTTATCGT	GTGGATTACT	TTAGTTACAC	CAGGTACATT	TGAACCTGCA	7680
15	CTTGTTGCGA	GTATTTCCGT	TCTCGTCATT	GCTTGTCAT	GCGCATTGGG	ACTTGCTACA	7740
	CCAATTCTA	TTATGGTAGG	TACTGGTCGC	GCTGCTGaAA	ATGGTATTTT	ATTTAAAGGT	7800
	GGCGAGTTTG	TTGAACGCAC	ACATCAAATT	GATACCATCG	TTTTAGATAA	GACGGGTACC	7860
20	ATTACAAATG	GTCGTCCAGT	CGTGACAGAT	TATCATGGTG	ACAATCAAAC	GCTACAACTA	7920
	CTTGCTACTG	CTGAAAAAGA	TTCTGAACAC	CCATTGGCAG	AAGCCATTGT	CAATTATGCA	7980
	AAAGAAAAGC	AATTAATATT	AACTGAGACA	ACAACATTTA	AAGCAGTACC	TGGCCATGGT	8040
25	ATTGAAGCAA	CGATTGATCA	TCACCATATA	TTGGTTGGTA	ACCGTAAATT	AATGGCTGAC	8100
	AATGATATTA	GCTTGCTTAA	GCATATTTCT	GATGATTTAA	CACATTATGA	ACGAGATGGT	8160
30	AAAAGTCTA	TGCTCATTGC	TGTTAATTAT	TCATTAAGTG	GTATCATCGC	AGTGGCAGAT	8220
	ACTGTCAAAG	ATCATGCCAA	AGATGCTATA	AAACAATTGC	ATGATATGGG	CATTGAAGTT	8280
	GCCATGTAA	CTGGCGATAA	TAAAAACACT	GCTCAAGCCA	TTGCAAAACA	AGTAGGCATA	8340
35	GATACTGTTA	TTGCAGATAT	TTTACCAGAA	GAAAAAGCTG	CACAAATTGC	GAAACTACAG	8400
	CAACAAGGTA	AGAAGGTTGC	GATGGTTGGT	GACGGTGTA	ATGATGCACC	TGCATTAGTT	8460
	AAAGCTGATA	TCGGTATCGC	CATTGGTACA	GGTACAGAAG	TTGCCATTGA	AGCAGCTGAT	8520
40	ATTACTATTC	TTGGTGGCGA	CTTGATGCTT	ATTCCTAAAG	CCATTTATGC	AAGTAAAGCA	8580
	ACCATTCGTA	ATATTCGTCA	AAATCTATTT	TGGGCATTCG	GCTATAATAT	TGCCGGTATC	8640
45	CCTATAGCTG	CATTGGGCTT	ACTTGCGCCA	TGGGTTGCTG	GTGCTGCAAT	GGCACTAAGT	8700
	TCAGTAAGTG	TTGTCACAAA	CGCACTTAGA	TTGAAAAAGA	TGCGATTAGA	ACCACGCCGT	8760
	AAAGATGCCT	AGATTCCTTA	ATAATGAAGG	ATTCGTTGGT	GATTCTGAGA	TAGGCTAGTG	8820
50	ATTGGCTCTA	TAATGTCGCG	GTTTayaGt	GGATCTTCGC	TCCAAGTGCA	TATATAGTna	8880
	CACTTTTTCGC	TTGGCGAATT	AGTGATATCTT	ACCTAATAGc	TCCGCCTATT	AGGTTCCATC	8940
55	ATTATTATAA	ATAATAAGTA	CACTACGGt	TACAGTTGGA	TCTTCGCTCC	AACTGCATAA	9000

	GAAATTTTAA ATGTTGAAGG TATGAGCTGT GGTCACTGCA AAAGTGCTGT TGAATCTGCA	9120
	TTAAATAATA TTGACGGTGT CACTTCAGCT GACGTTAACC TTGAAAATGG TCAAGTAAGT	9180
5	GTTCAATATG ATGACAGTAA AGTTGCTGTA TCTCAAATGA AAGACGCAAT TGAAGATCAA	9240
	GGTTACGATG TCGTTTAATT AGGCAATATT CAACGTCATC AACACCAAAT TAAAAAATCG	9300
10	AACTGATGAG AATCCCAACA ATCCAAATTA TCTCATCAGT TCGATTTTTA ATTTACTCGT	9360
	AACCTAGTAT CTCCAGTCTG CAATACATCT AATGTTGCAT CTAATGCATC GACAATTAGA	9420
	TTTTTAACTG CAGCTTCAGT ATAAAACGCA ATATGTGGTG TTAATATGAC ATCTTCCCTG	9480
15	TCAATCAACG ATTCTAACAA TGGATCGTTC AGTGTTTTGC CCCTTTGATC ACTTGGGAAA	9540
	AGTTTGCGTT CAAATTCATA CGTATCAAAGT GCTGCACCTT TAATCACACC ATTGTCTAAT	9600
	GCGTCTAATA ACGCCTTAGT ATCTACTAAA GAACCTCTCG CACAATTGAC AAATACTGCG	9660
20	CCCTTTTTAA AATGTTTAAA TAATTCAGCA TTAAATAGAT AATGATTATA TTTCGTTGCA	9720
	GGTACATGTA ATGTCACGAT ATCAGCACCT TCAACCGCTT CCTCAATCGT ATCTTTGTAA	9780
	TCGACATACG TTGCAATTTT AGCATTAGGA AACGGTCGTA TGCGACCACA TCACTTTGAT	9840
25	AACCATTGGC AAATATATCG GCTACTACAC GGCCAATTCTG ACCTGTACCA ATAACAGCTA	9900
	CTTTTAAATC TTTAATGGAT TTCGATAAAA TAGTAGGTTC CCATCTAAAA TCATGCTCCC	9960
30	GCACTTTCGT TTGAATTTGA TTAAAATGAC GAACCACATT AATAGCCTGG TTCACAGCAA	10020
	ACTCCGCAAT TGAATTCGGA GAGTATGACG GCACATTTGA CACAATAAAG TTATACTTGT	10080
	TTGCTAACTC CAAATCATAT GTATCAAATC CAGCACTACG TTGTGCGATT TGTTTAATAC	10140
35	CTAGTTCATT TAATCGTTTA TAAACATGCT CTGATAATGG TATTTGTGT GATAGCGATA	10200
	AGCCATCATA ACCAGCGACA CCTTCAACAT TGTCATCAGT TAATGCTTCT TTAGTAATAT	10260
	CTACCTCAAC ATGATGTTTC TCTGCCACG CCTTGATATA AGGCATATCT TCATCACGTA	10320
40	CACTCATGAT TTTAATTTTT GTCATTTTAA CATCACCTT AACTTTATTA TTCATATAAA	10380
	TATGCTAGTT CTGTTAATCT TATTGCAGCT TCGTCTAATT TCTGGTCATC TAACGCCAAT	10440
	GAAATTCTCA CATAACGATT ACCATTCTCT CCAAATGGTT TCCCTGGAGC AACAAGTATT	10500
45	GACTTCTCTT GCACTAAAAA TTGCTCAAAT TGCTCGCTGT CATAACCAGG CGGTGTTTCC	10560
	AACCATACAT ATATGCCACC TTTAGCATGA ACAAATGGCA AATCAGCTTT TGCAAGCATG	10620
50	GCTTCGAATC GGTCACGACG TGTTTTAAAT ACATTGCTTT GTTCTTCTAA AAAATCATCA	10680
	TAATGATTCA AAGCATATAT TCGGGCATCT TGTAATGCAC CAAACATCCC AGCATTTGTG	10740
	TGCGTTTGGT ACTTTTTCAA AGCTTGAATC ATATCTTTAT TACCAACTGC AAAACCGACT	10800
55		

EP 0 786 519 A2

CCATTTTCCG AAGCAAGTAT ACTAGGATTT TTAGCGTCGA AACCGAAAGC ACCATAAGCA 10920
 AAATCATGCA CGATTTTAGT GTCTGTACCT TTAAATTTAG CTATCGCTTC ATCAAAAACCT 10980
 5 TCTTTCGTAG CTGTGATCC AGTTGGATTA TTTGGATACG TTAAATAAAT GAGTTTGTGT 11040
 TTATCTATTA TTTGTGAATC AACTTTGGAC CAATCTGGCA AATAATGTGG CGGTTCTAAA 11100
 10 TTAAGCGGGA CTGGCTTGCC ATCAGCTAAA AGTACACCTG CTAAATAATC CGTGTAGCCT 11160
 GGATCAGGTA GTAATACATA GTCTCCTGGA TTGATAACAC ATGTTGGTAC TGCCACTAAT 11220
 CCATTTTTTG TACCATATAA AATGCATACT TCATCTTCTT TATCTAACGT CACATTATAT 11280
 15 TGTCTTTGAT AAAAATCTAC AATAGCTTGC TTGAACGCTT CTTTACCATG AAAAGCACCA 11340
 TATTTTTGAT TTTTCAGGAAT AGTTAGTGCT TTTTGAAAAT GATCAATAAT ACCTTGTGGC 11400
 GTGGGCCCCAT CAGGGATTCC AACTGCCATA TTAATTAATG GCAATGGTCC ATGTTGATT 11460
 20 TTACGTCCCA TCGTTTTCCC GAAATAACTA TCAGGGATAT TTGCTAATTT GTTAGAGATC 11520
 ATCAAATTCC TCCTCTATCA TTAAACATAG CCTGGGCGAC TATCATAATC CTAACAACTT 11580
 GTATCACTCT CATTTAGATG GTTACAATGA CATCGCCATT CACCGTTATG TTCAACAGAA 11640
 25 CTTATGACAC ACGTTGTATT GAATGAATTT ATTTTCATTT TAGGTAGGTA TAATATTATT 11700
 GTCAATATTA GGAATTTTCA GATTAATATG CACTCAATCG TTATGATTTA ACTGTCATGC 11760
 30 ATATCCGCAT GCGCAACCAG TTAGATATGC TTATATAAAG TATAACGCCC ATCAAGGTAC 11820
 GTATTCAAAC GTGAACCTTA ACAGGCGTCA TTCATTGTTA AATAAAACTT CTTAAGCACA 11880
 TACTTATTTT ACTATGCCTT TTACGTTCCC CTTATACTTT TCTCACATCT TTCTCTTAGA 11940
 35 CTACTCCCTT ATACGCCCCG CTCAATATCT TTAATCATTT CATCTACAGT TATTTTCGCA 12000
 CTCGTTAAGA CAATAGGAAC GCCTGCACCT GGATGCGTAC TTGCACCTGC AAAATATAAA 12060
 TCTTTATAAT CTCGCGATAC ATTTTGTGGA CGATAATAAT TACTTTGCGC TAAAGTTGGC 12120
 40 ATTAAACCGA ATGCCGAACC AAATTTTCGCA TGATACGTTT GCTCAAAATC ATTTGGCGTA 12180
 AAGATTGTTT CTGAAACAAT ATGCGATTTT ATATCTTCAA ATACTTCAAT CGTTGCTAAT 12240
 TTACGATAAA TAATTTCTT TATTTGTTGC GTCAAAGCTT CATCTGACCA ATCGATTCCG 12300
 45 CTACCTGTTT TAAGTTCCGG CGTCGGCATT AGCACATAAA TACCAGTTTT GCCTTCTGGC 12360
 GCAAGTGATT TATCAGCGAC CGCTGGTACA TACACATAAA TAGAAGGATC ATATGATAAA 12420
 50 CGTCCCTCAA ATATTTCTTC AATATTGCCT CTAAAGTCAT CTGAAAAAAT AACATTATGA 12480
 AGTCTCACTT GATCTGTCAC ATCAATATCT ATACCGATAT ACATTAAAAA TGCTGAACAA 12540
 GAGTAATCTA AGTCTGCAAT TTTATGTGGT GGATACTTTT TAATAGGTGC AAAATCTGGC 12600
 55

ATGTCACCAT TCACTTTTAT CGCATCGGCC CGTTTGAATT TAGGATCAAT AATAATTTGC 12720
 TCAATTTTCA CATTAGTTC AATATTAACG CCTAAGTCTT TATTTAATTG CGCTAGcCCT 12780
 5 TGAGCCATGC CATACATACC GCCTTTAATA AAATGCACAC CAAACATCAT TTCAATCATA 12840
 GGAATAATTG AATATAGTGA CGGGCCTCGT TTTGGATCAA TTCCTATGTA TAACGTTTGA 12900
 AACGCTAAAA GCTTTTGTAT CTTTTCTGTTA TCAATATAAT GTTCAATTAG CTGATCTGCA 12960
 10 TGATTTAACG TTTTAACTT AGCACCTTGC ACAAGTGACG TCATATTATA AAAGTCACTC 13020
 GGTTCGCGAT ACGTTCCTTC TAAGAAATAG CGACGTGCAA TTTTCATATTT TTTATAAACA 13080
 15 TCCGTTAAAA AGGACATAAA ACCATGCGTT GAACCAGGTT CTATACTTTC TAGCATTTCG 13140
 TGTAATTCAG CTAAATCTGT AGGCACCGTT ATACGATCAT CGTGGTCAAA ATACACATCG 13200
 TAAATATAAC GTAATTGTCT CAATTCAATA TAATCTTCAT AATTTTTTACC ACACGCTGTA 13260
 20 AAAACATCTT TATAAACATC TGGCATCATG ACAATTGTGG GACCCATATC AAATGTAAAG 13320
 CCGTCTTTCT TTAATTGATT CACACGCCCCG CCTACATTAT TATTTTTTTC AAATATCGTC 13380
 ACTTCATGAC CTTGAGAAGC AATACGGGCT GCCGCTGCTA ATCCTGTGAC ACCTGCACCA 13440
 25 ATTACTGCAA TCTTCATTAT TCAACCACCT ATATTCTATG ATATTTACTA TTTATTTTCAT 13500
 GAAACAACTT TGCCTTTTTT CTCTTATCCA CAAAAACACG TTCATGTAAT GTATAGTTAG 13560
 30 CCTGTCTCAC TTCGTCCAGT ATTTCAATAT ATATACGTGC TGCTAATTCT ATGATTGGTT 13620
 GTGCTTCAAT ACTAAATACT TTGATTTGAT CCATAACATC TTGAAAATCT TTTTCTGCGA 13680
 TAGCTGCATA ATATTCCCAT AAGTCAATAT AATGATTATT AACACCATT TGGTACACTT 13740
 35 ~~CAGCAATATC AACTTCATAT TGCTTTAATC GTTGCTTACT AAAATATATC CGTTCATTGT~~ 13800
 CAAAATCTTC ACCGACATCT CTTAATATAT TAAAGGGATC CTCTAGAGTC GACCTG 13856

(2) INFORMATION FOR SEQ ID NO: 32:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 10088 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 32:

50 ATATATAAAT ATAGATTAAG TATATAGATT AATCAACTTT TTTGGAAGAG CAAATCACGC 60
 AATCAACAAA TAATATAAGA AGTTTTTGCG ATAGTTTAA AATAGCTGTA ATAGAATACT 120
 AAATGTGACA AACTTAGAAC TAATATCAAG TGTTGATGTT TTGAATATAA AAATGCTAAT 180

EP 0 786 519 A2

ATAATTGGTT AATATATGAG TAATTAGAAA ATAGACAAAG GATGACGATT TATGTATATC 300
AATATGAAAG ATTATGGGTT AACAGGCATA AACAAAACTA AAGATACTCG AGCAATACAA 360
5 CGTGC GTTAA ATCGTGGAAAG ATGTAAACCA ACGACAGTTT ATATACCGAA AGGGACGTAT 420
GATATTTGCA AACCATTAAAC GATATATGGC AATACAACAC TTTTGTTAGA TAATGAAACT 480
10 ATTTTACGCC GATGTCATTG TGGTCCTTTA TTAAAAAATG GTCGTCGCTT TGGTTTTTTaT 540
CGTGGTTATA ATGGACACAG TCATATTCAT ATTAAAGGCG GCAAGTTTGA TATGAATGGT 600
GTATCGTATC CTTATAACAA TACAGCTATG TGCATTGGGC ATGCTGAAGA TATTCAATTA 660
15 ATAGGTGTGA CCATTAAGAA TGTAGTGAGT GGTTCATGCA TTTGATGCTTG TGGGATTAAC 720
GGACTCTATA TTAAAAGCTG TTCATTTGAA GGATTCATAG ACTATAGTGG CGAACcTTT 780
ATTCTGAAGC AATACAATTA GACATTCAAG TACCTGGTGC TTTTCCAAAA TTCGGAACgA 840
20 CAGATGGTAC GATAACGAAA AATGTCATTA TCGAAGATTG TTATTTTGGA CCTTCAGAAT 900
TGCCCGAAAT GGGAAAGTTGG AATCGTGCTA TTGGCTCACA TGCAAGTAGA CATAATCGAT 960
ACTATGAGAA TATTCATATT AGAAATAATA TATTTGAAGA TATACAAGGT TATGCATTAA 1020
25 CTCCCTTGaA GTATAAAGAT GCTTTCATTA TTAATAATAA GTTTATTAAC TGTGaGGGTG 1080
GCATTAGATA TTTAGGAGTT AGAGATGGTA AAAATGCAGC AGATGTGaTG ACAGGaAAAAG 1140
30 ACTTAGGTTT CCAAGCAGGC ATAAATATGA ATATAATTGG AAATGAATTT AAAGGATCAA 1200
TGTCTAAAGA TCGGATACAT GTACGTAATT ATAATAATGT TAAACATAAA GATGTATTAA 1260
TCGTTGGGAA TACATTCAAT AATTCGACTC AATCAATTCA TTTAGAAGAT ATTGATACAG 1320
35 TGTTTTTAAG TCCTGTTGAA GCGGGTATTC AAGTTACTAC AATCAATGTA GATGAAATAA 1380
AAAAGTAAAA AGTTTCGCAT GACATTAGGA TTAAGAATAG TAGATAATTT TTGAAAGCGC 1440
ATTeATAAAA CGGTATAAAT ATGCTATAAT AAACCCAATT ATCTGATAAA AGGGGTATTT 1500
40 TGACGGTAAT GATAATACAA GATAGACAAC TTTCTATACT CTAATATAGT GAGTTGAAGT 1560
AGCTTGTCAT AATCATCATG AGGGGGAAAT TTATGGCTTA TTTCAATCAA CATCAATCAA 1620
TGATATCGAA AAGGTATTTA ACATTCTTTT CAAAATCAAA GAAAAAGAAA CCGTTTAGTG 1680
45 CGGGACAAC TATTGGACTA ATATTAGGTC CATTACTTTT CCTATTAACA TTATTATTCT 1740
TTCATCCACA AGACTTACCT TGGAAAGGCG TCTATGTTTT AGCGATTACT TTATGGATTG 1800
CGACTTGGTG GATTACTGAA GCAATTCCTA TTGCAGCAAC GAGCTTATTA CCAATTGTGT 1860
50 TATTACCATT AGGTCATATA CTTACACCAG AACAAAGTATC ATCCGAATAT GGCAATGATA 1920
TTATCTTTTT GTTTTTAGGT GGATTTATTT TGGCAATTGC AATGGAAAGA TGGAATTTAC 1980
55

EP 0 786 519 A2

TTGGATTTCAT GGTGGCAACA GGATTCTTAT CTATGTTTGT ATCGAACACT GCAGCTGTAA 2100
 TGATTATGAT TCCGATTGGT TTAGCAATTA TTAAGGAAGC ACATGATTTA CAAGAAGCCA 2160
 5 ATACGAATCA AACAAGTATT CAAAAGTTTG AAAAATCTCT AGTTTTAGCA ATTGGCTATG 2220
 CAGGTACGAT TGGTGGCTTG GGTACATTAA TCGGAACCCC GCCATTAATT ATTTTAAAAG 2280
 GACAATACAT GCAACATTTT GGACATGAAA TTAGTTTTGC TAAATGGATG ATTGTAGGGA 2340
 10 TTCCAACGGT CATTGTTTTG TTAGGTATTA CTTGGCTCTA TTTAAGATAT GTTGCCTTTA 2400
 GACATGATTT GAAATATTTa CCTGGTGGTC AGACGTTAAT TAAACAAAAG TTAGACGAGC 2460
 TTGGCAAAAT GAAGTATGAA GAAAAGGTAG TACAACTAT CTTTGTACTT GCTAGCTTAT 2520
 15 TATGGATTAC AAGAGAGTTT CTTCTGAAAA AATGGGAAGT TACGTCATCT GTTGCGAGATG 2580
 GTACGATTGC TATTTTTATA TCAATATTAT TATTTATTAT TCCAGCTAAA AATACTGAAA 2640
 20 AACATCGCCG TATCATTGAC TGGGAAGTTG CAAAAGAGCT CCCTTGGGGT GTATTAATTT 2700
 TATTTGGTGG CGGTTTAGCA TTAGCGAAAG GTATTTCTGA AAGTGGTTTA GCAAAATGGT 2760
 TAGGCGAACA GTTGAAATCA TTAAATGGTG TTAGTCCGAT TCTTATTGTA ATTGTCATAA 2820
 25 CAATCTTTGT CTTATTTTTA ACTGAAGTGA CATCTAATAC TGCAACTGCA ACGATGATTT 2880
 TACCGATTTT AGCAACGTTG TCTGTTGCTG TTGGAGTGCA TCCATTACTA CTTATGGCAC 2940
 CTGCAGCTAT GGCGGCTAAC TGTGCATACA TGTTACCAGT AGGGACACCA CCGAATGCAA 3000
 30 TTATCTTTGG TTCTGGTAAA ATATCTATCA AACAAATGGC ATCAGTAGGA TTCTGGGTAA 3060
 ACTTAATCAG TGCAATAATT ATTATTTTAG TCGTGTATTA TGTAATGCCT ATAGTTTTAG 3120
 35 GTATTGATAT AAATCAACCA CTGCCATTGA AATAGTAATT GCAGATTAGA ACGAAAAATA 3180

AAAGGTTACA TTAGCAATTG CTTGGACGAG TGGTAACGAA ACGTATACCG CAGCATCGTG 3240
 TAA~~A~~AACAAT ACAACAAAA GAAAGTCAAC CAAGGATGGA TTCCTATTTT AATCCTTGGT 3300
 40 TGACTCTTTA TTTTATTTAA ATTGTAGAAC CTAGAAAAATA AAGTTTAATT AAAAGCACCA 3360
 ATCATTTCTA CTTGAAATC TAAGGTTTCT AAAATAGCAA TGACTTTCTT TATATCGGTT 3420
 GTAATTGCAG AATCAGCCTG AACGAAAAAT CGATACATAC CTAATTGTGT TTTTAAAGGA 3480
 45 CGAGACTCAA TCCAGGATAA ATTAATATTA AACAAAGCAA ATGTATTAAG CACACTTGCT 3540
 AACAA~~CC~~CAG GTTTATCATG CATTGGTGTA ATTA~~AA~~AAACA TCAATGATGT CGCATTTTGA 3600
 50 TCAAATTGCT GCTGATTTTT TATACTAAA AAACGTGTCA CGTTATGTGG ATAGTCTTCA 3660
 ATATGTGTAT CAATAGGTGT AAAACCATAA GctTCGCCAC TACCTAAAGG TGCAATTGCT 3720
 GCAACGCCAT TTTCAATTTT AGTCAA~~CT~~T TGAATTGTAC TGTCGACATA ATCATAGTCA 3780

55

EP 0 786 519 A2

TTTTAAATAT CAGAAATGGA ATCTGTTCCA TTACCATATA ATGCAAAGTT AATATCTAAA 3900
 CGTATTTTAC CGTGTGCAAA GACATCTTGC TGTGCAAGTG CATCTGCCAC AATGTTGATT 3960
 5 GTTCCTTCTA TAGAATTTTC AATAGGGACA ACACCAATCG ATGTGTCATC ATCTGCAACT 4020
 GCCTTGATGA CTTCAAATAA ATTTGACTTT GGTGAAAAG TTGCTTCATT TTCAGAAAAA 4080
 10 TACTGACGAC AAGCCAAATA TGAAAATGTA CCTTTAGGGC CTAAATAATA TAATTGCATA 4140
 TGCTACACCT CTACTAACTT AATGATGGAA AGGGCACTGG TTAGCATTTG ATTCTTTCTT 4200
 TTTATAGAAA AAGTTTGGAT CTTTTACTGT ATTGTCATAT CCGTGATGAT AATTTGACGT 4260
 15 CAATGTTGGA GATAATGGCG GTGCTAGCCA AGACCATTTT CCGGTAACCTT GACGACCTTG 4320
 TTGTGCTTCG TTACGTTTGA ATAGTTTCGAA TTGCTTTGCA GCGGTCAAAT GATCGACAAT 4380
 TGATACGCCT TCTTTTTTAA AGGAATGATA CACAGCATAG TTCAATTCAA CAAGTGCTCG 4440
 20 ATCTTTATTA AATGAATTAT TTTTAAGTGT ATCAAATTCA AACGCATCTG CAACTTTTTT 4500
 TAGTAAATTG TAACGGTAAT CATCAATAAA GTTACGTACG CCAATTTTCA TTACCATATA 4560
 CCAACCGTTA AAGGGTGCAG TTGGATATAC AATGCCACCG ATTTTTAAGT CCATATTGGA 4620
 25 AATGATAGGG ACTGCATACC ATTTTAAGTT CAATTTTCTT AATTTTGGAT AATGATTATG 4680
 TTCAATAGGT ACTTCTTTAA TTAATGAAGT AGGATATTCG TAAAATTTAA CTGACTCATT 4740
 30 AGGTAATTGG TAAATCAGTG GTAACACGTC AAAATTAGTA CCTTTTCCTT TCCAACCTAA 4800
 GTGATTTGCT AAGCGTGTA CTTCTTTTTT AGCAGGATCA CCACAATTGT CATAGCCAGC 4860
 ATAGCGAATT AATTGATTGT TGAAAATTTT AGGTCCATCC TTTGGAGCAT ATATAGTAAT 4920
 35 ATACGGCTTT AATTACCTT CATTTGTAGC CTGTGTAATA TGATAAGTAA TTGATGATAA 4980
 GAACGATGCT TCGTCAGTAA CATCTCTTGC ATCAATGACA TTTAACGAAT CCCAAAATAA 5040
 ACGACCAATG CAACGATTTG AATTACGCCA AGCCATTTTA GCACCATAAA TAAGTTCTTC 5100
 40 TTCTGTATGT GTATATGTCC CAGTTTCTTT TATTTCTAGT TCAATGTCAT GTAAACGTTT 5160
 ATTGATAATT TCGTTTTCAT AATGACACTC TTTATACATG TTTTCTATGA AAGCTTGAGC 5220
 45 CTCTTTAAAT AACATTAAACA ACACCTCGCT TTATATTATA GTCTACATTA TTAAATACT 5280
 CTTAAAAATT ATGTATATGT CATTAAATTG TTGGTTGATT TTAATTAAAA GTATGGAAAT 5340
 TAAGGGGCTC TTATGTATAT AAAAAATGA ATTATGATAA AATGTAAGAA AATATTTAGG 5400
 50 TCGATTGGAG AGATACAAGT GTACCAATTA GAAGACGACA GTTTAATGTT ACATAATGAC 5460
 TTATATCAAA TAAATATGGC TGAAAGTTAT TGGAATGATA ATATTCATGA AAAAATGGCT 5520
 GTATTTGATT TGTATTTTAG AAAAATGCCA TTTAATAGTG GCTATGCTGT TTTAATGGT 5580

EP 0 786 519 A2

	TTAAAGTCTA TTGGCTACAA GGATGATTTT TTATCATATT TAAAAGATTT AAAATTCACA	5700
5	GGCAGCATCC GTTCGATGCA AGAAGGCGAA TTATGCTTTG GTAACGAACC ATTGTTACGC	5760
	GTAGAAGCAC CATTGATTCA AGCGCAATTA ATAGAAACAA TTTTATTAAA CATTGTAAAT	5820
	TTCCATACAT TAATTACAAC AAAGGCTAGC AGAATTCGTC AAATTGCATC AAATGATAAA	5880
10	TTAATGGAGT TTGGTACACG TCGTGCGCAA GAAATTGATG CAGCATTGTG GGGCGCTAGA	5940
	GCTGCTTACA TCGGGGGCTT TGATTCTACA AGTAATGTTA GGGCGGGGAA ATTATTTGGT	6000
	ATACCTGTGT CTGGTACACA TGCACATGCA TTTGTCCAAA CTTATGGAGA CGAATATGTT	6060
15	GCCTTCAAAA AATATGCTGA AAGACATAAA AATTGTGTGT TCCTAGTAGA TACATTCCAT	6120
	ACTTTAAAT CTGGCGTGCC AAATGCAATA AAAGTTGCAA AAGAATTAGG TGACAAAATT	6180
	AACTTTGTAG GTATTGATT AGATTCTGGA GATATCGCTT ATTTATCTAA AGAGGCAAGA	6240
20	CGTATGCTTG ATGAAGCAGG ATTTACTGAA ACTAAAATTA TCGCGTCTAA TGATTTGGAT	6300
	GAAGAAACGA TTACGAGTTT GAAAGCACAA GGTGCAAAAG TAGATTCTTG GGGCGTTGGT	6360
25	ACAAAGCTGA TTACAGGATA CGATCAACCA GCATTAGGTG CAGTATATAA ACTTGTAGCT	6420
	ATTGAAAATG AAGATGGTTC ATATAGTGAT CGTATTAAAT TATCAAATAA CGCTGAAAAG	6480
	GTTACGACGC CAGGTAAGAA AAATGTATAT CGCATTATAA ACAAGAAAAC AGGTAAGGCA	6540
30	GAAGGCGATT ATATTACTTT GGAAAATGAA AATCCATACG ATGAACAACC TTTAAAATTA	6600
	TTCCATCCAG TGCATACTTA TAAATGAAA TTTATAAAAT CTTTCGAAGC CATTGATTTG	6660
	CATCATAATA TTTATGAAA TGGTAAATTA GTATATCAA TGCCAACAGA AGATGAATCA	6720
35	CGTGAATATT TAGCACTAGG ATTACAATCT ATTTGGGATG AAAATAAGCG TTTCTGAAT	6780
	CCACAAGAAT ATCCAGTCGA TTTAAGCAAG GCATGTTGGG ATAATAAACA TAAACGTATT	6840
	TTTGAAGTTG CGGAACACGT TAAGGAGATG GAAGAAGATA ATGAGTAAAT TACAAGACGT	6900
40	TATTGTACAA GAAATGAAAG TGAAAAAGCG TATCGATAGT GCTGAAGAAA TTATGGAATT	6960
	AAAGCAATTT ATAAAAAATT ATGTACAATC ACATTCATTT ATAAAATCTT TAGTGTTAGG	7020
45	TATTTCAGGA GGACAGGATT CTACATTAGT TGGAAACTA GTACAAATGT CTGTAAACGA	7080
	ATTACGTGAA GAAGGCATTG ATTGTACGTT TATTGCAGTT AAATTACCTT ATGGAGTTCA	7140
	AAAAGATGCT GATGAAGTTG AGCAAGCTTT GCGATTCATT GAACCAGATG AAATAGTAAC	7200
50	AGTCAATATT AAGCCTGCAG TTGATCAAAG TGTGCAATCA TTAAAAGAAG CCGGTATTGT	7260
	TCTTACAGAT TTCCAAAAG GAAATGAAAA AGCGCGTGAA CGTATGAAAG TACAATTTTC	7320
55	AATTGCTTCA AACCGACAAG GTATTGTAGT AGGAACAGAT CATTCAGCTG AAAATATAAC	7380

EP 0 786 519 A2

TAAACGACAA GGTCGTCAAT TATTAGCGTA TCTTGGTGCG CCAAAGGAAT TATATGAAAA 7500
 AACGCCAACT GCTGATTTAG AAGATGATAA ACCACAGCTT CCAGATGAAG ATGCATTAGG 7560
 5 TGTAACCTTAT GAGGCGATTG ATAATTATTT AGAAGGTAAG CCAGTTACGC CAGAAGAACA 7620
 AAAAGTAATT GAAAATCATT ATATACGAAA TGCACACAAA CGTGAACTTG CATATACAAG 7680
 10 ATACACGTGG CCAAATCCT AATTTAATTT TTTCTTCTAA CGTGTGACTT AAATTAAATA 7740
 TGAGTTAGAA TTAATAACAT TAAACCACAT TCAGCTAGAC TACTTCAGTG TATAAATTGA 7800
 AAGTGTATGA ACTAAAGTAA GTATGTTTAT TTGAGAATAA ATTTTTATTT ATGACAAATT 7860
 15 CGCTATTTAT TTATGAGAGT TTTTCGTACTA TATTATATTA ATATGCATTC ATTAAGGTTA 7920
 GGTGAAGCA GTTTGGTATT TAAAGTGTA TGAAGAGA GTGGGGCGCC TTATGTCATT 7980
 CGTAACAGAA AATCCATGGT TAATGGTACT AACTATATTT ATCATTAAACG TTTGTTATGT 8040
 20 AACGTTTTTA ACGATGCGAA CAATTTTAAC GTTGAAAGGT TATCGTTATA TTGCTGCATC 8100
 AGTTAGTTTT TTAGAAGTAT TAGTTTATAT CGTTGGTTTA GGTGTTGGTTA TGTCTAATTT 8160
 AGACCATATT CAAAATATTA TTGCCTACGC ATTTGGTTTT TCAATAGGTA TCATTGTTGG 8220
 25 TATGAAAATA GAAGAAAAC TGGCATTAGG TTATACAGTT GTAAATGTAA CTTCAGCAGA 8280
 ATATGAGTTA GATTTACCGA ATGAACTTCG AAATTTAGGA TATGGCGTTA CGCACTATGC 8340
 30 TCGGTTTGGT AGAGATGGTA GTCGTATGGT GATGCAAATT TTAACACCAA GAAAATATGA 8400
 ACGTAAATTG ATGGATACGA TAAAAAATTT AGATCCGAAA GCATTTATCA TTGCGTATGA 8460
 ACCTCGAAAC ATACATGGTG GATTCTGGAC TAAAGGCATT CGTCGTAGAA AGCTTAAAGA 8520
 35 TTATGAACCA GAAGAACTGG AAaGTGTAGT AGAaCATGAA aTTCmAAGTA AaTGAGAAaTG 8580
 AAmCAATtGC TGATTGTTTG TCACGAATGA AAtGCAAGGG TATATGCCGG TAAAACGTAT 8640
 TGAAaAACC GTGTTTCAAG AGCAAAAAGA TGGCACGGTT GAAGTATCAC ATCAAGAAAT 8700
 40 CGTTTTTGTA GGTAAGAAAA TCCAATAACA TAATCCAATT TAAATAAAGA CTATTTGAAG 8760
 AGGAAAGGCT ATTCAAAGTT TGAGTAATTT TACTTTGAAT AGCCTATTTG TTTATACATG 8820
 CAAGATGCTC GATCCATATT GTATGAGAAA CCCCAGCAA GCTATATAAA GCATATGCTG 8880
 45 GGGGTTCTTA ATATTTTAAA AATTATTGTT AGATTATATA TATCGTCGCT TTTTCTAAAA 8940
 CAATCTCATC GCATGAAATT TTTTCTTCCT AGAGACCTTT AATAAGATTA ATAGTTTACT 9000
 50 TAATCATATC TAGATAGTCT TATGACTTAT GCTTAATGAA AGTCATTCTA GGAGAAGTTC 9060
 CCAAAGCTTC TGTGTTTATA ATTGTTAGTA GTATTTTATT ATCATTTGGT ATAAATATTT 9120
 CAATAACAAT TGAGCTATTA TTTTATTAT ATAATGTGAG TTGTTTGTGT TCTGTATTTA 9180

55

CATTTAAATC TTGAGGATGC CATTCTCCCT CAATAATATT AAGATAATAC TTAGCCTCTG 9300
 AATTACATTT GAATTTATCA ATACTAAATA ATTCAATTTG TTCCATAATA TTATTTACCT 9360
 5 TTCTAAAATA CAAATTTTAA TAACCATAAA TAGATGAATA CCATCGATAA TGGTCGCCAT 9420
 TGGATACTGG AATAACATTG TTTTTCAGCAT CTTGAGTCAT AAAACCATTA TCCCATGGAT 9480
 TCCATATAAT TATAACCTCT TGTCCATTAT CTAATTTAGC GTTCCCAACA ACTGCCATGG 9540
 10 CATGCCCTGC GTGCATACCA TTTCTTGATT CTACTCTACT ACCTAAAACA GCAATTCCTT 9600
 TATTATTTTT AGTAAGATTG TCAACTTCAT TATATGTAGT CATTCTATTA AGAAGTTGTG 9660
 15 GACTTCTTCC CTGAGTTTGT CCAAAATAAA TCATCTCTCT TGGCGTTAAA CCAGTAAATT 9720
 GGAATCGTTG TCCTTGTAAG TTTGGGTGTA AAAATCTCAT CACAGCTTCT GCATGATATT 9780
 TGTTAGTATT ATAAGTCGCA TTTAGTAATT CAGACATCGT ATAGCCTGCA CACCAACCAT 9840
 20 TGTTACCTTG AGTTTCTCTT ATCTTGAAAT TCTCAAGTTT ATTTATATAT TGsTCGTTGT 9900
 AAGTATAATT ATTACTTTTA AATTGACTAG TTGGCATAGT GACAGAAGCT TTTTGCTTTA 9960
 GTTGCGTTAC ATTATTGCCA GTAGGTATAC TCTCAGTCTT TnTnAACTnT nTATCTTCTA 10020
 25 GACGTGGTGT TTTTAGTACT AGTTTAGCTT TATGATTTTG AGTACCACAT AGTAACCTTT 10080
 TGAGTTGT 10088

(2) INFORMATION FOR SEQ ID NO: 33:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 7563 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 33:

40 CGGAAACGnA CCCnATGCGT ATGCTTGACG TGCCAAAATT AAATACGAAG TTCATAGCTT 60
 TGAGGTACCA GAAGAACATT TATCTGGTCA AGAAGTCGCA GnACTCATAC AAGCAAATGT 120
 TAAAACAGTA TTTAAAACGC TTGTTCTAGA AAATACAAAA CATGAACATT TTGTATTTGT 180
 45 TATCCAGTA AGTGAAACTT TAGATATGAA AAAGGCAGCT GCTTTGGTTG GAGAGAAGAA 240
 ATTGCAGCTT ATGCCTTTAG ATAATTTGAA AAATGTAACG GGATACATTC GTGGTGGGTG 300
 50 TTCGCTGTT GGTATGAAAA CATTGTTTCC AACAGTCGTT GACAAATCGT GTGAAAATTA 360
 TAGTCATATC AGTGTGAGTG GTGGGCTTCG AACAAATGCAA ATCACAATAG CTGTTGAGGA 420
 TTTGATTACA ATAACATAAG GCAAATTTGG AGCAGTTATC CATGAATGAT TAATAACAAC 480

EP 0 786 519 A2

	TGCCCACTC	CTTTTGATT	GAATTAGCAT	TTTACGATCA	TAAACAGTCA	TTATAATTGA	600
	GTATTTGAAC	ATAAAAATGT	AATTTTATCG	TAACAATTTG	AGTGTTTGTG	ATTGTTTTTG	660
5	GTAATTTATG	ATTGAAAAGT	GAAAGCGTAC	TCATTATAAT	ACAAAGTGAG	ATGGGGTGAT	720
	GATGATAATT	ACTGaAAAAA	GACACGAGTT	AATATTAGAA	GAACTTTCGC	ACAAAGATTT	780
	TTTGACTTTA	CAAGAATTAA	TAGATCGAAC	TGGTTGCAGT	GCTTCAACAA	TACGArGAGA	840
10	TTTATCTAAA	CTACAACAAT	TAGGGAAAAT	GCAACGTGTG	CATGGTGGTG	CAATGTTAAA	900
	AGAAAATCGT	ATGGTTGAGG	CGAATTTAAC	TGAAAAATTA	GCAACGAATC	TTGATGAAAA	960
15	GAAAATGATT	GCTAAAATAG	CAGCTAATCA	AATCAACGAT	AATGAATGCT	TATTTATCGA	1020
	TGCTGGTTCA	TCTACATTGG	AGCTAATTAA	ATATATTCAA	GCGAAAGATA	TCATTGTGGT	1080
	AACCAATGGT	TTAACACATG	TAGAAGCTTT	ACTTAAAAAA	GGTATTAAAA	CAATTATGCT	1140
20	AGGTGGTCAA	GTTAAAGAAA	ATACACTTGC	TACGATTGGT	TCTAGTGCTA	TGGAGATATT	1200
	AAGACGATAT	TGTTTCGATA	AAGCTTTTAT	CGGGATGAAT	GGATTAGATA	TTGAACTTGG	1260
	ATTAACACT	CCCGATGAGC	AAGAGGCATT	AGTTAAACAA	ACAGCAATGT	CATTAGCCAA	1320
25	TCAATCATTT	GTACTTATAG	ATCATTCTAA	GTTTAATAAA	GTATATTTTG	CTCGTGTACC	1380
	TTTGCTAGAA	AGTACGACAA	TCATCACATC	TGAAAAAGCA	TTAAATCAAG	AATCGTTAAA	1440
	AGAATACCAA	CAAAAGTATC	ACTTTATAGG	AGGGACTTTA	TGATTTATAC	AGTGACTTTC	1500
30	AATCCTTCAA	TTGACTATGT	CATTTTACG	AATGATTTTA	AAATTGATGG	TTTGAACAGA	1560
	GCAACAGCAA	CATATAAATT	CGCTGGGGGG	AAAGGTATTA	ATGTCTCGCG	CGTCTTAAAG	1620
35	ACATTGGATG	TTGAGTCAAC	TGCCTTGGGA	TTTGCAGGTG	GATTTCTCTGG	GAAATTCATT	1680
	ATAGATACAT	TAAATAACAG	TGCAATTCAA	TCGAATTTTA	TTGAAGTTGA	TGAAGATACA	1740
	CGTATTAATG	TGAAATTAAA	AACAGGACAA	GAAACAGAAA	TCAATGCACC	GGTCCCTCAT	1800
40	ATAACGTCAA	CACAATTTGA	ACAACTGTTA	CAACAAATTA	AAAATACAAC	AAGCGAAGAT	1860
	ATAGTTATTG	TTGCTGGAAG	TGTACCAAGT	AGTATTCCAA	GCGATGCGTA	TGCGCAAATT	1920
	GCACAAATTA	CAGCACAGAC	AGGTGCTAAA	TTAGTAGTCG	ACGCTGAAAA	AGAATTGGCT	1980
45	GAAAgCGTTT	TACCATATCA	TCCACTATTT	ATTAAACCTA	ATAAAGATGA	ATTAGAAGTG	2040
	ATGTTTAATA	CAACAGTGAA	CTCAGACACA	GATGTTATTA	AATATGGTCG	TTTGTTAGTT	2100
	GATAAAGGTG	CGCAATCTGT	TATTGTCTCG	CTTGGCGGTG	ATGGTGCTAT	TTATATTGAT	2160
50	AAAGAAATCA	GTATTAAAGC	AGTTAATCCA	CAAGGGAAAG	TGGTTAATAC	AGTTGGCTCT	2220
	GGTGATAGTA	CAGTTGCAGG	CATGGTGGCT	GGAATTGCTT	CAGGTTTAAC	GATTGAAAAA	2280
55							

EP 0 786 519 A2

	CGGGACGCTA TAGAAAAAAT AAAATCACAA GTTACGATTA GCGTACTTGA TGGGGAGTGA	2400
	AAATAATGAG AGTAACAGAG TTATTAACAA AAGATACAAT AGCAATGGAT TTAATGGCAA	2460
5	ATGACAAAAA TGGTGTTATT GATGAGTTAG TAAATCAATT AGACAAAGCA GGTAAATTAA	2520
	GTGATGTCGC GTCATTTAAG GAAGCGATTG ACAATCGAGA ATCACAAAGT ACAACTGGTA	2580
	TCGGCGAAGG TATTGCCATT CCACATGCCA AAGTGGCCGC AGTTAAGTCA CCAGCTATTG	2640
10	CGTTTGGTAA ATCTAAAGCA GGCGTAGATT ATCAAAGTTT GGATATGCAA CCAGCACACT	2700
	TATTCTTTAT GATTGcAGcG CCAGAAGGTG GCGCCCAAAC ACATCTAGAT GCTTTAGCTA	2760
	AGTTGTCTGG TATTTTAATG GATGAAAATG TACGTGAGAA ATTATTACAT GCTTCATCAC	2820
15	CTGAAGAAGT ACTAGCGATC ATAGATGAGG CTGATGATGA AGTGACAAAA GAAGAAGAGG	2880
	CAGAAGCTGA AGCACAACAA GTTGCAACTG CAGAACAATC ATCTAAACAA TCTAATGAGC	2940
20	CATATGTGTT AGCAGTAACT GCTTGTCCAA CAGGTATTGC ACACACATAT ATGGCACGTG	3000
	ATGCATTGAA AAAGCAAGCG GATAAAATGG GTATTAAAAT TAAAGTAGAA ACGAATGGTT	3060
	CAAGCGGCAT TAAAAACCAT TTAAGTGAAC AAGATATTGA AAATGCAACA GGTATCATTG	3120
25	TTGCTGCTGA TGTTTCATGTT GAGACGGATC GCTTCGATGG TAAAAATGTC GTAGAAGTAC	3180
	CAGTAGCAGA TGGTATTAAA CGCCCAGAAG AATTAATTAA TAAAGCATTG GATACAAGTC	3240
	GTAAACCTTT TGTTGCCCCG GATGGTCAAA GAAAAGGTAA CTCAAATGAC AGTCAAGAAA	3300
30	AATTAAGCCC AGGTAAAGCA TTCTATAAAC ACTTAATGAA CCGTGTTTCT AACATGTTGC	3360
	CACCTGTAAT ATCTGGTGGT ATTTTAATGG CAATTGTATT TTTATTTGGA GCAAATTCAT	3420
35	TTAATCCAAA AAGCTCAGAG TACAATGCGT TTGCAGAGCA GCTTTGGAAC ATTGGTAGTA	3480
	AAAGTGCATT CGCGTTAATC ATTCCAATTT TATCTGGATT CATTCACAGT AGTATTGCGG	3540
	ATAAAcCTGG TTTGCTTCA GGTCTGTAG GTGGTATGTT AGCAATTTCA GGTGGTTCAG	3600
40	GATTTATTGG TGGTATTATT GCAGGTTTCT TAGCAGGTTA CTTAACACAA GGTGTTAAAG	3660
	CCATGACACG TAAGTTACCA CAAGCATTAG AGGGATTAAA GCCAACATTA ATTTATCCAC	3720
	TATTAACAGT GACGGCTACA GGCTTATTGA TGATTTATGC CTTTAATCCA CCAGCATCTT	3780
45	GGTTAAATCA TTTGTTATTA GATGGATTAA ACAATTTATC AGGTTCTAAT ATTGTATTAT	3840
	TAGGTTTAGT TATTGGCGCT ATGATGGCGA TTGATATGGG CCGTCCATTC AACAAAGCGG	3900
	CATATGTTTT TGCAACAGGT GCGTTGATTG AAGGTAATGC AGCACCAATT ACAGCTGCAA	3960
50	TGATTGGTGG TATGATTCCA CCGTTAGCAA TTGCGACAGC GATGTTAATT TTTAGACGTA	4020
	AATTTACAAA AGAACAACGT GGTTCATTA TCCCTAACTA TGTGATGGGT ATGTCATTTA	4080

55

	TGATTGGTTC AGGTATAGGT GCGCAATTG CTTTAGGCTT AGGTTACGA ATTACTGCGC	4200
	CACATGGTGG TATTATTGTA ATTGTTGGTA CTGATGGTGC ACACCTTACTT CAAACTCTTA	4260
5	TTGCACTTCT AGTTGGCACA TTAGTTTCAG CATTAAITTA CGGTTTAATC AAACCAAAGT	4320
	TAACTGAAAC AGAAATCGAA GCTTCAAAAT CAATGGACGA GTAGTTTTAA TGATGTAAAA	4380
10	TGATTGTTAG CAAAGAGCTT CATATTAAGT TGTATGTTCA ATGAATATAT GTTAGTTTTA	4440
	TATATCGTGT TAACGGTAGC TTATACAAAG CTGTAAAAAC ACTTTCTATT AATTCAGTTT	4500
	TTATGAATTG ATATGAAAGT GTTTTTATTT TTAGATAAAT GAATGAAGAA ATAGACACCA	4560
15	CAAATGTATA GACTTTTTTTA ATATTTTGCA AAAAGTTATG CCAAACGAAG CAGATATAGT	4620
	AAAATATGAG TGTCTTAAAG TGAAAATTTA TAAATAAAGA AGGGTTTATA CGTGTGAGAA	4680
	TTAATTATAT ATAACGGCAA AGTTTATACT GAAGATGGCA AAATCGATAA TGGTTACATT	4740
20	CATGTGAAAG ATGGACAGAT TGTGCAATT GGAGAAGTGG ATGATAAAGC AGCAATTGAT	4800
	AATGATACGA CAAATAAAAT TCAAGTGATT GATGCTAAAG GTCATCATGT ATTACCAGGT	4860
	TTTATTGATA TACATATTCA TGGTGGTTAT GGTCAAGATG CAATGGATGG GTCATACGAT	4920
25	GGCTTAAAAT ATCTATCCGA AAATTTGTTG TCTGAAGGGA CGACATCATA CTTGGCCACT	4980
	ACAATGACGC AATCGACTGA TAAAATAGAT AATGCACTTA CAAATATTGC TAAATATGAA	5040
30	GCGGAGCAAG ATGTTCACAA TGCAGCGGAA ATTGTAGGTA TACATTTAGA AGGACCATT	5100
	ATATCTGAAA ATAAAGTTGG TGCTCAACAT CCGCAATACG TTGTACGCC ATTTATCGAT	5160
	AAAATTAAAC ATTTTCAAGA GACTGCTAAC GGATTAATAA AGATTATGAC GTTTGCACCT	5220
35	GAAATTGAAG GTGCAAAAGA AGCGCTTGAA ACGTATAAAG ATGACATTAT TTTTCAATT	5280
	GGTCATACAG TAGCAACATA CGAAGAAGCA GTTGAAGCTG TTGAGCGAGG AGCTAAACAT	5340
	GTCACGCATT TATATAATGC AGCGACGCCA TTCCAACATA GAGAACCAGG TGTTTTTGGA	5400
40	GCAGCATGGT TGAATGATGC TCTACATACC GAAATGATTG TTGATGGCAC TCATTCTCAT	5460
	CCGGCATCGG TTGCAATTGC TTACCGTATG AAAGGTAATG AACGTTTTTA TTTAATTACC	5520
	GATGCAATGC GTGCAAAAGG TATGCCTGAA GGAGAATATG ATTTGGGTGG AAAAAAGTA	5580
45	ACTGTTCAAT CGCAACAAGC ACGTCTTGCA AATGGTGCGC TTGCTGGTAG TATTTTAAAA	5640
	ATGAATCATG GGTTACGTAA CTTAATATCA TTTACAGGTG ATACATTAGA TCATTTATGG	5700
50	CGAGTAACAA GTTTAAATCA AGCCATTGCA TTAGGTATCG ATGATAGAAA AGGTAGTATT	5760
	AAAGTAAATA AGGATGCAGA TCTTGTTATT CTAGATGATG ATATGAATGT AAAATCTACA	5820
55	ATAAAACAAG GCAAGGTTCA CACATTTAGC TAATAAATAA TCATAATTAA ATGTATGCAA	5880

EP 0 786 519 A2

	TTTTCTGGGG	GTGTCTAAAT	GGGAAGGCGA	TAACATGTAG	TTGTAATTTA	AGTCATAGTG	6000
	ATAAATTTGA	ATGCGTGTTA	CCCATGAGTG	ACACATATAA	CATGGAGGTG	AATCCCTAGA	6060
5	AATAGGGAAT	TAATTGGAAA	CTTCGACCAT	AATTAGTTTG	ATTATATTTA	TTCTATTAAT	6120
	TGCATTAACC	ACTGTATTTG	TTGGTTCAGA	ATTTGCATTA	GTAAAAATTA	GAGCAACAAG	6180
	AATTGAACAG	CTAGCAGATG	AAGGAAATAA	ACCTGCTAAA	ATAGTAAAAA	AGATGATTGC	6240
10	TAATCTAGAT	TATTATCTTT	CTGCTTGTC	GTTAGGTATA	ACAGTAACAT	CTTTAGGGTT	6300
	AGGTTGGCTT	GGTGAACCAA	CGTTTGAAAA	GCTATTACAC	CCAATATTTG	AAGCAATCAA	6360
15	TTTACCAACT	GCATTAACGA	CGACGATTTC	GTTTGCAGTG	TCATTTATAA	TCGTTACGTA	6420
	TTTGCATGTA	GTACTTGGTG	AATTAGCGCC	TAAATCTATA	GCTATTCAAC	ATACTGAAAA	6480
	GCTTGCTTTA	GTATATGCAA	GACCATTGTT	CTATTTCCGT	AACATTATGA	AACCATTGAT	6540
20	TTGGCTGATG	AATGGTTCTG	CACGTGTTAT	TATTAGAATG	TTTGGTGTA	ATCCTGATGC	6600
	CCAAACTGAT	GCAATGTCAG	AAGAAGAAAT	CAAAATTATT	ATTAACAATA	GTTATAATGG	6660
	TGGAGAAATC	AACCAAACCTG	AATTGGCATA	TATGCAAAAT	ATCTTTTCAT	TCGATGAAAG	6720
25	ACATGCAAAA	GATATAATGG	TACCTAGAAC	TCAAATGATT	ACACTAAATG	AACCTTTTAA	6780
	TGTAGACGAA	TTACTAGAAA	CAATAAAAGA	ACATCAATTT	ACGCGTTATC	CAATTACTGA	6840
	TGATGGTGAT	AAAGACCACA	TTAAAGGATT	TATTAACGTC	AAAGAATTTT	TAAGTGAATA	6900
30	CGCTTCTGGA	AAAACGATTA	AAATAGCAAA	CTATATaCAT	GAGTTGCCAA	TGATTTTCAGA	6960
	GACAACACGT	ATCAGTGATG	CATTAATTAG	AATGCAACGT	GAACATGTAC	ATATGAGTCT	7020
35	TATTATAGAT	GAATATGGTG	GAACGGCAGG	TATTTTAACG	ATGGAAGATA	TTTTAGAAGA	7080
	AATCGTTGGA	GAAATTCGTG	ATGAATTTGA	TGATGATGAA	GTGAATGATA	TCGTTAAAAT	7140
	TGATaATAAG	ACATTCCAAG	TAAATGGCAG	AGTACTATTG	GATGATTTAA	CTGAAGAGTT	7200
40	CGGTATAGAA	TTTGATGACT	CTGAGGATAT	TGATACGATA	GGTGGATGGT	TACAATCTCG	7260
	TAATACCAAT	TTACAAAAAG	ATGATTACGT	GGATACAACT	TATGATCGCT	GGGTTGTTTC	7320
	AGAAATCGAT	AACCACCAAA	TTATTTGGGT	GATATTAAAC	TATGAATTTA	ATGAAGCGAG	7380
45	ACCTACTATC	GGACAGTCTG	ATGAAGATGA	AAAATCAGAA	TAGATATTAA	TATATAAACC	7440
	AACTAAGAAT	GATTTAATTC	ATTTTGGTT	GGTTATTTTT	TTGACTAAAA	TTAAaGAAAA	7500
50	GTGAAAATAG	TATTGGAAC	CAATATCTTT	AATGATTTAA	TGAATAAnTT	TTATTGAAAG	7560
	CGA						7563

(2) INFORMATION FOR SEQ ID NO: 34:

EP 0 786 519 A2

(A) LENGTH: 3492 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 34:

10	TTATATCAAC TTCATGGCGG AACCATTGAT GACCCATTAG ACGAAACAAT AAGCGCATT	60
	sATGAATTGA AACAGAAGG AATTATACGT GCTTACGGTA TTTCTTCTAT TCGCCCAAAT	120
	GTAATTGATT ATTATTTAAA ACATAGTCAA ATCGAAACGA TAATGTCTCA ATTCAATTG	180
15	ATTGATAATC GTCCAGAATC ATTATTAGAT GCAATTCACA ACAATGATGT TAAAGTATTG	240
	GCAAGAGGAC CTGTGTCTAA AGGATTATTA ACTTCAAACA GTGTTAATGT GCTCGACAAT	300
	AAATTTAAAG ATGGTATTTT TGATTATTCT CATGATGAAT TGGGTGAAAC AATAGCCTCT	360
20	ATTAAAGAAA TTGAAAGTAA TTTATCTGCA TTGACATTTA GTTATTTAAC ATCACATGAC	420
	GTGCTTGTTT CCATCATTGT AGGTGCAAGT AGCGTCGACC AATTAAAAGA AAATATTGAA	480
25	AACTATCATA CTAAAGTTAG TTTAGATCAG ATTAAACAG CAAGAGCTCG TGTAAAGGAT	540
	TTGGAATATA CCAATCATTT AGTGTAGAAG TCATTTTCAG TAATAAAAAC AGCAGCATGA	600
	GGCGTTTCAT TATAAAAATG CCTTACTGCT GTTGTTTATG TACAATTCGC TATAATTTAT	660
30	GATTATGATT ACTCACTTAT GATAGAAATT AAAGCGTTGT CCTCACGCAT CAGTATTTAG	720
	TAATTTTCGCC TTGCGGCATT GCCTTAAGCA AACTTCTGCC ACTTCATCTC TTAATAATTT	780
	TATTAAAACA TCTTTCTATA TTCACTTCG CATGTTGATT CATCATTATT AGTTATTATT	840
35	TGTACACCCA GCACATTTCC TTGCAACACA AGTAGTTTGA ATTTTTCACA AGTATAATAT	900
	AATGTACCGT CTGAAATTTG GTCTACAGAA ATATCGCCTA AAATATCCAG CACTGTAAAT	960
	TCTTCAAATA CTGATAGTTG TTCCGCATAT CGTACACAAA GTCTTACCAC ACTCTCCGAT	1020
40	TGACAGTTCA TTGCCATCCC ACCTATTTAT GCTTTATTTT TAAATAATTT AGGGAAACAT	1080
	CGTTCAAAAA ATCTAGGCGC AATTGATAC ATTTTCAACG CATGaTGCAT CCATTTAGGC	1140
45	CGATTAATTT CCAATTGTTT TGTTTTAATG CCATAAATGA TATCTTCTGC AAGCTGATTA	1200
	GCATCAAGCA TAATTTCCCC CATCTTTTGA gCATACTTCA TTGATGGGTC GGCTTTTGA	1260
	TGAAAAGGTG TATCAATCGG GCCAACATTA ACTGTCATGA TATGTAAGTT TGGTGACTCT	1320
50	AGTCTTAAAG CATTCATTAA TGCATAAAAC CCTGCTTTTCG ATGCCCCATA ATGTGCAGCA	1380
	TTTGCTTGTTG TGGAAAATGC AGCTTGACTT GAAATACCTA CAATATGTGC GTTAGATGTT	1440
	AAATATGGTC TCAACACAGT ATATAAAACA TTAAACTAA TTAAATTAAG CTGATACGTT	1500

55

	TAAATGAATC	CATCGAATGA	TGTATTGTCT	TCAAATTGCA	GTGCCTGTAT	CGACTTCAAA	1620
	TCATTTAAGT	CACAAGGAAT	AACATTTATA	GTTTTCCCCA	ATTCCTGTTC	AAAGATTCTA	1680
5	GTTGCTTTAT	CAACATCACG	CACCAACAAC	GTTACATGCA	CTTTATTTTC	TAGTAACTTT	1740
	CGGACAATCG	ATAAACCTAA	ACCACTCGTA	CCACCAGTCA	CTATAAAATG	TTGTCCTTTC	1800
10	ATCAATTAAC	CTTCCTTTTC	AATTATATAG	AATGCAATTT	ATCAACTTTA	CATAATTGAG	1860
	ACAAGTTGAT	TATCTTTCCT	AATATATATA	CAATAATAAG	AAAATATAAC	ATACAAATCA	1920
	AAAACATAAG	GGATGTGACG	TTAATGTAAC	TCGTATTTTA	TGGAGCTGGT	AATATGGCAC	1980
15	AAGCTATATT	TACAGGTAAT	ATTAACTCMA	GCAACTTAGA	TGCCAATGAT	ATATATTTAA	2040
	CAAATAAATC	TAATGAACAA	GCTTTAAAAG	CATTTCGCTGA	AAAAC TAGGT	GTAACTATA	2100
	GTTATGATGA	TGCGACATTA	TTAAAAGATG	CAGATATATGT	ATTTT TAGGT	ACCAAACCAC	2160
20	ATGACTTTGA	TGCTCTAGCA	ACACGCATCA	AACCACATAT	TACAAAAGWC	AATTGCTTCA	2220
	TTTCAATTAT	GGCAGGTATT	CCGATTGATT	ATATTAAACA	ACAATTAGAA	TGCCAAAATC	2280
	CaGTTGCTAG	AATTATGCCA	AACACAAATG	CGCAAGTTGG	ACACTCTGTT	ACTGGCATT	2340
25	GTTTTTCAAA	CAACTTTGAC	CCTAAATCTA	AAGATGAAAT	TAACGATTTA	GTAAAGCAT	2400
	TTGGTTCTGT	AATTGAAGTA	TCAGAAGATC	ATTTACATCA	AGTAACAGCT	ATCACC GGAA	2460
	GCGGCCCAGC	ATTTTTATAT	CATGTATTCTG	AGCAATATGT	TAAAGCTGGT	aCsAAACTTG	2520
30	GTCTAGAAAA	AGAACAAGTT	GAAGAATCTA	TACGCAACCT	TATTATAGGT	ACAAGTAAGA	2580
	TGATTGAACG	TTCAGATTG	AGCATGGCTC	AATTAAGAAA	AAATATTACC	TCTAAAGGTG	2640
35	GTACGACACA	AGCTGGCCTT	GATACATTGT	CACAATATGA	TTTAGTATCT	ATTTTCGAAG	2700
	ATTGTCTAAA	CGCTGCCGTC	GACCGTAGTA	TTGAACTTTC	TAATATAGAA	GACCAATAAA	2760
	AACAATACCCG	CCAACACATG	TATGCATCAT	CGCAAGCACT	GTGTTTGACG	GGTTATTTTT	2820
40	ATAATTTATT	GTTATTTGGC	AAGCATTGTT	TATTACTTTG	TCATTAGATT	TTAAAAC TAT	2880
	CAAAATCTTT	TACAAAATTA	AAATTAGGTG	TATCTTCATT	TTGTATCAAT	GTTTGATAAA	2940
	TTTCATTTAT	ATCTTCTGTA	TTATAGCGAT	TGCTCAAATG	TGTAATCAAC	GTACGTTTAA	3000
45	CATTGGCTTC	TTTTATCAAT	GCAAATACGT	CTTCAATATG	GCTATGATGA	TAATTGTTGG	3060
	CTAAATGCTT	TTCACCATCT	ATATAGGTCTG	CTTCATGTAC	CATCACATCA	GCATCTCTAG	3120
	AAATCACACG	TTCATTAGAA	CATGGTTTTG	TATCACCAAA	AATTGCTACA	ACTGGACCCT	3180
50	GTTTGGACTC	ACCTCTAAAA	TCTTTTGATT	GATAAACTTG	ACCATTATGT	TCAAATGTAT	3240
	CATGAGATTT	TACTTCTTGA	TATTTAGGAC	CTGGTTCAAG	ACCAATGTTT	TTTAACGCTT	3300

55

CATGATTAAG TAAATGCGCC TCTACAGTAA AACCATCCAT GATGATATGT CAGATGATCA 3420
 TCGATTTCAA TATATGtAAT TGGATAGTTT AAATGTGACT CTGATAAATT CATAGACATT 3480
 5 TCCACATATG CT 3492

(2) INFORMATION FOR SEQ ID NO: 35:

(i) SEQUENCE CHARACTERISTICS:

- 10 (A) LENGTH: 1973 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

15 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 35:

ATCTAGCGGT ACAAGCGTCT TGGAGGCTAG TATGTTGAAC ATTGTAAACC CTGAAGATCA 60
 20 CTTGTTGTC ATTGTTTCAG GTGCCTTTGG TAACCGATTT AAACAAATTG CACAACTTA 120
 TTACAAAAAT GTGCATATTT ATGACGTAAC ATGGGGAGAA GCTGTAGATG TCAAAGATTT 180
 CATCAATTTT CTTTCAACTT TAAATGTTGA AGTTAAAGCA GTATTTAGTC AATATTGCGA 240
 25 AACATCTACG ACAGTGCTAC ACCCTATTCA CGAGTTAGGA AATGCCATTA ATCAATTTAA 300
 TAGTAATATT TATTTTGTAG TTGACGGCGT AAGTtGCATT GGTGCTGTTG ATGTTGACAT 360
 TAACAAAGAT AAAATTGATG TACTTGTTTC TGGTAGTCAA AAAGCAATTA TGTTACCTCC 420
 30 AGGATTAGCT TTTGTAGCTT ATAGCCACCG TGCAAAAGAA CATTTCAAAG AAGTAACTAC 480
 GCCAAAATTT TATCTAGACT TAAATAAATA CATTTGTC CAAGCTGACA ATTCTACACC 540
 GTTCACACCA AATGTGTCTT TATTTAGAGG TGTAATGCA TACGTTGAAA CCGTAAAAGC 600
 35 AGAAGGTTTC AATCACGTAA TAGCACGACA CTATGCAATT AGAAATGCAT TAAGAAGCGC 660
 CTTAAAGCA TTAGATTTAA CTTTATTAGT CAATGATAAA GATGCATCTC CAACGGTTAC 720
 AGCATTCAAA CCTAATACAA ATGATGAAGT GAAAATAATC mAAGATGAAC TTAAAAATnG 780
 40 CTTTAAATA ACAATTGcNG GTGGTCAAGG CCATCTTAAA GGTCAAATTT TnAGAATTGG 840
 TCATATGGGG AAAATTAGTC CTTTCGATAT TTTATCGGTA GTATCTGCTT TAGAAATTAT 900
 45 TTAACTGAA CACCGTAAAG TTAATATAT CGGTAAAGGT ATATCAAAT ATATGGAGGT 960
 TATTCATGAA GCAATTTAAT GTACTCGTTG CAGATCCCAT ATCAAAAGAT GGTATCAAAG 1020
 CATTATTAGA TCACGAACAA TTCAATGTAG ATATTCAAAC TGGCTTGTCC GAAGAAGCAT 1080
 50 TAATCAAAT TATACCTTCA TACCATGCTT TAATCGTTG TAGTCAAAC ACGGTTACTG 1140
 AAAATATCAT AAATGCTGCT GATTCTTTAA AAGTAATCGC ACGCGCCGGT GTTGGTGTAG 1200

5 GTAATACGAT TTCAGCTACT GAACATACAC TGGCAATGTT ATTATCAATG GCACGAAATA 1320
 TTCCGCAAGC ACACCAATCA CTTACAAATA AAGAATGGAA TCGAAATGCA TTTAAAGGTA 1380
 CTGAGCTTTA TCATAAAACA TTAGGTGTCA TTGGTGCTGG TAGAATTGGT TTAGGTGTTG 1440
 CTAAACGTGC GCAAAGTTTC GGAATGAAAA TACTAGCTTT TGACCCTTAC TTAACGGATG 1500
 10 AAAAAGCAAA ATCTTTAAGC ATTACGAAGG CAACAGTTGA TGAGATTGCC CAACATTCTG 1560
 ATTTTCGTTAC ATTACATACA CCACTAACAC CTAAACAAA AGGCTTAATT AATGCTGTCT 1620
 TTTTGTCCAA AGCAAAACCT AGTTTGCAAA TAATCAATGT GGCACGTGGT GGTATTATTG 1680
 15 ATGAAAAGGC GCTAATAAAA GCATTAGACG AAGGACAAAT TAGTCGGGCA GCTATCGATG 1740
 TGTTTGAACA TGAACCTGCA ACTGACTCGC CTCTTGTTGC ACATGATAAA ATTATTGTTA 1800
 CACCTCATT TGGTGCTTCA ACAGTCGAAG CTCAAGAAAA AGTGGCAATT TCTGTTTCAA 1860
 20 ATGAAATCAT CGAAATTTTA ATTGATGGTA CTGTAACGCA TGCAGTGAAT GCACCTAAAA 1920
 TGGACTTAAG CAATATAGAT GATACTGTAA AATCATTAT CAATTTAAGC CAA 1973

(2) INFORMATION FOR SEQ ID NO: 36:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 7620 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 36:

35 GGTGTTTCAG ATGTCACCTGG TTGATTTTGA ATTGTAGACG GGTATTTTGG GCTTTCGCCA 60
 TATTTATTTG CCGGCTTACT GTCAAAGCAT AGGAATACTA TCATAACAAT TGTTAGGCCT 120
 AAATGAACAA AATAAAGAAG TACTAACAAA ATATTAAGAC CCATCGGCAT TAATGTAAAA 180
 40 TCACTGTCAT AATAACTATC GATAATCTGT AATACTATAT AAAATATAAT ACTGAATACT 240
 GTCATAATCA TTGGAAATAA CATTGTTCTT GATATATCGT GAAATCTTCG AACGCACAAC 300
 GCTAAATTTG GAATAAACGT TGCCAAACTA TAGACAAAAG TATACACAGA TGTAAGGATA 360
 45 ATCATCAATA TACTCATAAC TATTAATGTT TCGTTATCCG CCGCTATAGA AATAAAGAAT 420
 AGAAATAGGT TTATTATTAG CACACACACA GCTGGAACCA TAAGTATCAA ATGCCATAGT 480
 GCCATATACC AATATTCAT ACGTCTTGAT CTCCCCTTAA AATTTACATA ATTTTCCAA 540
 50 AATAAACGA ATGATTTTAT AAAACCTACT TGAGGTAATT GTTCCATTGT AATCTCCCTT 600
 TCGTTAATCA TATTTATATT TTTAATTATT GTTACCGTTA TAATTTACAA GATTCATTAT 660

EP 0 786 519 A2

	GTAAAATGAA AACCCGCTAC AAGTACACAT CTATATGGAG ACTCATTGGA AAGTCAACGC	780
	TTCGTAACT ATACTAAAAA TATGTCATAC TGCAATGTTC ACGTTTAAAA GAGTCTCAAT	840
5	CTATGCAAAT AAAATATTCC ATAACAAAGT ATATACTTTA CATTTTTATA ATTCTTAACA	900
	ATACTATTTT ATCAAACATT TACCACAATA AAAATATCTT TTTCATTTTT ATTTAAATTA	960
10	ATCATATAAT TGCGAGGAGA ATATTATGGA TTTGTTAAT AATGATACAA GACAAATTGC	1020
	TAAAAACTTA TTAGGTGTCA AAGTGATTTA TCAGGATACC ACTCAAACGT ATACAGGCTA	1080
	CATCGTGGAA ACGGAAGCTT ACTTAGGTTT GAATGATCGT GCGGCTCATG GCTATGGCGG	1140
15	TAAAAATAACA CCTAAAGTCA CGTCATTATA TAAACGTGGT GGTACAATTT ATGCACATGT	1200
	CATGCATACG CATTTACTCA TTAATTTTGT AACAAAATCT GAAGGTATAC CTGAAGGCGT	1260
	ACTTATCCGC GCAATTGAAC CAGAAGAAGG TTTATCCGCT ATGTTCCGTA ACAGAGGTAA	1320
20	GAAAGGCTAC GAGGTAACGA ATGGCCCAGG AAAATGGACT AAGGCATTTA ACATTCCACG	1380
	GGCTATCGAT GGCGCTACGT TAAATGACTG TAGATTGTCT ATTGATACTA AGAATCGTAA	1440
	ATATCCTAAA GATATTATTG CTAGTCCACG AATCGGTATT CCAAATAAAG GTGATTGGAC	1500
25	ACATAAATCT TTACGTTACA CAGTGAAAGG TAATCCATTT GTGTCTCGCA TCGGTAAATC	1560
	AGATTGTATG TTTCCCGAAG ATACTTGGAA ATAAATGCCA TCTTTCATTG ATTACTATCA	1620
	TGAAAATGAA ATCTATCTCC TTATAAGTCA ATCAATCGTG CCGTCAACAT GCGGATGGGT	1680
30	TGATTGTTTT TCTTTGTATC CATCATATTT TTTGATTCAT CTCCTCTTAT TGAAC TTGT	1740
	CTTAATTATA AAATATAACA ATAGAATTAT TTATAATTAT TAAATTTAGA TGCATTAATA	1800
35	TTATTGATAT TATTTTCAA AACTAGAAAT ATTGATTTGT TGCATGTATA ATGTTAAAAAG	1860
	CGCCCTTTTA TAACGCTTAC ATATAAAAGC TTATTTAGGG AGAGGGATAT TCAACAAGGG	1920
	GGATTGAAA ATGATAGAAC TTAATGCAAT TACAACATTA TGTTTAGCTT GTATCCTTTA	1980
40	TTTACTTGGT AAGGCTATCG TTAATCACGT TAATTTTTTA AAACGTATTT GTATACCAGC	2040
	ACCACTGATT GGCGGCTTAA TCTTTGCTAT TTTAGTTGCG GCTTTGGATT CATTGGCAT	2100
	GGTTAAGATT AAATTAGATG CTTCAATTCAT TCAAGATTTT TTCATGTTAG CATTCTTTAC	2160
45	GACAATCGGT CTTGGTGCTAT CATTGAAATT ATTTAAATTA GGTGGCAAAG TCTTGCTATT	2220
	ATACTTTATG TTTTGTGCTA TCATTTTCAGT CATTCAAAC ATAGTTGGTG TATCACTAGC	2280
	AAAAGTATTA AATATTAAAC CTTTGTTAGG ATTAACAGCA GGTTCATGT CTATGGAAGG	2340
50	CGGTCATGGT AATGCTGCTG CTTATGGTAA GACAATTCAA GATTTAGGTA TTGATTCGGC	2400
	ACTGACAGCG GCTCTGTCAG CTGCAACTTT AGGTCTTGTA TTTGGAGGGC TTATCGGTGG	2460
55		

	ATTTAAAGAT TATAGCCAAG TAGCATATAA CGAACATTTA CATAGTAAAT TTAATGCCAC	2580
	TGAAGTATTC TTCATTCAAT TTACAATCGT TGTATTCTGT ATGGCAGTTG GAAGTTATTT	2640
5	CAGTCATTTG TTTACAGCTC AAACAGGGAT TAATGTTCCA ATTTACGTTG GCTCATTATT	2700
	TGTAGCTGTT ATTGTCCGAA ATATCTCTGA AAGTTTAAAT TTTAATATTG TAGATTTAAA	2760
10	AATTACTAAT CAAATTGGCG ATGTCGCATT AGGTATTTTC TTATCTCTTG CGCTAATGAG	2820
	CATTCAATTA ATCGAAATTT ATAACTTGC TATACCTCTT ATTATTATCG TTTTAGTTCA	2880
	AGTTGTCGTT ATGATTTTAT TTGCTGTTTT AATTTTATTT AGAGGTTTAG GAAAAGATTA	2940
15	TGATGCTGCA GTAATGGTAG GTGGTTTTAT CGGTCATGGG CTTGGTGCAc GCCAAATGCC	3000
	ATGGCAAATT TAGATGTTAT TACTAAAAA TATGGAACT CACCTAAAGC ATATTTAGTT	3060
	GTACCTATTG TTGGTGCATT CTTAATCGAT TTAATTGGTG TTATAGTCAT TATGGGATTC	3120
20	ATACAATGGT TTAGTTAAAC ACCAACTCA TAAATAAAAG AGGAGGCCTT CGCCTC _c T _c T	3180
	TTTATTTATC CTCGATGTAT ATTCAAGTTA CGTTGTTCTA TCCATGACAA TATTTCCGGA	3240
	CTAAATACGA TTTGTTTTTG TGTAAAGTCG TCAATATTTT TAGCATCTAA CATCGTCATT	3300
25	ATTGATTTCA TGTGTTCAAT AAATGATTCT ACATAAGCTA CTGTATGTGC AATGCCATTA	3360
	TTTCAACTT GATTTAAAA CGGACGTGAC ATACCAGTTG CCTTTGCACC AAGTGCTAAA	3420
	CTTTTAATTG CATCGAGTGG TGTACGTAAA CCACCACTCG CGAAAACCTGA AATTTGCTT	3480
30	TGATAAGCCG TTGTTTCAAG TAATGACTCA ACTGTAGACT GTCCCATGA TGATAAGTAA	3540
	TCCATATCTT TATTTGCACG ACGTTCATTT TCAATATCTA CAAAGTTAGT ACCACCTTTG	3600
35	CCACTAACAT CGACATACTT GACGCCTATT TGTTGTAAGT CATGCATTAA TTCTTTGCTC	3660
<hr/>		
	ATACCAAATC CAACTTCTTT TATAATGACT GGAACAGACA CTCGTGATAC AATCGACGCT	3720
	ATAT T ATCTA ACCAAGTCAC AAATTCACGA TTCCCTTCAG GCATAACTAA TTCTTGAGGA	3780
40	GAATTAACAT GGATTTGTAA CGCTTGCGC TCAAGTAATT CAACTGCTTC CAAAGCCTTT	3840
	TCTACTGGTA CGTCCGCACC AACATTGCTA AAAATCATGC CTTCAGGATT CATTTTTCGC	3900
	GCAATCGTAA ACGTCTCAGC CATGCGTGA TTTCTCAATG CCGCATGTGT TGATCCAAC	3960
45	GCCATCGCTA AGCCAGTTTC TCTTGCAACT ACAGCTAGCT TTTCATTGAT GTTTTTCGTC	4020
	CACTCGCTAC CACCCGTCAT TGCATTAATA TAAACCGGAT ATGCCATCGT TAAGTCAGGC	4080
	GTCTGTGATG TCAAATCGAT ATCATTTACA TTAATTGATG GGATAGAATG ATGCACAAAA	4140
50	CGCATCTTAT CAAAATCTGA ATGCATTGCG TCAGATTGGG CCATTGCTAT TTCAACATGT	4200
	TCATTTTTTC TCTGTTCTCT TTGAAAATCA CTCATGATTA AACCTACCTT TTCGTCATT	4260

EP 0 786 519 A2

	ATTACAGCTA AGCAAATATA ATATCCATAA TGTAATGTGA ATGCCGGCAT ATTTACAAAG	4380
5	TTCATACCAT AAATCCCAGC TATGAATGTT AACGGTGAAA ATATAACTGA TACTAATGTC	4440
	AGTACTTGCA TAATACTATT CATTCTAAAT GACGTGTATG ACTCAAAATT TTCTCGTATT	4500
	TCGTTTGTC TTTCTTGAGC AGTACGAATG ATATTACGTT GCTTAATCAA GTGGTCATCG	4560
10	ATATGTTGAA TGTATAGCGA ATGTTTATTA TCTATAATCA AATCACCATT TTGTTTCATT	4620
	GTATCAATTA GCTCTTGCA AGGAAACAGT ACACGTTTTA CTTTAATCAA ATCCGAACGT	4680
	AACTTAAAGA CACTATCCAT GACCATTTTA TTAAAGCGAT CATCTACATG GCGGTCTTCA	4740
15	AAATGATAAA CACTATCTTC AAGTGCATAT ACAAAGTTGA AATATTTATC AACCATCATA	4800
	TCTAAAATTA ATATGACGAC ATCTGCACAA TCTAATTCTG CATCTAATGT ATTCATATAC	4860
	TTATAGACTA CTTTATTTAA TGATTCCAAC GTTTGATGAT GATATGTTAC TAATACATTG	4920
20	TCTTGATATA AAATATTTAG TGCTATGGT GAATAGTTTG ACCCCATAAT ACTATGGAAT	4980
	ACTAAGTATT GATAATCTTT ATAAGATTTA TATTTAGCTC GTGGCATACC GTTAATTGCA	5040
	TCATCCACTT CTAAATCATT AAAATTAAAA TGTGCTTTAA ACCATTTCATT TTCTTGTTCA	5100
25	TTCCGGTTCAT CAAAATCATA CCAAACAATA GTCGCATCTT TTGGTATCTC TTTGATATCA	5160
	TCAACTACTT TAAACGGTTC ATATGTAGTT TGATACCGTA TCTTTAAAGC CATCGATACT	5220
30	CCCCCTAAAT AACGAATTCT CTATTATTTT ATCATGAATT AAATAACGTG TATGTCTTAA	5280
	TTTATTTTAG TATGATAGTC ACTAAGGAGA TGGTTATTAT CAAACAACTT TTTACACATA	5340
	CTCAAACCGT AACATCTGAA TTCATTGACC ATAACAATCA TATGCATGAT GCAAATTATA	5400
35	ATATCATTTT TAGTGACGTC GTGAATCGTT TTAATTACAG CCACGGTCTT TCTTTAAAAG	5460
	AACGCGAAAA TTTAGCATAT ACGCTATTTA CACTAGAAGA ACATACGACA TACCTCTCAG	5520
	AATTGTCTCT TGGCGATGTA TTTACTGTTA CTTTATATAT TTATGATTAC GATTATAAGC	5580
40	GGTTGCATTT ATTTTAAACA TTAATAAAG AAGATGGTAC ACTAGCATCA ACAAATGAAG	5640
	TAATGATGAT GGGAATTAAT CAGCACACAC GTCGTTCTGA TGCTTTTCCT GAATCATTTT	5700
	CAACACAAAT AGCACACTAT TATAAAAATC AATCAACTAT CACTTGGCCT GAACAATTAG	5760
45	GACATAAAAT AGCAATTCCA CACAAAGGAG CATTAAAATG ACAGATGCAT TACAACAAAA	5820
	GATTCATATC GAATTACTAG ATTTATTAGA TGATGTAAAG TTTGAATTAA CAGAATTAAA	5880
	TGCACAAAAA GGGTTATACA TTAACGGACC AGCAAATCAG CTACTTAAGC GTGGCGTGCA	5940
50	TATGGCTTAT GTTCAAGGAC AAAAGCAAGC CATCGATAAT ATTATGACTA TTGTGGAACA	6000
	ACAGCTTGAA AGATCAACAT TTCCTAGAAC ATTATGATAA ATTTCAAAAT GAGGTTGCTC	6060
55		

	ATAATTTTTT AGATCAATTT TATCAAATTA AAGGGCAATA CTTTATCATC ACACATATCA	6180
	ATACACTTAT TGGTGATTTT CACTCAGAAG CTCATTAACA ATTAGTCTAT ATAACCCCTG	6240
5	CTATATTTTC AAAAACAAAA CCCAATTACG TTTTCATGTC AAATATCATC TTGCATGAAA	6300
	TCGTAACTGG GTCATTTATA TGTTATTAGT TATTTTGTGT TACATCCTCA TCTATCGATT	6360
10	TGGCAATTTG TTTAATAGCT TTATGTGATT GTCTAATTGG ATAAATTGGA AAATCATGTA	6420
	CCATCTTAGG ATAATCATAA AACTCAATGT ATTGATGATG TTGCAACATC ATTTGTTCAA	6480
	ATAGCTTCAT ATCAGGATGT GTCATTTTAC GTCCACCACC AAACATATAA ACTGGTGGCA	6540
15	ATCCTTCTAT TGTGCCATTA ATTGGCGATA TGCGCTTATC TGTTAATGGT AGGCCATTCTG	6600
	CCCATTTTTT CATAATCTCA TTGACACCAA ACTGACTTAG aACCGCATCT TGTTTCGATTA	6660
	AGGCGTCCGA AATATCTTTA TTAGATAGTG TTGCATCTAA AATTGGTGAG ATTAAATACA	6720
20	ATTTATTCGG TAATGGCTGT TGATTakCTA AAAGAGATTG TACAAAGGAT AATGCCAGTG	6780
	CACCACCTGA ACCATCACCC ATGACTACGA CATTTTGTATG TCCTACTTCA GATACTAATT	6840
	GaTCATAAAC ACGTTGTATC GCTTGGnAAA GTATCGTCaA TATGnAACT CTGGTGTCTT	6900
25	TGGATAGATA GGCAGTACAA CCTCATATAA TGtACTTAAA GTGATTTTAT CCCAACAATC	6960
	TCCAATGGAA CGGTGATGGT TGTAGTGCAT TGAATCCACC GTGAATATAT AAAATTTTCT	7020
30	TATCAATTTG ATGTCTGAAA TTAAAGCGAA AGACTTGCAAT ATCATCTAAT GACAATTTTT	7080
	CTAAATTTGC TTTAACATTT AATGTTGAAG GCTGCTTATG TTTTTTCTA TTTTCAATTT	7140
	CTCTTTTATA AAAAATCTT TCAACATCTT GATCATTTTT AAACATAATC GAGCGATTGT	7200
35	GAAGCAAATA TTTATTGACA ACGCTATTCA TAACACGGTT TCTAATCAAT GTCTTAACCT	7260
	ACCTTTATAT ATTTTATGTA TCCAATGATk GTCTATCCCC TACATTCTTT GCCAAAAAAA	7320
	GTATATAATG TAGAAGATAT TTTCTTTTTT ACTTTCAAAT TTAAGACTAC AATTGAACAG	7380
40	TGATTTTTCA TCATTATAAC AGACAACTAG ACATATTGAT AAGTAAAGAA AAGAACTTTA	7440
	TACGGAGGTA CCTTGCATGA CAAATCCAAA TCAACGATTA GAACCATTTG ATGAGACATT	7500
	TCAACAACCG AATATTCATC GTGGTAAGCG ATATGGTAAG AAAAAACGTT CATTGGTAAG	7560
45	CATGATTATT CAAATCATTG TTGTWATATT AACCACCATC GCTGGAATAC AGCATGGTGG	7620

(2) INFORMATION FOR SEQ ID NO: 37:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 9834 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

EP 0 786 519 A2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 37:

	GTCATtACCG amTTTctTAG AaTCATTTAA AGATGATAAA TATACAAACG TTGGTAATTT	60
5	AAAAGAAGTG AATTTTGATA AAATTGCTGC GACGAAACCC GAAGTAATCT TTATCTCTGG	120
	ACGTACAGCT AATCAAAAGA ATTTAGATGA ATTCAAAAAA GCTGCACCTA AAGCGAAAAT	180
	TGTTTATGTT GGTGCAGATG AAAAGAACTT AATTGGTTCA ATGAAACAAA AACTGAAAA	240
10	TATCGGAAAA ATTTACGATA AAGAAGATAA AGCTAAAGAA TTAAATAAAG ATTTAGATAA	300
	CAAAATTGCT TCAATGAAAG ATAAAACGAA AACTTCAAT AAAACTGTTA TGTATTTACT	360
	AGTTAACGAA GGTGAATTAT CAACATTTGG ACCTAAAGGT CGTTTTGGTG GATTAGTTTA	420
15	CGATACATTA GGATTCAATG CAGTTGATAA AAAAGTAAGT AATAGCAATC ATGGACAAAA	480
	TGTTTCTAAC GAATATGTTA ATAAAGAAAA TCCAGATGTT ATTTTAGCGA TGGATAGAGG	540
20	TCAAGCGATA AGTGGTAAAT CAACTGCGAA ACAAGCATT AATAATCCTG TATTAAAAAA	600
	TGTTAAAGCA ATTAAAGAAG ACAAAGTATA TAATTTAGAT CCTAAATTAT GGTACTTTGC	660
	AGCTGGATCA ACTACAATA CAATTAAACA AATTGAGGAA CTTGATAAAG TTGTAAAATA	720
25	ATTTTAAAG AGGGGAACAA TGGTTAAAGG TCTTAATCAT TGCTCCCCTC TTTTCTTTAA	780
	AAAAGGAAAT CTGGGACGTC AATCAATGTC CTAGACTCTA AAATGTTCTG TTGTCAGTCG	840
	TTGGTTGAAT GAACATGTAC TTGTAACAAG TTCATTTCAA TACTAGTGGG CTCCAAACAT	900
30	AGAGAAATTT GATTTTCAAT TTCTACTGAC AATGCAAGTT GGCGGGGCCC AAACATAGAG	960
	AATTTCAAAA AGGAATTCTA CAGAAGTGGT GCTTTATCAT GTCTGACCCA CTCCCTATAA	1020
	TGTTTTGACT ATGTTGTTTA AATTTCAAAA TAAATATGAT AGTGATATTT ACAGCGATTG	1080
35	TTAAACCGAG ATTGGCAATT TGGACAACGC TCTACCATCA TATATTCATT GATTGTTAAT	1140
	TCGTGTTTGC ATACACCGCA TAAGATTGCT TTTTCGTTAA ATGAAGGCTC AGACCAACGC	1200
40	TTAATGGCGT GCTTTTCAAA CTCATTATGG CACTTATAGC ATGGATAGTA TTTATTACAA	1260
	CATTTAAATT TAATAGCAAT AATATCTTCT TCGGTAAAAT AATGGCGACA scgTGTTTCA	1320
	GTATCGATTA ATGAACCATA AACTTTAGGC ATAGACAAAG CTCCTTAACT TACGATTCCCT	1380
45	TTGGATGTTT ACCAATAATG CGAACTTCAC GATTTAATTC AATGCCAAAT TTTTCTTTGA	1440
	CGGTCTTTTG TACATAATGA ATAAGGTTTT CATAATCTGT AGCAGTTCCA TTGTCTACAT	1500
	TTACCATAAA ACCAGCGTGT TTGGTTGAAA CTTCAACGCC GCCAATACGG TGACCTTGCA	1560
50	AATTAGAATC TTGTATCAAT TTACCTGCAA AATGACCAGG CGGTCTTTGG AATACACTAC	1620
	CACATGAAGG ATACTCTAAA GGTTGTTTAG ATTCTCTACG TTCTGTAAAA TCATCCATTT	1680
55		

EP 0 786 519 A2

	AGTGTTCCTTT TTGAATAATG CTATTACGAT AATCTAACTC TAATTCTTTT GTTGTAAGTT	1800
	TAATTAACGA GCCTTGTTTCG TTTACGCAAA GCGCATAGTC TATACAATCT TTAACCTTCGC	1860
5	CACCATAAGC GCCAGCATTG ATATACACTG CACCACCAAT TGAACCTGGA ATACCACATG	1920
	CAAATTCAAG GCCAGTAAGT GCGTAATCAC GAGCAACACG TGAGACATCA ATAATTGCAG	1980
	CGCCGCTACC GGCTATTATC GCATCATCAG ATACTTCGAT ATGATCTAGT GATAATAAAC	2040
10	TAATTACAAT ACCGCGAATA CCACCTTCAC GGATAATAAT ATTTGAGCCA TTTCCTAAAT	2100
	ATGTAACAGG AATCTCATTT TGaTAGGCAT ATTTAACAAC TGCTTGTA CTTCATTTT	2160
	TAGTAGGGGT AATGTAAAAG TCGGCATTAC CACCTGTTTT AGTATAAGTG TATCGTTTTA	2220
15	AAGGTTTCATC AACTTTAATT TTTTCATTTG GGATAAGTTG TTGTAAAGCT TGATAGATGT	2280
	CTTTATTTAT CACTTCTCAG TACATCCTTT CTCATGTCTT TAATATCATA TAGTATTATA	2340
20	CCAATTTTAA AATTCATTTG CGAAAATTGA AAAGAAAGTA TTAGAATTAG TATAATTATA	2400
	AAATACGGCA TTATTGTCGT TATAAGTATT TTTTACATAG TTTTCAAAG TATTGTTGCT	2460
	TTTGCATCTC ATATTGTCTA ATTGTTAAGC TATGTTGCAA TATTTGGTGT TTTTGTAT	2520
25	TGAATTGCAA AGCAATATCA TCATTAGTTG ATAAGAGGTA ATCAAGTGCA AGATAAGATT	2580
	CAAATGTTTG GGTATTCATT TGAATGATAT GTAGACGCAC CTGTTGTTTT AGTTCATGAA	2640
	AATTGTTAAA CTTCGCCATC ATAACCTTCT TAGTATATTT ATGATGCAAA CGATAAAACC	2700
30	CTACATAATT TAAGCGTTTT TCATCTAAGG ATGTAATATC ATGCAAATTT TCTACACCTA	2760
	CTAAAATATC TAAAATTGGC TCTGTTGAAT ATTTAAAATG aTGcLACCGC CAATATGTTT	2820
	TGTATATTTT ACTGGGCTGT CTAAGAGGTT GAATAATAAT GATTCAATTT CAGTGTATTG	2880
35	-----	
	TGATTGAAAA CAATTAGTTA AATCACTATT AATGAATGGT TGAACATTTG AATACATGAT	2940
	AAAGTcCTTT GATATTGAAA ATTAATTTAA TCACGATAAA GTCTGGAATA CTATAACATA	3000
40	ATTCATTTTC ATAATAAACA TGTTTTTGTA TAATGAATCT GTTAAGGAGT GCAATCATGA	3060
	AAAAAATTGT TATTATCGCT GTTTTAGCGA TTTTATTTGT AGTAATAAGT GCTTGTGGTA	3120
	ATAAAGAAAA AGAGGCACAA CATCAATTTA CTAAGCAATT TAAAGATGTT GAGCAAAAAC	3180
45	AAAAAGAATT ACAACATGTC ATGGATAATA TACATTTGAA AGAAATTGAT CATCTAAGTA	3240
	AACTGATAC AACTGATAAA AATAGTAAAG AATTTAAGGC ACTACAAGAA GATGTTAAAA	3300
	ACCATCTCAT ACCTAAATTT GAAGCATATT ATAAGTCAGC AAAAAATTTG CCTGATGATA	3360
50	CAATGAAAGT TAAGAAATTA AAAAAAGAAT ATATGACGCT TGCAAATGAG AAGAAGGATG	3420
	CGATATATCA ATTAAAAAAA TTCATAGGTT TATGTAATCA ATCTATCAAG TATAACGAAG	3480

55

EP 0 786 519 A2

	AATTAGCTGA TAATAAAAGT GAAGCAACTA ATCTTACGAC AAAATTAGAA CATAATAATA	3600
	AAGCGTTAAG AGATACTGCG AAGAAGAACC TAGATGATAG TAAAGAAAAT GAAGTAAAAG	3660
5	GCGCGATTAA AAATCACATT ATGCCAATGA TTGAAAAGCA AATTACCGAT ATTAACCAAA	3720
	CTAATATTAG TGATAAGCAT GTTAATAATG CAAGGAAAAA CGCAATAGAA ATGTATTACA	3780
	GTCTGCAGAA CTATTATAAT ACACGTATTG AAACAATAAA GGTTAGTGAG AAGTTATCAm	3840
10	AAGTCGATGT AGATAAGTTG CCGAAAAAGG GTATAGATAT AACTCACGGC GATAAAGCCT	3900
	TTGAAAAAAA GCTTGAAAAA TTAGAAGAAA AATAACTATA ATCATTTTTC AAAGTTAAAA	3960
	ATTTTGAATT TATGGTTAAC ATGTCAACTT ACTATGTGTA TAATGGTAAA CATTGATATT	4020
15	AACTATATGT ATAAAAATGT CACGCAGATG CTATTTTAAAT GTGATAAATA TTTTGTAGAGG	4080
	TGAATAGAGT GGCTATAAAG CTAAGTTCAA TTGACCAATT TGAACAGGTT ATTGAGGAAA	4140
20	ATAAATATGT TTTTGTATTA AAACATAGTG AAACTTGTCC AATATCGGCA AATGCGTACG	4200
	ATCAATTTAA TAAATTTTAA TATGAACGCG ATATGGACGG TTATTATTTG ATTGTCCAAC	4260
	AAGAACGCGA TTTGTCAGAT TATATTGCTA AAAAAACGAA CGTTAAACAT GAATCACCTC	4320
25	AAGCATTTTA TTTTGTAAAT GGTGAAATGG TTTGGAATCG AGACCACGGT GATATCAATG	4380
	TGTCGTCATT AGCACAAGCA GAAGAATAAT GAACTATAG GGTTGGAACA TTTTGCCTTA	4440
	CACTACTAGA CGTGAATAGC ACAACTTAAA TTCGTGTGAA TCAGAGTAGT TTGGCTATAA	4500
30	TGATGTTCTG ACCTTTTATT TTATGTCACC TTTAGAAGCA GTTAAGTTAG TACTTTTTTA	4560
	CAAACATATG TATAATATAT TCGAGTATTT TTATTGAAAa tATTTTGGAA AACGACGAAT	4620
	CCAATAAGAA AATTTAAACA TGATTTGTAA GTTAGTTTAA TAGGAAATAT ATGCTAAACC	4680
35	AAAAGAAGCA TATTGTTATT TACTGGAATA ATTAATAATC ATGTCATGTT AAATGTTAGC	4740
	ATATAATCAC GAGATAAAAT CTAAATTTA AGATTAATCT TTTATGAATA AAAAACGTAT	4800
40	CACAACAAAT AATAAAGTAA GGTGGTCAAG GTTATGAAAG TATTAGTAGC CATGGATGAG	4860
	TTTCATGGAA TTATTTCAAG TTATCAAGCT AATAGATATG TTGAAGAGGC AGTTGCAAGC	4920
	CAAATTGAAA CTGCAGATGT AGTTCAAGTA CCATTGTTTA ATGGAAGACA TGAATTATTA	4980
45	GATTCTGTAT TTTTATGGcm ATCTGGGcaA AAGTATCGTA TACCAGTACA TGATGCAGAT	5040
	ATGAATGAAG TTGAAGGTGT TTACGGACAA ACTGATACAG GGATGACCGT TATCGAGGGG	5100
	AATTTATTTT TAAAAGGTAA AAAACCAATT GTTGAACGAA CAAGTTATGG TTTAGGAGAA	5160
50	ATGATTAAAC ATGCATTAGA TAACGACGCA AAACATGTTG TAATTTCACT AGGTGGGATT	5220
	GATAGTTTTG ATGCTGGTGC AGGTATGTTA CAAGCATTAG GTGCTCAATT CTATGATGAC	5280

55

EP 0 786 519 A2

	GATATGTCGA	ACTTACACCC	TAAAATGGAA	ACAGCAAGAA	TTCAAGTAAT	GTCGGATTTT	5400
	TCAAGTCGAT	TATATGGTAA	GCAAAGTGAA	ATCATGCAAA	CTTATGATGC	GCATCAGTTG	5460
5	AATCATAATC	AAGCAGCAGA	AATCGATAAT	TTAATTTGGT	ATTTTAGTGA	GTTATTTAAA	5520
	AGTGAATTGA	AAATTGCAAT	TGGTCCAGTT	GAACGTGGTG	GTGCTGGTGG	TGGAATTGCA	5580
	GCAGTCTTGA	ATGGACTGTA	TCAAGCTGAA	ATATTAACCA	GTCATGCATT	AGTAGACCAA	5640
10	CTAACACATT	TAGAAAATTT	AGTTGAACAA	GCGGATTTAA	TTATTTTGGG	AGAAGGATTA	5700
	AATGAAAATG	ATCAGTTGCT	AGAAACGACA	ACATTGCGTA	TTGCAGAACT	TTGTCATAAA	5760
	CATCAAAAGG	TTGCCATTGC	AATTTGTGCA	ACTGCTGAAA	AGTTTGATTT	ATTTGAATCA	5820
15	CAAGGGGTTA	CAGCAATGTT	TAATACATTT	ATCGATATGC	CAGAACTTA	TACTGACTTT	5880
	AAAATGGGtT	ACAAATTAGG	CATTATACGG	TTCAGTCTTT	AAAAGTGTG	AAAACACATT	5940
20	TTAATGTTGA	GGTTTAGTAA	AGAAGGACTA	AATTGGTGAT	GCTGTCATGA	TGGTTAATAA	6000
	CATTTATGAT	GGTTAGCAAA	ACGAATTAGA	AGATCGAAAG	TATACGTAAA	AAATATGAAA	6060
	AATCACGCTA	TCATTGCACT	GAATGTTAGC	GTGATTTTTA	TATATTAATT	AAGCCTGAGT	6120
25	TGAACTAGTA	TATAATCGTT	GGTTTTTAGT	GATTTTCAGC	GATATCTTCT	ACAATTCCAA	6180
	TGATTACTTG	TACTGCTTTT	TCCaTAACAT	CAATGGATGC	aTATTCATAT	GGGCCGTGGA	6240
	AGTTACCGCA	ACCTGTAAAG	ATGTTTGGAG	TTGGTAACCC	CATAAATGAC	AATTGTGAAC	6300
30	CATCTGTACC	ACCGCGAATA	GGTTCAGTGT	TTGCTGGAAT	ATCTAATTTG	GCAAAGACAC	6360
	GTTTAGGTAT	ATCAATAATA	TGAGGCAATG	GTAATATTTT	TTCTGCCATA	TTGAAATATT	6420
	GATCCGATAT	ATCAACTTTA	ACTGGATAAT	TTTCAAAATG	GGCATTGATA	TCGTCACGTA	6480
35	TTTCTAAAAT	ACGTTTCTTA	CGCAATTCCA	ATTGTTTTTT	ATCATGATCA	CGAATAATGT	6540
	ATTGCAAAGT	TGCTTTTTCA	ACAGTTCCTT	CAAAGTTCAT	TAAGTGATAA	AAGCCTTCGT	6600
40	ATCCTTCTGT	TCGCTCCGGA	ACTTCACTAT	CAGGTAGCAA	ACTATCGAAT	TGTTACCTA	6660
	AACGTATTGC	GTTTACCATT	GCATTTTTAG	CTGAACCAGG	ATGAACATTT	ACACCGTGGC	6720
	ATGTAATAAC	CGCTTCAGCA	GCGTTAAAGC	TTTCATATTG	TAATTCTCCA	TATTGACTAC	6780
45	CATCCATAGT	ATAAGCAAAA	TCAGCATTGA	AGCGGTCAAC	ATCAAATTTA	TGTGGACCAC	6840
	GACCGATTTT	TTCGTCTGGT	GTAAATCCAA	TGCGAATGGT	ACCATGTTTA	ATTTCTGGAT	6900
	GTTCTTGTA	ATAACAAATA	GCTTCCATAA	TTTCCACAAT	ACCCGCTTTA	TCGTCTGCAC	6960
50	CTAGTAACGA	TGTACCATCA	GTTACCATTA	ATGTATGACC	AACTAACTG	TTAAGTTCTG	7020
	GAAATACTTT	AGGATCTAAG	ACACGTTTAG	TATTGCCTAG	TTGTATGGC	TTACCATCAT	7080

55

EP 0 786 519 A2

GCGCCAAAAA TCCAACGTGT GGGACGTCGA CATCGATGTT ACTTTCTAAT GTAGCAAATA 7200
 AGTAGCCATT TTCATCTAAA TCAGTTGGCA ATCCTAATTG TTGTAATTCT TTTTCTAATA 7260
 5 AATGTAACAA ATCCCATGTC TTTTCAGTTG AAGGTGTTGT TGTAGATTTT GGATCAGATT 7320
 GCGTATCAAT TGTGCTATAT CTTGTTAATC TATCTATCAA TTGGTTCTTC ATTATATTCTG 7380
 ACCCCTTAAA CTCTATTATT CATGTTGTAA GATTTTTTAT ATGTCTTACC TTTGATTTTA 7440
 10 CCATACAGTT GTTTGATACG TGTGTATAGG TAATATAGAA TTTCAGAAAC TAATATACCG 7500
 AAAGCAATCG CACCTGAAAT CAGTGTAATT CTAAAAATGT ATTTACAGCA CTTGTATAAT 7560
 CATTTGATAC TAAAAAACGA GTCGCTTGAT AAGCTGCACC ACCAGGTAAT AATGGTATAA 7620
 15 TGCCTGGCAC TATGAATATA ATTACCGGTC GTTTATATCT GCGACTCATA GTATGACTCA 7680
 TTAAGCCTAA AATTAAGCTT CCCAAAAATG AAGCGCCAAC TTTTCCAAAC TCTAAATCTA 7740
 CCGTTAATTG GTAAATCGTC CATGCAATGG CACCCACAAA TCCACATGCT ACTAAGAGGC 7800
 GTTTGGGTGC ATTGAAAATG ATAGAGAAAA GTACTGTTGA TATAAAGCTG ATTGTAAAAT 7860
 GAAATAAATA AAATAGCATG CTTTAACAGT CTTTCCTTAA ATGATTAATA AAACGATTGC 7920
 25 GACACCAGCA CCGATTGCGA ATGCTGTTAA TGCAGCTTCA ACACCGCGAG ACATACCTGC 7980
 AAGTAATTCA CCCGCTAATA AATCTCGAAT GGCATTGGTA ATTAATATAC CAGGGACAAG 8040
 TGGCATGACA CTGGCTATAG TAATGATATC TTGATTGGTT GCAATGCCTA ATTTAGTAAA 8100
 30 TGTGGCTGCA ATGGATATGA CCACAGCGGC TGCAACAAAC TCTGAGAAAA ATTTAATTTG 8160
 TATATAGCGT TGCACAAAGC TGAATGTTAA AAATGCGGAT CCGCCAGCAA TGACTGCAAT 8220
 CCAACAATCT GATGCGACAC CACCAAACAT AAATAGGAAG AAGCCACATG CAATGGCAGC 8280
 35 TGCAAAGAAA TTCGTTAAAA AAGAATATTG TAATGATGCA TGCTGTAAAT GAATAAATTC 8340
 AGATTTAGCT TCATCAATTG TGAGTTCTTT ATTTGATATT TTACGTGAAA GACTATTCTG 8400
 TAAAGCGATT TTCTCTAAAT CTGTTGTACG CTCTTGTAAC CGAATTAATC TTGTAATTGT 8460
 40 TCGATCGTTT AATGAAAAAA TAATTGCAGT TGAAGTACAA AACTATATG TATTATGAAG 8520
 ACCATAACTA TGTGCGATAC GGTTCATTGT ATCTTCAACT CGATATGTTT CAGCACCTGA 8580
 TTCaAGTAAA ATTCTACCTG CAATTAATAC AACATCAATC ACTTTGTTTT CATCTATAAT 8640
 TGTGATTGAA TCTGGCATAT CAATTCACCT CCAATGATAT GTGTTATTTA TTTGAACAAT 8700
 TGaAGTTTAC AACTTGTGTG TACAACCTTC AATAGTGAGA CTTTGTGTTA GTATGATGAA 8760
 50 CTTGTATGGT TCAAAATTTAA ATAAGAAAAA CTGTAAATCT TTGCTATTAT ACTATGATTT 8820
 AATAATAGCA AAGGATTAAC AGTTTTGTCTG TTGTTATAAA TTGATAATAG GGTAAACAT 8880

55

TTTACGCTGT GATTTTGGAT CGTCATCTGT TAAATAACCA ACACCGATAG AACTGACAA 9000
 TTTAATAACT TCTTTGTTTG GTAAATGGAA TGATGATTTT TCAACACCCG AACGAATATT 9060
 5 TTCAGCTAAT TTAACACTTT GATCAAGTGA ATAATTGTGA ATGACAACCTG AGAACTCTTC 9120
 GCCACCATTT CTAAAAATTT TAAATTGATT CGGCACATAG TTTTAAAGTA ATTGAGACAT 9180
 TTGTTTAAAT ACAGCATCAC CTGATTTGTG TGAGTAGGTA TCATTGACAT CTTTAAATCC 9240
 10 ATCGATATCG ATTAATAATA ATGCGATACT TTGATGTTCT TTTTCAGCTT TTCGTGAAAT 9300
 TTCATTTAAA TGTCTATCAA ATTCTTTTAC ATTACCTAAG CCTGTTAAGT AATCATATTT 9360
 15 ATCTTCGTTT TCATAACGAT TTACGAGTGA GAAGAAATGC CAAATATCGA CAAATGTTAT 9420
 CGCTGAAGCT AAAGTGATAA TTAATGAAAT TGGTATTAAA ATGATAACTT CCGATAGTGT 9480
 GTAAATAGGA CTCACCTAACG CGACACCAAA TAAAATGATT ATTGTAACAA CATTAAGTAT 9540
 20 TAATAATGAT AGCACATCAT TTTGTTTTAA AAATGGTCCA ATAGCACTTG TTAGTGCAGC 9600
 AATAACAATC AACGTAACAC CGTACATAAT CGAGTTGTGA AATACTACAA TTTCAACAAT 9660
 TGCTACAATT ACTGTGGCAG ATAATGTATA GACCATATTT GTAAATCTAC CTAAAAACAA 9720
 25 TAAAGGAACG AATGTTAAGT GAATTAAATA ATCTTCACGA TAAGGGATAG GGTAGACAGA 9780
 TAATAATAAT GATACGATTG TCATTAAAAC AGTGACATAA GCCTTAGAAA AAAC 9834

(2) INFORMATION FOR SEQ ID NO: 38:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 23439 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 38:

40 TCTCAATCAG ATGAAAAATT GCATATCGTA GGTTTTACAG AAAGTGCAAA ATATAATGCG 60
 TCATCAGTCA TTTTCACGAA TGACGCTACC ATTGCCAAGA TCAATCCTAG ATTGACTGGA 120
 GATAAAATTA ATGCAGTTGT TGTACGTGAT ACAAATTGGA AAGACAAAAA ATTAAACCAA 180
 45 GAGCTTGAAG CGGTAAGTAT TAATGACTTT ATTGAAAATT TACCAGGTTA TAAACCACAG 240
 AACTTAACAT TAAACTTTAT GATTTTCATTC TTATTTGTCA TTTTCAGCTAC AGTTATAGGC 300
 ATTTTCCTAT ATGTCATGAC ATTACAAAAG ACGAGTTTAT TTGGCATATT AAAAGCTCAA 360
 50 GGATTTACGA ATGGCTATTT GCGGAATGTG GTAATTTTCG AGACGGTCAT ATTAGCACTA 420
 TTTGGTACGG CATTGGCTT ACTGTTAACA GCGTTACAG GTGCATTTTT ACCTGATGCA 480

EP 0 786 519 A2

TCTGTATTAG GAAGTTTATT CTCCATTTTA ACAATTAGAA AAATAGATCC GTTAAAGGCG 600
 ATTGGGTAGG AGGTGTAGCA AATGTTGAAA TTTGAAAATG TAACAAAGTC ATTTAAAGAT 660
 5 GGGAAATCGTA ACATTGAAGC GGTAAAGAT ACAAATTTTG AGATAAATAA AGGTGATATT 720
 ATAGCATTGG TTGGACCTTC TGGCTCTGGT AAAAGTACAT TTCTAACTAT GGCAGGTGCT 780
 TTACAAACAC CGACATCTGG GCACATTTTA ATCAATAACC AAGATATTAC GACAATGAAG 840
 10 CAAAAAGCAT TGGCAAAAGT TAGAATGTCT GAAATAGGTT TTATTTTACA AGCTACAAAC 900
 CTTGTACCAT TTTTAACGGT AAAGCAACAA TTTACATTAT TGAAAAAGAA AAATAAGAAT 960
 GTTATGTCTA ATGAAGACTA TCAGCAACTT ATGTCACAAT TAGGTCTAAC TTCATTGCTT 1020
 15 AATAAGTTAC CTTCAGAAAT TTCAGGTGGT CAGAAACAAC GTGTGGCGAT AgCaAAGCGT 1080
 TATATACGAA TCCGTCGATT ATTTTAGCGG ATGAACCTAC CGCGGCGTTA GATACTGAAA 1140
 20 ATGCGATTGA AGTCATTAAA ATTCTACGTG ATCAAGCCAA ACAAAGAAAG AAAGCATGTA 1200
 TTATTGTTAC ACATGATGAA CGACTTAAAG CATATTGTGA TCGTTCATAT CATATGAAAG 1260
 ATGGCGTCCT TAATCTTGAA AATGAAACAG TAGAATAGTT TTATTAAGCC GTTACATCAT 1320
 25 GTGCCGGTAT TTTTATGTTT ATGTATTATT TGAATAAACT TTCACATTCA ATTAATAATA 1380
 ATTATTATCG AAAATCAGAA ATATTCCGTG AAATATAATA TTTTTTGTAG TAAAATGGCC 1440
 TCTAAGTATT CAATATTTAA ATATGGGGAT TGAATATAAA ATTATCGTAA TGGGGGTCAA 1500
 30 TGGTTATGGA TTTATTGATA GGTACTTTTAT TTTTATTTT GGTCTTAGTG ATTTTACAT 1560
 TATTTACATA TAAAGCGCCT AATGGTATGC GTGCCATGGG AGCATTAGCT AATGCAGCAA 1620
 TCGCAACATT TTTAGTGGA GCATTTAATA AATATGTTGG TGGCGAAGTA TTCGGTATTA 1680
 35 AATTTTTAGA AGAGCTAGGA GACGCTGCGG GAGGTCTAGG TGGTGTCGCT GCCGCTGGAT 1740
 TAACAGCATT AGCTATCGGT GTGTCACCAG TATATGCATT AGTTATAGCA GCCGCGTGCG 1800
 GTGGTATGGA TTTATTACCA GGTTCCTTTG CGGGTTATAT GATTGGATAT GTGATGAAAT 1860
 40 ATACAGAGAA ATATGTGCCG GATGGTGTCG ACTTAATTGG ATCGATTGTC ATCTTAGCGC 1920
 CATTAGCTCG TCTTATTGCA GTATTATTAA CGCCAGTAGT GAATAGTACA TTGATTGCAA 1980
 45 TTGGTGATAT TATCCAAAGT AGTACGAATA CGAATCCAAT TATCATGGGT ATCATTTTAG 2040
 GTGGTATTAT TACGGTTGTC GGCACAGCGC CATTGAGTTC AATGGCATTG ACAGCATTAT 2100
 TAGGTTTAAC GGGTGACCT ATGGCTATTG GTGCCATGGC AGCATTTAGT TCGGCATTTA 2160
 50 TGAATGGGAC GCTATTCCAT CGCTTAAAAT TAGGTGATCG TAAGTCTACG ATTGCAGTAA 2220
 GTATTGAACC TTTATCACAA GCAGATATTG TATCAGCCAA TCCAATTCCA ATCTATATTA 2280

55

EP 0 786 519 A2

	ATGCGACAGG TACAGCTACA CCGATTGCAG GATTTTTAGT TATGTTTGGA TTTAATCATC	2400
	CGACGACAAT TGTGATTTAT GGTGTAGTAA TGGCGATTGT AGGTGCGCTT GCAGGTTATC	2460
5	TTGGTTCAAT TGTATTTTAA AAATATCCAA TTGTTACTAA GCAAGACATG ATTAATCGAG	2520
	GTGCAGTAGA CGCATAGCAT CATCATATTG AATAGTAAAA ACAAATAAAA CATAGTAACG	2580
	TGATTCAAGTC GATGTAACAG TCGATAATGA GTCACGTTTT TTTATAGAAA AATACAAGAC	2640
10	ATAAAAATGT CATAATTTAT TGTGACAAA TATCATACTG TATAAACATT TATCATTTTC	2700
	TCAAGTACCT TTTACACGAT GGAATGAACT TACTTTTTAC GAAATTATGC GTATTTTATA	2760
	AACAAATATC ATTGATATAA CGGTAAATGT AAGCGTTTAC AACAGAAATA ACAGCATGCT	2820
15	ACGATATTTT TGTAAAATCA CTGATTCAAG TATTTTAAAGT CAATATGAGG AGGGATGTTA	2880
	TGAGCGATTG TGAGAAAGAA ATTTTAAAAA GAATTAAAGA TAATCCGTTT ATTTACACAAC	2940
	GTGAACTTGC TGAGGCAATT GGATTATCTA GACCCAGCGT AGCAAACATT ATTTCAAGAT	3000
20	TAATACAAA GGAATATGTT ATGGGAAAGG CATATGTTTT AAATGAAGAT TATCCTATTG	3060
	TTTGTATTGG CGCAGCGAAT GTAGATCGTA AGTTTTATGT GCATAAAAAT TTAGTTGCAG	3120
	AAACATCAAA TCCTGTAACG TCAACACGCT CTATTGGTGG CGTAGCAAGA AATATTGCTG	3180
25	AGAACTTAGG TAGGCTTGGC GAAACGGTCG CTTTTTTATC TGCTAGTGGA CAAGATAGTG	3240
	AATGGGAAAT GATTAAACGA TTGTCCACAC CATTTATGAA TTTGGATCAT GTTCAACAAT	3300
30	TTGAAAATGC GAGTACAGGT TCATATACAG CTTTAATTAG TAAAGAAGGC GACATGACAT	3360
	ATGGCTTaGC AGATATGGAA GTGTTTGACT ACATTACGCC TGAATTTTTA ATTAAGCGTT	3420
	CACACTTATT GAAAAAGGCT AAGTGCATTA TTGTAGATTT GAATTTAGGC AAAGAGGCAT	3480
35	TAACTTCTT ATGTGCCTAT ACCACGAAAC ATCAAATCAA ATTAGTTATC ACCAGGGTTT	3540
	CTTCCCCAAA AATGAAAAAT ATGCCTGATT CATTACATGC TATTGATTGG ATTATCACGA	3600
	ATAAAGATGA AACAGAAACA TACTTAAATT TAAAAATAGA ATCTACTGAT GATTTAAAAA	3660
40	TAGCTGCTAA ACGCTGGAAT GATTTAGGTG TTAAAAATGT TATTGTGACA AATGGCGTGA	3720
	AAGAACTCAT TTATCGAAGT GGTGAGGAAG AAATCATTAA GTCAGTTATG CCATCAAATA	3780
	GTGTGAAAGA TGTTACAGGT GCAGGCGATT CATTCTGTGC TGCAGTAGTG TATAGCTGGT	3840
45	TAAATGGGAT GTCTACTGAA GATATATTAA TTGCTGGTAT GGTTAACGCA AAGAAAACGA	3900
	TAGAAACGAA ATATACAGTT AGGCAAAACC TAGATCAACA GCAACTTTAT CACGATATGG	3960
50	AGGATTATAA AAATGGCAAA TTTACAAAAG TATATTGAGT ATTCTCGAGA AGTTCAGCAA	4020
	GCACGGGAGA ACAATCAACC GATTGTAGCA TTAGAATCAA CAATTATTTT GCATGGTATG	4080

55

EP 0 786 519 A2

GCCATTCCAG CAACCATAGC CATTATAGAT GGCAAAATTA AAATTGGTTT AGAAAGCGAA 4200
 GATTTAGAAA TACTGGCAAC TAGTAAAGAC GTTGCTAAAG TATCTAGAAG GGATTTAGCA 4260
 5 GAAGTTATTG CGATGAAGTG TGTTGGTGCT ACTACTGTAG CGACGACGAT GATATGTGCT 4320
 GCAATGGCTG GTATTCAATT TTTTGTTACA GGAGGTATTG GGGGCGTCCA TAAAGGTGCA 4380
 GAACATACGA TGGACATTTC AGCAGACTTA GAAGAACTGT CTA AAAACAAA TGCTACTGTT 4440
 10 ATCTGTGCAG GTGCCAAATC AATTTTAGAC TTACCTAAGA CGATGGAGTA TTTAGAAACA 4500
 AAAGGCGTTC CAGTTATTGG ATATCAAACG AATGAATTGC CAGCATTCTT CACTCGCGAA 4560
 AGCGGTGTTA AGTTAAACAAG TTCGGTTGAA ACGCCAGAAC GACTTGCTGA CATTCAATTA 4620
 15 ACAAACAGC AGTTAAATCT TGAAGGTGGC ATTGTTGTG CTAATCCAAT TCCATATGAG 4680
 CATGCCTTAT CAAAAGCATA TATTGAGGCA ATCATAAATG AAGCTGTTGT TGAAGCGGAA 4740
 20 AATCAAGGTA TTAAAGGTAA GGACGCCACA CCGTTCTTGT TAGGGAAAAT TGTAGAAAAA 4800
 ACGAATGGTA AAAGTTTAGC AGCAAATATA AAACCTGTTG AAAACAATGC GCGTTGGGT 4860
 GCTAAAATTG CTGTCGCTGT TAATAAATTA TTGTAGGTGA TGATACATGA ATATTTTATT 4920
 25 CGCTATCACA GGGATAGCAT TTGCACTATT TGTTGCGTTT TTATTCAGTT TTGATCGTAA 4980
 AAAAATAGAC TTCAAAAAGA CGTTAATAAT GATATTTATT CAAGTGTTGA TCGTGTATT 5040
 TATGATGAAC ACAACGATTG GTTTGACAAT TTTAACTGCA CTAGGTTTAT TTTTGAAGG 5100
 30 GCTAATAAAT ATTAGTAAAG CAGGCATAAA TTTTGT TTTT GGAGATATAC AAAATAAAAA 5160
 TGGCTTTACG TTCTTTTAA ACGTATTACT GCCATTAGTT TTTATTTCTG TATTAATAGG 5220
 CATCTTTAAT TATATTAAGG TATTACCATT TATTATCAAA TATGTAGGTA TCGCTATTAA 5280
 35 TAAAATAACT AGAATGGGGC GCTTAGAAAAG TTATTTTGCT ATTTCAACAG CAATGTTTGG 5340
 GCAACCAGAA GTATATTTAA CAATAAAGA TATTATTCCA AGATTATCTA GAGCGAAATT 5400
 ATATACAATT GCGACGCTCG GTATGAGTGC TGTTAGTATG GCAATGCTAG GTTCATATAT 5460
 40 GCAGATGATT GAACCCAAAGT TCGTAGTTAC AGCAGTAATG TTAAATATTT TTAGTGCGCT 5520
 TATCATCGCC AGTGTAAATCA ATCCCTATAA ATCTGATGAT ACTGATGTTG AAATTGATAA 5580
 45 CTTAACGAAA TCCACAGAAA CTA AAACATT GAATGGAAAA ACAGGAAAAC CTAAGAAAGT 5640
 TGCCTTTTTT CAAATGATTG GTGATAGTGC GATGGATGGG TTTAAAATCG CTGTTGTAGT 5700
 AGCCGTAATG TTGTTAGCAT TTATTTTATT AATGGAAGCA ATTAATATCA TGTTTGGTAG 5760
 50 TGTTGGTTTG AACTTTAAAC AGCTTATTGG CTATGTGTTT GCACCAATCG CATTCTTAAT 5820
 GGGGATTCCA TGGAGCGAAC TGTTCCAGCT GGCTCTTTAA TGGCGACTAA ATTAATTACA 5880

55

	CAAGGTATCA TTTCAGTTTA CTTAGTAAGc TTCGCTAATT TTGGTACGGT TGGTATCATC	6000
	GTAGGTTCAA TTAAAGGCAT TAGTGATAAA CAAGGAGAAA AAGTTGCATC CTTTGCAATG	6060
5	AGGTTGCTAC TTGGTTCAAC TCTAGCTTCA ATCATTTCAG GATCAATCAT TGGCTTAGTA	6120
	TTGTAAATGA ATCGAAGTAC CTAAATTAAA TTCATGGCAA AGCTAAACCC CGTCACCAAG	6180
10	TTGGCGCAAC AGCGcATgca TAACTTAGTG ACGGGGTTTT ATCATAACAA TCTACTTTTT	6240
	CGTAGCCGTT TTTGAAATGT ATGTTGATGG TTTATCTTTT TCAAAAATTG TTAATCCCGT	6300
	TATATCTTTT TTATGTTTTG AAGGGACAAT GAAGCTAAGT ATATAAGCAA AGACAAAAGC	6360
15	AACTGTAAAT GAAATGGTAG ATACATAGAA AGGTGAGTTA CCTTTGCCAA CACCATTATA	6420
	GACATAAGCA AAGATGATAC CCAATATTAA TCCACAAATA ACACCGAATG TATTCGTACG	6480
	TTTAGTGAAA ATACCAACTG CAAATACACC AGCCAATGGA ACGCCGAATA ATCCAGTCAC	6540
20	AAACAAGAAT AAATCCCATAGTCATTGGA ATTAGAAGCA ATTAAGTATA GTGACATTCC	6600
	AAAACCGAAA ATACCTGCAA TGATAATAAT GAAACGTGCA AAGTTAACTT CGTGTGCTC	6660
	GCTACCTTTT CCGAAGAAGC GTTGCTTAAT GTCGATTGAA ATACAAGCAG ATATAGAATT	6720
25	TAAACTAGAT GAAATGGTAG ACTGTGCAGC GGCGAAAATG GCTGCAATAA GTAATCCTGC	6780
	TACAAATGGT GGCATCTCAG TCAAAATGAA ATATGGCACT ACAGATGATG TATTGAAGCC	6840
	TTTTGGTAAA ACAGCTTCAT GTGTATAAAA TGAATACAGC ATTGTACCCA TACCATAAAA	6900
30	TAAGGGTGCT GAAATTAAAG CTAGGATACC ATTTGTCCAT AACGATTTAT TTGTTTCTTT	6960
	TAAACTATCA GAAGCTTGAT AACGCTGCAC GACGTCTTGA CTCGCTGTGT ATTGATACAA	7020
35	GTTGTTGAAA ATATTTCCCTA GGAAAATAAT TGGAATGGCA GCTGCCGCAG TATTTAGTTT	7080
	CCAATTGTCT GCACTAATTA ATTTTTTTGTG CTCAATCGCA TCTGCAAAGA CAGTGCCGAA	7140
	ACCGCCTTTA ATGTTCAACAA CACCTAGAAT AATAATAACT AAAGCGCCGC CTAATAAAAT	7200
40	GACGCCTTGA ATGAAATCAC TCCAAACCAC ACCTTCGAAA CCACCTAAAA ATGTATATAA	7260
	AATACATAGT AAACCAACGA GTGATGCAAC GATATAAGGG TTCATGTCTG ATACAGATGT	7320
	GATTGCTAAT GTTGGTAAGT AGATAACAAT TGCAACACGC CCTAAATGGT AAACGACAAA	7380
45	TAATAATGAG CCAATGACAC GTATGCTAGG GCCAAATCTA GCTTCTAAAT ATTCATATGC	7440
	AGATGTTACC TTAACTTTT TAAAGAAAGG GACATAGAAA TAAATAAGTA ATGGAATAAT	7500
	TGCGACGATA GCAATGTTAC CAGCGATATA TGACCAATCT GTTAAAAATG CTTTCTCTGG	7560
50	TGTCGACATA AATGTAATCG CACTTAACGT AGTAGCATAA ATTGAAAAGC CAACTACCCA	7620
	AGATGGCAAG CGACCACTTG CGGTAAAGAA ACTATTGGTA CTTTGGCTCG CGCGCTTGGT	7680

55

EP 0 786 519 A2

	TGTGCCAAAT CCAACTTCTT TCATGGGCAA CATCCCCTTT ACAATGTATT GATTCTTTGA	7800
	TGTCTATAAA TCGTATTTTG CAATGAGTTG ATCTAATGTT TGTCGATGTG CTTCGTTAAA	7860
5	AGGTTTGAAA GGTCTTTTCG GTAATCCTGC ATCAATGCCA CGATGACGTA ATATTTCTTT	7920
	CAATGTTGGA TAAATCCCCA TTGATAACAC TGTTCGATA ATGTCGTTTG AATCATGTTG	7980
	CAGTTGGTAA GCTTCTTGAA TTTGACCTTG TCGTGCTAAG TCGAAGATTT TTCTTGACAG	8040
10	GCGACCATTA ACGTTATATG TAGAACCAAT TGCACCATCT ACGCCAGAAA TCGTAGCTTG	8100
	AACTAACATT TCATCAAAGC CAGATAAGAT TAATTTGTCT GGAATGCTT TTCTAATACG	8160
	TTGAGTAGG AAGAAGTTTG GCGCTGTATA TTTAACACCA ACAATTTTTT CATGATTAAA	8220
15	TAGCTCGCTG AATTGTTCAA TAGAAATATT CACACCTGTT AAATCTGGTA TTGCATAAAT	8280
	AATCATATTG TTCTGAGTTG CTTCGATAAT ATCGAAATAG TAATCTCTAA TTCTTCAAAA	8340
20	AGTAAATGGA TAGTAGAATG GTGTTACGGC AGAAAGTGCA TCATAACCGA GTTCTGTGGC	8400
	ATATTTTCCA AGTTCAATGG CTTCAATTAA ATCTAACGAA CCTACTTGAG CAATCAATTT	8460
	CACTTTATCC CCAACTGCCT CTTTGCAAC CTTGAAACT TGCTTCTTCT GCTCTGTATT	8520
25	TAATAAAAAG TTTTCGCCTG AGCTACCATT TACATAAAGA CCGTCTAATT CTTCAGTTTC	8580
	AATGGCATT TGGAGCAATT GTTTAAGTCC TTGTTCAATT ACTTGACCAT TTTCATCAAA	8640
	AGGAACGAGT AACGCTGCAT ATAAACCTTT TAAATCTTTG TTCATTATGA AGTCCCTCCA	8700
30	AAAATCATT GATAATATAG TTTACAGCTA TAATTGTAAA CGCTATCATA AAATGTAACA	8760
	ATATCTTTTT GAAAATTGTA GTCATATTTA TGTATAATTA ATGAAAATGT TTTTCAAAAT	8820
	CAATAGAAAT GGAGTGAGTA AGGTGTATTA CATCGCAATC GATATTGGAG GCACTCAAAT	8880
35	TAAATCGGCA GTTATTGATA AGCAATTGAA TATGTTTGAC TATCAACAAA TATCAACGCC	8940
	GGACAACAAA AGTGAGCTTA TTAAGTACAA AGTATATGAG ATTGTAACAG GATATATGAA	9000
	GCAATATCAG TTGATCCAAC CTGTCATAGG TATTTTCATCA GCAGGCGTTG TTGATGAACA	9060
40	AAAAGGCGAA ATTGTATACG CAGGGCCAAC CATTCCGAAT TATAAAGGTA CTAATTTTAA	9120
	GCGATTATTA AAATCACTGT CTCCTTATGT CAAAGTAAAA AATGATGTAA ACGCTGCATT	9180
	ACTAGGCGAA TTGAAATTAC ATCAATATCA AGCAGAACGG ATCTTTTGTA TGACGCTTGG	9240
45	TACAGGCATT GGGGGTGCCT ACAAGAATAA TCAAGGTCAT ATTGATAATG GTGAGCTTCA	9300
	TAAGGCAAAT GAAGTTGGGT ATTTATTGTA TCGTCCAAC GAAAATACAA CGTTTGAGCA	9360
50	ACGTGCTGCA ACGAGTGCAT TGAAAAAGCG CATGATTGCC GGAGGATTTA CGAGAAGCAC	9420
	ACATGTGCCA GTATTGTTTG AAGCAGCTGA AGAAGGTGAT GATATTGCAA AACAAATATT	9480

55

EP 0 786 519 A2

	AGGGCTTATA TTAATTGGGG GCGGTATATC TGAACAAGGA GATAATCTCA TTAAATATAT	9600
	CGAGCCGAAA GTTGCACT ATTTACCAA AGACTATGTT TATGCACCAA TACAAACGAC	9660
5	TAAGAGTAAA AATGATGCAG CATTATATGG CTGTTTGCAA TGATAGTTGA AAGAAGGAGT	9720
	CATTCTAAAA TAGAATTTGA AACCGTTACG AGAGATGAGA GCTGTTGTTA GTTCCACACA	9780
10	TCACACTCTA TCTAGGACCA ATCTAAACTA TATCAACCAA CAGTGTGCCA CGGGCAAATT	9840
	AAATTGAAGA AGCTGAGATA TTAAAATTTT AGAAAATGTA AAAAAATATT TGGTATTGAA	9900
	ATTAAAAAAG CACCTAGCAA CTCGTTGGGA CAATCACGAT GATTGTCTAC AGTTGCAGGT	9960
15	GGATTTGAAT ATACTACTAG TTATTTGTTG TCTAGGATAA TAGATTTAGT ATGTTGATAA	10020
	GTTTGACTCA GATTCGTATT TTCTAATAAA TGATAACTCA CGATATCGAT TAAAAAGAGT	10080
	GTCGCAATTT GTGTGTTGAT AAATTGATGG TCGGTATTAC GCGATTGATC CGTTGTTAAA	10140
20	AGTACTAAAT CTGCACAATC TGTAAGTTTA CTACCTTCAA AATTTGTGAT GGCAACGACA	10200
	TATGCACCAT GAGATTTGGC GACTTCGCT GCAGAAATTA ATTCCGAAGT ATTACCACTA	10260
	TTTGACATAG CAATAAACAT ATCCGAATGA GATAGTAGGG ATGCCGATAT TTTCATTAAA	10320
25	TGTGAATCGG TAGTAACATT ACCTTTTAGC CCCATACGAA TCATACGATA ATAAAATTCA	10380
	GTCGCTGATA AACCAGAGCT ACCTAGTCCA GCAAAGAGTA TATGTCGACT TGATTGAAGT	10440
	TTGTCGATAA AGGTTTGGAT AATGTCGTTA TCAATAAATT CACCAGTTTG TTGAATGATT	10500
30	TGTTGATGAT ATTTATGAAT TCTTTGAATA ATTGGGCTAT TTTCAATAAC TGTCTCTGTC	10560
	ATTTCTTGTT GAATATTAAA TTTTAAATCT TGGAAATTCT CATAATCCAG CTTATGACTA	10620
	AAGCGTGTCA TCGTTGCTGG TGATGTACCA ATCGCATGGG CTAAGGAGTT AATCGTTGAA	10680
35	AAGGCATCGC TATAACCATT TTGTCTTATA TAATTGACGA TCGTTTTATC AGTTTTTGTA	10740
	AATAAATGTT GATAACGTTG AACACGATTC TCAAATTTCA TTGTGTCACC CCTTCATCTT	10800
40	AATGATTACT ATTATATATG AAAAAATTTT TCAAGATAGT AAAAAGCATT GATAAAAATT	10860
	ATCTTAATGA TATATTGTAA ATGACTTTAC GTGAAAAAAC GACTTATGGA GTGAGGAATA	10920
	ATGTTACCAC ATGGATTAAT AGTATCTTGT CAGGCACTAC CAGATGAACC ATTGCATTCA	10980
45	TCTTTTATTA TGTCGAAAAT GGCATTAGCT GCGTATGAAG GTGGTGCTGT TGGTATTGCG	11040
	GCAAATACTA AGGAAGACAT TTTAGCAATT AAAGAAACGG TAGATTTACC AGTTATTGGC	11100
	ATTGTGAAAC GTGACTATGA TCACTCAGAT GTTTTCATTA CTGCAACGTC AAAAGAAGTT	11160
50	GATGAACTGA TAGAAAGCCA ATGTGAAGTC ATTGCATTGG ATGCAACGTT ACAGCAACGT	11220
	CCGAAAGAAA CGTTAGACGA ATTAGTATCA TATATTAGAA CACATGCACC GAACGTTGAA	11280

55

EP 0 786 519 A2

	TATATTGGCA	CGACGTTACA	TGGCTATACT	AGTTATACGC	AAGGACAATT	ACTTTATCAA	11400
	AATGACTTCC	AATTTTTTAAA	AGATGTACTA	CAAAGTGTG	ATGCAAAAAGT	TATTGCGGAA	11460
5	GGTAATGTCA	TTACACCGGA	TATGTATAAA	CGTGTGATGG	ACTTAGGCGT	TCATTGTTCA	11520
	GTCGTTGGTG	GTGCGATAAC	ACGACCAAAA	GAAATTACGA	AACGTTTTGT	TCAAATTATG	11580
	GAAGATTAAA	TGATAACGAT	AAAAAAACGA	GATGACCATC	ATTAATTAAA	GGCACCTAAT	11640
10	TATCTTAGGT	GGCTGAATGA	ATGTAATGGG	TTCATCTCGT	TTTGTTTGTT	TATGATAGTG	11700
	ATTTTATTTT	CAACTTTATC	CAAAAATAAG	TAAAGCGACG	GGGATGGTGA	TTAATAGCGA	11760
	CAACGCCACG	CGTAAAAACC	AAATGATGAT	GAGTTTCCAG	ACAGGTATTT	TAATTTCACT	11820
15	TGCTAGTATA	CATGGCACTA	ATGCTGAGAA	AAAGATAATG	GCTGATACGC	TTACTACACC	11880
	GACGACAAAT	TTAGTACTCA	TTGCAGCTTT	AGTTACTAAC	AAAGATGGTA	GAAACATCTC	11940
20	TACAATAGAA	AckCTGACGC	TTTTGCTAGT	AAAGCCTGAT	CAGCAATTGG	GAAAATATAA	12000
	ATAAATGGAT	AGAAGATATA	GCCAAGCCAA	TCAATGAATG	GTGTATAGTT	CGCTACAATC	12060
	AGTCCTAAAA	AACCAATCGA	TAATATAGAA	GGTAAAATAC	CAACAGTCAT	TTCTAAACCG	12120
25	TCTTTCAAAT	TGTCCCAAAC	GTTCTTCACG	AGAGATGGTG	TTAATGCATT	TTGTTTCATC	12180
	GCCTCTGCAT	ATGCAGTTTT	CAGTCTGCTT	CCTTCAATAG	CAACTTCTTG	TTCTCCTTCT	12240
	TGTCCGTTAT	AATATTCTGT	TGATTCATTG	CTGATTGGCG	GTAGCCATGC	AGTAATTGCA	12300
30	GTCACGACAA	ATGTGATGAC	TAAAGTTATC	CAAAAGTATA	AATTCCAATG	CGGCATTAAT	12360
	CCTAAAGTTT	TAGCAACGAT	AATCATAAAA	GTTGCTGAAA	CTGTTGAAAA	GCCAGTCGCA	12420
	ATAATCGTGG	CTTCTCGTTT	GTTGTACATC	CCTTGCTTAT	AGACACGATT	AGTAATCAAT	12480
35	AATCCTAAGG	AATAACTGCC	GACAAACGAA	GCCACTGCAT	CGACAGCGGA	TTTTCTGGT	12540
	GTTTTAAAAA	TAGGTCTCAT	AATAGGCTCC	ATATAAACAC	CGACAAATTC	TAATAAGCCA	12600
	TAGCCCACTA	ATAAAGAAAG	cGcAATTGCA	CCTACTGGAA	TTAAGATACT	TAATGGCATC	12660
40	ATTAATTTTT	CAAACAAAAA	CGGACCATAG	TTAGCTTTAA	ATAGTATTGA	TGGACCGATT	12720
	TTAAATACAT	ACATTATACC	GATCATTGCA	CCTGCAACTT	TAAATAATGT	AATGACCAAG	12780
45	TTTGTGATTG	AAGTCATAAA	AGTACGTCTC	ACTATTGGTA	ACGCTGTACC	AATTAAAATC	12840
	ATAATCAGTG	CAACATAGGG	CATAAGTGGA	CCTATGATTG	AGCGAATGGC	TAGATGAACA	12900
	TGATCGACGA	AAATAGTGTT	GTTACCATTG	ATCGTAAAAG	GAATAAAGAA	ACATAGTATG	12960
50	CCCACTAAAC	TATAGACAAA	AAAACGCCAT	GCACTTGGTT	GTTGTGCATT	AGAATGATAT	13020
	TGATTCATTA	AAGCAACCCC	TTTGTTTAAA	TGAATACACA	AAACTGTATG	ATGCATCTTC	13080

55

EP 0 786 519 A2

	ATAGTTTGAA TTATTTTCAT ACCAATACAA ATTAACATAAT TATATATAGA TTGAACTAT	13200
	ATTACTTAAT AAAATATTTA TCTTAAATGT TGTGTGTGTG ATTCAACACC ACAACTAAAA	13260
5	GTGTTTATAA ATTATTTGGA AATACACATA TTTGTAAATG ATTAGTATCG ATTTAATATC	13320
	GTATTATTAA ATTTTATTATTA ATTTTGTAGT CTTAATCmAA AAATAATATA TGTCAATGTTA	13380
	TATTGAAGGT GCAGTTGTTT TTCATTCTCA AGAGGGGGTC AAAAAAATAC TTTTGAGGTG	13440
10	ATTATATGTT AAGAGGACAA GAAGAAAGAA AGTATAGTAT TAGAAAGTAT TCAATAGGCG	13500
	TGGTGTCACT GTTAGCGGCT ACAATGTTTG TTGTGTCATC ACATGAAGCA CAAGCCTCGG	13560
	AAAAAACATC AACTAATGCA GCGGCACAAA AAGAAACACT AAATCAACCG GGAGAACAAG	13620
15	GGAATGCGAT AACGTCACAT CAAATGCAGT CAGGAAAGCA ATTAGACGAT ATGCATAAAG	13680
	AGAATGGTAA AAGTGGAACA GTGACAGAAG GTAAAGATAC GCTTCAATCA TCGAAGCATC	13740
20	AATCAACACA AAATAGTAAA ACAATCAGAA CGCAAAATGA TAATCAAGTA AAGCAAGATT	13800
	CTGAACGACA AGGTTCTAAA CAGTCACACC AAAATAATGC GACTAATAAT ACTGAACGTC	13860
	AAAATGATCA GGTTCAAAAT ACCCATCATG CTGAACGTAA TGGATCACAA TCGACAACGT	13920
25	CACAATCGAA TGATGTTGAT AAATCACAAC CATCCATTCC GGCACAAAAG GTAATACCCA	13980
	ATCATGATAA AGCAGCACCA ACTTCAACTA CACCCCCGTC TAATGATAAA ACTGCACCTA	14040
	AATCAACAAA AGCACAAGAT GCAACCACGG ACAAACATCC AAATCAACAA GATACACATC	14100
30	AACCTGCGCA TCAAATCATA GATGCAAAGC AAGATGATAC TGTTCGCCAA AGTGAACAGA	14160
	AACCACAAGT TGGCGATTTA AGTAAACATA TCGATGGTCA AAATTCCCCA GAGAAACCGA	14220
	CAGATAAAAA TACTGATAAT AAACAATAA TCAAAGATGC GCTTCAAGCG CCTAAAACAC	14280
35	GTTCGACTAC AAATGCAGCA GCAGATGCTA AAAAGGTTTCG ACCACTTAAA GCGAATCAAG	14340
	TACAACCACT TAACAAATAT CCAGTTGTTT TTGTACATGG ATTTTATAGGA TTAGTAGGCG	14400
	ATAATGCACC TGCTTTATAT CCAAATTATT GGGGTGGAAA TAAATTTAAA GTTATCGAAG	14460
40	AATTGAGAAA GCAAGGCTAT AATGTACATC AAGCAAGTGT AAGTGCAATT GGTAGTAACT	14520
	ATGATCGCGC TGTAGAACTT TATTATTACA TTAAAGGTGG TCGCGTAGAT TATGGCGCAG	14580
45	CACATGCAGC TAAATACGGA CATGAGCGCT ATGGTAAGAC TTATAAAGGA ATCATGCCTA	14640
	ATTGGGAACC TGGTAAAAAG GTACATCTTG TAGGGCATAG TATGGGTGGT CAAACAATTC	14700
	GTTTAATGGA AGAGTTTTTA AGAAATGGTA ACAAGAAGA AATTGCCTAT CATAAAGCGC	14760
50	ATGGTGGAGA AATATCACCA TTATTCCTG GTGGTCATAA CAATATGGTT GCATCAATCA	14820
	CAACATTAGC AACACCACAT AATGGTTCAC AAGCAGCTGA TAAGTTTGGA AATACAGAAG	14880

55

ATTTAGGATT AACGCAATGG GGCTTTAAAC AATTACCAAA TGAGAGTTAC ATTGACTATA 15000
 TAAAACGCGT TAGTAAAAGC AAAATTTGGA CATCAGACGA CAATGCTGCC TATGATTTAA 15060
 5 CGTTAGATGG CTCTGCAAAA TTGAACAACA TGACAAGTAT GAATCCTAAT ATTACGTATA 15120
 CGACTTATAC AGGTGTATCA TCTCATACTG GTCCATTAGG TTATGAAAAT CCTGATTTAG 15180
 GTACATTTTT CTTAATGGCT ACAACGAGTA GAATTATTGG TCATGATGCA AGAGAAGAAT 15240
 10 GCGGTAAAAA TGATGGTGTC GTACCAGTGA TTTCGTCATT ACATCCGTCC AATCAACCAT 15300
 TTGTTAATGT TACGAATGAT GAACCTGCCA CACGCAGAGG TATCTGGCAA GTTAAACCAA 15360
 TCATACAAGG ATGGGATCAT GTCGATTTTA TCGGTGTGGA CTTCTTGGAT TTCAAACGTA 15420
 15 AAGGTGCAGA ACTTGCCAAC TTCTATACAG GTATTATAAA TGACTTGTTG CGTGTTGAAG 15480
 CGACTGAAAG TAAAGGAACA CAATTGAAAG CAAGTTAAAT TCATCTTCTG AATTTAATAT 15540
 GCTATGTAAG TCGTGCTGTT ATCATGGCAC ATCAGATATA AGTAGCATCA CAGTGTGAA 15600
 20 TTTAAAAATA GTAAAGTGAA ATAAAGCGCC TGTCTCATT GCGAAACTA AAGGGACAGG 15660
 CGTATCTGTT TATGAGCTTA ATAAATTGTA TGAATAATAT GGTGATCGA ATAAGTGT 15720
 25 ATCATGATGA TAAATTGAGT TTTTAAAT AATGATATAT TACATCATTG TTATAGCGTT 15780
 TAAGAAATCA ACAACTTTAC GATAAATAGT GATTGCTTCG TCATTAGGTC TACGATCAAA 15840
 ATCATGCTCG TTTTATTCA CGCGTTCAA TGTTGAATGT GGAACATGAT TCATGATATG 15900
 30 TTCGCTTTCC TCAACGGGAA CATCATAATC GCCATTACAA TCGCAATGA AACAGGTGG 15960
 AAGTGTTTTA AGTTCATCTG GTGCAATATT ATATTTTGAA TTAGTATAAT CAGCAATGTT 16020
 AATCATATTT ATCCATTTAC CTGTGCCACG TGCATAAAG TAGATTAAAA AACGTTGTGC 16080
 35 GATTTGATCT TGAACAACCG GTGTTGGTGA AGTGAGTTGT GCAATCATTG TTTCGTTTAC 16140
 GCTTTGAGCT ATTTTTCGT AATAACTATT AGTTGTTTTA AAAGGTTTCAG TGTGATGCG 16200
 ACTATAACCA TAAAAATCAA TAACACCATC AATATCTCTG TCTCGTGCAA TTAATAGACT 16260
 40 TAAATATGCA CCTGATGATC TGCCAAAGGT AAAAATAGGG CAATTAGAAT ATTGTGATTG 16320
 AATCGCATCG AATGATGCgn AGnACATCCT CAATAATGCA ATCGAGACTT ACTTCTGGTA 16380
 45 ATAAACGATA ACTTAGTTGA ATTAAATCGT AATGTTCCGT AAgATATCGA TATACTGTGG 16440
 GGATAAATCG TTAGCTTTAC CGAACATTAA TCCACCACCG TGGATGTAGA CAATAGCGCC 16500
 TTTGTTGGT TGATTTTTTG CTTAATAAT TGTGTAAGGT AATGCAAATG CATCTTTAGT 16560
 50 AATTACTTTA TCTTTAATTT CAGTCACGAT TTAATAGGCT CCTTATTTT GATATTGATG 16620
 TCATTATAAC ACTGTCTTAA ATTTCCATGA AAAATAGTCT TAAGACGATG AGTCATGATA 16680

EP 0 786 519 A2

	CATCATTTTA	ACAATATCTT	TAAAAGCAGC	ATGTGGAATG	GCTAAATCTT	CTAAATCTGC	16800
	CATAGAAAAT	TCAAGATTGA	TATCATGTGG	TCGCTGTTCA	GCAAGTTTAT	GCACAAAGTC	16860
5	AGGTTCTGTG	ACAAAAGGCG	AAGACATGCC	GACCATATCT	GCATGTTGTA	AAGCATCTAA	16920
	AGCAGACTCT	GGAGAATTAA	TCCCGCCACT	TGCAATTAAA	GGGATACGAC	CTGCTAAATG	16980
10	TTCATAGACA	ATTTGGTTAA	CTGGTCGACC	GAAATGATCA	CCTGGTGTA	GAGACGTATT	17040
	TTGATAAATA	TGTCGACCCC	AGCTAGCGAT	TGCTAAGTAT	TGGATGTTTG	AAACGTCCAT	17100
	GACCCAATTG	ATTAATTGGT	TGAACTCGTC	AATGGTATAT	CCTAAATCAC	TGCCTCTGGT	17160
15	TTCTTCTGGC	GTTGCTCGAA	ATCCTAAAAT	AAAATTGTCA	GGTGCTTCTT	TATCAATCAC	17220
	TTCTTGTA	GCACGCATAA	CTTCTAAACA	TAATCTTGCA	CGATTTTTTA	ATGAGTCGGC	17280
	ACCGTAATGG	TCTGTACGTT	TATTCGAAAA	AGTTGAGAAA	AATGTTTGAA	TCAGCAAACG	17340
20	TTGTGCAATC	GAAATTTCCA	CACCATCAAA	ACCTGCTTTA	ATCGCGCGTA	ATGTAGCATC	17400
	GCGATACTGC	TGAATGATGC	TATTGATTTT	CTCATGAGAC	ATGGCGATAA	CATCGTGTTT	17460
	AATCGGTGAA	TGCAATGTCA	TAGGGCTTGG	TCCATACACC	TTCCAAAAAT	TTAAAATGGC	17520
25	TTGATTTGAA	AAACGACCAG	CATGCGCTAG	CTGGATAATA	GCGAGGCTAC	CATGTTGTTT	17580
	CATCGTAGAT	GCCATGTTAG	TTAATCCAGG	GATACAAGCA	TCATGATCAA	TATTAAAGCC	17640
	ATATTCAAAC	AATTGACCAT	AAGGTTCAAT	GTAAGCAGCG	CCGGTGACTT	GCATTCCAGC	17700
30	TGAATTAGAG	CGACGTGCAG	CATAAGCCAA	GTCTTCTTTT	GTAATATAGC	CTTCTTTTGT	17760
	TGATGTGTTT	ACGGTCATTG	GTGATAATAC	AAAGCGATTG	GAAATTTTGA	TGCCATTAGG	17820
35	TAAGTGGATT	GATTGTAAAA	GTGGTTTGTA	TCGGTACATA	CTATGATTCC	TTTTCTATTG	17880
	AATATTGTTT	TCAAAGTACC	ATGGAAAGAA	TGAATAATCA	ATGATGAACA	GTCTTGATAG	17940
	AATAGAATTG	GTACATGGAA	AGTATTTTTA	AAATTAAACT	AATGAATGGC	ATTTGTAGGT	18000
40	CTGAAAAATAT	GAATATGAAA	AAGAAAAATA	AAGGCGAAAA	GATATAAAAAG	TTAATTGAAA	18060
	AACGTTATCA	TATACGTGGG	TATATGAAGA	GGGAATGGTA	TTAAGAACGC	TAAAATGTTA	18120
	TGTCGGTTTG	ACATGACAGG	ATAAGTTTGG	AGATGACGGA	TTGGTTAAAT	TAAGCGTATT	18180
45	AGACTATGCC	TTAATAGATG	AAGGTAAGGA	TGCACAAAAG	GCATTGCAAG	ATTCAGTGAC	18240
	ACTTGCAAAA	TTAGCAGATC	GACTTGCGCTT	TAAGCGAATT	TGGTTTACGG	AACATCATAA	18300
	TGTACCAGCG	TTTGCGTGTA	GTAGTCCAGA	ACTTTTGATG	ATGCATACAT	TGGCGCAGAC	18360
50	AAATCACATA	CGAGTTGGCT	CTGGTGGTGT	GATGCTGCCG	CACTATCGAC	CTTATAAAAT	18420
	TGCTGAGCAT	TTTAGAATGA	TGGCAGCGTT	ATATCCAAAT	CGTATTGATT	TAGGTATTGG	18480

55

EP 0 786 519 A2

	TAGTTACGAT GAATCGATT CGTTATTACG TGATTATCTT ACAATAAAGG ATAAACCAAG	18600
	TGCGCATACG TTAGGTGTCC AACCACACAT TGATCATTTT CCAGAAATGT GGTTATTAAG	18660
5	TAGTAGCGCA ACATCTGCCA AAATAGCTGC CGAACTAGGT ATAGGGCTTT CTGTTGGAAC	18720
	ATTTTTTGCTA CCAGATATAA ATGCGATACA TACAGCGAAG GATAACATTG ATATTTACAA	18780
	AAAACATTTT CAAGCATCAA CGATTAAAAT GGACGCAAAG GTGATGGCAT CTGTATTTGT	18840
10	CATTGTAGCT GATAACGAAG CGGAAGTAGC AGCATTACAA CATGCCTTAG ATGTTTGGTT	18900
	ATTAGGTAAA TTACAATTTG CAGAATTTGA AGATTTTCCT TCAGTAGACA CAGCACAAAA	18960
	GTATAAGCTT AATGATCGAG ACAAAGAGAT GATTCAAGCA CATCAAGCAC GCATCATTGC	19020
15	AGGTACACAA GAAAAGGTTA AAGCACAATT AGATGATTTT ATTGCTACGT TTGAAGTTGA	19080
	TGAGGTGTTA GTAGCACCGC TTATTCCAGG TATTGAACAG CGTTGTAAAA CATTAAAATT	19140
20	ACTCGCGGAA ATTTATTTGT AGCATTTTAA ATAGAAGAGA AAGGATGAAG ATAAGATGAA	19200
	AAAGTTAGCC AATTATTTAT GGGTAGAAAA AGTAGGAGAT TTGTATGTGT TTAGTATGAC	19260
	ACCTGAATTG CAAGATGATA TTGGGACAGT AGGTTATGTT GAATTCGTAA GTCCAGATGA	19320
25	AGTTAAAGTG GATGATGAAA TTGTGAGTAT CGAAGCATCG AAAACGGTCA TTGATGTGCA	19380
	AACGCCATTG TCAGGAACGA TTATTGAGCG AAATACAAAA GCGGAAGAAG AACCGACAAT	19440
	TTTAAACTCT GAAAAACCAG AAGAAAATTG GTTGTTCAAA TTGGATGATG TCGATAAAGA	19500
30	AGCATTCCTA GCATTACCGG AGGCTTAAAT GGAAACGTTA AAATCAAATA AAGCGAGACT	19560
	TGAATATTTA ATCAATGATA TGCATCGAGA GAGAAATGAC AATGACGTAT TGGTAATGCC	19620
	ATCTTCATTT GAAGATTTGT GGGAAATTATA TCGAGGCTTA GCAAATGTCA GACCGGCATT	19680
35	ACCTGTAAGT GATGAATATT TAGCTGTACA AGATGCTATG TTAAGTGATT TGAATCGTCA	19740
	ACAIGTTACG GATTTGAAGG ATTTGAAGCC GATAAAAGGT GACAATATCT TTGTTTGGCA	19800
	AGGTGATATC ACGACGTTAA AAATCGATGC TATTGTTAAT GCTGCAAATA GTCGTTTCT	19860
40	AGGATGTATG CAAGCTAATC ATGACTGCAT TGATAATATT ATTCATACAA AAGCGGGTGT	19920
	TCAAGTTCGA CTTGATTGTG CAGAGATCAT TCGACAACAA GGGCGCAATG AAGGTGTAGG	19980
45	TAAAGCCAAA ATAACACGTG GATATAATTT GCCAGCAAAG TATATAATTC ATACGGTTGG	20040
	TCCGCAAATA CGTCGATTGC CTGTTTCAA GATGAATCAG GACTTGTTAG CTAAATGTTA	20100
	TCTTAGCTGT CTTAAATTGG CTGATCAACA TAGTTTAAAT CATGTCGCTT TTTGCTGTAT	20160
50	ATCTACAGGT GTATTTGCTT TTCCTCAAGA TGAAGCAGCA GAAATTGCTG TTCGAACAGT	20220
	AGAAAGCTAT CTCAAAGAAA CAAATTCAAC ATTGAAAGTC GTGTTCAATG TATTTACAGA	20280

55

EP 0 786 519 A2

	CAATGTCTCT	GTTAATGGAT	GACAAGACAA	AGCAGGCTGA	AGTATTGCGT	ACTGCGATTG	20400
	ATGAAGCAGA	TGCGATAGTG	ATTGGAATTG	GTGCAGGCAT	GTCTGCATCT	GACGGATTTA	20460
5	CATATGTAGG	AGAGCGTTTT	ACGGAAAATT	TCCCAGATT	TATTGAAAAA	TATCGCTTCT	20520
	TTGATATGTT	GCAAGCGAGT	TTACATCCTT	ATGGCAGTTG	GCAAGAGTAT	TGGGCATTTG	20580
	AGAGTCGTTT	TATTACATTA	AACTATTTAG	ATCAACCTGT	AGGTCAGTCT	TACCTCGCTT	20640
10	TAAAATCCTT	GGTGGAAGGT	AAACAGTACC	ACATTATAAC	TACGAATGCA	GATAATGCTT	20700
	TCGATGTAGC	TGATTATGAT	ATGACTCATG	TATTTCATAT	ACAAGGGGAG	TATATACTGC	20760
	AACAGTGTAG	CTCAGCATTG	TCATGCTCAA	ACGTATCGCA	ATGATGATTT	AATTCGTAAA	20820
15	ATGGTTGTTG	CGCAACAAGA	TATGCTTATA	CCTTGGGAGA	TGATTCCAAG	ATGTCCAAAA	20880
	TGTGATGCCC	CAATGGAAGT	GAATAAACGT	AAAGCGGAAG	TTGGGATGGT	TGAAGATGCT	20940
20	GAATTTTCATG	CGCAACTACA	TCGTTATAAT	GCTTTTCTAG	AGCAACATCA	AGATGATAAA	21000
	GTGTTGTATT	TGGAAATTGG	AATTGGTTAT	ACTACACCAC	AATTTGTGAA	GCATCCTTTT	21060
	CAGCGTATGA	CACGTAAAAA	TGAAAATGCC	CTTTATATGA	CGATGAATAA	AAAGGCATAT	21120
25	CGCATTCGGA	ATTCAATTCA	AGAACGTACC	ATACATTTAA	CTGAGGATAT	CTCAACATTG	21180
	ATTACAGCAG	CACTCCGGAA	CGACAGCACA	ACGAAAAATA	ACAACATTGG	AGAGACAGAA	21240
	GATGTACTTA	ATAGAACCGA	TTAGAAATGG	AGAATATATT	ACTGATGGTG	CGATTGCACT	21300
30	CGCTATGCAA	GTTTATGTTA	ACCAGCATAT	CTTTTATAGT	GAAGATATTT	TATTCCTTTA	21360
	TTATTGTGAT	CCAAAAGTGG	AAATTGGACG	TTTTCAAAAT	ACTGCTATAG	AAGTGAATCA	21420
	AGATTATATA	GATAAACACA	GTATTCAAGT	AGTTCGCCGA	GATACTGGTG	GTGGCGCTGT	21480
35	GTATGTTGAT	AAAGGTGCCG	TTAATATGTG	TTGTATTTTA	GAACAAGACA	CTTCAATTTA	21540
	TGGTGATTTT	CAACGATTTT	ATCAACCAGC	TATAAAGGCG	TTGCATACAT	TAGGTGCAAC	21600
	AGATGTGGTA	CAAAGCGGTA	GAAATGATTT	AACATTGAAT	GGTAAAAAAG	TGTCAGGCGC	21660
40	CGCAATGACA	TTAATGAATA	ATCGTATTTA	TGGCGGTTAT	TCGCTATTAC	TTGATGTTAA	21720
	TTATGAAGCA	ATGGATAAAG	TGTTAAAGCC	TAATCGCAA	AAGATTGCAT	CGAAAGGGAT	21780
45	TAAATCTGTG	CGCGCACGTG	TTGGTCATCT	TAGAGAAGCA	CTGGATGAAA	AGTATCGTGA	21840
	TATAACCATT	GAAGAATTTA	AAAATTTAAT	GGTGACGCAG	ATTTTGGGAA	TCGATGACAT	21900
	TAAAGAGGCG	AAACGATATG	AATTAACGGA	TGCAGATTGG	GAAGCGATTG	ATGAATTAGC	21960
50	TGATAAAAAG	TATAAAAATT	GGGATTGGAA	TTATGGCAAG	TCACCCAAAT	ATGAATACAA	22020
	TCGAAGTGAA	AGATTATCTT	CAGGTACGGT	AGACATAACA	ATTTCTGTTG	AACAAAATCG	22080

EP 0 786 519 A2

AGAAGCATT A CAAGGAACAA AAATGACAAG AGAAGATTTA ACGCATCAGT TAAAGCAATT 22200
 AGACATCGTT TATTATTTTG GCAATGTTAC GGTAGAAGCA TTAGTGGATA TGATTTTAAG 22260
 5 TTAATATTGT TATTTTATGT ATGCTGAATC ATTGGAAGTG TTTGCTTGCT CTTGAAAAGG 22320
 TGACAATAGT GTTTGGTGAA GGTGGAACAT ATGAGTGGAA ATTATTGCCT TTAACATATTC 22380
 AAAGTATGAT ATATATATGG TTTTGTTC TAAATGATTG GGTATTTGAA AATAGATGAG 22440
 10 TTTAATATTT TAAGGAATAT AATGATGTTT ACTTTTATAA TTCATATAGA ATATTAAGCA 22500
 ATATAAGTCT GTTGATATAT ACAAATATA ATGACTGCTA TAATGAGTAA TCAATAGACA 22560
 CAAAGAGGAG ATTATGTGAT GAATAATAAA GTATTAGTAA CCGGTGGTAC AGGGTTTGTT 22620
 15 GGCATGCGAA TTATTTACG ATTATTAGAA CAAGGTTATG ACGTACAAAC GACGATACGT 22680
 GATTTAAGTA AAGCTGATAA AGTAATTAAA ACAATGCAAG ACAATGGCAT TTCCACAGAG 22740
 CGATTAATGT TTGTCGAAGC GGATTTATCA CAAGATGAAC ATTGGGATGA AGCAATGAAA 22800
 GATTGCAAGT ATGTCTTGAG TGTAGCATCT CCGGTGTTTT TCGGTAAAAC AGACGATGCA 22860
 GAAGTGATGG CGAaCTGcAA TTGAAGGTAT ACAACGTATT TTAAGAGCTG CAGAACATGC 22920
 25 GGGTGTTAAA CGTGTGGTAA TGACTGCAA CTTTGGTGCA GTTGGTTTTA GTAATAAAGA 22980
 TAAAAATTCA ATCACAAATG AAAGTCATTG GACAAATGAA GATGAACCAG GCTTATCAGT 23040
 ATATGAAAAA TCAAAATTGT TAGCTGAAAA GGCAGCGTGG GATTTTGTTG AGAATGAAAA 23100
 30 TACAACAGTA GAATTTGCCA CAATCAATCC AGTTGCAATT TTTGGGCCAT CATTAGATGC 23160
 ACACGTTTCA GGAAGCTTTC ATTTATTAGA AAATTTATTG AATGGTTCAA TGAAACGTGT 23220
 ACCGCAAATT CCGTTAAATG TTGTTGATGT GAGAGACGTA GCTGAACTGC ACATTTTGGC 23280
 35 AATGACAAAT GAACAAGCTA ATGGCAAGCG ATTTATTGCG ACGGCTGATG GACmAATTwa 23340
 tTTGTTGGGA ATTGcCAAAt TAATTAAAGA AAAGGGCCTG GAAATAGCTC CAAAAGTTCC 23400
 TACTAAAAAA TTACCCAGCT TTATTTTGAG CnAnGnGCC 23439

(2) INFORMATION FOR SEQ ID NO: 39:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 4522 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 39:

CCCTTTGAGA GTATATCATC TAGTCAAATT ATGCCTGTCA TTAGAGCGAC TAGCTTTGAT 60

	TATTATGCAG TCGATTTAGG GAAATCATAT CGTCTAATTG ACGAAAGCAT GTTAGAGGAT	180
	TTGAAGTTAA CTGAACAACA AATAAGAGAA ATGTCTCTGT TTAATGTTAG AAAATTGTCA	240
5	AATTCATATA CGACTGATGA AGTAAAAGGT AATATTTTTT ATTTTATTAA CTCAAATGAC	300
	GGGTATGATG CAAGTAGGAT ACTAAATACT GCATTTTTTAA ATGAAATTGA GGCACAATGT	360
	CAAGGCGAAA TGCTCGTAGC AGTGCCACAC CAAGATGTGT TAATTATTGC AGATATACGC	420
10	AATAAAACAG GATATGATGT GATGGCACAT TTAACAATGG AATTTTTCAC TAAAGGTCTA	480
	GTTCCAATTA CATCATTATC CTTTGGATAT AAACAGGGTC ATCTTGAACC GATATTTATT	540
	TTAGGTAAAA ATAATAAACA AAAAAGAGAT CCAAACGTGA TTCAGCGTTT AGAAGCAAAT	600
15	CGTCGTAAAT TTAATAAAGA TAAATAGAAA TAATTGGATA AGGAGTTTGT TCATAATGAA	660
	TTTATTTTAC AATCCTAAAT ATGTAGGAGA TGTCGCATTT TTACAAATTG AACCAGTTGA	720
	AGGTGAATTA AACTACAATA AAAAAGGTAA TGTTGTTGAA ATTACTAATG AAGGTAATGT	780
20	TGTAGGTTAT AATATTTTTG AAATTTCAAA AGATATAACA ATTGAAGAAA AAGGTCATAT	840
	TAAATTAAC TATGAACCTG TAAATGTATT CAAAAGCGT ATTCAGAAG CTGGTTTTGA	900
25	TTATAAATTA AATGCTGATC TATCACCGAA ATTTGTAGTT GGCTACGTTG AACTAAAGA	960
	CAACATCCT GATGCAGATA AATTAAGTGT ACTAAATGTA AACGTTGGAA ATGACACATT	1020
	ACAAATTGTA TGTGGCGCGC CTAACGTTGA AGCTGGACAG AAAGTTGTTG TTGCTAAAGT	1080
30	AGGTGCAGTG ATGCCTAGCG GTATGGTAAT TAAAGATGCT GAATTACGTG GTGTTGCCTC	1140
	AAGCGGTATG ATTTGTTCAA TGAAAGAATT GAATTTACCT AATGCACCTG AAGAAAAAGG	1200
	TATTATGGTA TTAAATGACA GCTATGAAAT TGGACAAGCA TTTTGAAT AATTAAGGAA	1260
35	GGTAGTGAAG ATATGAGCTG GTTTGATAAA TTATTCGGCG AAGATAATGA TTCAAATGAT	1320
	GACTTGATTG ATAGAAAGAA AAAAAGACGT CAAGAATCAC AAAATATAGA TACGATCAT	1380
	GACTCATTAC TGCCTCAAAA TAATGATATT TATAGTCGTC CGAGGGGAAA ATTCCGTTTT	1440
40	CCTATGAGCG TAGCTTATGA AAATGAAAAT GTTGAACAAT CTGCAGATAC TATTTAGAT	1500
	GAAAAAGAAC AATACCATCG AGACTATCGC AAACAAAGCC ACGATTCTCG TTCACAAAAA	1560
45	CGACATCGCC GTAGAAGAAA TCAAACAACT GAAGAACAAA ATTATAGTGA ACAACGTGGG	1620
	AATTCTAAAA TATCAGCA AAGTATAAAA TATAAAGATC ATTCACATTA CCATACGAAT	1680
	AAGCCAGGTA CATATGTTTC TGCAATTAAT GGTATTGAGA AGGAAACGCA CAAGCCAAAA	1740
50	ACACATAATA TGTATTCTAA TAATACAAAT CATCGTGCTA AAGATTCAAC TCCAGATTAT	1800
	CACAAAGAAA GTTTCAAGAC TTCAGAGGTA CCGTCAGCTA TTTTGGCAC AATGAAACCT	1860

55

EP 0 786 519 A2

	AAACAAAAAT ATGATAAATA TGTAGCTAAG ACGCAAACGT CTCAAAATAA ACAATTAGAA	1980
	CAAGAAAAAC AAAATGATAG TGTGTGCAAA CAAGGAACTG CATCTAAATC ATCTGATGAA	2040
5	AATGTATCAT CAACAACAAA ATCAATGCCT AATTATTCAA AAGTTGATAA TACTATCAAA	2100
	ATTGAAAATA TTTATGCTTC ACAAATTGTT GAAGAAATTA GACGTGAACG AGAACGTAAA	2160
	GTGCTTCAAA AGCGTCGATT TAAAAAGCG TTGCAACAAA AGCGTGAAGA ACATAAAAAAC	2220
10	GAAGAGCAAG ATGCAATACA ACGTGCAATT GATGAAATGT ATGCTAAACA AGcGGAACgC	2280
	TATGTTGGTG ATAGTTCATT AAATGATGAT AGTGACTTAA CAGATAATAG TACAGATGCT	2340
	AGTCAGCTTC ATACAAATGG CATAGAGAAT GAAACTGTAT CAAATGATGA AAATAAACAA	2400
15	GCGTCAATAC AAAATGAAGA CACTAATGAC ACTCATGTAG ATGAAAGTCC ATACAATTAT	2460
	GAGGAAGTTA GTTTGAAaTCA AGTATCGACA ACAAACAAT TGTCAGATGA TGAAGTTACG	2520
	GTTTCGAATG TAACGTCTCA ACATCAATCA GCACTACAAC ATAACGTTGA AGTAAATGAT	2580
20	AAAGATGAAC TAAAAAATCA ATCCAGATTA ATTGCTGATT CAGAAGAAGA TGGAGCAACG	2640
	aATAAAGAAG AATATTCAGk AAGTCAAATC GATGATGCAG AATTTTATGA ATTAAATGAT	2700
	ACAGAAGTAG ATGAGGATAC TACTTCAAAT ATCGAAGATA ATACCAATAG AAACGCGTCT	2760
25	GAAATGCATG TAGACGCTCC TAAAAACGCA GAGTACGCAG TAAGTGAATC TCAAGTAAAT	2820
	AATATCGATA AAACGGTTGA TAATGAAATT GAATTAGCAC CGCGTCATAA AAAAGATGAC	2880
30	CAAACAAACT TAAGTGTCAA CTCATTGAAA ACGAATGATG TGAATGATAA TCATGTTGTG	2940
	GAAGATTCAA GCATGAATGA AATAGAAAAG AATAACGCAG AAATTACAGA AAATGTGCAA	3000
	AACGAAGCAG CTGAAAAGTGA ACAAATGTC GAAGAGAAAA CTATTGAAAA CGTAAATCCA	3060
35	AAGAAACAGA CTGAAAAGGT TTCAACTTTA AGTAAAAGAC CATTTAATGT TGTGATGACG	3120
	CCATCTGATA AAAAGCGTAT GATGGATCGT AAAAAGCATT CAAAAGTCAA TGTGCCTGAA	3180
	TTAAAGCCTG TACAAAGTAA GCAAGCTGTG AGTGAAAGAA TGCCTGCGAG TCAAGCCACA	3240
40	CCATCATCAA GATCTGATTC ACAAGAGTCA AATACAAATG CATATAAAAC AAATAATATG	3300
	ACATCAAACA ATGTTGaGAA CAATCAACTT ATTGGTCATG CAGAAACAGA AAATGATTAT	3360
	CAAAATGCAC AACAATATTC AGAGCAGAAA CCTTCTGTTG aTTCAACTCA AACGGAAATA	3420
45	TTTGAAGAAA GTCAAGATGA TAATCAATTG GAAAATGAGC AAGTTGATCA ATCAACTTCG	3480
	TCTTCAGTTT CAGAAGTAAG CGACATAACT GAAGAAAGCG AAGAAACAAC ACATCCAAAC	3540
50	AATACTAGTG GACAACAAGA TAATGATGAT CAACAAAAAG ATTTACAGTC ATCATTTTCA	3600
	AATAAAAAATG AAGATACAGC TAATGAAAAT AGACCTCGGA CGAACCAACA AGATGTTGCA	3660

55

CCAAGTGTTT CATTACTAGA AGAACCACAA GTTATTGAGT CGGACGAGGA CTGGATTACA 3780
 GATAAAAAGA AAGAACTGAA TGACGCATTA TTTTACTTTA ATGTACCTGC AGAAGTACAA 3840
 5 GATGTAAGT AAGGTCCAAG TGTTACAAGA TTTGAATTAT CAGTTGAAAA AGGTGTTAAA 3900
 GTTTCAAGAA TTACGGCATT ACAAGATGAC ATTAAAATGG CATTGGCAGC GAAAGATATT 3960
 CGTATAGAAG CGCCTATTCC AGGAACTAGT CGTGTGGTA TTGAAGTTCC GAACCAAAAT 4020
 10 CCAACGACAG TCAACTTACG TTCTATTATT GAATCTCCaA GTTTTAAAAA TGCTGAATCT 4080
 AAATTAACAG TTGCGATGGG GTATAGAATT AATAATGAAC CATTACTTAT GGATATTGCT 4140
 AAAACGCCAC ACGCACTAAT TGCAGGTGCA ACTGGATCAG GGAAATCAGT TTGTATCAAT 4200
 15 AGTATTTTGA TGTCTTTACT ATATAAAAAT CATCCTGAGG AATTAAGATT ATTACTTATC 4260
 GATCCAAAAA TGGTTGAATT AGCTCCTTAT AATGGTTTGC CACATTTAGT TGCACCGGTA 4320
 ATTACAGATG TCAAAGCAGC TACACAGAGT TTAAAATGGG CCGTAGAAGA AATGGAACGA 4380
 20 CGTTATAAGT TATTTGCACA TTACCCATGT ACGTAnTATA ACAGCATTTA ACnAAAAAGC 4440
 CCCATATGAT GAAAGAATGn CAAAAATTGT CATTGTAAaTT GATGAGTTGG CTGATTTAAT 4500
 25 GATGATGGTC CGCAAGAAGT TG 4522

(2) INFORMATION FOR SEQ ID NO: 40:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 751 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 40:

TCAAGTTTAC GGATACGTAT ATATTTTGCA TGACATTTAG TGCAATAATA TTCATAATTT 60
 GCCC GTTGT GATAGCTTTC AATGCTGTTA CAAAATCTAG GCGCTCCAAC CTGTTGGCTC 120
 40 AATCGTTTAA AATCTTGATC TTTATGTTGA TAACCTTTAC CAGCAATATG CAAGTGATAA 180
 TGACACAATT CGTGCAGTAT AATTTTTTACA ACAGCATCTT CTCCATAATG CTCATATTGT 240
 TTTGGATTAA TTTCAATATC ATGGGACTTT AAAAGATAAC GTCCGCCTGT TGTACGTAAC 300
 45 CTTTTATTAA AATATGCACA ATGTCGAAAC GTACGTCCAA ATTTTCTTC CGAAAGATTTC 360
 TCAACCATTTC GCTGAAGTTT GTCATTATTC ATGTGGATCA ATCATCGTTA ATGATACTTT 420
 50 GTCTTTATTT TTGTCAATAC TGTAATCCA AACGTCAACG ATATCACCAA CACTGACAAT 480
 ATCCATTGGA TTTTTTACGA ACTTCTTAGA AAGTTTCGAA ACATGGACAA GTCCATCTTG 540

EP 0 786 519 A2

TTTCATTCTT TCTTGTAAT CTTCAATTGA TAGCACATCG GATTTAAGGA TTGGTGTTTC 660
 AAACCTCGTCC CTTGGATCTC GATTAGGTGC GTTCAAGGAT TTAATAATAT CCTCTAATGT 720
 5 AGGTACACCG ACTTGTAATT CAATCGCCAG T 751

(2) INFORMATION FOR SEQ ID NO: 41:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1076 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 41:

TCTCCAGCTT TAACTTGATC TGGCACTTTA ACAATTGTCT GATCCATACA TACGCGACCA 60
 20 ATAACCTCGC ATTGATGACC ATTTACATTT ACAAAGCTAC CTTGCATTAT GCGTAAATGG 120
 CCATCTGCAT ATCCAATAgG TAACAATGCT ATTGTAGTTG GGTCAGTAGC TGTATAAGTT 180
 GCACCATAAC TTACAGACTC ACCCGCTTGT AGCGTCTTTG TTTGAACTAC ATTAGCAATT 240
 25 AATTGCACAC TTGGTTTAAG GTGTACTTTA ACTTTTTGTCT GTACATACTC TGATGGATAA 300
 TATCCATAAA GGGAAATTCC TGGTCTTATT GCATTACAGA ATTGGCAATC CATTAAATAGA 360
 GAGCCTGCTG AGTTC TGACA ATGTATATAT TCAGGTTTAA TTGCTTCATT GACCATATCT 420
 30 TTAAAACGTT GATATTGTTT AGTTGTCATA TCTCTGGTT CGTCAGCACA GGCAAAGTGT 480
 GTAAACACGC CTTCAAATAC AAGTTGCTCA TATTGTTGAA TGATTTCAAT CACTTCTTGA 540
 TACGTTTTAG TATCTTTAAT ACCTAAACGT CCCATTCTCTG TATCTAATTT AATGTGCAAC 600
 35 CATAACTTTT TCTCTTGCTC ACCAGAAATG TTTTAAATTG CTTCTTTCAA CCACTGTTTA 660
 GACGGAACCG TTAAGGCAAC TCGGTGTTGT ATCGCTTTAT CAATATCTTT AGCTGGTAAC 720
 ACACCTAAGA CTAAAATTTT AGCAGTAATC CCATGCATTC TAAGTTCTAT CGCTTCATCT 780
 40 AACGTTGCTA CAGCAAAAAA TGTGGCGCCA TTTTCCATTA AATGACGTGC TACTTTAACA 840
 CTACCTAGTC CATAGGCATT GGCTTTAACG ACAGCCATCA CTGTTTTATT TGGATGCAAT 900
 GTACTGAATA CTTTGAAATT TGATGCAACA GCGTTTAAAT CTACATTCAT ATACGCAGAT 960
 45 CTATAATATT TATCCGACAT ATTACTTCCT CCTGTAATTC CCACACGTTT TAAAACTAGA 1020
 TCTTAATTAT CATTTGTATAA CAAATTTAAA ATGCTGACTT TTCTAAAACA ACTTGG 1076

(2) INFORMATION FOR SEQ ID NO: 42:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2930 base pairs

(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 42:

	TGACCACAAT GCCCAATACA ACCATCCCAT GGTAAAGCCA AGAGATGAGT CAATAAAGCG	60
10	TGTTGAATAA GAGCTGAATG AACCTGATAC TGGATAAAAT GTTGCCAACT CTCCAATTGA	120
	TGACATTAAG AAATATAGCA TGACACCAAT AACAAAGATAA GCGAGTATAG CGCCTCCAGG	180
	ACCAGCTTGA GAAATGATAT TACCAGTAGC TACAAATAGA CCAGTCCCAA TTGCACCACC	240
15	TATAGCAATC ATGGAAATGT GTCTTGAGTT AAGACTACGG TTCATTTTAT TATCTTCCAT	300
	ATTTAGTCTC CCATCTATTT AAATATACCC ATTATTGTAA GCTTTTAAAG TGTACTATTC	360
	AATAACTATT TAGTACTGTA AAGCGAAAAA ATTAAAAATT TCTGATTTTT TAATCATCTT	420
20	GAGCATGTTT AATTGTAATT TTGATGGGGT TAAATTATAA TATGTATTAA ATTATAATTA	480
	TnATAAATTG TGGAGGGaTG ACTATGTCAC AACAAAGACAA AAAGTTAACT GGTGTTTTTG	540
	GGCATCCAGT ATCAGACCGA GAAAATAGTA TGACAGCAGG GCCTAGGGGA CCTCTTTTAA	600
25	TGCAAGATAT TTACTTTTTA GAGCAAATGT CTCAATTTGA TAGAGAAGTA ATACCAGAAC	660
	GTGGAATGCA TGCCAAAGGT TCTGGTGCAT TTGGGACATT TACTGTAACT AAAGATATAA	720
	CAAAATATAC GAATGCTAAA AtATTCTCTG AAATAGGTAA GCAAACCGAA ATGTTTGCCC	780
30	GTTTCTCTAC TGTAGCAGGA GAACGTGGTG CTGCTGATGC GGAcGTGACA TTCGAGGATT	840
	TGCGTTAAAG TTCTACACTG AAGAAGGGAA CTGGGaTTTA GTAGGGAATA ACACACCaGT	900
	ATTCTTCTTT AGAGATCCAA AGTTATTTGT TAGTTTAAAT CGTGCGGTGA AACGAGATCC	960
35	TAGAACAAAT ATGAGAGATG CACAAAATAA CTGGGATTTT TGGaCGGGTt TCCAGAAGCA	1020
	TTGCACCAAG TAACGATCTT AATGTCAGAT AGAGGGATTC CTAAAGATTT ACGTCATATG	1080
40	CATGGGTTTCG GTTCTCACAC ATACTCTATG TATAATGATT CTGGTGAACG TGTTTGGGTT	1140
	AAATTCCATT TTAGAACGCA ACAAGGTATT GAAAACTTAA CTGATGAAGA AGCTGCTGAA	1200
	ATTATAGCTA CAGATCGTGA TTCATCTCAA CGCGATTTAT TCGAAGCCAT TGAAAAAGGT	1260
45	GATTATCCAA AATGGACAAT GTATATTCAA GTAATGACTG AGGAACAAGC TAAAAACCAT	1320
	AAAGATAATC CATTTGATTT AACAAAAGTA TGGTATCAG ATGAGTATCC TCTAATTGAA	1380
	GTTGGAGAGT TTGAATTAAA TAGAAATCCA GATAATTACT TTATGGATGT TGAACAAGCT	1440
50	GCGTTTGCAC CAACTAATAT TATTCCAGGA TTAGATTTTT CTCCAGACAA AATGCTGCAA	1500
	GGGCGTTTAT TCTCATATGG CGATGCGCAA AGATATCGAT TAGGAGTTAA TCATTGGCAG	1560

55

EP 0 786 519 A2

GGTCAAATGC GCGTAGTTGA CAATAACCAA GGTGGAGGAA CACATTATTA TCCAAATAAC 1680
CATGGTAAAT TTGATTCTCA ACCTGAATAT AAAAAGCCAC CATTCCCAAC TGATGGATAC 1740
5 GGCTATGAAT ATAATCAACG TCAAGATGAT GATAATTATT TTGAACAACC AGGTAAATTG 1800
TTTAGATTAC AATCAGAGGA CGCTAAAGAA AGAATTTTTA CAAATACAGC AAATGCAATG 1860
GAAGGCGTAA CGGATGATGT TAAACGACGT CATATTCGTC ATTGTTACAA AGCTGACCCA 1920
10 GAATATGGTA AAGGTGTTGC AAAAGCATTG GGTATTGATA TAAATTCTAT TGATCTTGAA 1980
ACTGAAAATG ATGAAACATA CGAAAACCTT GAAAAATAAA TTTGATATGT AGTTTCTATA 2040
TTGCGTAGTT GAGCAGTTTA TGATATCATA ATAAATCGTA AAGATTCCTA ACAAGAGAGG 2100
15 GTGTTTAACG TCGCGTAAA CGTAACATTA GCATGCACAG AATGTGGCGA TCGTAACTAT 2160
ATCACTACTA AAAATAAACG TAATAATCCT GAGCGTATTG AAATGAAAAA ATATTGCCCA 2220
AGATTAAACA AATATACGTT ACATCGTGAA ACTAAGTAAT TCTTATCATT CAAATACGAC 2280
20 GATTTGAAAA TAAAGCGGGC TTACCTATTA TATTGGGGAG CTCGCTTTTT TATGAAATTT 2340
TTGTGAAGAG TGATTAATGG ATTGAGTTTC ATCGGTAGAA CAATATATGA TTATATTAGT 2400
TGTTACTTTA TTAaaTTTG AGAATATTTA TAGAAGGAAA TAGATTACTG ATTTTATAAA 2460
25 GTCACTTTGT TAGCGAATGC TTGAAAGAGT ATTTAATATA GTAGAATTTA AAATTTCAAA 2520
GCGGAATTTA ATAAGTACGA AGTAGTTCTG GGTATGTTTT ATAAATGTTT GATAATACAC 2580
TTTAATCTTA AATATGATGG TTTAGAAAAT GATTTAACAA AGAAATGAaA CTTTACTGTT 2640
30 GAATTATGTG AGGATTGTGT TATTATATAA ATCGTAATAA TTACGATTTG ATAAAAAGTG 2700
AGGTAACTAT ATATGGCTAA GAAATCTAAA ATAGCAAAAG AGAGAAAAAG AGAAGAGTTA 2760
35 GTAAATAAAT ATTACGAATT ACGTAAAGAG TTAaaAGCAA AAGGTGATTA CGAAGCGTTA 2820
AGAAAATTAC CAAGAGATTC ATCACCTACA CGTTTAACTA GAAGATGTAA AGTAACTGGA 2880
AGACCTAGAG GTGTATTACG TAAATTTGAA ATGTCTCGTA TTGCGTTTAG 2930

(2) INFORMATION FOR SEQ ID NO: 43:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 3606 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 43:

CTTCTTGCCA TGGCTCTCTT TATTTAAAAA TGCTTCCAAC TTGTCCATTT GATTGTTTCT 60

EP 0 786 519 A2

	TTATAAAAAA CTAATTTTAC AAATGCTTTT GCGTTCTTAC AAAAAATGCA TTTGACTATT	180
	ATTATAATAA GCGTATAATT GTCGCATATT ATTTTTTGTA TTTTGGCAA TAACGAAGGA	240
5	GTATTTATGA ATAAAGACAA GCAATTGCAC AACGACAAAA TCAATCTATC CCAATTAGTC	300
	TTATTAGGGT TAGGCTCTTT AATAGGATCT GGTGGCTAT TTGGTGGTG GGAAGCATCA	360
	TCAATAGCTG GACCAGCAGC AATCATATCA TGGGTTCTTG GATTCTAGT CATTGGAACC	420
10	ATTGCCTATA ACTACATTGA AATCGGCACA ATGTTTCCTC AATCAGGTGG CATGAGTAAC	480
	TATGCCCAGT ATACACATGG CTCATTATTA GGCTTTATTG CTGCTGGGC GAATTGGGTG	540
	TCTTTGGTGA CAATAATACC TATCGAAGCT GTGTCAGCTG TTCAATATAT GAGTTCCTGG	600
15	CCGTGGCATT GGGCGAAACC AATGAGATAT TTAATGGAAA ATGGCTCTAT TAGCACATAC	660
	GGATTGCTAG CTGTATATCT CATCATTGTT ATTTTTTCAT TATTAACTA TTGGTCCGTA	720
	AAACTTTTAA CATCATTTAC GAGTTTAATT TCTGTATTTA AATTAGGCGT ACCCATGTTA	780
20	ACCATCATCA TGTGTATGCT ATCAGGATTC GACACTTCAA ATTACGGCCA TTCGGCAAGC	840
	ACATTTATGC CTTACGGAAG TGCACCGATT TTTGCTGCAA CAACAGCATC AGGGATTATT	900
	TTTTCATTC AATTCATTCCA GACAATTATT AATATGGGTT CAGAAATTAA AAATCCTGAA	960
25	AAAAATATCG CAAGAGGCAT CGCTATCTCA CTGTCAATCA GTGCAGTGTT GTACATCATT	1020
	TTACAAAGTA CGTTTATCAC TTCTATGCCT CAATCAATGT TACAACATAG TGGATGGAAT	1080
30	GGCATCAACT TCAATTCACC ATTTGCTGAT TTAGCTATCT TATTAGGAAT TAATTGGCTC	1140
	GCAATTTTAC TATACATTGA AGCTTTTGTA TCACCATTCTG GTACTGGCGT GTCATTTGTC	1200
	GCCGTTACAG GTCGAGTTTT ACGAGCAATG GAGAAAAATG GACATATCCC TAAATTTCTT	1260
35	GGGAAGATGA ATGAAAAATA TCATATCCCA CGTGTAGCAA TCATCTTTAA TGCCATCATT	1320
	AGTATGATTA TGGTTACATT ATTTAGAGAT TGGGGTACGC TAGCAGCAGT TATTTCTACT	1380
	GCAACTTTAG TAGCCTATTT AACTGGCCCA ACGACAGTGA TTGCATTAAG AAAAAATGGGA	1440
40	CCAACAATGA CTCGTCCATT TAGAGCAAAA ATTTTAAAAG TAATGGCACC ATTATCATTT	1500
	GTATTAGCTT CATTAGCTAT ATATTGGGCA ATGTGGCCAA CAACGGCTGA AGTTATTTTA	1560
	ATCATTATAC TTGGATTACC AATCTACTTC TTCTATGAAT ATCGTATGAA TTGGCGTAAT	1620
45	ACAAAGAAAC AAATTGGTGG TAGCTTATGG ATTATTGTAT ATTTAATCGT GCTATCAATA	1680
	CTGTCAATTA TAGGAAGCAA AGAATTTAAA GGCTTAAATA TGATTCATA TCCATTTGAC	1740
	TTIATCGTTA TTATTATTGT GGCACCTATC TTCTATTACA TCGGTACAAC GAGTTCATTT	1800
50	GAAAGCGTCT ATTTCCGTCG CGCAACACGA ATCAATACGA AGATGCGTGA GTCACTAAAT	1860

EP 0 786 519 A2

	CACACACATT AACCAACCAT TGATTTCAAC ATCTTGGTTG GTTTTTTATT TTGAAAATCG	1980
	GTTATAAATA ACTAACATAA CAAGATGATG ATCAGGCTGG GACATAAATC AATGTTCTAT	2040
5	GCTCTACGAA GTTATATTGG CAGTAGTTGA CTGAACGAAA ATGCGCTTGT AACAAGCTTT	2100
	TTTCGATTCT AGTCAGGGGC CCCAACACAG AGAATTTCTGA AAAGAAATTC TACAGGCAAT	2160
	GCAAGTTGGG GTGGGACGAC GATAAAGAAA TACTTTTTCT ATAGAAATTA GTATyCTTA	2220
10	TGCATGAGTT TTACTCATGT ATTCATATTT TTAAGTACAC ATTAGCTGTG GCTAATGTAT	2280
	AAGAACCACT ACATAATAAA TCATTTGTGG CTCTTTATCA TTTCTGTCCC ACTCCCGTAG	2340
	AAGTACATCA TATAATGCTG AAAATGGTTT GAGTTAAAC AGATATCAAG CTCGTCTGAT	2400
15	TCAGTCACAA AATTGTCTTG TTATACTTGT CACCTATCAT CTATAGACCG TGGTATGATT	2460
	AAATTGGGGA TGATAAAGGA GGTTAATAAA TATGAAGATT AATACTACAG GTGGTCAAAT	2520
	TCATGGTATT ACACAAGATG GTTTAGATAT CTTCTTAGGC ATTCCTTATG CAGAACCACC	2580
20	AGTTCATGAC AATCGCTTTA AACATTCTAC GTTAAAAACA CAATGGTCAG AGCCAATTGA	2640
	TGCAACTGAA ATACAACCCA TCCCACCGCA ACCAGACAAC AAATTAGAAG ATTTTTTCTC	2700
	CTCACAATCT ACACTTTTA CTGAACATGA AGACTGTTTA TATCTAAATA TTTGGAAACA	2760
25	ACATAATGAT CAGACGAAGA AACCTGTCAT CATTTATTTT TATGGTGGTA GTTTTGAAAA	2820
	TGGTCATGGT ACAGCCGAAC TCTATCAACC GGCACATTTA GTACAAAATA ACGACATTAT	2880
	CGTTATTACA TGCAATTATC GTTTAGGCGC ATTAGGATAT TTAGACTGGT CATATTTTAA	2940
30	TAAAGATTTT CATTCOAATA ATGGCCTTTC AGATCAAATC AATGTCATAA AATGGGTGCA	3000
	TCAATTTATT GAATCCTTCG GTGGCGACGC TAATAACATT ACTTTAATGG GTCAGTCTGC	3060
35	AGGCAGTATG AGCATTTTGA CTTTACTTAA AATACCTGAC ATTGAGCCAT ACTTCCATAA	3120
	AGTCGTTCTA CTAAGTGGCG CACTACGATT AGACACCCTT GAGAGTGCAC GCAATAAAGC	3180
	ACAACATTTT CAAAAAATGA TGCTCGATTA TTTAGATACA GATGATGTTA CATCATTATC	3240
40	GACAAATGAT ATTCTTATGC TGATGGCGAA gcTAAACAA TCTCGAGGAC CTTCTAAAGG	3300
	GCTTGATTTA ATATATGCGC CTATTAACAC AGATTATATA CAAAATAATT ATCCAACAAC	3360
	GAAACCAATT TTTGCATGTT ATACAAAAGA TGAAGGCGAT ATTTATATTA CTAGTGAACA	3420
45	GAAAAAATTA TCGCCGCAAC GCTTTATCGA CATTATGGAA TTAAATGATA TTCCTTTAAA	3480
	ATACGAAGAT GTTCAGACGG CGAAGcAACA ATCTTTAGCG ATTACACATT GTTATTTCaA	3540
	ACAGCCGATG aAGCAATTTT TACmACmACT CAATATACmA GATTCCAACC GCACCAACTA	3600
50	TGGCTT	3606

55

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15109 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 44:

10	GAAATTAAAA AAGCAATTGG nACAAGATGC AACAGTGTCA TTGTTTGATG AATTTGATAA	60
	AAAATTATAC ACTTACGGCG ATAAC TGGGG TCGTGGTGGA GAAGTATTAT ATCAAGCATT	120
	TGGTTTGAAA ATGCAACsAG AACAACAAAA GTTAACTGCA AAAGCAGGTT GGGCTGAAGT	180
15	GAAACAAGAA GAAATTGAAA AATATGCTGG TGATTACATT GTGAGTACAA GTGAAGGTAA	240
	ACCTACACCA GGATACGAAT CAACAAACAT GTGGaAGAAT TTGAAAGCTA CTAAAGAAGG	300
	ACATATTGTT AAAGTTGATG CTGGTACATA CTGGTACAAC GATCCTTATA CATTAGATTT	360
20	CATGCGTAAA GATTTAAAAG AmAAATTAAT TAAAGCTGCA AAATAATTCA GCTATATAAG	420
	TTAGTGAAAT GAGAGTCTGA AACATATCAA TCTTTTGATA TTGTATTAGG CTCTTATTTT	480
	TATAGCTAGA AAGTTAGATA TTTGTATTTT TTTAAATAAT AAGTGCCGTT GTTATCGTTC	540
25	AATTTAATTA ATGATAGATT AGTATTATTA TAGCTAAAGT AGTATACCTG AGAAAATAGC	600
	TCAATGTATC TCTTTATTAA TAAGTTATAT CATAATTATT TTAGTGCATA CTTTATGGAA	660
	GGGATATCAG GGAATGGCTT TCAATTAAAG AAGAGGTTTA AAAGGATTAC AACAGAATGT	720
30	TATGATTTTG TAGAAAGATA TATAACAACG TTTTATAAAA ACATAATATT GTTAATGGAA	780
	AATGAAATGT AAGGGGGATT TCGAGTGA CT AAGAAAGTTT ATTTTAACCA CGATGGTGGT	840
35	GTAGATGATT TAGTATCTCT ATTTTATTATTA TTACAAATGG AAAACGTTCA ATTGATAGGG	900
	GTCA G TACAA TTGGTGCTGA TTGTTATTTA GAGCCATCTT TGAGCGCATC AGTAAAAATT	960
	ATTAAATCGTT TTTCAAATGA AGATATTCAA GTTGCGCCAT CATATGAACG AGGAAAAAAT	1020
40	CCATTTCCCTA AAGAATGGCG TATGCATGCC TTTTATATGG ACGCATTGCC AATTTTAAAT	1080
	GAGCCAGTCA AACATGTTGC TTCAAATGTG AGCGACAAAG AAGCCTTTGA AGACATTATT	1140
	CAAAC TT TAA AGAGACAATC AGAAAAAGTA ACATTATTAT TTACAGGCC CTTACAGAT	1200
45	TTAGCAAAAG CACTACAAAA AGATTCTCT ATCGTTCAGT ATATAGAAAA ATTAGTTTGG	1260
	ATGGGTGGCA CCTTTTACC AAAAGGAAAT GTTGAAGAAC CTGAGCATGA TGGTTCTGCA	1320
	GAATGGAATG CATATTGGGA TCCAGAAGCG GTTAA AA TTG TTTTGTAGAG CGATATAGAG	1380
50	ATTGATATGG TTGCTTTAGA AAGTACGAAT CAAGTACCGC TAACGTTAGA TGTTAGACAA	1440

EP 0 786 519 A2

	GTACCACCAT TAACACACTT TATAACAAAT TCTACTTACT TTTTATGGGA TGTTTTAACG	1560
	ACTGCTTATA TTGGTAACAA GGACTTGGTT CATTCAATTG AGAAAAAAGT CGATGTAATA	1620
5	AGTTATGGAC CAAGTCAAGG TAAGACATTT GAGTGTAAG ATGGGCGCAA AATTAATGTC	1680
	ATAAATCATG TAGATAACAA CGCATTTTTT GATTATATAA CTGCACTTGC TAAAAAAGTA	1740
	AATTAACAGC TGTGTAGAAT AATTAAGGTT TTAATTTATA TAGAACAACT TATTGTAAAC	1800
10	TTTTCATTTT TTAAAGTTTA CAATGGTGCT ATAATAATGG TCATGAAATA CGAAAGGAAG	1860
	TAAAAAATGA CAACAAAACA GTTAGTATAT ACAGCTTTAA TGACAGCGAT TATCGCTATT	1920
	TTAGGATTGG TACCGGTAAT TCCACTACCA TTTTCTTCAG TACCAATTGT ACTTCAAAAC	1980
15	ATTGGTATTT TCTTAGCAGG TGCGATTTTA GGACGTAAAT ATGGCACATT AAGTGTATC	2040
	GTCTTTTTAT TATTAGTAGT TGCTGGCTTG CCATTGTTAT CAGGTGGTCG CGGTGGCATC	2100
	GGTGTATTCG CAGGTCCTTC AGCAGGGTTT TTAATTATTAT ATCCAGTTGT AGCATTTCATG	2160
20	ATTGGGGCGA TTCGAGATAG ATTCATCAAT GAAATTAATT TCTGGATTTT ATTCGTTGGT	2220
	ATTTTAGTTT TTGGTGTTAT AGCATTAGAT GTTATTGGTA CATTGATTAT GGGCATGATT	2280
	ATTAACATAC CATTTACGAA AGCTATTTCA ATTTTCATTAG CTTATTTGCC TGGTGATATA	2340
25	TTAAAAGCAA TTGTAGCAAG TTTGATTGGT ACAGCTTTAC TTAATCACTC GCAGTTTCGT	2400
	CAAATTATGG GAATAAAATA ATCATATTTA AGATAGTAAA GTAATTGAAT AAGTTGCTTT	2460
	GAAATTTATA AAAGTGAAAG GAGTAGGTGT CAATGGCTAG TATAAGTATG TCAGATATAT	2520
30	ATTGTAACGG CACTATATTT GAAAATGACG ACGAGCAGTT GATTTATTTA ACGCCTTCTT	2580
	TTCCACAACG ATACACAAGT AACACATGGA TATATAAAAA GACGCCTACC CAAGAGCGAT	2640
	GGCTGAAAGA CTTAGAACGT CAACATCAAT TACATACAAA TCAAGGTTCA AATCATTATG	2700
35	CGTTTAGTTT CCCGGAAAAT GAACAACTTG ATAATCATTG GATGGCTATG TTAAAGATA	2760
	TGAATTTTGA ACTAGGTATT ATGGAATTGT ATGCCATAGA AAGTGATGCG CTTGCCAATT	2820
	TGCCGCGTAA CTCTGACGTT GAAATTGCCA TCGTTGACGA GTCGCATATA GATGCCTATT	2880
40	TAAAAGTTGC ATATCAGTTT AGTTTGCCAT TTGGAAAAGA CTATGCAGAT GCACATGAAG	2940
	AAATGGTAAG GGAACATTAT CAAAAGATG TGATTAAACG CTTAGTAGCT TATTTAAATA	3000
45	ATGAACCTAT TGGCGTTGTA GATGTCATTG AAAGTGAAAA TTACATTGAA TTAGATGGAT	3060
	TTGGTGTATT AGAACAATTT CGGCACCAAG GAATTGGATC TACAATTCAA TCGTTGATAG	3120
	GTGAATACGC CATATCAAAA AATCACAAAC CAATCATATT AGTTGCAGAT GGTGAAGATA	3180
50	CAGCAAAAGA TATGTATGCA AAGCAAGGTT ATGTCTATCA ATCGTTTTGT TATCAAATAT	3240

55

	TAAGCTGGTT	TCGAGTAGAA	ATCAACTTAC	TGCTTTTTTAA	ATTGTTTTGA	GCTACTTATA	3360
	CTTATAAAAA	TAGTGCGTTT	AAATTGTTGA	TTCATGTAGA	ATATCGTTCA	TTATGACACA	3420
5	CTATAATGAA	TATGTTATTG	TTCAGAATCA	ATGATACGTT	CTGGATGACT	GTATATATTA	3480
	AAGCCACCAT	TTCGAATAAA	TCCAAC TGCC	GTAATATTTA	GGTCATTAGC	TAAGGTTACA	3540
	GCAAGCGTTG	TCGGAGCTGA	TTTAGATAAA	ATGACGCCAA	CACCAATTTT	TGCGGCTTTA	3600
10	ATTAAATTTT	CTGATGAAAT	ACGTCCACTA	AAAATTAATA	CTTTATCTCG	GACAGTAATA	3660
	TGTCGCTGAA	TACAAAATCC	ATATAATTTA	TCTAGAGCGT	TATGTCTACC	AATGTCTTGT	3720
	CGATGTACAA	AAAATGTCAA	ACCATCGCTT	ATAGCAGCAT	TATGTAAGCC	ACCTGTTTCT	3780
15	TGGTAAATAT	GACTTGC ACT	TTGTAATCGA	GTCATCATGT	TAATAATTTG	CATTGGAGTT	3840
	AAAGTGATTT	TAGACATAGA	TGTTTTAGCG	ATAGCAGCAT	CATTTTGAAA	ATAAAACTCA	3900
20	CGACTCTTTC	CGCAACAAGA	TGCAATCATT	CGTTTTGTGG	AATATTGAAA	GCGATCGCCT	3960
	AAATCTTTAT	TAAGTTCAAC	ATGGGCAAAA	CCTTTACTAT	CATCAATCAG	TACAGATTTT	4020
	AATTCATCTC	GCTTTAAAAT	GGCACCTTCC	GAAGCCAGAA	ATCCAATGAC	TAACTCCTCA	4080
25	AGGTTTGTTG	GACTGCATAT	AACAGTCGCA	AATTCTTCAC	CATTCACCAT	AATTGTAAGT	4140
	GGAAATTCTG	TCACATATTG	ATCTGTTGTA	TTGAATAATT	TTCCATCTTC	ATATCTAACA	4200
	ATTGGTTGAC	CTAAAGATAC	ATCTTTGTTT	ATTATCTAAC	CCCTTTAATT	AGCTTAAACT	4260
30	TTATTTTAAA	GCAATTTGCT	TAAAATTTTA	ACATATTTGC	TTAAGTTTGA	AATTTGATTG	4320
	ATAAAAATTA	ATAGCGAGCA	ATCTGTTTGA	TTTAAATTGA	ATTCGAGAAT	ATACATACTA	4380
35	GGGCATCAAT	TAATAAATAT	CAATCTTATG	CAAATTTGAC	AATTGTTTGA	ATCAATATAT	4440
	AAACAGGCAA	CGGTTCTTTT	CAAATATAAT	AGTAAGTGTA	TAATGAAAAT	GTAAATATTA	4500
	TTAA ⁻ AAATGG	GGGTTCACTC	AATGAAATTG	AAACGTTTAT	TTGCTGTTGT	GATTGCAATG	4560
40	CTTTTAGTAT	TAGCTGGTTG	CTCTAATTCT	AACGATAATA	ATGAAAGTAA	AAAAGATGAC	4620
	GCAGACAATG	GTAAGAAACA	AGAGATTCAA	GTTGCAGCGG	CAGCAAGTTT	AACAGATGTA	4680
	ACCAAGAAAT	TAGCTTCAGA	ATTTAAAAAA	GAGCATAAAA	ATGCTGATAT	TAAATTTAAC	4740
45	TATGGTGGAT	CAGGGGCATT	AAGAAAACAA	ATTGAATCAG	GCGCACCTGT	TGACGTATTT	4800
	ATGTCTGCAA	ATACTAAAGA	TGTAGATGCA	TTAAAAGACA	AGAATAAAGC	GCATGATACA	4860
	TATAAATATG	CGAAAAATAG	TCTAGTATTA	ATTGGTGATA	AAGATTCAAA	TTACACTTCA	4920
50	GTAAAAGACT	TAAAAGACAA	TGATAAATTA	GCATTAGGTG	AAGTGAAAAC	TGTACCAGCA	4980
	GGAAAATATG	CGAAACAGTA	TTTAGATAAC	AATAACTTAT	TTAAAGAAGT	CGAAAGTAAA	5040

55

EP 0 786 519 A2

	CAAGGTTTTG TGTATAAAC TGACTTATAT AAACAAAATA AAAAAATTGA TACTGTAAAA	5160
	GTAATTAAAG AAGTAGAACT TAAGAAGCCA ATCACATACG AAGCTGGTGC TACATCAGAT	5220
5	AGTAAATTAG CAAAAGAGTG GATGGAATTC TTAAAATCAG ATAAAGCTAA AGAAATACTA	5280
	AAAGAATACC ACTTTGCAGC ATAAGGAGTT GTAATCCATG CCTGACTTAA CACCTTTTTG	5340
	GATATCAATA CGAGTTGCTG TAATCAGTAC GATTATTGTA ACGGTTTTAG GTATTTTTAT	5400
10	ATCTAAATGG TTGTATCGTC GTAAGGGTTC GTGGGTAA GTATTGGAAA GTTTATTGAT	5460
	ATTACCTATT GTTTTGCCGC CAACGGTATT AGGTTTTATT CTATTAATCA TCTTCTCGCC	5520
	AAGAGGACCA ATCGGTCAAT TCTTTGCGAA TGTACTACAT TTACCTGTAG TGTTCACTTT	5580
15	GACAGGTGCT GTGATAGCAT CTGTCAATTGT TAGTTTTCCA CTAATGTATC AACATACTGT	5640
	GCAAGGCTTC AGAGGTATAG ACACGAAAT GATTAATACA GCTAGAACGA TGGGAGCAAG	5700
20	TGAAACGAAA ATTTTCCTCA AATTAATTTT ACCATTAGCT AAACGCTCTA TTTTAGCAGG	5760
	TATAATGATG AGTTTGTCTC GTGCATTAGG TGAGTTTGGT GCTACATTAA TGGTTGCAGG	5820
	ATATATTCCA AATAAAACGA ATACACTACC TTTAGAAATA TACTTCTTAG TGGAAACAAGG	5880
25	TAGAGAAAAT GAAGCGTGGT TATGGGTATT AGTGCTAGTC GCATTCTCTA TTGTGGTTAT	5940
	ATCTACAATT AATTTATTGA ATAAAGATAA ATATAAGGAG GTCGACTAGA TGCTTAAAT	6000
	CAATGTGAAA TATCAATTAA AGAACACTTT AATTCGCATC AATATAGATG AACTGAACC	6060
30	AAAAATTTAT GCAGTTCGTG GTCCATCTGG CATTGGTAAA ACTACTGTTT TAAATATGAT	6120
	TGCCGGATTA CGTAAAGCAG ATGAAGCTAT TATCGAAGTG AATGGGCAAT TACTTACTGA	6180
	TACGGCAAAA AACGTGAATG TTAAAATTCA ACAACGACGT ATTGGATATC TGTTTCAAGA	6240
35	CTACCAATTG TTTCTAATA TGACGGTCTA TAAAAATATT ACTTTTATGG CTGAACCATC	6300
	TGAAACACATC GATCAATTAA TTCAAACCTT AACATTGAT CATTTGATGA AACAATATCC	6360
40	TATGACATTG TCAGGTGGAG AGGCACAACG TGTAGCACTT GCACGTGCAC TTAGCACrAA	6420
	ACCAGATTTA ATTTTATTAG ATGAACCTTT TTCTAGTTTG GATGATACTA CAAAAGATGA	6480
	GAGTATTACA TTAGTTAAAC GTATTTTCAA CGAATGGCAA ATACCAATCA TATTTGTGAC	6540
45	ACATTCAAAC TATGAAGCAG AACAAATGGC TCATGAAATT ATTACAATTG GGTAATCATT	6600
	TATTTGCCAT TAAAGAGTTT AGAACGTATT TAAATTGTA GAAGTGAATG CTTCTATCAG	6660
	CATTTTAATG ATGTTTTAAA CTCTTTTTTA GGGGCAGTTT TTTTGAGAGA CATTGACGCG	6720
50	CGTCATATAA TGAAAGTAAT GATAAAAAGA AAGGATAACT TAATGTGAGT CAAGAACGTT	6780
	ATTCAAGGCA AATTTTATTT AAACAAATAG GTGAAATAGG TCAAAGCAAA ATAAATCAAA	6840

55

EP 0 786 519 A2

	GAGCAGGCAT	TGCCAAACTA	ATCATTGTTG	ATAGAGATTA	TATTGAATTT	AGTAATTTAC	6960
	AAAGACAAAC	ATTGTTTACT	GAAGAAGATG	CTTTGAAAAT	GATGCCTAAG	GTGGTTGCAG	7020
5	CTAAAAAGCA	TTTGCTAGCG	TTACGTAGTG	ATGTTGATAT	TGATGATTAT	ATTGCCCATG	7080
	TGGATTATTA	TTTTTTGGAA	ACACATGGAC	AGGACGTTGA	CGTTATTATT	GATGCAACCG	7140
	ATAACTTTGA	AACACGACAA	CTGATTAATG	ATTTTGCATA	TAAATATCGT	ATACCTTGGA	7200
10	TTTATGGTGG	TGTTGTACAG	AGTACATATA	CAGAAGCTGC	ATTTATACCT	GGTAAAACAC	7260
	CTTGCTTTAA	CTGTTTGGTA	CCACAATTGC	CAGCATTAAA	TTTAACATGT	GATACAGTAG	7320
	GGGTCATTCA	ACCTGCCGTG	ACGATGGCAA	CAAGTTTACA	ATTAAGAGAT	GCGATGAAAG	7380
15	TATTAACGGA	ACAACCAATT	GACACAAAAA	TAACTTATGG	CGATATTTGG	GAAGGTAGTC	7440
	ATTATTCATT	TGGTTTCAGT	AAAATGCAAC	GTTTCAGACTG	TACAACTTGT	GGAGATGTAC	7500
20	CAAGTTATCC	GTATTTAAAC	AAGAATGAAC	AACGTTATGC	AACATTGTGT	GGTAGAGACA	7560
	CTGTACAGTA	TGAAAATGCA	TCAATTACAC	ACGACATTCT	TGTTCAATTT	TTAAAACAAC	7620
	ATCAGTTAAA	TTATCGCAGT	AATTCGTATA	TGGTTATGTT	TGAATTTAAA	GGACACCGCA	7680
25	TTGTTGCTTT	TAAAGGTGGA	AGGTTTTTAA	TACATGGCAT	GACACGCACA	TCAGATGCCA	7740
	CACATCTAAT	GAATTTATTG	TTTGGATAAA	AAAAGATAAG	ACAAAAGGAG	TGTAATATTA	7800
	TGGGCGAACA	TCAAAACGTT	AAATTGAATC	GTACAGTTAA	AGCAGCCGTA	CTAACGGTAT	7860
30	CAGATACTAG	AGACTTTGAT	ACAGATAAAG	GTGGTCAATG	CGTGCGCCAA	CTATTACAAG	7920
	CAGATGACGT	TGAAGTGAGT	GACGCACATT	ATACAATTGT	GAAAGATGAA	AAAGTAGCCA	7980
35	TCACGACGCA	GGTGAAGAAG	TGGTTAGAAG	AAGATATTGA	TGTCATCATT	ACGACTGGTG	8040
	GAACAGGTAT	TGCACAACGT	GATGTGACGA	TTGAAGCAGT	AAAACCACTT	TTAACTAAAG	8100
	AGATAGAAGG	CTTTGGGGAA	TTGTTTAGAT	ATTTGAGTTA	TGTTGAAGAT	GTTGGCACGC	8160
40	GTGCATTATT	GTCTCGTGCT	GTAGCAGGTA	CAGTTAATAA	TAAATTGATA	TTTTCGATTTC	8220
	CAGGATCAAC	AGGCGCAGTT	AAATTAGCAT	TAGAAAAGCT	CATTAAACCA	GAATTAAATC	8280
	ATCTGATTCA	TGAGCTTACA	AAATAATTTA	TTGATTTGAT	TGGCGTTGAA	AATCTCCAGA	8340
45	TTTACCGCCA	GACTTGCTTT	CAAGGTAGGT	TTCCGCAATA	ATCATACCTT	TATCAACTGC	8400
	TTTCGT CATG	TCGTAAATGG	TTAAAGCCGT	TGCTGATGCA	GCGGTTAAAG	CTTCCATTTC	8460
	AACACCGGTT	TTGCCAGTTG	TAGAGACAGT	TGTTTGAATG	TTTAAAGTAT	AAAGGGGTGC	8520
50	ATTTGTTTCA	TCCCAGCTGA	AGTGAACATC	TATGCCAGTC	AATGGTAATG	GATGGCACAT	8580
	CGGAATAAGT	GTTGATGTAT	TTTTGGCAGC	CATAATACCA	GCGATTTGAG	CAGTGTTCAA	8640

55

EP 0 786 519 A2

	AATGCTTGAA	TGAGCGACAG	CAGTTCCTTT	TGTAATTTGT	TTGTCTGATA	CATCGACCAT	8760
	TTTGGCGTGG	CCTGTTGAT	TAATATGAGT	AAACTCAGTC	ATTTTACCCC	TCCTAGTGCA	8820
5	TCTAGTATAT	CATGAAAAAA	TAAAAGTTTT	GGAGATGATT	TTTAATGGTA	GTAGAAAAAA	8880
	GAAACCCAAT	CCCAGTTAAA	GAAGCAATTC	AACGTATCGT	TAATCAGCAG	AGTTCAATGC	8940
10	CGGCAATTAC	GGTAGCACTT	GAAAAAAGTC	TAAATCATAT	CTTAGCAGAA	GATATTGTAG	9000
	CTACTTATGA	TATACCAAGG	TTTGATAAAT	CACCTTATGA	TGGTTTTGCA	ATTTCGAGTG	9060
	TTGATTCACA	AGGGGCAAGT	GGTCAGAATC	GCATTGAGTT	TAAAGTGATT	GATCATATTG	9120
15	GTGCAGGTTT	AGTTTCTGAT	AAATTAGTTG	GGGATCACGA	AGCGGTGCGT	ATTATGACTG	9180
	GAGCACAAAT	ACCTAATGGC	GCAGATGCTG	TTGTTATGTT	TGAACAAACG	ATTGAACTAG	9240
	AAGATACATT	TACAATTCGT	AAACCATTTT	CAAAAAATGA	AAATATATCT	TTAAAAGGTG	9300
20	AAGAAACAAA	GACAGGCGAT	GTTGTTCTAA	AAAAAGGACA	AGTAATTAAT	CCAGGGGCTA	9360
	TCGCGGTCCT	TGCAACATAT	GGCTATGCAG	AGGTTAAAGT	TATTAAGCAA	CCGAGTGTCT	9420
	CTGTTATTGC	AACAGGAAGC	GAATTATTAG	ATGTTAATGA	TGTATTAGAA	GATGGGAAAA	9480
25	TTCGTAACTC	TAATGGCCCA	ATGATTTCGT	CCTTAGCAGA	AAAATTAGGT	CTTGAAGTTG	9540
	GTATTTACAA	AACACAAAAA	GATGATTTAG	ATAGTGGCAT	CCAAGTCGTT	AAAGAAGCTA	9600
	TGGAAAAACA	TGATATCGTT	ATTACAACGG	GCGGAGTTTC	TGTTGGAGAT	TTTACTATT	9660
30	TACCTGAGAT	TTATAAGGCT	GTAAGGCGG	AAGTGTTATT	TAATAAAGTA	GCAATGCGTC	9720
	CTGGTAGCGT	AACAACGGTT	GCATTTGTAG	ATGGAaAGTA	TTTGTTTGGA	TTATCTGGAA	9780
	ATCCATCAGC	TTGTTTTACA	GGATTTGAAC	TATTTGTGAA	nCCAGCTGTT	AAACATATGT	9840
35	GTGGCGCACT	AGAAGTCTTC	COGCAATAA	TTAAAGCAAC	ATTAATGGAA	GATTTTACCA	9900
	AGGCAAACCC	ATTCACACGA	TTTATACGTG	CTAAAGCAAC	GTTAACAAGT	GCTGGAGCTA	9960
40	CTGTAGTACC	TTCAGGATTC	AATAAATCAG	GTGCGGTTGT	AGCGATTGCA	CATGCTAACT	10020
	GTATGGTCAT	GTTACCAGGA	GGGTCACGTG	GTTTTAAAGC	GGGGCATACA	GTAGATATTA	10080
	TATTGACTGA	ATCTGACGCT	GCTGAAGAGG	AACTTCTTTT	ATGATTTTAC	AAATTGTAGG	10140
45	TTACAAAAAG	TCTGGTAAGA	CAACATTGAT	GAGGCATATT	GTCTCTTTCT	TAAAGTCACA	10200
	TGGTTATACA	GTTGCTACTA	TTAAACATCA	TGGGCATGGT	AAGGAAGATA	TTCAATTACA	10260
	GGATTCAAGC	GTCGATCACA	TGAAGCATTT	TGAAGCGGGG	GCAGATCAAA	GTATTGTACA	10320
50	AGGTTTTTCAA	TATCAGCAAA	CTGTAACACG	TGTAGATAAT	CAAAATCTTA	CTCAAATTAT	10380
	TGAAAAATCT	GTTACAATTG	ACACCAATAT	CGTATTAGTT	GAAGGCTTTA	AAAATGCTGA	10440

55

EP 0 786 519 A2

GAATGTTTGT TATAGCATT A ATGTAAGGGA GCATGAAGAT TTTACAGCAT TTGAGCAATG 10560

GTTATTAAAT AAAATTAAAA ATGATTGTGA TACACAATTA ACATAGAGGA TTGAAATGAA 10620

5 TGAAACAATT TGAAATCGTG ACAGAACCGA TACAAACAGA ACAATATCGT GAATTCACCTA 10680

TAAATGAATA TCAAGGTGCA GTAGTTGTTT TTACCGGTCA TGTTCCGCGAA TGGACTAAAG 10740

GCGTCAAAAC GGAATATTTA GAATATGAAG CGTATATTCC AATGGCTGAA AAGAAATTGG 10800

10 CACAAATTGG AGATGAAATA AATGAAAAAT GGCCTGGAAC GATAACGAGT ATTGTTTCATA 10860

GAATAGGGCC ATTACAAATT TCAGATATCG CTGTATTAAT TCGGGTTTCT TCACCGCATC 10920

GTAAAGATGC CTATCGAGCA AATGAATATG CAATTGAGCG TATAAAAGAA ATTGTTCCGA 10980

15 TTTGGAAAAA AGAAATTTGG GAAGATGGTT CAAAATGGCA AGGGCATCAA AAAGGGAATT 11040

ATGAAGAAGC AAAGAGGGAG GAATAAGAGA GATGAAGGTA CTTTACTTCG CAGAAATTAA 11100

AGATATATTA CAAAAGCAC AGGAAGATAT TGTGCTTGAA CAAGCATTGA CTGTACAACA 11160

20 ATTTGAAGAT TTATTGTTTG AACGTTATCC GCAAATCAAT AATAAAAAGT TTCAAGTTGC 11220

TGTAAATGAG GAATTTGTAC AAAAATCGGA TTTTATTCAA CCTAATGATA CTGTTGCATT 11280

25 AATTCCACCG GTTAGTGGAG GTTAAGGGAG CATGAAAGCA ATAATTCTTG CAGGTGGTCA 11340

TTCAAGTCCG TTTGGTAAGC CCAAAGCTTT TCGGGAAGTG AACGGTGAGA CCTTTTATAG 11400

TAGAGTAATT AAGACATTAG AATCAACAAA TATGTTCAAT GAAATTATTA TTAGTACAAA 11460

30 TCGCAATTG GCAACGCAAT TTAAATATCC AAATGTTGTT ATAGATGATG AGAATCATAA 11520

TGATAAAGGT CCATTAGCAG GAATTTATAC AATCATGAAG CAACATCCTG AAGAAGAATT 11580

GTTTTTTGTC GTTTCTGTTG ATACACCAAT GATTACTGGT AAAGCTGTAA GCACGTTGTA 11640

35 TCAGTTTTTA GTTTCTCATC TTATTGAAAA TCATTTAGAT GTCGCAGCTT TTAAAGAAGA 11700

TGGAAGTTTT ATTCCAACAA TTGCATTTTA TAGTCCGAAT GCATTAGGCG CTATAACTAA 11760

AGCACTACAT TCTGATAATT ACAGTTTTTA AAATGTATAT CATGAATTAT CAACGGATTA 11820

40 TTTGGATGTA AGGGATGTAG ATGCGCCCTC ATATTGGTAC AAAAATATAA ATTATCAGCA 11880

TGATTTGGAC GCTTTAATTC AAAAATTGTA AGCTGTTAGG AGGTCCACAA ATGGTAGAAC 11940

AAATAAAGA TAACTAGGA CGTCCCATCC GTGACTTACG GTTATCTGTG ACAGATCGGT 12000

45 GTAACTTTAG GTGTGATTAT TGCATGCCTA AAGAGGTATT TGGAGATGAT TTCGTATTTT 12060

TACCTAAAAA TGAACTTTTA ACGTTTGATG AAATGGCTAG AATCGCTAAG GTATATGCAG 12120

50 AATTAGGTGT AAAAAAATA CGCATTACAG GTGGAGAACC ATTGATGCGA CGGGATTTAG 12180

ATGTACTTAT AGCTAAATTA AATCAAATCG ATGGTATTGA AGATATTGGT TTGACTACAA 12240

EP 0 786 519 A2

ATGTCAGTTT GGATGCTATT GATGATACGC TATTTCAATC AATCAATAAT CGTAATATTA 12360
 AAGCGACTAC GATTTTAGAA CAAATTGATT ACGCGACGTC TATTGGTTTG AATGTAAAAG 12420
 5 TAAATGTTGT TATACAAAAA GGTATTAACG ATGATCAAAT CATACCAATG CTTGAATATT 12480
 TTAAAGATAA ACATATAGAG ATTCGATTTA TAGAATTTAT GGATGTTGGT AATGATAATG 12540
 GATGGGATTT CAGTAAAGTT GTAACATAAG ATGAAATGCT TACAATGATA GAGCAGCACT 12600
 10 TTGAAATCGA TCCTGTAGAA CCAAAATATT TTGGGGAAGT AGCAAAATAT TATCGCCATA 12660
 AGGATAATGG TGTTCATTTT GGTTCGATTA CAAGTGTTC ACAATCATT TGTCTACAT 12720
 GTACACGCGC AAGGCTGTCA TCAGATGGGA AGTTTTACGG ATGTTTTATT GCAACTGTCTG 12780
 15 ATGGATTTAA CGTTAAAGCG TTTATTCGTT CTGGCGTGAC CGACGAAGAA TTAAAGAAG 12840
 AATTTAAAGC TTTATGGCAA ATAAGAGATG ATCGATATTC AGATGAGAGA ACTGCTCAAA 12900
 CAGTTGCCAA TCGTCAACGT AAAAGATAA ACATGAATTA TATTGGTGGT TAATGTGTAG 12960
 20 GGACCACTAC ATATTAAATC ATTAGAGATG TTTTAATATT TCTGTCTTAC TCCCTAAAAT 13020
 ACAATATTAT TTATTAAAGT AAAACGGTC ATATCTATGC CAGATTTAAT AGAAATGATC 13080
 25 GTTTTTTAAAG TTTTACAAG TTGGCGGGGC CCCAACACAG AAGCTGACAG AAAGTCAGCT 13140
 TACAATAATG TGCAAGTTGG CGGGGCCCCA ACATAGAGAA TTTCAAAAAG AAATTCTACA 13200
 GACAATGCAA GTTGGGGAAC GGGGCCCCAA CACAGAAGGT GACGAAAAGT CAGCATACAA 13260
 30 TAATGTGCAA GTTGGCGGGG CCCCAACATA GAGAATTTCA AAAGAAATTC TACAGACAAT 13320
 GCAAGTTGGG GATCAACGAA ATAAATTTTA TGAGAATATC ATTTCTATCC CACTCTTAAG 13380
 AATCACTACA TAATAAATCT TTAGTGGTTC TTAAACATTG ATGTCACACT CCATGCCATT 13440
 35 GAGTTGTAAT ATATCTTTTT TAGGTATAAA TGTGTGCGAA TAAACAACAA GTTGTCCAAA 13500
 AGATAAATCT CTAAACAAGA TATAGCCAGC AATTTAATAT TTGTAATAGA TAAAATGCTA 13560
 AGTTTGATAT ATAATAAATT TAAGTAATTG TATAATAATA TGAATTACAA ACATCTAAGA 13620
 40 AGAAACATAG GAGGCATCAT ATTATGAGTA ATAAAGTTCA ACGTTTTATA GAAGCAGAAA 13680
 GGGAGTTAAG TCAGTTAAAG CACTGGTTAA AAACAACACA TAAGATTTC AATTGAAGAAT 13740
 TTGTAGTCCT TTTTAAAGTG TATGAAGCTG AAAAGATTAG CGGTAAAGAA TTGAGGGATm 13800
 45 CATTACATTT TGAAATGCTA TGGGATACAA GTAAATCGA TGTGATTATC CGTAAATCT 13860
 ATAAAAAAGA GCTTATTTCT AAATTGCGTT CTGAAACGGA TGAAAGACAA GTATTCTATT 13920
 50 TCTATAGTAC TTCTCAAAAAG AAATTGTTAG ATAAATTAC TAAAGAAATA GAAGTGTTAA 13980
 GCGTTACAAA CTAAAACTT aAAAAGcaTG CCAATCTCTA TTCATCATAA TTGCGTCTTG 14040

55

EP 0 786 519 A2

5 GTTCATGGCA TTTCTAGTTA CATGACGTCC ATGAATTAAG AAGTAAACAA GCATAGTAAT 14160
 GATTGCTAAA GCGGCCATAA AGCCGAAGAT TTCACTATAT GAAAACATAT GAGTAAATAA 14220
 10 CCCAAGGAAT GATGGACCGA AGCCGACACC TGCATCTAGA CCAACGTAAA AAGTAGATGT 14280
 CGCGATACCA TATTTAATCG GGGGTGAGAC TTTTATCGCA ATAGATTGCA TTGCAGATGA 14340
 TAAATTTCCA TACCCTAAAC CTAGGCAAGC ACCAGCAAGT AATATTAACC AGCTTTGATA 14400
 15 GCTTGAAATT AAGCATACAA ATGAAAGGAA AAGCATGATA AATGCTGGGT AGACAATAAT 14460
 ATTTTCATTT TTATCATCCA TCAATCTACC AGCAATAGGT CTAGTAATTA ACGATGCTAT 14520
 AGCATAGCAA ATAAAGAAAT AGCTTGCTGC AGTGACTAGG TGTCGCTCTA AAGCAAATGC 14580
 20 TTGTAAATAA GTTAGGATGG ACGCATAGGT AACGCCAATT AAAAGCATAA TTACAGCAAC 14640
 AGGAATGGCC TCTTTTGCAA TAAATTGATG AATACTAAAT CTTGGTTTAT CAATGACATT 14700
 AGTTTCAGTT TTGTTATTTG TTACTTCGAA ATCAACTTTT ATAAATAATG AGATAATGAG 14760
 TCCGAGTATG CCTAATATGA CACAAATAAT AAACAGTAAG TCAATTGCGT ATTTTGTAAT 14820
 AAGTAACATG CCTAGAAATG GGCCAATCGC TGTACCTAAT ACTAACTTA AGGAAAATAA 14880
 25 ACTGATGCCT TCACTTTTTTC TATTAACAGG GGTAACGTAT GCCGCAATAG TACCTGTTGC 14940
 AGTTGTCACA ACTGCAGTTG CGATACCGTT TATGAGACGT ACAAAGATTA AAAAAGCTAA 15000
 AGATCCATCA ATAAAATAAA GTAATTGCGT GATAATTAAA GCAATTAAAC CAATAAATAA 15060
 30 TAATCGTTTA GGTCCrATTT sATTTACAAA TTTACCTGTA GCAAATCGA 15109

(2) INFORMATION FOR SEQ ID NO: 45:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 9072 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 45:

40 GAGAGTCAAT GGCAAGAAGA ATATAAATAT TTGAGAGCGT TAATCTTTAA TGAAACAGAA 60
 TTAGAGGAAG CGTATAAATG GATGCATCCT TGTTACACGT TGAATAATAA AAATGTAGTA 120
 45 CTTATCCATG GCTTCAAAAA TTATGTTGCA CTATTATTTT ATAAAGGTGC CATTTTGGAG 180
 GATAAATATC ATACACTCAT TCAACAGACT GAAAAGGTGC AAGCAGCTCG TCAGTTACGA 240
 50 TTTGAAAATT TAACAGAGAT TCAAGCACGT ACCGAAGAAA TTAAATATTA TCTAGCCGAA 300
 GCAATTAAAG CTGAAAAGC TGGTAAAAAA GTTGAAATGA AGAAAACAGA GGAATATGTT 360

EP 0 786 519 A2

	AAATTAACGC CAGGCAGACA ACATCAATAT ATATATCATA TTGGACAAGC TAAACGCagT	480
	GgAACCAAGAC AAAAGCGTGT TGAAAAGTAT ATTAACCAAA TACTAGAAGG TAAAGGGATG	540
5	CATGATAAGT AATTAATGAG TAAAGCATAC CGGTTATACA ACAACATACA AGATGACACG	600
	AAACAACCAA TGGCTCATGC TGTTGGTTGT TTTTITAGGT GTGTCTGTCA TGGGCAACAC	660
	TTTGACGTTG GAATTCCGTT ACAGGCTTGG GAGTAGAAAA TGTTAGCAAA AGGCAAGGGT	720
10	GTCTACAATG AATGATGAAG ATATTAAAAT ATAAGGATGA CTTTGTGAGT GCGGATGGG	780
	CGGTTGTCCG TCTGTAACAA TGGATGCGTG TGCATTATTA CAAAAATTCG ACTTTTGTAA	840
	TAATATTTCA CATTTTCGAC ACTTTTTTGC TATAAAACAA CCAATTGAGC GATAATAAAT	900
15	TCGCTTTTAA AAAATATGAG TTATCTATTT AGTTGCCAAA GATAAAATAA TAATGTTTAA	960
	TAACATCATA TAGAGTATGT TAGTTTTTAA TGTGCAATAT ACGAATGTGc AAACAAAGTA	1020
	ATCGGTAGAA ATTCAACATA CATAGCGCCG TTTACTGTTA AGTATTCACA TTACAGATGA	1080
20	AAAATATAAA ATTCTACATA ATCAAGACCA TGATGTGTAC TTGTTTAACT TATGACTCTA	1140
	TTTGTTTAAC AATTGCGATA ATGGTCTTTT TATTTTATGC GTATCATTCTG TCATATTTTT	1200
25	TATGAGGAAG GAGAAATGAT TATGTTAAGT ATTAAGCATT TAACGAAAAT TTATTCTGGT	1260
	AATAAAAAGG CAGTAGATGA CATCTCTTTA GATATTCAAT CTGGGGAATT TATCGCATTT	1320
	ATTGGAACCA GTGGAAGTGG CAAACGACT GCTTTAAGAA TGATAAACCG TATGATTGAA	1380
30	GCGACAGAAG GACAAAATTGA AATTGATGGT AAAGATGTTT GGAGTATGAA TCCTGTGCGAA	1440
	TTGCGTAGAA ATATTGGCTA TGTTATTCAA CAAATTGGCT TAATGCCTCA TATGACGATT	1500
	AAAGAGAATA TTGTGTTGGT ACCCAAATTG TTGAAATGGA CTAAAGAGGA AAAGGATAAA	1560
35	CGTGCAAAGG AATTAATTAA ACTTGTGGAT TTACCGGAGT CATTTTTTÀGA GCGTTATCCA	1620
	GCAGAACTAT CAGGTGGGCA ACAACAACGT ATCGGTGTTG TAAGAGCACT TCGGGCCGAA	1680
	CAAGATATTA TTTTAATGGA TGAACCTTTT GGTGCATTGG ATCCTATTAC GAGAGATACG	1740
40	TTACAAGATT TAGTTAAAAC GTTACAACGA AAATTAGGCA AGACGTTTAT CTTTGTAACA	1800
	CATGATATGG ATGAAGCGAT TAAATTAGCA GACAAAATTT GTATTATGTC AGAAGGTAAG	1860
	GTGGTGCAAT TTGATACGCC AGACAATATT TTAAGACATC CCGCAAATGA TTTTGTACGT	1920
45	GATTTTATAG GACAAAATAG ACTGATTCAA GACCGTCCCA ATGACAAGAC TGTAGAAGGT	1980
	GTAATGATTA AACCAATCAC GATACAAGCA GAAGCAACAC TGAATGACGC CGTTCATATT	2040
	ATGAGACAAA AACGTGTTGA TACTATTTTT GTAGTAGATA GTAATAACCA TTTACTAGGT	2100
50	TTCTTAGACA TTGAAGATAT AAATCAGGGT ATACGTGGAC ACAAAGTTT ACGAGACACC	2160

55

EP 0 786 519 A2

	ATTTTAAAAA	GAAACGTTAG	GAATGTACCT	GTCGTAGATG	ATCAACAGCG	TTTAGTAGGA	2280
	CTGATTACGC	GTGCCAATGT	TGTTGATATT	GTATATGACA	CGATTGTTGGG	CGATAGTGAG	2340
5	GATACAGTGC	AAACAGAACA	TGTGGGGGAA	GACAcTGCCT	CCTCAAAAGT	GCATGAGCAA	2400
	CACACTACTA	ATGTCAAAGT	ACGTGACATA	GGAGATGATA	AATCATGATT	GAGTTCCTAC	2460
	ATGAACATGG	TGGACAGTTG	ATGTCGAAAA	CACTGGAACA	TTTCTATATT	TCTATAGTGG	2520
10	CATTATTACT	TGCCATCATT	GTTGCAGTAC	CTATAGGCAT	TTTATTATCA	AAAACAAAGC	2580
	GAAGTGCCAA	TATTGTATTA	ACTGTGGCAG	GTGTCTTACA	AACTATTCCA	ACACTAGCTG	2640
	TACTTGCTAT	TATGATACCG	ATTTTGGTG	TTGGTAAAAC	GCCTGCAATT	GTAGCGCTAT	2700
15	TTATTTIATGT	ATTATTACCT	ATTTTAAATA	ACACGGTACT	CGGTGTTCAA	AATATTGATA	2760
	GCAACATTAA	AGAAGCTGGA	AAAAGTATGG	GAATGACACA	ATTTCAATTG	ATGAAGGATG	2820
20	TTGAATTGCC	GTTAGCATTG	CCGCTTATCA	TTGGTGCCAT	TCGTTTGTCA	TCTGTGTATG	2880
	TAATTAGTTG	GGCTACACTT	GCAAGTTATG	TAGGTGCGGG	TGGATTAGGT	GATTTTCATTT	2940
	TCAATGGTTT	AAATTTATAT	GATCCACTGA	TGATTGTAAC	TGCAACGGTA	CTCGTTACTG	3000
25	CACTAGCATT	AGGTGTTGAT	GCCTTATTAG	CTTTAGTTGA	AAAATGGGTA	GTTCCCAAAG	3060
	GCTTAAAAGT	ATCTGGATAA	TTAGGAGGCT	AAGATAATGA	AGAAAATTAA	ATATATACTT	3120
	GTCGTGTTTG	TCCTATCGCT	TACCGTATTA	TCTGGATGTA	GTTTGCCCGG	ACTAGGTAGT	3180
30	AAGAGCACGA	AAAATGATGT	CAAAATTACA	GCATTATCAA	CAAGCGAATC	GCAAATTATT	3240
	TCACATATGT	TACGGTTGTT	AATAGAGCAT	GATACACACG	GTAAGATAAA	GCCAACATTA	3300
	GTAAATAATT	TAGGGTCAAG	TACGATTCAA	CATAATGCCT	TAATTAATGG	GGATGCTAAT	3360
35	ATATCAGGTG	TTAGATATAA	TGGCACAGAT	TTAACGGGAG	CTTTGAAGGA	AGCACCAATT	3420
	AAAAATCCTA	AGAAAGCAAT	GATAGCAACA	CAACAAGGAT	TTAAAAAGAA	ATTTGATCAA	3480
	ACGTTTTTTG	ATTCGTATGG	TTTTGCGAAT	ACGTATGCAT	TCATGGTAAC	GAAGGAAACC	3540
40	GCTAAAAAAT	ATCATTTAGA	GACAGTTTCA	GATTTAGCAA	AGCATAGTAA	AGATTTACGT	3600
	TTAGGTATGG	ATAGTTCATG	GATGAATCGT	AAAGGCGATG	GCTATGAAGG	ATTTAAAAAA	3660
	GAGTATGGTT	TTGACTTTGG	TACAGTGAGA	CCAATGCAAA	TAGGTCTAGT	CTACGACGCA	3720
45	TTAAACTCAG	AGAAGTTAGA	CGTTGCATTA	GGTTATTCTA	CAGATGGTCG	AATTGCGGCG	3780
	TATGATTTGA	AAGTACTTAA	AGATGATAAA	CAATTTTTTCC	CACCTTATGC	TGCGAGTGCT	3840
50	GTTGCAACAA	ATGAATTATT	ACGGCAACAC	CCAGAACTTA	AAACGACGAT	TAATAAGTTG	3900
	ACAGGAAAGA	TTTCGACTTC	AGAGATGCAA	CGCTTGAATT	ATGAAGCGGA	TGGTAAAGGT	3960

55

EP 0 786 519 A2

	AAAGGTGGTC	ATAAGTAATG	GAAGGTAATT	TATTACAGCA	ATTATTCAAT	TATTATGTTA	4080
	CGAACTTTGG	TTATCTATGG	GATTTATTTT	TCAAACACTT	ATTAATGTCT	GTCTATGGTG	4140
5	TGCTGTTTGC	AgCTTTAATT	GGTATTCCAT	TGGGAATCTT	GCTTGCaAGA	TACACAAAAC	4200
	TTTCTGGATT	TGTAATTACA	ATTGCAAATA	TAATTCAAAC	AGTTCCAGTC	ATTGCAATGT	4260
	TAGCTATTTT	AATGTTAGTC	ATGGGCTTAG	GTTTCAGAAAC	AGTAGTTTTA	ACAGTGTTTT	4320
10	TATATGCGTT	ACTTCCAATT	ATAAAAAACA	CTTATACTGG	TATAGCTAGT	GTTGATGCGA	4380
	ATATTAAGGA	TGCTGGCAAA	GGTATGGGAA	TGACACGCAA	TCAAGTGCTA	CGAATGATTG	4440
15	AATTACCGTT	ATCTGTTTCG	GTTATTATCG	GTGGCATTTCG	TATTGCCTTG	GTTGTTGCGA	4500
	TAGGTGTTGT	TGCCGTTGGA	TCATTTATAG	GAGCACCTAC	GCTTGGTGAC	ATTGTGATTC	4560
	GTGGTACAAA	TGCGACGGAT	GGCACAACGT	TTATTTTAGC	AGGTGCGATT	CCGATTGCTA	4620
20	TCATTGCAAT	CGTCATTGAT	GTACTATTAA	GATTTTITAGA	AAAACGATTA	GACCCAACAA	4680
	CACGACATCG	TAAAAATCAA	TCTAATCATC	GGCCGCAAAG	TATTAATATG	TAATAGTAGA	4740
	AGATGTTTTAT	AATTTAGCGA	TTTCGTTTCA	TGATTTATAA	AAAATGAGGC	TACTCAAGGA	4800
25	GCTCAAATAA	TCTTTGAGTA	GCCTTTTTAT	AGGTTGTGTT	TGTATGCGTT	TACACTAAAA	4860
	TAGCAATTAT	TATCATGAAA	GTTTTTGGAT	AAAAAGCGTT	AATTATTGTA	AAAATACTAA	4920
	AAAATGAGAT	GTTTTATTTA	TAATTTTCTG	CAAATTTATG	ATATTGTTTC	TTAATATATC	4980
30	ATATTAAAAA	TTTGTTTTTC	TTAAACATAG	GAGGCTTATC	TAATTCATGG	ACACATCAAA	5040
	ACAATTTAGA	GGTGACAACC	GATTGCTTTT	GGGTATCGTT	TIAGGGGTIA	TTACCTTTTG	5100
	GCTATTCGCG	CAGTCACTTG	TAAATCTTGT	TGTCCCATTA	CAATCAACAT	ATAGTAGTGA	5160
35	CGTTGGAACG	ATAAATATCG	CTGTTAGCTT	ATCTGCCTTA	TTTGCTGGTT	TGTTTATCGT	5220
	AGGTGCTGGT	GATGTTGCTG	ATAAATTTGG	TCGCGTCAAA	ATTACTTATG	TAGGATTGAT	5280
	ATTAAATGTT	GTAGGTTTAT	TACTCATCAT	CATTACACCT	TTGCCAGCAT	TTTAAATTAT	5340
40	AGGTAGAATA	ATTCAAGGTT	TGTCTGCAGC	ATGTATTATG	CCATCAACAC	TTGCTATTAT	5400
	TAACGAATAT	TATATTGGTA	CAAGAAGACA	ACGTGCCTTA	AGCTATTGGT	CTATTGGTTC	5460
45	TTGGGGTGGT	AGTGGTATTT	GTACGTTGTT	TGGTGGCTTA	ATGGCTACAT	ATATAGGTTG	5520
	GCGTTCAATA	TTTGTTGTTT	CAATTCTATT	AACATTATTA	GCAATGTACT	TAATCAAACA	5580
	TGCACCTGAG	ACTAAAGCAG	AACCAATCAA	AGGTATGAAA	GCAGAAGCTA	AAAAGTTTGA	5640
50	CGTTATTGGT	TTAGTCATTT	TAGTAGTGAC	GATGTTAAGT	TTAAATGTAA	TCATCACACA	5700
	GACGTCTCAT	TTTGGTTTAG	TTTCACCGTT	AATTCTAGGT	TTAATTGTTG	TGTTTATCTG	5760

55

EP 0 786 519 A2

	AATTTTAA	AATAGAGGAT	ACAGTGGTGC	AACTATTTC	AACTTCTTAT	TAAATGGTGT	5880
	AGCAGGTGGT	GCACTTATCG	TTATTAACAC	GTATTATCAA	CAACAATTAG	GATTTAATTC	5940
5	TTCGCAAACG	GGTTATATTT	CATTAACGTA	TTTAATAACA	GTGTTGTCAA	TGATTCGTGT	6000
	AGGTGAAAAG	ATTTTATCTC	AACATGGTCC	GAAGCGCCCA	CTATTACTAG	GAAGTGGCTT	6060
	TACAGTGATT	GGGTTAATCT	TATTGTCGTT	AACATTTTTA	CCAGAAGTGT	GGTATATCAT	6120
10	ATCTAGTATA	GTTGGATATT	TATTGTTTGG	TACTGGTTTA	GGATTATATG	CTACACCATC	6180
	AACTGATACA	GCAGTTGCTA	GTGCGCCAGA	TGATAAGTCG	GGTGTGCTT	CAGGTGTGTA	6240
	TAAAATGGCG	TCATCATTAG	GAAATGCATT	TGGAGTAGCA	GTATCTGGTA	CGGTTTATAC	6300
15	TGTGTTAGCA	GCTAATTTAA	ATTTGAACTT	AGGTGGTTTC	ACAGGTATGA	TGTTTAATGC	6360
	CTTGCTAGCA	ATTGTTGCAT	TTTTAGTCAT	TTTACTATTA	GTTTCTAAAA	ATCAAACGAA	6420
20	TTTGTAAAC	TGAAATGAAA	GCAAGTTATT	ATGTAGGGAT	TTTAAAGGAA	ATTTTGTGAA	6480
	AGTAAGTTTA	TCATACACAC	TTAATGTTGC	GTATTGACGT	TTAATGTTAG	GTGTGTTCTT	6540
	TTATAGACGA	TAAAAGCTGT	GTGCATATTA	AGCGAATGAT	TTTCAAATTG	ACGCTAATAT	6600
25	GCGAAAGTAG	TATTTTAA	ATGAACAACA	ACGATGAAGA	GGGGTTTATA	GGATGAAAAT	6660
	TGCAATTGCT	GGATCGGGTG	CATTAGGTAG	TGGCTTTGGT	GCCAACTAT	TTCAAGCAGG	6720
	ATATGATGTC	ACACTTATTG	ACGGATATAC	ATCTCATGTT	GAAGCGGTTA	AGCAACATGG	6780
30	ATTAAATATA	ACGATTAATG	GAGAGGCATT	CGAGTTAAAC	ATTCCGATGT	ATCATTTTAA	6840
	TGATCAACCG	GACGAAAGCA	TTTACGATGT	TGTCTTTCTA	TTTCAAAGT	CTATGCAATT	6900
	AAAAGAAGTG	ATGGAAGATA	TGAAGCCACA	TATTGATAAT	GAAACGATCG	TCGTATGTAC	6960
35	GATGAATGGT	CTGAAGCATG	AAGAAGTCAT	TGCGCAGTAT	GTTGCTCAAT	CACAAATTGT	7020
	CAGAGGTGTT	ACGACTTGGA	CGGCAGGTCT	TGAAAGCCCT	GGACACAGTC	ATTTACTTGG	7080
	TAGTGGACCA	GTTGAAATAG	GTGAACTAGT	GGATGAAGGT	AAAGAAAATG	TTATAAAAGT	7140
40	TGCTGATTTA	CTTAACGAAG	CGGAATTGAA	TGGTGTCAAT	AGTAAAGATT	TATACCAATC	7200
	GATTTGGAAA	AAGATTTGTG	TTAATGGTAC	GGCAAATGCA	TTAAGCACAG	TGTTGGAGTG	7260
	TAATATGGCA	TCGCTGAATG	AAAGTAGTTA	TGCGAAGTGT	TTGATTTATA	AATTAACGCA	7320
45	AGAAATAGTG	CATGTAGCGA	CGATTGATAA	TGTTCAATTA	AATGTTGATG	AAGTATTTGA	7380
	ATATTTAGTT	GATTTAAATG	AAaAGTTGG	TGCGCATTAT	CCATCCATGT	ATCAAGATTT	7440
50	AATTGTTAAT	AATAGAAAAA	CTGAAATTGA	TTATATTAAT	GGCGCAGTTG	CAACATTAGG	7500
	TAAACAACGT	CaTATTGAAG	CGCCAGTCAA	TCGCTTTATT	ACTGATTTAA	TTCATACTAA	7560

55

	CAATCACGTG ATATTACGGT CATTATTAAG ATTGAAATGT AATAAATAAA GAACAGCAGT	7680
	AAGGTACTTT CAAATTGAAA TGATCTTGGT GCTGTTTTTC TTGATTGATC TTCGTCATAA	7740
5	TTCAGATTTG TCATAGGcTA CGACATACTA TTAGTATTTA CTAGACAGTT TTTACGACGA	7800
	CACTTTGAAA AATTTTGAGG CAAATCATTG GGAAGTCTCA CGTGAATTTT GTAAACTCAT	7860
	CAAGCAAGTA ATTATATTAA AAAGACAAAT AGAGAAAAGG TGTTTATAAT GAGTAAAATT	7920
10	TTTGTAACGT GTGCAACGGG CCTTATTGGC ATTAAATTAG TTCAAAGACT AAAAGAAGAG	7980
	GGGCATGAGG TTGCTGGTTT TACTACATCT GAGAATGGTC AACAAAAGCT AGCTGCTGTT	8040
	AATGTAAAAG CATATATTGG TGATATATTA AAAGCTGATA CTATTGATCA AGCGTTAGCA	8100
15	GATTTTAAAC CAGAAATCAT TATCAATCAA ATTACGGATT TAAAAAATGT TGATATGGCA	8160
	GCAAATACGA AAGTACGTAT TGAAGGTTCT AAAACCTAA TTGATGCGGC GAAAAAGCAT	8220
	GACGTTAAGA AAGTAATTGC CCAAAGTATT GCCTTTATGT ATGAACCTGG CGAAGGATTA	8280
20	GCAAATGAGG AAACCTCACT TGATTTTAAAC TCAACTGGCG ATAGAAAAGT AACGGTTGAT	8340
	GGTGTGGTTG GTTTAGAAGA AGAAACGGCT CGTATGGATG AATACGTTGT TTTACGTTTT	8400
	GGCTGGTTAT ATGGCCCAGG TACTTGGTAC GGAAAAGATG GCATGATTTA TAATCAATTT	8460
25	ATGGATGGTC AAGTGACACT TTCAGATGGC GTAACATCAT TTGTGCATCT TGATGATGCA	8520
	GTTGAAACAT CTATTCAAGC TATTCATTTT GAAAATGGTA TCTATAATGT AGCAGATGAT	8580
	GCACCTGTTA AAGGTTCTGA ATTTGCAGAA TGGTATAAAG AACAACTTGG TGTGAACCA	8640
30	AATATTGATA TTCAACCTGC GCAACCATTT GAACGTGGCG TAAGCAATGA GAAGTTTAAA	8700
	GCGCAAGGTG GTACTCTGAT TTATCAAACCT TGGAAAGATG GCATGAATCC AATTAAATAA	8760
35	TAATTTATCC GTTTAATATA CAAAGAATAA AGACTTGGTC GAATCGTGGA TGATATATTA	8820
	TCAAACGCAC GGCTCGAACA AGTCTTTTTT ATTATGTCTT CGTTATCTTT GTATGAAGGA	8880
	ATAACAGAAT TACAATTAAT GTACTGAATA ATGCAATTAA TGTTGTGATT AGTGCTAATT	8940
40	TAATTTCTAT TGGTAGCCAA GTCAGTACAA AAGACCAATT ATTGCTACCG AGAATGAGAT	9000
	ATGGTAATGC ATATAATATG AGCGCTAAAG CGATACATAT ACATAATGAT AACCAACTCA	9060
45	ATACAGCAAT CC	9072

(2) INFORMATION FOR SEQ ID NO: 46:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16826 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

EP 0 786 519 A2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 46:

	GTGGAACAGC TGTAACATA TCATTTCTTT CAACATTTAT TGGGAAAATG TTAGCTACAT	60
5	TTCTATATCC GATTAATAAT GTAGTACTTT CATATATnTC TGTAATGAA AGTGACAATA	120
	TAAAGAAGCA ATATTTGaaA ACTAATCTAA TTGCTATAGC TGCCCTATGT TTAGTCATGA	180
	TTATATGTTA TCCAATTACA ATAATTATTG TCTCTTTACT GTATAACATT GATTCAAGTT	240
10	TATATTCGAA GTTTATTATT TTAGGTAATA TAGGTGTTTT ATTCAATGCA GTGAGTATTA	300
	TGATCCAAAC TTAAATACA AAACACGCAT CAATAACATT ACAAGCGAAT TATATGACGC	360
15	TTCACACGAT TACATTTATA TTCATAACTA TTTTAATGAC AATTGCGTTT GGTCTAAATG	420
	GATTCTTTTG GACAACGCTG TTCAGCAACA TTATTAAGTA TGTGATTTTA AATATTATAG	480
	GTTTAAAGTC TAAATTCATT AATAAAAAGG ACGTCGATTA GATGAGTGAA AAAAAGATTT	540
20	TGATTTTATG TCAGTATTTT TATCCGGAAT ATGTATCTTC TGCGACGTTA CCAACTCAAT	600
	TGGCGGAAGA TTTAATTGCG AATCACATTA ATGTCGATGT CATGTGTGGA TGGCCATATG	660
	AATATAGTAA TCATAAACAG GTTTCTAAAA CCGAGATGCA TCGTGGTATT CGCATTGAC	720
25	GTCTCAAGTA TTCGAGGTTT AATAACAAAA GTAAGGTTGG AAGGATCATC AATTTCTTTA	780
	GTTTATTTTC AAAATTCGTG ATTAATATAC CTAAAATGTT GAAATATGAT CAGATTCTTG	840
	TTTACTCTAA TCCACCAATC TTGCCATTAA TACCAGACGT TTTACACAGA CTGCTTAAGA	900
30	AAAAATATTC TTTTGTGGTG TATGATATAG CACCTGATAA TGCGATTAAG ACAGGTGCAA	960
	CTCGTCCAGG TAGCATGATT GATAAGCTGA TCGGTTACAT TAATAGACAT GTCTACAAGA	1020
	ATGCTGAAAA TGTCATTGTC CTTGGTACGG AAATGAAAAA CTACTTACTA AATCATCAAA	1080
35	TTTCTAAAA TGCTGACAAT ATCCATGTGA TTCCTAACTG GTATGACATG CGTCAATTAC	1140
	AAGACAATCG TATCTATAAT GACACATTTA AAGCTTACCG TGAGCAATAC GACAAAATTT	1200
	TATTGTATAG CGGTAATATG GGGCAGTTAC AGGATATGGA GACACTTATC TCATTTTTAA	1260
40	AATTAAATAA GGATCAGTCT CAAACGTTAA CAATACTTTG TGGTCATGGT AAGAAATTTG	1320
	CAGATGTCAA AACGGCAATA GaAGACCATC GTATTGAAAA TGTTAAAATG TTTGAGTTTT	1380
45	TAACAGGTAC AGACTATGCT GACGTATTAA AAATTGCGGA TGTATGTATT GCATCGCTGA	1440
	TTAAAGAAGG CGTCGGTTTA GGCGTGCCGA GCAAGAATTA TGGCTATCTT GCAGCTAAGA	1500
	AAGCGTTGGT ACTCATCATG GATAAGCAAT CTGATATCGT TCAACATGTT GAACAATATG	1560
50	ATGCGGGTAT CCAAATTGAT AATGGCGATG CACATGCCAT TTATAACTTC ATCAACACTC	1620
	ACTCGAGTAA GGAATTGCAC GAGATGGGTG AGCGCGCACA TCAACTGTTT AAAGATAAAT	1680

55

EP 0 786 519 A2

	AAGCGATTAT	TCGATGTAGT	GAGTTCAATA	TATGGTTTAG	TAGTTTTAAG	TCCGATTCTG	1800
	TTAATTACAG	CATTACTAAT	TAAAATGGAA	TCACCTGGAC	CAGCCATTTT	CAAACAAAAA	1860
5	AGACCGACGA	TTAATAATGA	ATTGTTTAAT	ATTTATAAGT	TTAGATCAAT	GAAAATAGAC	1920
	ACACCTAATG	TTGCAACTGA	TTTAATGGAT	TCAACATCGT	ATATAACAAA	GACAGGGAAG	1980
	GTCATTTCGTA	AGACCTCTAT	TGATGAATTG	CCACAATTAT	TGAATGTTTT	AAAAGGAGAA	2040
10	ATGTCAATTG	TAGGTCCTAG	ACCAGCGCTT	TATAATCAAT	ACGAATTAAT	CGAAAAACGT	2100
	ACAAAAGCGA	ACGTGCATAC	GATTAGACCA	GGTGTGACAG	GA CTAGCTCA	AGTGATGGGG	2160
	AGAGATGATA	TCAC TGATGA	TCAAAAAGTA	GCGTATGATC	ATTATTACTT	AACACATCAA	2220
15	TCTATGATGC	TTGATATGTA	TATCATATAT	AAAACAATTA	AAAATATCGT	TACTTCAGAA	2280
	GGTGTGCATC	ACTAATGAGA	AAAAATATTT	TAATTACAGG	CGTACATGGA	TATATCGGTA	2340
20	ATGCTTTAAA	AGATAAGCTT	ATTGAACAAG	GACATCAAGT	AGATCAAATT	AATGTTAGGA	2400
	ATCAATTATG	GAAGTCGACC	TCGTTCAAAG	ATTATGATGT	TTTAATTCAT	ACAGCAGCTT	2460
	TGGTTCACAA	CAATTCACCT	CAAGCAAGGC	TATCTGATTA	TATGCAAGTG	AATATGTTGC	2520
25	TGACGAAACA	ATTGGCACAA	AAGGCTAAAG	CTGAAGACGT	TAAACAATTT	ATTTTTATGA	2580
	GTACTATGGC	AGTTTATGGA	AAAGAAGGTC	ATGTTGGTAA	ATCAGATCAA	GTTGATACAC	2640
	AAACACCAAT	GAACCTACG	ACCAACTATG	GTATTTCCAA	AAAGTTCGCT	GAACAAGCAT	2700
30	TACAAGAATT	GATTAGTGAT	TCGTTTAAAG	TAGCAATTGT	GAGACCACCA	ATGATTTATG	2760
	GTGCACATTG	CCCAGGAAAT	TTCCAACGGT	TAATGCAATT	GTCAAAGCGA	TTGCCAATCA	2820
	TTCCCAATAT	TAACAATCAG	CGCAGTGCAT	TATATATTAA	ACATCTGACA	GCATTTATTG	2880
35	ATCAATTAAT	ATCATTAGAA	GTGACAGGTG	TGTACCATCC	TCAAGATAGT	TTTTACTTTG	2940
	ATACATCGTC	AGTAATGTAT	GAAATACGTC	GCCAATCACA	TCGTAAAACG	GTATTGATCA	3000
	ACATGCCTTC	AATGCTAAAT	AAGTATTTTA	ATAAGTTGTC	GGTCTTTAGA	AAATTATTCTG	3060
40	GCAATTTAAT	ATACAGCAAT	ACGTTATATG	AAAATAATAA	TGCACTTGAA	ATTATTCCTG	3120
	GAAAAATGTC	ACTTGTATT	GCGGACATCA	TGGATGAAAC	GACAACCAAA	GATAAGGCAT	3180
45	AAGTCATCTA	TTAAATAAAA	TCAACATACA	AATCGTTTTA	TTTGGAGGTT	ATAGTATGAA	3240
	GTTAACAGTA	GTTGGCTTAG	GTTATATTGG	TTTACCAACA	TCAATTATGT	TTGCAAAACA	3300
	TGGCGTCGAT	GTGCTTGGTG	TTGATATTAA	TCAGCAAACG	ATTGATAAGT	TACAAAGTGG	3360
50	TCAAATTAGT	ATTGAAGAAC	CTGGATTACA	AGAGGTTTAT	GAAGAGGTAC	TGTCATCGGG	3420
	AAAATTGAAG	GTATCTACAA	CGCCAGATGC	ATCTGATGTT	TTTATCATTG	CCGTTCCGAC	3480

55

EP 0 786 519 A2

	TAGTATTTTA TCATTTTITAG AAAAAGGAAA TACCATTATT GTAGAGTCGA CAATTGCGGCC	3600
	TAAACGATG GATGATTTTG TAAACCAGT CATTGAAAAT TTAGGGTTTA CAATAGGTGA	3660
5	AGATATTTAT TTAGTGCAAT GTCCAGAACG TGTACTGCCA GGAAAAATTT TAGAAGAATT	3720
	AGTTCATAAC AATCGTATCA TTGGCGGTGT GACTGAAGCT TGTATTGAAG CGGGTAAACC	3780
	TGTCTATCGC ACATTTCGTT AGGGAGAAAT GATTGAAACA GATGCACGTA CTGCTGAAAT	3840
10	GAGTAAGCTA ATGGAAAACA CATATAGAGA CGTGAACATT GCTTTAGCTA ATGAATTAAC	3900
	AAAAATTTGC AATAACTTAA ATATTAATGT ATTAGATGTG ATTGAAATGG CAAACAAACA	3960
	TCCGCGTGTT AACATCCATC AGCCTGGTCC AGGTGTAGGC GGTCATTGTT TAGCTGTTGA	4020
15	TCCGTACTTT ATTATTGCTA AAGACCCTGA AAATGCAAAG TTAATTCAAA CTGGACGTGA	4080
	AATTAATAAT TCAATGCCGG CCTATGTTGT TGATACAACG AAGCAAATCA TCAAAGTGTT	4140
20	GAGCGGGAAT AAAGTCACAG TATTTGGTTT AACTTATAAA GGTGATGTTG ATGATATAAG	4200
	AGAATCACCA GCATTGATA TTTATGAGCT ATTAAATCAA GAACCAGACA TAGAAGTATG	4260
	TGCTTATGAT CCACATGTTG AATTAGATTT TGTGGAACAT GATATGTCAC ATGCTGTCAA	4320
25	AGACGCATCG CTAGTATTGA TTTTAAGTGA CCACTCAGAA TTTAAAAATT TATCGGACAG	4380
	TCATTTTGAT AAAATGAAGC ATAAAGTGAT TTTTGATACA AAAAATGTTG TGAAATCATC	4440
	ATTTGAAGAT GTATCGTATT ATAATTATGG CAATATATTT AATTTTATCG ACAAATAAAA	4500
30	TGTGTCAAAC TAGGGCATAAC ATGATTAAGG AAAGATAAGC TGTGATGTGT TTGAACTTCA	4560
	GAGAGGATAA TGTTATGAAA AAAATTATGG TTATTTTCGG TACGAGACCC GAAGCAATAA	4620
	AAATGGCACC ATTAGTAAAA GAAATTGATC ATAATGGGAA CTTTGAAGCG AACATTGTGA	4680
35	TTACAGCACA ACATAGAGAT ATGTTAGATA GTGTGTTAAG TATATTTGAT ATTCAAGCTG	4740
	ATCATGATTT AAATATTATG CAAGATCAAC AAACATTAGC AGGCCTTACG GCGAATGCAC	4800
	TTGCTAAACT TGATAGCATC ATTAATGAGG AACAACCGGA TATGATTTTA GTACATGGTG	4860
40	ATACTACAAC GACTTTTGTA GGAAGTTTGG CAGCATTTTA TCATCAAATT CCGGTCGGAC	4920
	ATGTAGAAGC TGGACTTCGA ACACATCAGA AATACTCACC ATTTCTTGAA GAGTTAAATC	4980
	GAGTCATGGT AAGTAATATT GCTGAATTGA ATTTTGCGCC AACAGTAATT GCAGCTAAAA	5040
45	ATTTACTTTT TGAAAACAAA GACAAAGAGC GTATCTTTAT TACTGGAAAT ACAGTTATTG	5100
	ACGCATTGTC AACAACAGTT CAAAATGATT TTGTTTCAAC GATTATTAAT AAACATAAAG	5160
50	GCAAGAAAGT TGTTTTACTA ACAGCGCATC GTCGTGAAAA TATTGGGGAA CCGATGCATC	5220
	AGATTTTTAA AGCAGTAAGA GATTTGGCAG ATGAATATAA AGATGTTGTC TTCATTTATC	5280

55

EP 0 786 519 A2

	GGATTGAATT AATTGAGCCA TTAGATGCGA TTGAGTTCCA TAATTTTACA AATCAATCGT	5400
	ACCTCGTGCT GACAGATTCT GGTGGTATTC AAGAGGAGGC TCCTACATTT GGAAAACCTG	5460
5	TGTTGGTATT AAGGAATCAT ACAGAGCGTC CCGAAGGCGT TGAGGCGGGA ACATCGAGAG	5520
	TAATTGGCAC AGATTATGAC AATATTGTTC GAAATGTGAA ACAATTGATT GAGGATGATG	5580
	AAGCGTATCA ACGTATGAGT CAAGCGAATA ATCCATATGG TGATGGACAA GCATCACGAC	5640
10	GTATTTGTGA AGCAATAGAA TATTATTTTG GATTGCGCAC AGACAAGCCG GATGAATTCG	5700
	TACCTTTACG TCACAAATAA TAAAAAACCC CTAATCATGA AGTTGGTTTA GACAACCAGC	5760
	GGTGACTAGG GGTTTTAAAT ATATTTATTT TTGATAGTGG TAGCCAATAT CATATTTGAA	5820
15	TACTTTATTT GATAATATTG GACTTTGCTG TCCATCGTCA TCACTTTTAA AACGTACATT	5880
	TTTATGAGCT TCTTTAAATA CATCGGAATT CAACCAATTA TTAAAGCTAT CTTCAGATTC	5940
	CCAAATAGTT AAGATTTTAA CTTCGTCTGT ATCCTCGGTA TTTAATGTTT TAGTGACAAA	6000
20	CATTTGTTGG AAGCCTTCAA TAGTTTCAAT ACCTTGCTA TTGTAAAAAC GTTCAATCGT	6060
	TTCTTCCGCA CTGCCTTTTT GTAATTGTAA TCTATTTTCT GCCATAAACA TGGGCAATCA	6120
25	CTCCCTCTATT TTATGATTG ATTTGGGTAA TGTTTTTTACA AATGTAAAGA GTACAGCGGT	6180
	TTGTATGATA ACCATTATGA TTAATCCTAC ACGGACTGCA AGAACATCCA CCATATAAAT	6240
	TGAAAAACCT ATTACAATGT ATAAGCTAAT TAAAATTTTA ATTTTCTGTT GTAGCGTGTA	6300
30	GCCTCGATGT AAATAAAAGT TTTCTACATA TTCTTTATAA ATTTTTTGAT TAATAAGCCA	6360
	ATTGTAAAAG CGATCTGAAC TTCGAGCAAA GCAAAAAAAT GCTACGAGTA AAAAAGGGGT	6420
	CGTTGGCAGT AAAGGTAATA CGGCACCTGC AATACCAAGC GCTGTAAATA TTAAGCCAAT	6480
35	GACGATTAAA ATAAGTCGCA TTGAAAAAAC TCCATTCTAG TACTAATGCG CATGTAATAT	6540
	TGTTTTAGTA ATATAACTCA TGCTAAATAT AATGTGTATG ATAAGTGCAA TGACTCAGTA	6600
	AAATGAAACG ATGTTGAATT ATCCTTGTC AATTAAACGCA TTTTAAGCGC GACTTTCATA	6660
40	ACAACCAAAC TATTTAATGA GAATTATTCT CAAGTATTAT AGTTATATTA TGTGTTTTAT	6720
	TTTTGAAAAG TGCAATATGT TTTGAAAAT AAGATTATTT TTATGTGCAA AAACGACGCA	6780
	AAAGTTTTAA AAATGAGACT TCTGTGAGCT GATTATTTTA TAAAATGTAA ACGCTTACTA	6840
45	TATAATGTGA ATCATATCGT TTAAAAGCAT TATTAAATAT GATGCTAAGA GATTTATATT	6900
	ATAGCCAATA AACAAAGGAG AGATAATATG GCAGTAAACG TTCGAGATTA TATTGCAGAG	6960
50	AATTATGGTT TATTTATCAA TGGGGAATTT GTTAAAGGTA GCAGTGACGA AACAAATCGAA	7020
	GTGACTAATC CAGCAACTGG AGAAACACTA TCACATATTA CAAGAGCAAA AGATAAAGAT	7080

55

EP 0 786 519 A2

	TCAGAACGTG	CACAAATGTT	GCGTGATATT	GGTGATAAAT	TAATGGCACA	AAAAGATAAA	7200
	ATTGCAATGA	TTGAAACATT	AAATAATGGT	AAACCGATTG	GTGAGACAAC	AGCAATTGAT	7260
5	ATTCCATTTG	CTGCAAGACA	TTTCCATTAT	TTCGCAAGTG	TTATTGAAAC	AGAAGAAGGT	7320
	ACAGTGAATG	ATATCGATAA	AGACACAATG	AGTATCGTAC	GACATGAGCC	GATTGGCGTC	7380
	GTAGGTGCTG	TTGTTGCTTG	GAACCTCCCA	ATGCTATTAG	CTGCATGGAA	GATTGCGCCA	7440
10	gCCATTGCTG	CAGGTAATAC	AATTGTGATT	CAACCTTCGT	CTTCAACACC	ATTAAGTTTA	7500
	TTGGAAGTTG	CTAAAATTTT	CCAAGAGGTA	TTACCTAAAG	GTGTTGTCAA	TATACTAACG	7560
	GGTAAAGGTT	CAGAATCAGG	TAATGCAATT	TTCAATCATG	ATGGTGTAGA	TAAATTATCA	7620
15	TTTACGGGCT	CAACTGATGT	AGGTTATCAA	GTTGCCGAAG	CTGCAGCAAA	ACATCTAGTA	7680
	CCCGCTACAT	TAGAGCTTGG	TGGTAAAAGC	GCCAATATCA	TATTAGATGA	TGCTAATTTA	7740
20	GACCTTGCG	TTGAAGGTAT	TCAGTTAGGT	ATTTTATTCA	ACCAAGGTGA	AGTATGTAGT	7800
	GCAGGTTCTC	GATTATTAGT	TCATGAAAAA	ATTTATGATC	AATTGGTGCC	ACGTTTACAA	7860
	GAGGCATTTT	CAAATATTAA	AGTTGGAAAT	CCACAAGATG	AAGCTACACA	AATGGGTAGT	7920
25	CAAACCTGGTA	AGGATCAATT	AGATAAAATT	CAATCATATA	TTGATGCAGC	AAAAGAATCA	7980
	GATGCACAAA	TTTTAGCAGG	CGGTCATCGC	TTAACTGAAA	ATGGATTAGA	TAAAGGGTTC	8040
	TTCTTTGAGC	CGACATTAAT	TGctGTGCCA	GACAAATCATC	ACAAATTAGC	ACAAGAAGAA	8100
30	ATATTTGGAC	CAGTGTTAAC	AGTGATTAAA	GTGAAGGACG	ATCAAGAAGC	AATTGATATA	8160
	GCTAATGATT	CTGAGTATGG	TTTAGCAGGC	GGTGTATTTT	CTCAAAATAT	CACACGTGCA	8220
	TTAAATATTG	CTAAAGCTGT	ACGTACAGGA	CGTATTTGGA	TTAACTACTTA	CAACCAAGTA	8280
35	CCAGAAGGCG	CACCATTTGG	TGGTTATAAA	AAATCAGGTA	TCGGTCGAGA	AACTTATAAA	8340
	GGTGCGTTAA	GTAACATCA	ACAAGTTAAA	AATATTTATA	TTGATACAAG	CAATGCTTTA	8400
	AAAGGTTTGT	ACTAGAATAA	ATATCGTTTC	TGAAGCGTGT	TTGTAGGTCA	GTCTAGCGGT	8460
40	AAGTCTTAAC	ATTTAACGGC	GTTGTTTAGA	TTTTAAGCAA	AACAAAATAT	ATAGGAACAC	8520
	GTATCATGAT	ATTAGGATAT	AATGACTAAA	ATAATAGCAG	TAGGATGGTT	TTTAATTGCA	8580
45	AATCATCTTA	CTGCTGTTTT	TAATTATGCT	AATTTGCGAT	GCGGCTATTA	TAAGGACAGA	8640
	GTTGTTTTATT	AATTATGGTG	ATTTAGAAAT	ATGAAGTTCA	ATATGCAAAG	TCATCGTTTG	8700
	TTTTAATATG	CGGAACAATC	ATTAAAGTTA	TTGCGATTTT	TTGAACTTAA	TGAAACTAAA	8760
50	CAATAAATTT	GAGATACTTT	TTTGTCATTT	TTATGTAACT	AACACAATAA	TCTCGTACAT	8820
	TATTAAAATT	TTCTATATGA	TAGGAATAAA	GCAAAGCGCG	AGTGTGCTGT	AAAAGTTTTC	8880

55

EP 0 786 519 A2

	GATGATGTAT AAATCATGGT TAATTACGGA AGCATTAAATA TTAACCTGAG AAGCTATAAA	9000
	GAATTATTTT TAAAAGCGAC AATATTAAAT ACGACGCATT TATTTAGGAG TGGCAAACGT	9060
5	ATGAATGGGA AAAAGGCGAA TACGATAAAC AGATACAAAT ATTTTCATCA TGTCAATCAT	9120
	CAAAAAATTC AACAAAGTTC TAAAAAGACG CTGTGGGCAT CACTAATCAT CACATTGTTA	9180
	TTTACAGTGA TTGAATTTGT CGGAGGTTTA GTATCTAATt CATTGGCATT ACTGTCAGAT	9240
10	TCATTTTATA TGCTTAGTGA TGTATTAGCA CTTGGTTTAT CTATGTTGGC CATTATTTTT	9300
	GCAAGTAAAA AGCCGACTGC ACGATACACA TTTGGATATT TAAGATTTGA GATATTAGCT	9360
	GCATTTTATA ATGGTTTAGC ATTAATTGTA ATTTCAATCT GGATTTTATA TGAAGCTATT	9420
15	GTACGTATTA TTTATCCGCA ACCAATTGAA AGTGGCATTa TGTTTATGAT TGCTAGTATT	9480
	GGTTTACTCG TCAATATTAT TTTGACTGTT ATCCTTGTAa GGTCTTTAAA ACAAGAAGAC	9540
20	AATATCAATA TTCAAAGTGC ATTATGGCAT TTCATGGGAG ACTTATTGAA CTCTATTGGT	9600
	GTCATCGTTG CAGTTGTATT GATTTACTTT ACAGGATGGC GCATCATCGA CCCAATCATT	9660
	AGTATTGTAA TTTCACTCAT CATTTTACGT GGTGGTTATA AAATTACGCG TAATGCgTGG	9720
25	tTAATTTTAA TGGAAAGTGT GCCTCAACAT TTGGATACTG ATCAAATTAT GGCAGATATT	9780
	AAAAACATAG ATGGCATATT AGATGTACAT GAATTTTCAAT TGTGGAGTAT TACAACAGAG	9840
	CATTATTCAT TAAGTGCCCA TGTTGTGTTA GATAAAAAAT ATGAGGGTGA TGATTATCAA	9900
30	GCGATTGATC AAGTATCATC ATTGTTGAAA GAAAAATATG GCATTGCACA TTCAACGTTG	9960
	CAAATTGAAA ACTTGCAATT GAATCCATTA GATGAGCCAT ACTTCGACAA ATTAACATAA	10020
	ATAAAACATT GTAGCGCCTA AAACATTAAT CTATGTCATA GGCGCACGTT TCGTTTTATA	10080
35	CTTATGTTGC ATCATTTAAA TGATTTTCGT CAATTTCTTT GATGCTATCT ACATCTAACA	10140
	CGACATCTTT AGGTTTCAAA ATATGAATAT GTTTTTCATC ATTTGTATGT AAAATGCGTT	10200
	CTATGATGTA CCTTTGACCG GCCATTGTTT CTACAGCAAT CTTTTTGTTT CTAGCTAAAC	10260
40	TTGCTACGAC AGATTCTTTA TCCATAATGA TAGCCCCCTA TATATATGTT TATTTACTTA	10320
	TACCCTAACA TGATTTTTAT ACTCTTGAA AATATATTTT ACAGAATTTT ATCTAAATAT	10380
	TTAAAAAAT ATCTTAATAT CCTTGTAATC CGATAAGAAT TATAGTAATA TTTTTTCAAC	10440
45	CATtGTTATA GGAGGTCTTA TTAATGACAT TATTTTTATT AGAAGCTAAC AATCTTGATT	10500
	TTGCATCAAC GAAAGAAGAA CTAGAAGCAA AGGCAGCATC ACTATCTACG AAGACAATTC	10560
50	CAACATTAAT TGAAGTACAA GCTACTGAAA ATTTAACTCA TGGTTATTTT ATTGTGGAAG	10620
	CAAATGACGA aGCAGAAGCT AAACAATTTT TAACAGAAGC AGATATTAGT ATTCAATTAG	10680

55

EP 0 786 519 A2

	TTGATTACCT	TGTAACCTGG	AACATTCCGG	AAGGCATTAC	GATGGATCAA	TATTTAGCAC	10800
	GTAAAAAGAA	AAATTCTGTT	CATTATGAAG	AAGTGCCAGA	AGTTGAATTT	AAACGCACAT	10860
5	ATGTATGTGA	AGATATGTCT	AAATGTATTT	TTTTATACAA	CGCACCTGAT	GAAGAAGCGG	10920
	TACGTCGCGC	GCGCAAAGCA	GTTGATACAC	CGATTGATGG	CATCGAAAAA	CTTTAATAAG	10980
10	ACAACAAGTT	GATGAGATAT	ATGTATATAG	TTTTGGCATG	GATTTTCGATT	GCAGTTAATT	11040
	AGAATAGCTC	AATGCTATAA	ATGTAAGTAG	TTGATATGAA	GAAACTAATG	AACTAAATGC	11100
	AAGTATTGTC	TAAAACAATC	ATTTTATTGA	AATTTAGTAG	AGCTGAAATT	AATATAACGT	11160
15	CGTTAATTGA	ATAACGCTTA	TGTTATAAGA	GCACTCATAC	CAAACCATAA	TCATCTATAG	11220
	ATATAACAAT	TCACGATATA	AGGGCTGTGT	TTGGCATAGC	CCTTTAGATA	TACACTTAAT	11280
	TCCTATTAAA	ATAGTAGGGA	TTAAAAGGGG	GCTTGTCTATG	ATTAAAATTC	AACAATTACA	11340
20	ACATCACTTT	GGATCACATA	AAGTAATTCA	TAACTTTAAT	TTGGACATTA	GCAAGGGAGA	11400
	AATAGTCACT	TTCATAGGGA	AAAGTG GTTG	CGGAAAGTCT	ACTTTACTCA	ATATTATCGG	11460
	TGGATTTATT	CATCCATCGT	CTGGTCGTGT	CATTATTGAT	AACGAAATTA	AACAACAGCC	11520
25	ATCTCCAGAT	TGTTTAAATGC	TATTTCAACA	TCATAATTTG	CTGCCATGGA	AAACGATTAA	11580
	TGACAACATT	AGGATTGGAT	TACAACAGAA	AATTAGTGAT	GAAGAGATTA	ACGCACAGCT	11640
	TAAATTAGTT	GATTTAGAAG	ACAGGGGAAA	GCATTTTCCC	GAGCAACTGT	CCGGGGGTAT	11700
30	GAAACAACGT	GTGGCACTAT	GTCGAGCGCA	TGTGCATAAG	CCTAACGTTA	TATTGATGGA	11760
	TGAGCCATTA	GGTGCATTAG	ATGCATTTAC	ACGTTATAAA	CTTCAGGATC	AACTAGTGCA	11820
	aCTAAACAT	AAAACGCAAT	CAACTATTAT	TTTAGTGACG	CATGACATTG	ATGAAGCTAT	11880
35	TTATCTTTCC	GACCGCATTG	TTCTGTTAGG	TGAAGGGTGC	AATATTATTT	CTCAATATGA	11940
	AATTACAGCA	TCACATCCAC	GCAGTCGTAA	TGATAGCCAC	CTACTTAAGA	TTCGTAATGA	12000
	AATTATGGAA	ACATTTGCAT	TGAATCATCA	TCAAGTTGAA	CCTGAATATT	ATTTATAAGG	12060
40	AGTGAGTGAC	GATGAAAAGG	TTAAGCATAA	TCGTCAATCAT	TGGAATCTTT	ATAATTACAG	12120
	GATGTGATTG	GCAAAGGACG	TCTAAAGAAC	GGTCTAAAAA	TGCCCAAAAT	CAGCAAGTGA	12180
45	TTAAAATTGG	ATATTTGCCG	ATTACACATT	CAGCTAATTT	GATGATGACT	AAAAAATTAT	12240
	TATCACAATA	CAATCATCCG	AAATATAAAC	TAGAATTAGT	TAAATTCAAT	AATTGGCCAG	12300
	ATTTAATGGA	CGCATTA AAC	AGTGGTCGTA	TTGATGGTGC	ATCAACTTTA	ATAGAGCTAG	12360
50	CGATGAAATC	AAAACAGAAG	GGCTCAAATA	TAAAGGCTGT	GGCATTGGGC	CATCATGAAG	12420
	GCAATGTCAT	TATGGGACAA	AAAGGTATGC	ACTTAAATGA	ATTTAATAAT	AATGGCGATG	12480

55

EP 0 786 519 A2

	GTAAACAATT AAAGATTAAA CCGGGGCATT TTAGCTATCA TGAAATGTCG CCAGCAGAAA	12600
	TGCCAGCCGC ATTGAGTGAA CACAGAATTA CAGGGTATTC TGTAGCCGAA CCATTCGGTG	12660
5	CACTGGGTGA AAAGTTAGGC AAAGGTAAGA CTTTGAAACA TGGTGATGAC GTTATACCTG	12720
	ATGCGTATTG CTGTGTGCTA GTACTGAGAG GGGAAATGCT TGATCAACAC AAGGATGTAG	12780
	CGCAAgCATT TGTACAAGAT TATAAAAAGT CTGGCTTTAA AATGAATGAT CGCAAGCAAA	12840
10	GTGTAGACAT TATGACGCAT CATTTTAAAC AAAGTCGTGA CGTTTTAACA CAGTCAGCGG	12900
	CATGGACATC CTATGGTGAT TTAACAATTA AGCCATCCGG CTATCAAGAA ATTACGACAT	12960
	TGGTAAAAACA ACATCATTTG TTTAATCCAC CTGCATATGA TGACTTTGTT GAACCGTCAT	13020
15	TGTATAAGGA GGCATCGCGT TCATGACACG TCCCACAAAT AACAAATTTA TATTACCTAT	13080
	TATCACATTT ATTATTTTCT TAGGCATTTG GGAAATGGTC ATTATTATTG GGCATTACCA	13140
	ACCTGTATTG TTACCGGGTC CTGCTCTTGT AGGAAAAAGT ATATGGTCTT TCATTGTTAC	13200
20	TGGAGAAATT TTCCAACATT TAGCAATTAG TTTATGGAGA TTTGTAGCGG GCTTTGTTGT	13260
	CGCATGTGTG GTTGCTATTG CATTGGGCTT CTTGCTTGGA AGGAATCGTT GGCTATACAA	13320
25	CGCTATCGAA CCGCTATTTT AATTGATTAG GCCGATATCT CCGATAGCAT GGGCACCATT	13380
	TGTTGTTCTA TGGTTTGGTA TTGGTAGTTT GCCAGCGATT GCGATTATTT TTATCGCTGC	13440
	TTTTTTCCCA ATTGTGTTCA ATACTATTAA AGGCGTTAGA GACATTGAAC CTCAATATTT	13500
30	AAAAATAGCA GCAAATTTAA ATTTAACTGG GTGGTCATTG TATCGCAATA TATTATTTCC	13560
	CGGGGCATTT AAACAAATCA TGGCTGGGAT ACATATGGCG GTAGGAACAA GTTGGATATT	13620
	TTTAGTTTCT GGTGAAATGA TTGGTGACA ATCGGGATTA GGTTTTTTAA TCGTTGATGC	13680
35	ACGAAATATG TTGAACTTAG AAGATGTTTT AGCAGCAATA TTCTTTATCG GATTATTTGG	13740
	TTTTATTATT GATCGATTCA TTAGTTATAT TGAGCAGTTT ATACTTAGAA GATTTGGTGA	13800
	ATAAGGAGAG ATGATGATGA CTTTAGAAAC GCTTATCAAA GAACAATTAG ATCCTCATTT	13860
40	AGTAGAAGTT GATGAAGGGA CGTATTATCC GAGAACATTT ATTCAGCAAT TATTTGTAGA	13920
	TGGTTATTTT GGTGAGGCGG CATTGAGAAA AAATGCTGAA GTAATCGAAG CTGTATCGCA	13980
	GTCTTGTTTG ACAACAGGAT TTTGTTTATG GTGCCAATTA GCTTTTTCAA CGTATTTAGA	14040
45	AAATGCCACG CAGCCACATT TAAATAATGA CTTACAACAG CAATTGTTAT CTGGAGAAAT	14100
	ATTAGGTGCT ACCGGATTGT CTAATCCGAT GAAGTCATTT AATGATTTAG AAAAGTTGAA	14160
	CCTTGAACAC ACTTATGTTG ATGGACAATT GGTGTGTCAGT GGACGTATGC CAGCTGTAAG	14220
50	TAATATTCAA GAAGACCATT ATTTTGGTGC GATTTGCGAA CATGAATCAT CAGATGAATT	14280

55

EP 0 786 519 A2

	TTTAGGAGTC AACGGGTCAG CAACGTATCA AATCACATTG AATCAAGTCG TAGTGCCACA	14400
	ATCACAAATT ATCACGCATG ATGCGAAGCA GTTTGCGGCA ACTATTCGCC CGCAATTTAT	14460
5	TGCTTACCAA ATTCCAATAG GATTAGGCTC AATTAAAAGT TCTTTAGAGT TAATTGATGC	14520
	ATTTTCAAAT GTGCAAAACG GAATAAATCA ATATTTAGAG TATGATGTTG AAGCTTTTAA	14580
10	AAAACGTTAT CGTCAACTTA GAGAGGAATA TTATGCAATA TTAGATGACG GTAACCTAAC	14640
	TTCACATTTA AATGAATTAA TATCATTGAA GAAGGACATC GGCTATTTAT TGTTAGATGT	14700
	AAATCAAGCT TCTGTTGTCA ATGGTGGTTC TAGAGCGTAC ACACCATATT CGCCACAAGT	14760
15	TCGCAAGTTA AAAGAAGGAT TCTTCTTCGC AGCATTGACA CCGACATTAA GACATTTAGG	14820
	TAAACTTGAA GCAGAGTTGA AGGGGTAAGT GTGATAAGCT GATTTTTTGT TTAGATGCGT	14880
	TTGTTGAAAC ATTTTTTAAA ATAATATAAA TCTTAGTTTA TAAACATTTT CTGTTAATTT	14940
20	GTTATATCCT TTAACTAGG AAAATATACA TTTCGTAATA ATAATAATCG TTATCATTGA	15000
	AAAAGTGTTA ATAAGGTGTA TAATGAAAAT GTGAACAATT AATGAACTTC TTATTTTAAA	15060
	GAAGGTGAAT ACTATAGATA CGCATACTAA AGAACACAA TTCTCGAATC TAGTAAGATC	15120
25	TTATCGTAAA GAATACGTGG GTAAAGGACC CAATAGTATT CGAGTGTCGT TTAAAGATAA	15180
	TTGGGCGATT GCACATATGA CAGGTGTTTT GAGTAAAGTT GAGAGTTTTT ACCTAAACGA	15240
	CAAACGCAAT GAATCGATGC TCCATTATAC ACGCACAGAG AAGATTAAAC AGATGTATAA	15300
30	AGAAATAGAT GTAAATGAGA TGGAAAGTCT TGTAGGCGCT AAGTTTGTA AATTATTTAC	15360
	AGATATTGAT TTGAATGATG ATGAAGTCAT TTCAATATTT GTTTTCGATA AGTCAATAGA	15420
	ATAAGTGTTG CTGGTGTAAG GTACACGGTG CTGTTTGCTA ACTTCGCTTT GAATTTAACA	15480
35	ATAATTCAAG GGGGTGGTAT GTCAAACGGT GCCGTTTTTT TGTCATATTT TTAACAACAG	15540
	CAACATGCAA CACGTACTTT AAGGAAGTCA AAATTTATCA TTTAGGAGAG ATGGATATGA	15600
	AAATCGTAGC ATTATTTCCA GAAGCAGTAG AAGGTCAAGA AAATCAATTA CTTAATACTA	15660
40	AAAAAGCATT AGGATTAAAA ACATTTTTAG AGGAAAGAGG ACATGAGTTC ATTATATTAG	15720
	CAGATAATGG TGAAGACTTA GATAAACATT TACCAGATAT GGATGTGATT ATTAGTGCGC	15780
45	CATTTTATCC TGCATATATG ACTCGTGAAC GTATTGAAAA AGCACCGAAC TTGAAATTAG	15840
	CAATTACAGC AGGTGTAGGA TCTGACCATG TAGATTTAGC GGCAGCAAGT GAACACAATA	15900
	TTGGTGTCGT TGAAGTTACA GGAAGTAATA CAGTTAGTGT GGCAGAACAT GCGGTTATGG	15960
50	ATTTATTAAT ACTTCTTAGA AACTATGAAG AAGGTCATCG TCAATCAGTA GAAGGTGAAT	16020
	GGAACTTGTC TCAAGTAGGT AATCATGCGC ATGAATTACA ACACAAAACA ATTGGTATTT	16080

55

TACAACACTA TGATCCAATC AATCAACAAG ACCATAAATT GTCTAAATTT GTAAGCTTTG 16200
 ATGAACTTGT TTCAACAAGT GATGCGATTA CAATTCATGC ACCATTAACA CCAGAAACTG 16260
 5 ATAACCTTATT TGATAAAGAT GTTTTAAGTC GTATGAAAAA ACACAGTTAT TTAGTGAATA 16320
 CTGCACGTGG TAAAAATTGTA AATCGCGATG CGTTAGTTGA AGCGTTAgCA TCCGAGCATT 16380
 TACAAGGATA TGCTGGTGAT GTTTGGTATC CaCAACcGC ACCTGCTGAT CATCCATGGA 16440
 10 GAACAATGCC TAGAAATGCT ATGACGGTTC ACTATTCAGG TATGACTTTA GAAGCACAAA 16500
 AACGTATTGA AGATGGAGTT AAAGATATTT TAGAGCGTTT CTTCAATCAT GAACCTTTCC 16560
 AAGATAAAGA TATTATTGTT GCAAGTGGTC GTATTGCTAG TAAAAGTTAT ACAGCTAAAT 16620
 15 AGAATAAGGA TGCTGGGCTA GCGATTAAACG CTTTCAATTT TATATAAATG AATCATATAA 16680
 GCACTACTGC TGTTGTAAAG ATGGCAGTAG TTTTTTTATG ATTACATCTA AGTATAGTCA 16740
 CGGCTATGTT AGGACAATGA TTTAACATTT ACGCACATAT GTGTTCACTT ACGCAATTAT 16800
 20 TGAnAAATnT CATTATGTG GnAATC 16826

(2) INFORMATION FOR SEQ ID NO: 47:

25 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 4012 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 47:

TTCAATGAGA GTAGTGGGCT GATGTTTAGC GATATCGCGT AAGATTAACC ATTGGCCATA 60
 35 ATATATATTG TGTTTTCTA AAATCGGCTC GGCTAATTTT AAATAGGGGC GATATATTGT 120
 TATAAACTA TTGAAAAATT CTTGTGATAG CATAGTGACA TCTCCTAAGA CAAAATAGTT 180
 AGCTTAGCTA mCCTTTTAC AACAATAGTA ATTATAAAC GGGAGCAATT AGAAATCAAT 240
 40 ATATAATTAT TAAGAGCAAA AATAATTATA CTTTGTTAAA ATAAGCGTAA TTACATGTAA 300
 ATAGGGGGAT ACTAATGATA TTGAAATTTG aTCACATCAT TCATTATATA GATCAGTTAG 360
 ATCGGTTTAG TTTTCCAGGA GATGTTATAA AATTACATTC AGGTGGGTAT CATCATAAAT 420
 45 ATGGAACATT CAATAAATTA GGTATATCA ATGAAAATTA TATTGAGCTA CTAGATGTAG 480
 AAAATAATGA AAAGTTGAAA AAGATGGCAA AAACGATAGA mGGCGGAGTC GCTTTTGCTA 540
 CTCAAATTGT TCAAGAGAAG TATGAGCAAG GCTTTAAAAA TATTTGTTTG CGTACAAATG 600
 50 ATATAGAGGC AGTTAAAAAT AACTACAAA GTGAGCAGGT TGAAGTAGTA GGGCCGATTC 660

55

	ATCAGGATGA TGATGAAATT AAGCCACCAT TTTTATTCA ATGGGAAGAA AGTGATTCCA	780
	TGCGTACTAA AAAATTGCAA AAATATTTTC AAAACAATT TTCAATTGAA ACTGTTATTG	840
5	TGAAAAGTAA AAACCGATCA CAAACAGTAT CGAATTGGTT GAAATGGTTT GATATGGACA	900
	TTGTAGAAGA GAATGACCAT TACACAGATT TGATTTTAAA AAATGATGAT ATTTATTTTA	960
	GAATTGAAGA TGGTAAAGTT TCAAAATATC ATTCGGTTAT CATAAAAGAC GCACAAGCAA	1020
10	CTTCACCATA TTCAATTTTT ATCAGAGGTG CTATTTATCG CTTTGAACCA TTAGTATAAA	1080
	TATACGTAAG TGCTATGAGC GAGAATGCCC ATATGAATAA TGACAAGCAC AATGGAAAGA	1140
	ATCGTTAATA TATTATTTAA TCGTGATGAC TTAATTAATA TGAAAAAGAT TGATAATATA	1200
15	AATGTGAAAA AGATAAGTAT AACCCGTAAA CTAAAGTAAT TCACGGTGAG AGGTTGACTC	1260
	AATGTCATAA TGATTGCAAC GATGTTTATA ATTATAAATA GACTTAAAAT AATTGTTCTC	1320
	ATATCAAACA CCTCATTGTT AGATTATTGA CATTATAACA GGGGTAATTG TATATGAACA	1380
20	TTAATGTGGT TGCTTGAGGA AAAATTTATT CATTGAAGTC AAGTTGGTTC ATTTTAGAAA	1440
	TGAATATCGT GTTAGATGAT GAAAGTATAT TGAAGTATAG GTAAGTAGTT GAAAAGTATT	1500
	AATTGTACGA TAACATTAAA TTTAACACGA AACATAGATA TAAAATGATT CACAATTAAA	1560
25	ATGGGTAAAT TTGAACTTGC TAAACTATTA ATTGGAGCAT GGACATTTCA AAAATAAGAG	1620
	TTCAAATCTT ACACAAGCTC TGAATCGACA CTATAAGATA CAACTGTAT AATTAAAGGT	1680
30	ATTGTTAAAT AGAAGGAGAT ATCATAAATC ATGGAAAAGA TGCATATCAC TAATCAGGAA	1740
	CATGACGCAT TTGTTAAATC CCACCCAAAT GGAGATTTAT TACAATTAAC GAAATGGGCA	1800
	GAAACAAAGA AATTAAGTGG ATGGTACGCG CGAAGAATCG CTGTAGGTCG TGACGGTGAA	1860
35	GTTCAGGGTG TTGCGCAGTT ACTTTTTAAA AAAGTACCTA AATTACCTTA TACGCTATGT	1920
	TATATTTTCGC GTGGTTTTGT TGTGATTAT AGTAATAAAG AAGCGTTAAA TGCATTGTTA	1980
	GACAGTGCAA AAGAAATTGC TAAAGCTGAG AAAGCGTATG CAATTAAAAT CGATCCTGAT	2040
40	GTTGAAGTTG ATAAAGGTAC AGATGCTTTG CAAAATTTGA AAGCGCTTGG TTTTAAACAT	2100
	AAAGGATTTA AAGAAGGTTT ATCAAAAAGAC TACATCCAAC CACGTATGAC TATGATTACA	2160
	CCAATTGATA AAAATGATGA TGAGTTATTA AATAGTTTTG AACGCCGAAA TCGTTCAAAA	2220
45	GTGCGCTTGG CTTTAAAGCG AGGTACGACA GTAGAACGAT CTGATAGAGA AGGTTTAAAA	2280
	ACATTTGCTG AGTTAATGAA AATCACTGGG GAACGCGATG GCTTCTTAAC GCGTGATATT	2340
	AGTTACTTTG AAAATATTTA TGATGCGTTG CATGAAGATG GAGATGCTGA ACTATTTTAA	2400
50	GTAAGTTGG ATCCAAAAGA AAATATAGCG AAAGTAAATC AAGAATTGAA TGAAGTTTCA	2460

55

EP 0 786 519 A2

	CAAAATATGA TTAATGATGC GCAAAATAAA ATTGCTAAAA ATGAAGATTT AAAACGAGAC	2580
	CTAGAAGCTT TAGAAAAGGA ACATCCTGAA GGTATTTATC TTTCTGGTGC ACTATTAATG	2640
5	TTTGCTGGCT CAAAATCATA TTACTTATAT GGTGCGTCTT CTAATGAATT TAGAGATTTT	2700
	TTACCAAATC ATCATATGCA GTATACGATG ATGAAGTATG CACGTGAACA TGGTGCAACA	2760
	ACTTACGATT TCGGTGGTAC AGATAATGAT CCAGATAAAG ACTCAGAACA TTATGGATTA	2820
10	TGGGCATTTA AAAAAGTGTG GGGAAACATAC TTAAGTGAAG AGATTGGTGA ATTTGATTAT	2880
	GTATTGAATC AGCCATTGTA CCAATTAATT GAGCAAGTTA AACCGCGTTT AACAAAAGCT	2940
	AAAATTAAAA TATCTCGTAA ATTAACACGA AAATAGATTA ACGACTGAAA TCTGAACGCT	3000
15	CATAAGACTG TCATTTGCGT TCAGATTTTT TTACACAATA TAGAATGGTT GAGTAAAATA	3060
	TTTTTGAATA TAGTGAAAGA GGGGGAAGTA CTGTGATAAA AAAGCTATTA CAATTTTCTT	3120
20	TAGGGAATAA GTTTGCTATC TTTTAAATGG TTGTTTTAGT TGTCTTGGGC GGTGTATATG	3180
	CGAGTGCTAA ATTGAAATTA GAATTACTAC CAAATGTACA AAATCCAGTT ATTCAGTTA	3240
	CAACAACAAT GCCGGGTGCA ACGCCACAAA GTACCCAAGA TGAAATAAGT AGTAAAATTG	3300
25	ACAATCAAGT AAGATCATTG GCATATGTGA AAAATGTTAA AACGCAATCC ATACAAAATG	3360
	CTTCAATTGT AACAGTTGAA TATGAAAATA ATACAGATAT GGATAAAGCA GAAGAACAGC	3420
	TTAAAAAGA AATCGATAAA ATTAAATTTA AAGATGAAGT TGGTCAACCA GAATTAAGAC	3480
30	GTAATTCGAT GGATGCTTTT CCGGTTTTAG CATATTCATT TTCAAATAAA GAGAATGACT	3540
	TGAAAAAGT AACGAAAGTA CTGAATGAAC AATTAATACC AAAATTGCAA ACGGTAGATG	3600
	GTGTGCAAAA TGCGCAATTA AATGGGCAGA CGAACCGTGA AATCACCCCTT AAATTTAAGC	3660
35	AAAATGAACT TGAAAAATAT GGGTTGACTG CTGATGATGT AGAAAACTAT CTAAAAACGG	3720
	CAACAGAAG AACGCCACTT GGATTGTTCC AATTTGGTGA TAAAGATAAT CAATTGTTGT	3780
	TGATGGTCAA TATCAATCTG TTGATGCTTT TAAAAACATA AATATTCCAT TAACGTGGCA	3840
40	GGAGGACCAA GGGCATCTCA TCCCAAAGTG ACCATAAACC AAATTCAGCC ATGTCAGACG	3900
	TTATCAGGCA TCACCACAGC AAATTCAAAG CGTCAGCnCC AATATATAGT GGATGCCGCA	3960
45	nGAACTAGGG GTTTAGCGnT ATCAGTGGTG TGGCGACTCT ATTCTAAACG AT	4012

(2) INFORMATION FOR SEQ ID NO: 48:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 7778 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

EP 0 786 519 A2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 48:

5	CAATATAGGT CGCCGAGTTT CAACTaCATC AACTGGTTCA GTTACATTAG ATAATGCGCT	60
	AGGTGTAGGT GGCTATCCTA AAGGACGAAT TATTGAAATT TATGGTCCTG AAAGTTCCTG	120
	TAAGACAACA GTAGCGCTTC ACGCTATTGC TGAAGTACAA AGTAATGGCG GGGTGGCAGC	180
10	ATTTATCGAT GCTGAACATG CTTTAGATCC AGAATATGCT CAAGCATTAG GCGTAGATAT	240
	CGATAATTTA TATTTATCGC AACCGGATCA TGGTGAACAA GGTCTTGAAA TCGCCGAAGC	300
	ATTTGTTAGA AGTGGTGCAG TTGATATTGT AGTTGTAGAC TCAGTTGCTG CTTTAACACC	360
15	TAAAGCTGAA ATTGAAGGAG AAATGGGAGA CACTCACGTT GGTTTACAAG CTCGTTTAAT	420
	GTCACAAGCG TTACGTAAAC TTTCAGGTGC TATTTCTAAA TCAAATACAA CTGCTATTTT	480
	CATCAACCAA ATTCGTGAAA AAGTTGGTGT TATGTTCCGT AATCCAGAGA CTACACCAGG	540
20	TGGACGTGCA TTAATAATTCT ATAGTTCAGT AAGACTAGAA GTACGTCGTG CAGAACAGCT	600
	TAAACAAGGA CAAGAAATTG TAGGTAATAG AACTAAAATT AAAGTCGTTA AAAATAAAGT	660
	GGCACCACCA TTTAGAGTAG CTGAAGTTGA TATTATGTAT GGACAAGGTA TTTCTAAAGA	720
25	GGGTGAACTT ATTGATTTAG GTGTTGAAAA CGACATCGTT GaTAAATCAG GAGCATGGTA	780
	TTCTTACAAT GGCGAACGAA TGGGTCAAGG TAAGGAAAAT GTTAAAATGT ACTTGAAAGA	840
	AAATCCACAA ATTAAAGAAG AAATTGATCG TAAATTGAGA GAAAAATTAG GTATATCTGA	900
30	TGGTGATGTT GAAGAAACAG AAGATGCACC AAAGTCATTA TTTGACGAAG AATAGTACAC	960
	AAATTTATAT CTATAGTTAA ACTTAGCAAA TATCCTTATA GGATTGATTG AAAGTGATAT	1020
	TCATCTCATA AAGCTAGAAT AATATCTAAC TTTATGGGAT ACACTACAAA TCGAGACTAT	1080
35	AAGGTTTTTT ATTTTATTTA TTATTACATT ATCAATAGTT TTATAATCGA GCTTCAAAAC	1140
	TTTAGAAAAAT AGTAGAAATA GCATTCAATA TAGTGCAAAA GTGCAAATTG ATAACCTGAC	1200
	ACTTATCTCC TATAAACCGT ACAATTAATT TGTATGATTT ATATATAATT TCATAAAGTC	1260
40	ATATTGAATT TCATATAAAG AGCAAACCCT AGAAAAGGAG GTGTTTGTGT GAATTTATTA	1320
	AGCCTCCTAC TCATTTTGCT GGGGATCATT CTAGGAGTTG TTGGAGGGTA TGTTGTTGCC	1380
45	CGAAATTTGT TGCTTCAAAA GCAATCACAA GCTAGACAAA CTGCCGAAGA TATTGTAAAT	1440
	CAAGCACATA AAGAAGCTGA CAATATCAAA AAAGAGAAAT TACTTGAGGC AAAAGAAGAA	1500
	AACCAATCC TAAGAGAACA AACTGAAGCA GAAGTACGAG AAAGACGTAG CGAACTTCAA	1560
50	AGACAAGAAA CCCGACTTCT TCAAAAAGAA GAAACTTAG AGCGCAAATC TGATCTATTA	1620
	GATAAAAAAG ATGAGATTTT AGAGCAAAAA GAATCAAAAA TTGAAGAAAA ACAACAACAA	1680

55

EP 0 786 519 A2

CGCATCTCCG GTCTCACTCA AGAAGAAGCT ATTAATGAGC AACTTCAAAG AGTAGAGGAA 1800
 GAACTGTCAC AAGATATTGC AGTACTTGTT AAAGAAAAAG AAAAAGAAAGC TAAAGAAAAA 1860
 5 GTTGATAAAA CAGCAAAAGA ATTATTAGCT ACAGCAGTAC AAAGATTAGC AGCAGATCAC 1920
 ACAAGTGAAT CAACGGTATC AGTAGTTAAC TTACCTAATG ATGAGATGAA AGGTCGAATC 1980
 ATTGGACGAG AAGGACGAAA CATCCGCACA CTTGAACTT TAACTGGCAT TGATTTAATT 2040
 10 ATTGATGACA CACCAGAAGC GGTATATTA TCTGGTTTTG ATCCAATAAG AAGAGAAATT 2100
 GCTAGAACAG CACTTGTTAA CTTAGTATCT GATGGACGTA TTCATCCAGG TAGAATTGAA 2160
 GATATGGTCG AAAAAGCTAG AAAAGAAGTA GACGATATTA TTAGAGAAGC AGGTGAACAA 2220
 15 GCTACATTTG AAGTGAACGC ACATAATATG CATCCTGACT TAGTAAAAAT TGTAGGGCGT 2280
 TTAAACTATC GTACGAGTTA CGGTCAAAAT GTACTTAAAC ATTCAATTGA AGTTGCGCAT 2340
 CTTGCTAGTA TGTTAGCTGC TGAGCTAGGC GAAGATGAGA CATTAGCGAA ACGAGCTGGA 2400
 CTTTACATG ATGTTGGTAA AGCAATTGAT CATGAAGTAG AAGGTAGTCA TGTTGAAATC 2460
 GGTGTAGAAT TAGCGAAAAA ATATGGTGAA AATGAAACAG TTATTAATGC AATCCATTCT 2520
 25 CATCATGGTG ATGTTGAACC TACATCTATT ATATCTATCC TTGTTGCTGC TGCAGATGCA 2580
 TTGTCTGCGG CTCGTCCAGG TGCAAGAAAA GAAACATTAG AGAATTATAT TCGTCGATTA 2640
 GAACGTTTAG AAACGTTATC AGAAAGTTAT GATGGTGTAG AAAAAGCATT TGCGATTGAG 2700
 GCAGGTAGAG AAATCCGAGT GATTGTATCT CCTGAAGAAA TTGATGATTT AAAATCTTAT 2760
 CGATTGGCTA GAGATATTAA AAATCAGATT GAAGATGAAT TACAATATCC TGGTCATATC 2820
 AAGGTGACAG TTGTTGAGA GACTAGAGCA GTAGAATATG CGAAATAATT TTTGTCTCCC 2880
 35 TCACAAATTA GTGAGGGAGC TTTTFTAAGT TGTAGTCTTA AtCTAGTTAG ACAGCACTTT 2940
 ATCGGTAATA ACTATATTAA ACAGTAGTTA TTTGAAAGTA AGACGGACCT TATATTAAAT 3000
 AAGAAGTTAT TGCTTTTAAT AAAAATGTTT TAGGCTTCGT AATTACTATA TTTATATTAT 3060
 40 GTAAACCTAT AAAGATGATT GGTTTTCTAT CCAATAAAAA AGAAGAGAAG ATGTAACACA 3120
 TCTTCTCTTC yGCAATATTA ATTAGGATTT ATTCTAAGT TGAGTTATTT TAATTGTAAA 3180
 TCTGTTTTCT TTAATTCTTT TATAACTTCT GCAGTATCAT AACAATTTGT TGCAATTGTT 3240
 45 GAATATCTCT CTGCTAAACG ATATGCATTA ATGTAAAGCT TTAAACTTTC TTTAGCTATA 3300
 TCCTCTGCAT CTTCGAATTT TGATGGGTTA GACATAACCA CTAATTCTGC AAATTTTTCT 3360
 GGATCAATAT TAATAGACAT GTATTTATTT ACAACTCCTA TTTATTTTGA TGTCTTAATA 3420
 50 CTAACATATT GAAGTTTTCA GACAAAGTAA TGTCTCTCTA TAATTGAAGA AAAATAATTC 3480

55

	GGATGAACAA AACATGAGAA TAATGTTTAT AGGGGATATC GTAGGTAAAA TTGGACGAGA	3600
	CGCAATTGAA ACGTACATAC CTCAACTGAA GCAAAAAGTAT AAACCAACAG TTACAATTGT	3660
5	AAATGCTGAA AATGCAGCAC ATGGTAAAGG TTTGACTGAA AAAATATATA AACAATTACT	3720
	AAGAAATGGT GTAGATTTC A T GACTATGGG TAATCACACA TATGGTCAAC GTGAAATTTA	3780
	TGATTTTATA GATGAAGCAA AACGACTAGT AAGACCAGCG AATTTTCCGG ATGAAGCGCC	3840
10	GGGAATTGGT ATGAGATTTA TACAAATTAA TGATATTAAA CTTGCAGTTA TTAATCTGCA	3900
	AGGAAGAGCG TTTATGCCAG ATATTGATGA TCCTTTTAAA AAGGCAGATC AATTAGTCAA	3960
	GGAAGCACAA GAACAAACTC CGTTTATATT TGTGTGATTTT CATGCAGAAA CAACTTCTGA	4020
15	AAAGTATGCA ATGGGATGGC ATTTAGATGG TAGASTAGCG CTGTTGTTGG AACGCATACA	4080
	CACATTCAAA CAGCAGATGA ACGTATTTTA CCAAAGGGGA CAGGGTATAT AACGGATGTT	4140
	GGTATGACAG GTTTTTATGA TGGCATTTTA GGAATAAATA AAACAGAGGT AATTGAGCGT	4200
20	TTTATCACTA GTTTGCCACA AAGACATGTT GTTCCAAATG AAGGTAGAAG TGTATTATCT	4260
	GGTGTGTGTA TTGATTTAGA CAAAGAAGGT AAAACAAAGC ACATCGAACG TATATTGATA	4320
25	AATGATGACC ATCCATTTTC AACATTTTAA AATTACGTAA GTAAACATTC GAATTGGACC	4380
	CTATCGTCCA TTAGTATGAA TTTAATATAG TACCACTGTT TACATAGTAA ATCGGTGGTT	4440
	CTTTTGTGTA TCATTTAATA TGAAATATAT CCATAGGAGG CATATAACTA TGAAACCACA	4500
30	ATTATCGTGG AAAGTTGGCG GTCAACAAGG CGAAGGTATT GAATCAACTG GGGAAATCTT	4560
	CGCTACGGCT ATGAATAGAA AAGGATATTA TTTATATGGA TATAGACATT TTTCAAGTCG	4620
	TATCAAAGGT GGACATACGA ATAATAAAAT TAGAGTTTCT ACGACGCCTG TTCATGCAAT	4680
35	TAGTGATGAT TTAGATATTT TGATTGCATT TGACCAAGAA ACAATTGATG TTAACCATCA	4740
	TGAAATGAGA GAAGACAGTA TTATTTTATC TGATGCCAAG GCTAAACCTG TGAAACCAGA	4800
	AGGATGTCAT GCACAGCTTA TTGAATTACC TTTTACAGCA ACCGCTAAAG AATTAGGTAC	4860
40	AGCATTAAATG AAAAACATGG TTGCAATAGG TGCTACTAGC GCATTGATGA ATTTGAATAC	4920
	AAATACATTT GAAGAACTTA T TACTAATAT GTTTTCTAAA AAAGGTGACA AGGTAGTTGA	4980
	AGTCAATATC CAAGCATTAA ACGAAGGTTA TCAATTAATG CAATCTCGCT TACCTGAAAT	5040
45	CTACGGGGAC TTTGAATTAG AGTCAACAGA TGCACTACCA CATCTATATA TGATTGGTAA	5100
	CGATGCCATT GGATTAGGTG CAATTGCTGC AGGTTACAAA TTTATGGCGG CATATCCTAT	5160
50	TACACCTGCG TCTGAAGTTA TGGAATATAT GATTGCCAAT ATATCTAAAG TAAACGGAGC	5220
	GGTTATTCAA ACAGAAGATG AAATTGCTGC TGTAACATG GCTATTGGTG CAAATTATGG	5280

55

EP 0 786 519 A2

	TGGATTATCT	GGTATGACTG	AAACGCCATT	AGTCATTATT	AATACCCAAC	GAGGTGGACC	5400
5	TTCTACTGGA	TTACCTACGA	AACAAGAACA	GTCAGATTTA	ATGCAAATGA	TTTATGGTAC	5460
	ACATGGTGAT	ATTCCAAAAA	TTGTTGTAGC	ACCAACAGAT	GCAGAAGATG	CATTTTATTT	5520
	AACTATGGAA	GCATTTAATT	TAGCAGAACA	ATATCAATGC	CCTGTTATAG	TTCTAAGTGA	5580
10	TTTGCAATTA	TCTTTAGGTA	AACAAACTGT	TGAAAAATTA	GATTATAATC	GTATTGAAAT	5640
	TAAACGTGGT	GAAATCATTG	AATCTGATAT	TGAACGTGAA	GAAGATGATA	AAGGTTATTT	5700
	CAAGCGTTAT	GCGTtAACAT	CCGATGGTGT	TTCTCCTAGA	CCTATCCCCG	GTGTTAAAGG	5760
15	AGGTATTTCAT	CATATACTG	GTGTGGAAaCa	CAATGAAGAA	GGTAAACCTA	GTGAATCTGC	5820
	GTCAAATAGA	CAACAACAAA	TGGAAAAACG	AATGCGTAAA	ATTGAGCAGT	TACTAATTGA	5880
20	ATCGCCAGTA	GAAGCTAACT	TACAACATGA	GGATGCAGAT	ATTCTTTATA	TCGGTTTTAT	5940
	TTCTACAAAA	GGTGCAATTG	AAGAAGGTAG	TAACCGTTTG	AATCAACAAG	GCATAAAAGT	6000
	TAACACTATA	CAAATTAGAC	AATTGCATCC	ATTCCCAACA	AGCGTTATTC	AAGATGCAGT	6060
25	TAATAAAGCG	AAGAAAGTCG	TTGTAGTGGA	GCACAATTAT	CAAGGACAAT	TGGCTAGTAT	6120
	TATAAAAATG	AATGTCAATA	TTCATGATAA	GATTGAAAAAT	TATACAAAGT	ATGATGGGAC	6180
	ACCTTTCCCTA	CCACATGAAA	TCGAAGAAAA	AGGCAAAATA	ATTGCTACTG	AAATAAAGGA	6240
30	GATGGTATAG	ATGGCGACAT	TTAAAGATTT	TAGAAATAAT	GTTAAGCCTA	ACTGGTGCCC	6300
	CGGATGTGGC	GATTTCTCAG	TACAAGCTGC	AATTCAAAAA	GCAGCCGCAA	ATATAGGGTT	6360
	AGAACCTGAA	GAAGTAGCTA	TCATCACC GG	TATAGGATGT	TCTGGCCGTC	TTTCAGGATA	6420
35	TATTAATTCT	TATGGCGTTC	ATTCTATTCA	CGGACGTGCA	TTACCTTTAG	CTCAAGGTGT	6480
	AAAAATGGCG	AATAAAGATT	TAACTGTTAT	TGCATCGGGA	GGAGATGGTG	ATGGTTATGC	6540
40	TATAGGTATG	GGGCATACAA	TCCATGCTTT	AAGAAGAAAT	ATGAACATGA	CGTATATAGT	6600
	CATGGATAAT	CAAATTTATG	GTTTGACAAA	GGGACAAACA	TCGCCGTCAT	CAGCAGTAGG	6660
	ATTTGTTACT	AAAACAACGC	CAAAAGGTAA	TATAGAAAAA	AATGTTGCGC	CTTTAGAATT	6720
45	AGTATTATCA	TCTGGTGCCA	CATTTGTAGC	CCAAGGTTTT	TCAAGCGATA	TTAAAGGATT	6780
	AACAAAACCTA	ATTGAAGATG	cAATTAATCA	TGATGGATTT	TCATTCGTTA	ATGTCTTTTC	6840
	ACCATGTGTG	ACTTATAATA	AAATTAACAC	ATACGATTGG	TTTaAAGAAC	ATTTAACAAG	6900
50	TGTTGATGAC	ATTGAAAAAT	ATGATTCTAC	AGATAAACAA	TTAGCGACTA	AAACTGTTAT	6960
	TGAACATGAA	TCTTTAGTAA	CTGGTATTGT	TTATCaAGAT	AAAGAAACAC	CATCATATGA	7020
55	ATCtCAAAAT	AAAGAGTTAG	ATGATmCACC	ACTTGCTAAA	AGAGATATCa	AAATTaCTGA	7080

TGTATTTATA ACAGATCCAT TTATGCTACT CAGTTTTTTTA CTATTACAAA AAATAAAGGA 7200
 GTTTTTTAAAA ATGAAAGACA CATTAATGAG TATACAAATA ATTCCTAAAA CACCAAACAA 7260
 5 TGACAATGTT ATACCTTACG TAGACGAGGC GATTAAAATA ATTGACGAAT CTGGTTTGCA 7320
 TTTTAGAGTA GGTCCGTTAG AAACGACAGT ACAAGGAAAT ATGAATGAAT GTTTAATTTT 7380
 10 AATACAATCA TTAAATGAAC GAATGGTGGA ACTTGAATGT CCAAGTATTA TTAGCCAAGT 7440
 TAAGTTTTAT CATGTGCCAG ATGGCATCAC TATTGAAACT TTAAGTAAA AATATGATGA 7500
 ATAACATTAA AAGTGAAGTA AACTGGATTT GAATTGGCTT GTTAGAGATG ACGTATAACT 7560
 15 TTAAGTGGTT TTGCACCTTA TAGTTAAATT TAATATAATT ATTAAATGAT ACGGGCAAAT 7620
 AGAAAGGATT TTGTAAAGTG AACGAAGAAC AAAGAAAAGC AAGTTCTGTA GATGTTTTAG 7680
 CTGAGAGAGA TAAGAAAGCA GAAAAAGATT ATAGTAAATA TTTTGAACAT GTTTATCAGC 7740
 20 CGCCTAATTT AAAAGCAAGC GCAAAAAAAG AGGTnAAA 7778

(2) INFORMATION FOR SEQ ID NO: 49:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1128 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 49:

AGATGAAGTT GTTACgAAAA TTGCGTACGC TGTTTCAGAA CATGTCAAAA TAGAAACAGG 60
 35 ~~TAATGCATTC TTTCAAACAT CACATAGTGG TTGTGCGACG GGCGGATCCT GTAATTGTTC~~ 120
 ATTATAAAAA ACATCGAGTC AGAAAAAGGT GGTTATTGAA CCACTAATA GCATCTGACT 180
 40 CGATGTTTTT ATTTATTCGG GATTGTTTGT TTGAATTGTT GTGCTAAATC TGGTCGATCT 240
 GTCACAATCG TGTGTGCACC TTTTGGTAT AAATCATTCA TCAGATTTAT ACTATTTACG 300
 CCATAATAGC CTGGAATGAT ATTCATATCA TTTAACCATT TGATAAAACG AGATGAAGTC 360
 45 AAATCAATGC CTTTAAAATG AGTAGGCATT TGGAACGTTT GTGCTAATGG TTGGTAGTAC 420
 CTACCACCTA ATAAATGATA TTTTAAAAT GCTTCTGTAA CTTCTGTGTG GCTAGCACCA 480
 ATTGCGACGG ATCCTTGTGC AATTTTATTA AAACGAACGA TTTGTTCTTT ATAAAACTT 540
 50 GTCACAAGAA CGCGGTCAAA TGCTTGATTT TCTGCAATTG TATCAAACAT AATTTGTGGT 600
 GCGATTGAGC CTTCATAGGA TTCAGGAGCA TCTTTTAAGT CTACGTTTAT ATACATATCA 660
 55 GGATATTGCT TCAGCAACTC ATCGAAGGTT AGTATAGCTG TGTGTGCATG ACCACGATAT 720

EP 0 786 519 A2

AATGTATGGG CACTAACTTT TCCAGAGCCG TTCGTCGTTT TATCAACAGT TCGGTCATGA 840
 AAAACGATAA GCTGTTGATC TTTTGTGAGT CTCACATCTG TTTCAAAGCC ATCAACGCCT 900
 5 AATTGTTTAG CATAGTCAAA TGCAAGTTGC GTTTGCTCTG GTCTTAAAGC CATACCACCG 960
 CGATGCGCAA ATATATATGG TGCATTGCCT TTGAAAAAAG CAGGGATGGT TTGCTTTTTTA 1020
 10 GTAATCACTT TATTTTTATT GATCATTAAT AGACTACTTA AAAATCCAGC ACCGACTAGT 1080
 ACCGCATTTA AAATGTTTCT GTTTACnTTT TTCATAAAAA ATTCCTCC 1128

(2) INFORMATION FOR SEQ ID NO: 50:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 6252 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 50:

CAAGCAAACA ATCGTCGATA AAATTGCTAA AATAATAAAA GTAATTCGAA CTTTCATCAT 60
 25 GATCATCCTT TGTTTATAGA GTCAATATAA GTATGGAATA TGTTAGGTAT ATAGTCAAAT 120
 GCGTCAACTA ATGGGAATTT TGGCATAGAT AGAGAATTTA AGGCAATTAA AAAGGCATCA 180
 30 AACAGTAATA TGCTGCTTGA TGCCCAAATG ATGACTTTAG CTAAATTGAT TAGTCACTTT 240
 TAAAGATAAA GAATTGTCAT GAATTAAAC TCATGTAATG ATGTGTTACA TTTCGCAATG 300
 ATGGCTTTCA GTTATTTATC GATAACATCA CTCTTGATAC CTTTAGATTT TAAGAAATCT 360
 35 TTAATTTTAT CTGTGTGCTT TTTATTAACA TCACCGGCAT ATTTTGTTGG CACGTCGACA 420
 ACATTGATTT TATTTTGCGG TTGATAGCTA AGCTTTTCAA TATCTTCATC AACATTGGCG 480
 ATTGACTAT TAAAGCTTT GAAGTAATTC ATCATTAAAT CAACGGGTTT CTTATATTCT 540
 40 TTAGGAATAT TGTTTTCAGT GACAAATTC TTGAAATGCA AATCGTTTTT AACAGCTAAG 600
 TTAGATAAGT GGCTAAGTGT TTCTGCTTGT TTTTCAGTCA CTTTGTGTTG ACTGTCAATT 660
 45 TGTTTATCTA GTTTATGTTG CATAATATAT TTGTTATCAA GTATATCGCT ATTTACAGAC 720
 AAATACTTTT CTATAGCTTG CTTCATCTCT GCATCACTAA TATCACTATT TTTCTTATCT 780
 GAGTTAAAGA TATCTTTTGT tTCTAATTTT TTAGCGCTTT TAGGTGCATG GATGCCAGTA 840
 50 CTTGTATGAT GATCTTCGTT ATCAGATTGA TCGGACGCGC AACCTGTAAG AATTAATGTC 900
 GATGCTAAAA ATGTACTTAG TAGTAATCTC TTTTTCATAA TGTAATATAA CTCCTTAGTT 960
 55 TATCTTTAAT TGAAAAAATA TGTATTCATG TTTAATAGAG TAACATTGAA TTAGTTTGGA 1020

EP 0 786 519 A2

	TCTATCAATA ATGCATCATT TTGGACGTTG TTAAGGATAG CTTTATCTAT AAATAACTGC	1140
5	ATAATTGGTT GTACTAATTT AGACGTAGGT ATCGTACGTA AAAGCATAAT AATTTTCGTTT	1200
	ACATACTTTT CTTTCTCAAT ATCATTTTTT ATATTGATTT GTTTGCGAGA GGTACATACT	1260
	TTAAGCATT TCGCACATCT CGTTGTATAT ATTAAGTTTA TCATAACATG ATTTTATGTC	1320
10	GGGATAAAAA AATAACAGCA TCTTAACAAA TGTAAGATAC TGTCAGTGAA ATGAATGAAA	1380
	CTTTAGTTTT TGaTAATATA GTCAAAGGCA TTTAATGCTG CATTTGCACC AGCGCCCAT	1440
	GAAATGATAA TTTGTTTGTT CTTCTGATCT GTGACATCGC CAGCAGCAAA TATTCCAGGA	1500
15	ACATTCGTAT TATTGTTACG ATCAATCACA ATTTCCACCAC GTTCGTTTAA TTCAACAGCA	1560
	TCGTTTAACC ATGATGTGTT TGGAAGTAAA CCAATTTGAA CAAAGATACC ATCTAAGTTA	1620
	AGTAGATGTT CTTGCGCGGT GTTCATGTCT TCGTAACGTA TACCTGTAAC ATGGTCTTCT	1680
20	CCGACAACCT CAGTAGTTTT GGCATTTGTT TTGATATCAA CATTTGATAA AGAACGTAAA	1740
	CGATCTTGTA ACACGTTGTC TGCTTTTAAT TCGCTAGCGA ATTCTGAATAA TGTAACATGA	1800
25	TTAACGATAC CAGCAAGGTC AATTGCTGCT TCAACCCAG AGTTACCGCC ACCGATAACT	1860
	GCTACGTCTT TATTTTCAAA TAGAGGTCCG TCACAGTGAG GGCAGAATGC AACACCTTTA	1920
	TTAATCAATT GCTCTTCACC TGAATGTTT AGCTTACGCC AACCTGCACC AGTAGCAATA	1980
30	ATGACTGTTT TACTTTCTAA GACAGCACCG TTTTCTAACG TAACTTTAAT TGCTTCGTCA	2040
	GTCTTTTCGA TATCTGTAGC ACGTATACCT GTCATTGCAT CAATGTCATA TTGATCAATG	2100
	TGCGCTGCTA AGTTAGAAGA AAATTCAGAA CCAGTTGTTT CTTTAACAGT AATGAAGTTC	2160
35	TCAATACCAG CAGTATCATT AACTTGGCCA CCGATACGAT CAGCAACTAT ACCAGTACGT	2220
	AAACCTTTAC GTGCTGTGTA AATCGCTGCA CTACCACTAG CAGGACCACC ACCAACGATT	2280
40	AAGACATCAT AAGGTTCTTT ATTTTCAAAC TCAGATGCAT CTGCCGTACT GCCTAGTTTC	2340
	GAAAGAATAT CTTGGATTGT CATACGACCA TTGCCAAATT CTTGCGCATT TAAAAAGACA	2400
	GCAGGGACTG CCATGATGTT TTCAGATTCT TCACGGAACA CTGCACCATC AATCATAGAA	2460
45	TGCGTGATGT TAGGGTTGAT CACACTCATT AAGTTAAGTG CTTGAACGAC ATCAGGACAT	2520
	TTTTGACACG TTAAACTAAT GAATGTTTCA AAATGGAATG AACCTTCTAA TTTTTTAATT	2580
	TGGTCAATGA TTGACTGTTT TTCTTTAGGT GCACGACCAC TAACCTGTAA AATTGCTAAA	2640
50	ACAAGTGAGT TAAACTCGTG ACCTAATGGA ATACCTGCAA ATGTTACACC TGTTTCTTCG	2700
	CCAGGACGAT TGA CTGAGAA ACTTGGTGTA CGTTTTAAAG ATTTTTCAGA AAGAGATAGT	2760
55	CTAGGTGACA TATCAGTAAT TTCTGTCAAC AAATCTTTAA GTTCTTTGGA TTTATCATCT	2820

EP 0 786 519 A2

	TGTTGTTTTA AATCAGCATT AAGCATGGTT GTAATGCCTC CTTAGATTTT ACCTACTAAA	2940
	TCTAAACCAG GTTGCAATGT TTTAGCGCCT TCTTCCCATT TAGCTGGGCA TACTTCGCCA	3000
5	GGGTTTTTAC GAACATATTG AGCTGCTTTG ATTTTGTGAG CTAATGTACT AGCGTCACGG	3060
	CCAATTCCGT CAGCGTTAAT TTCAGATGCT TGTACAACAC CGTCTGGGTC GATAATGAAT	3120
10	GTACCACGTT GAGCTAAACC AGTAGCTTCA TCTAATACAT CAAAATTACG AGTGATTGTT	3180
	TGTGATGGGT CACCAATCAT AGTGTAAGTG ATTTTGCTAA TTGCATCTGA ATGGTCATGC	3240
	CATGCTTTGT GTACGAAGTG AGTATCAGTT GATACTGAGA ATACATTTAC GCCTAATTTT	3300
15	TGTAATTCTT CATATTGGTT TTGTAAGTCT TCTAATTCAG TTGGACAAAC GAATGAGAAG	3360
	TCAGCAGGAT AGAAGCATAC TACGCTCCAA GAACCTTTTA AATCTTCTTG TGTAACTTCT	3420
	TTAAATTGAT CTTTTTTTGG ATCGAAA ₂ CT TGCCTGTAA ATGGTAAGAT TTCTTTGTTA	3480
20	ATTAATGACA TAAATATCTT CCTCCTAAGA ATTTAAGTAT GAATTAGAAC TATCAATTGA	3540
	TTGCGCTTAA TTATAATAAT TCTAATCTCT TAGTTAGCAT TATTACATTT TGATCCAGAA	3600
	TAGTCAACTG GATAACTTTG TAAAGTGAAT GATTACTTTT AAAATAAAGA AAGATAATAT	3660
25	AAAGTGCTTT GATAATGGAT TTTGTAGTTG ATGATTTAAA AGGTTGTGTC TATATTTAAT	3720
	ATCTTGATTT TAATGTAAAA AATGTAAAAA AAGAAGATTT GTATTCTCAA CTAAGTCAAC	3780
30	CTTATTGATA ATGGTATGAG AATATTTGTT CGAGATGGAT GAAGGTAATG AGTGAGAAAC	3840
	TGGATTTTTA AAGTATGAGA CAATATTTTA AAAAGTTCAA TTATTAACCT ATAAGCAAAT	3900
	AATTGCTATA AAAAAGTTTG GACGTGTACA ATTGCAATAT GAAGATTTTA AATTAATTGT	3960
35	AAAGTATCGA GGAGTGGGTA ACGTGTGAGA ACATGTATAT AATCTTGTGA AAAAGCATCA	4020
	TTCTGTTAGA AAATTTAAGA ATAAACCTTT AAGTGAAGAC GTTGTTAAGA AATTGGTAGA	4080
	AGCTGGACAA AGCGCTTCGA CGTCAAGTTT CCTGCAAGCA TACTCAATTA TTGGTATCGA	4140
40	CGATGAGAAG ATTAAAGAAA ATTTACGAGA AGTTTCTGGA CAACCTTATG TTGTAGAAAA	4200
	TGGCTATTTA TTCGTCTTTG TTATTGATTA TTATCGTCAT CATTTAGTTG ATCAACATGC	4260
45	TGAAACTGAT ATGGAAAATG CATATGGTTC AACGGAAGGT TTGCTAGTAG GTGCAATCGA	4320
	TGCAGCATTG GTTGCCGAAA ATATTGCGGT AACTGCTGAA GATATGGGGT ATGGCATTGT	4380
	CTTTTTAGGA TCATTAAGAA ATGATGTTGA ACGCGTTCGA GAAATTTTAG ACTTACCTGA	4440
50	CTATGTCTTC CCGGTATTTG GTATGGCAGT AGGGGAACCC GCAGATGACG AAAATGGTGC	4500
	AGCCAAGCCA CGCTTACCAT TTGACCATGT CTTCCATCAT AATAAGTATC ATGCTGATAA	4560
55	GGAAACACAG TATGCACAAA TGGCAGATTA CGACCAGACA ATCAGCGAGT ACTATGATCA	4620

EP 0 786 519 A2

	CAAAGCAAGA TTAGATATGT TAGAACAATT GCAAAAATCA GGCTTAATAC AGCGATAgCA	4740
	AGATACCAAA ATAACCCGCC CCCCTCTAGC TTAAAATGAT AAGTATAGCT AGAGGGGGCG	4800
5	GGTATTTCTT GCAATGAATT AGTGTGAAGT TAATGCAGCA TTATCATTTG AATCGAAAGT	4860
	ATCTTTATCC CAATGTTTAG TTAAGTTGGC GGTACCTGTA CCAGCTAGCA TTGAATCGTT	4920
10	CACGTTTAAT GCTGTTCTAC CCATGTCAAT CAATGGTTCA ACGGAGATGA GCACGCCGGC	4980
	TAAAGCGACT GGCAAGTTTA ACGTTGACAA CACCAATATG GATGCAAATG TAGCCCCGCC	5040
	ACCGACGCCA GCAACGCCGA ATGAACTAAT AATCAGGACA GCGATTAACG TTACAATAAA	5100
15	TTGTAAATCA ATTTCTACAT TAGCGACGGG TGCGACCATA ATTGCAAGCA TGGCAGGGTA	5160
	AATGCCTGCA CAACCATTTT GTCCAATCGA CAATCCAAAT GTCGCAGCGA AATTGGCAAT	5220
	ACCTTCTGGC ACGCCTAGAC GTCTTGTTTG TGTGTGTACA TTCAATGGTA AGGCACCCGC	5280
20	GCTTGAGCGT GATGTGAATG CAAAGATTAA TACTTCCAAA GTCTTTTAA CATAGCGAAT	5340
	TGGGCTAATA CCTAACAGGC TTAAATAAT TAAGTGAATG ATATACATCG TAATTAATGC	5400
25	AGCGTACGAT GCGATTAAGA ATTTTCCTAA AGTCCAAATG GCGCCAAAGT CACTTGTCGA	5460
	TAATGTGTTG GCCATAATTG CTAATACACC GTATGGCGTT AAACGTAAGA CGAACGTCAC	5520
	AATCGCCATT ACTAGTGAAT AGATAGCGTC AATCGCACGC TTAAGCAATT CACCATGATC	5580
30	AGGTTGTTTG CGTnTACGCG TAAATAAGCA AATCCTATAA ACGAAGCAAA TATCAGACA	5640
	GCAATCGTGG aAGTTGCACG TTGTCCaGTG AAATCTAAGA ATGGATTTT AGGCAATAAT	5700
	TCCAAAATTT GTTGTGGTAA CGTATGTGCT GTTAAATCTT TCGCTTGTTT AGCAATTTCTG	5760
35	CTTCCACGTG CTTGTTTCAGC GTTACCAAGG TTAATTGTTG ATGCATCTAA ACCAAACACC	5820
	AAGGCATACA CAACACCAAC AATCGCAGCA ATGGTGACAG TGCCAATTAA AAAGATAAAA	5880
	ATGAGACTAC CAATTTTAGC AAACTTTCT CCGATTTGAA TTTTAGTGAA TGCAGCTACA	5940
40	ATAGAAATGA AAATTAAAGG CATAACAATC ATTTGCAACA ATGCAACGTA ACCTTGTCGG	6000
	ACAATGTTGA ACCAGTCACT TGTGTATGTA ATAACATTCG AATGTGTGCC ATAAATAAGA	6060
45	TGCAATAACA CACCGAATAC TATACCAATC CCTAAAGCTG TAAACACACG TTTCGCAAAA	6120
	GATATATGTT TGCGAGCCAT CATGTGCAAT ATTACGATGA AAATCACCAA TACAATAATA	6180
	TTAATCAGTG TAAGAAAAGC ATTCATGAAC GTCACCTCTT AAATTTTGA ATATAATTCC	6240
50	GACTAGTATG CT	6252

(2) INFORMATION FOR SEQ ID NO: 51:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 6730 base pairs

(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 51:

	ATCAAATCnC AAAATATTTA TTAATnAnAA GGGGATTATC CaTGTgAGAA ACAAAGTAAT	60
10	GCTCTTTTTT TACCTCTTGT GGGTTGAAAA aTGGATCATC AGAGATAGAC TTCTTCTTTT	120
	TCGAAGATGA CATTTGATAC TTTAATCTTC TAAAACCATA ACTTGTCGCA TCAAAAATGC	180
	CTTCTTGATC AAGTAAAATC AAAAATATGC TAATAAAAAT AATTAATGAA ACATAAAACA	240
15	ATATATTTAA ATATGTAATG ATAGTATGGC TATTA AAAAG CCATATAATA AACGTTAATA	300
	TTGGCGTTAT TAGTGCCATT CCAAGCCATT TTTTCAACAT TTGATCACTC CCACTTATAG	360
	AAAACCTCTTA CGCATAGTTT ACATTAAAAT CAGACATTGA GGAATGATTT TTTAATTTCT	420
20	TCAGCTTTAT TGAAATTCTA AAATCAATCA TTCTTCATTA GTTTAAAGCA AAAAAATATT	480
	GATATATAGT AAATATTGTA TATATAATAT TAGTTAAGAT TTCaGAAAAT TTTGAAGGGA	540
25	ATGGAAATTT AGAAATCGGA ATTTGTTAGA GGAGGGGATT AGATGGGGAA ATATATTTTC	600
	AAACGATTTA TTTATATGCT TATTTCTTTA TTTATTATTA TTACAATTAC ATTTTCTTTA	660
	ATGAAATTAA TGCCAGGTTT GCCATTTAAC GATGCTAAAT TAAATGCTGA AAAAAAGAA	720
30	ATTTTAAATG AAAAAATATGG ATTAAATGAT CCTGtAGCTA CGCagTATTT ACATTATTTA	780
	AAAAATGTTG TTACAGGCGA TTTTGTAAT TCATTCCAGT ATCATAATCA ACCTGTGTGG	840
	GATTTGATTA AACCAGAGACT ACTACCTTCT TTTGAAATGG GTCTTACAGC AATGTTCaTC	900
35	GGTGTGATAC TGGGACTTAT TTTAGGTGTT GCAGCAGCTA CTAAACAAAA TTCTTGGGTT	960
	GA CTATACAA CTACAGTTAT TTCAGTTATT GCAGTATCTG TACCATCTTT TGTACTTGCT	1020
40	GTACTTTTAC AATATGTATT TGCAGTTAAA TTAAGATGGT TCCCAGTAGC TGGATGGGAA	1080
	GGTTTTTCGA CCGCGGTATT ACCGTCACCT GCATTATCTG CAGCTGTTTT AGCAACTGTC	1140
	GCCAGATACA TAAGAGCAGA GATGATAGAG GTATTAAGTT CAGACTATAT TTTATTAGCG	1200
45	AGAGCTAAAG GTAATTCGAC AATGCGTGTA CTTTTGGAC ATGCACTTAG AAATGCTTTA	1260
	ATTCCAATTA TTACAATTAT CGTTCCCATG TTAGCAAGTA TTTTAACAGG CACTTTAACA	1320
	ATTGAAAATA TTTTGGAGT TCCTGGATTA GGGGATCAAT TCGTACGTTT AATTACAACA	1380
50	AATGATTTCT CAGTAATCAT GGCAATCACA CTATTATTTA GCACACTGTT TATCGTTTCT	1440
	ATTTTTATTG TAGATATTTT GTACGGTGTG ATAGATCCAC GAATTCGTGT TCCaAGgAGG	1500
55	TAAAAAATAA TGGCTGAAAA TAAAAACAAT TTGTCGATTA ACGACGATCA TTCTAATGCA	1560

EP 0 786 519 A2

	TGAATCAGGA	ACCTGAAATG	CAACGAGAAA	GCAAAAACCTT	TTGGCAAGAT	GCTTGGGCTC	1680
5	AGTTAAAACG	AAATAAGTTA	GCTGTTGTCTG	GTATGATAGG	TTTAATTATC	ATTGTAATAT	1740
	TTGCTTTTAT	CGGTCCAGTT	ATAAATAAAC	ATGATTATGC	TGAACAAAAT	GTAGAACATA	1800
	GAAATCTTCC	GGCAAAAATA	CCTGTATTAG	ACAAAGTTCC	ATTTTTACCT	TTTGATGGTA	1860
10	AAGATGCAGA	TGGCAAGGAT	GCTTATAAAG	CAGCAAATGC	TAAAGAAAAT	TATTGGTTTG	1920
	GTACTGATCA	GTTGGGTCGA	GATTTATGGA	CAAGAACATG	GAAAGGTGCT	CAAATTTTCAT	1980
	TGTTTATCGG	TGTTGTTGCA	GCGATGTTAG	ATATTTTTAT	TGGTGTTGTA	TATGGTGC GA	2040
15	TTTCTGGATT	CTTCGGTGGA	CGTGTCGATA	CGATTATGCA	ACGTATACTT	GAAGTCATAG	2100
	CATCTATTCC	GAATTTAATT	GTCGTAATTT	TATTTGTATT	AATTTTTGAA	CCATCCATTT	2160
	GGACAATTAT	ATTGGCTATG	TCTATCACAG	GCTGGTTAGG	CATGAGCAGA	GTTGTACGTG	2220
20	GAGAATTTTT	AAAATTAAAA	AATCAAGAGT	TTGTCATGGC	TTCGAAAACA	TTGGGGGCTT	2280
	CAAAATTCAA	ATTGATATTT	AAGCATATTT	TACCTAATAC	ATTAGGTGCT	ATCGTGGTTA	2340
25	CATCAATGTT	TACAGTACCT	AGTGCTATTT	TCTTCGAAGC	ATTTTTAAGT	TTCATTGGTA	2400
	TAGGTGTACC	CGCACCTCAA	ACATCGTTAG	GGTCATTAGT	AAATGATGGG	CGCGCAATGT	2460
	TATTAATTTA	TCCACATGAA	TTATTTATAC	CAGCAATGAT	TTTAAGTTTA	TTAATTCTAT	2520
30	TCTTTTACTT	ATTTAGTGAT	GGATTACGTG	ATGCATTTGA	TCCGAAAATG	CGTAAATAAA	2580
	AAGGGGGCAT	AGCATATGAC	TGAAAGAATA	TTAGAAGTAA	ATGATTTGCA	TGTTTCCTTT	2640
	GATATTACAG	CAGGGGAAGT	GCAGGCAGTG	AGAGGCGTAG	ATTTTTATTT	GAACAAAGGG	2700
35	GAAACATTGG	CAATTGTTGG	TGAATCAGGT	TCAGGTAAAT	CTGTAACAAC	AAAAGCAATT	2760
	ACAAAATTAT	TCCAAGGGGA	CACAGGAAGA	ATTAAAAAGG	GAGAAATTTT	ATTTTTAGGG	2820
	GAAGATTTAG	CAAAAAAACC	TGAAAATGAG	TTGATTAAAT	TACGTGGCAA	AGATATTTCA	2880
40	ATGATCTTTC	AAGATCCAAT	GACATCTTTA	AACCCAACGA	TGCAAATTGG	TAAACAAGTC	2940
	ATGGAACCAT	TAATTAAGCA	CAAAAATTAT	AGTAAAGCAC	AAGCTAAAAA	GCGCGCATTG	3000
45	GAAATACTAA	ATCTTGTTAGG	TTTACCAAAT	GCAGAAAAAA	GATTTAAAGC	ATATCCTCAT	3060
	CAATTTTCAG	GTGGACAAAG	GCAAAGAATT	GTTATTGCAA	CCGCATTAGC	TTGTGAACCT	3120
	AAAGTGCTCA	TTGCTGATGA	ACCAACGACT	GCATTAGACG	TAACGATGCA	GGCACAAATT	3180
50	TTAGATTTAA	TGAAAGAACT	ACAACAAAAA	ATCGATACAG	CAATTATTTT	TATAACGCAT	3240
	GATTTAGGGG	TTGTTGCGAA	TATTGCTGAT	AGAGTGGCAG	TTATGTATGG	TGGTCAAATG	3300
55	GTTGAAACAG	GAGATGTTAA	CGAAATATTT	TATGATCCAA	AGCATCCATA	TACATGGGGA	3360

	GGAGCGCCAC CTGATTTATT ACACCCACCT AAAGGTGATG CATTTGCGAG ACGTAGcAAT	3480
5	ATGCATTAGA TATTGATTTT AAAGTAGAAC CACCGTGGTT TAAAGTTTCA CCGACACATT	3540
	TTGTGAAATC TTGGTTATTA GACGCACGTG CACCAAAAGT TGAACCTACC GAGCTGGTAA	3600
	AACAACGTAT GAAACCGATG CCTAATAATT ATGAAAAACC ACTCAAGGTA GAAAGGGTGT	3660
10	CGTTCAATGA AAAATGATGA AGTGCTATTA TCTATTAAAA ATTTAAAGCA ATATTTTAAC	3720
	GCAGGAAAGA AAAACGAAGT GgaGCGATTG AAAATATTTT GTTTGATATA TACAAAAGGGG	3780
	AAACATTAGG TTTAGTAGGA GAATCGGGGT GTGGTAAATC TACAACCTGGT AAATCAATTA	3840
15	TTAAACTTAA TGATATTACA AGTGGAGAAA TTTTGTATGA GGGTATTGAT ATACAAAAGA	3900
	TTTCGTAAACG TAAAGATTTG CTTAAATTTA ATAAAAAGAT ACAGATGATT TTTCAAGACC	3960
	CATATGCGTC TTTAAATCCT AGGTAAAAAG TAATGGATAT AGTAGCTGAA GGTATTGATA	4020
20	TCCATCATT AGCAACTGaT AAGCGTGACC GAAAAAAACG TGTCTATGaT TTACTTGaAA	4080
	CTGTTGGATT AAGTAAAGAA CATGCCAATC GCTATCCTCA TGAATTTTCA GGTGGaCAAC	4140
25	GCCAACGTAT TGGaATTGCC CGTGcATTAG CCGTTGaACC AGAATTCATT ATCGCGGACC	4200
	AACCAATATC GGCATTGGAT GTTTCAATCC AAGCTCAAGT AGTTAATTTA TTATTAAAAT	4260
	TACAACGTGA AAGAGGGATT ACGTTCCTAT TTATAGCTCA TGATCTATCA ATGGTGAAGT	4320
30	ATATTTTCAGA TCGTATTGCA GTCATGCATT TTGGGAAAAT AGTTGAAATT GGACCGGCAG	4380
	AAGAAATTTA TCAAAATCCA TTACACGATT ATACTAAGTC TTTATTATCA GCCATTCCAC	4440
	AACCTGATCC TGAATCAGAA CGCAGTCGCA AACGATTTAG TTATATTGAT GATGAAGCAA	4500
35	ATAATCATT AAGACAATTA CATGAAATTA GACCGAATCA CTTTGTCTTT AGTACTGAAG	4560
	AAGAAGCGGC ACAACTACGA GAAAATAAAT TGGTGACACA AAATTAAGGG GAAGGGGGAA	4620
	ATGcAATGAC GAGAAAATTT AGAACACTTA TTTTAATTTT GATTGCTACA ATTGCATTAA	4680
40	GTGGTTGTGC TAATGACGAT GGTATTTATT CAGATAAAGG TCAAGTATTC AGAAAAATTT	4740
	TGTCATCAGA CTTAACATCC CTTGATACAT CATTAAATAAC GGATGAAATA TCTTCTGAAG	4800
45	TGAcTGCGCA AACATTCGAA GGTTTATACA CATTAGGAAA AGGTGACAAA CCGGTGTTAG	4860
	GTGTTGCGAA AGCTTTTCCT GAAAAGAGTA AAGATGGTAA AACTTTAAAG GTTAAATTAA	4920
	GAAGCGATGC TAAATGGAGC AATGGTGACA AAGTGACTGC ACAAGACTTT GTTTATGCTT	4980
50	GGAGAAAAAC AGTTGACCCT AAAACAGGTT CTGAATTTGC ATACATTATG GGGGACATTA	5040
	AAAATGCGAG TGATATTAGT ACTGGTAAGA AACCTGTAGA GCAATTAGGT ATCAAAGCAT	5100
55	TAAATGATGA AACATTACAA ATTGAATTAG AAAAGCCGGT TCCATATATT AATCAATTAT	5160

	ACGGTACGGC AGCTGATAGA GCGGTATACA ATGGTCCaTT TAAAGTTGAT GATTGGAAAC	5280
5	AAGAAGATAA AACCTTACTA TCTAAAAATC AGTATTATTG GGATAAAAAG AATGTAAAAAT	5340
	TAGATAAAGT GAATTATAAA GTTATTAAAG ACTTACAAGC CGGTGCATCA TTGTATGATA	5400
	CTGAATCAGT AGATGACGCA TTTATTACTG CAGATCAAGT AAATAAATAT AAAGACAACA	5460
10	AAGGATTAAA CTTTGTGTGA ACGACTGGGA CATTTTTTGT AAAAATGAAT GAAAAACAAT	5520
	ATCCTGATTT TAAAAACAAA AATTTAAGAT TGsTATCGCA CAAGCAATAG ATAAAAAAGG	5580
	ATACGTTGAT TCAGTGAAAA ACAATGGCTC AATTCCTTCC GATACACTAA CAGCCAAAGG	5640
15	AATTGCGAAA GCGCCTAATG GCAAAGATTA TGCAGTACC ATGAATTCGC CTTTAAAAATA	5700
	TAATCCTAAA GAAGCAAGAG CACACTGGGA CAAAGCTAAA AAAGAGTTAG GTAAAAATGA	5760
	AGTGACATTT TCAATGAACA CAGAAGATAC ACCAGATGCA AAAATATCTG CTGAATATAT	5820
20	CAAATCGCAA GTTGAGAAAA ATTTACCAGG AGTTACTTTG AAAATTAAGC AATTACCGTT	5880
	TAAACAAAGA GTATCACTAG AACTGAGTAA CAATTTTGAA GCATCACTTA GTGGTTGGTC	5940
25	TGCAGATTAC CCTGATCCTA TGGCTTATTT AGAAACAATG ACCACAGGTA GCGCACAAAA	6000
	TAATACAGAC TGGGGTAATA AAGAATATGA TCAATTACTT AAAGTAGCAA GAACCAAATT	6060
	GGCACTTCAA CCGAACGAAC GATATGAAAA CTTGAAAAAA GCAGAAGAAA TGTTCCTAGG	6120
30	AGATGCACCG GTAGCACCAA TTTATCAAAA AGGTGTtGCA CATTTaACAA aTCCTCAAGT	6180
	AAAAGGATTA ATTtACCATA AATTTGGTCC AAATAACTCA CTTAAACATG TATATATTGA	6240
	TAAATCGATA GATAAAGAAA CAGGTAAGAA GAAAAAATAA TATGCTTTGT AAATTAGGCT	6300
35	GGAGACATAT CTCCAGTCTT TTTGTGTTGG ATAAAAaCTT TGGGAATAAA AATTTAAAT	6360
	AAGTCGTTTT TTAAATTACT GAAATTGATT AAATGCATAA ATAAGTGAAT ATTCTAAAAA	6420
	TAAaCTTGTA ATAATTTTTT CTATGAGTAA ACTAAAAAGA AAAAATTAGA TTGAAAGTAG	6480
40	GAGGCATATG TATGGGGAAG CTAATTAAAT ATATTTCAAT ACTTCTTATT GTCGTTTTAG	6540
	TGTTGAGTGC TTGCGGAAAA AGCAGTAATA AAGATGAAGG AGTAAAAGAT GCTACTAAAA	6600
45	CGGAAACCTC AAAACATAAA GGTGGTACCT TAAATGTAGC ATTAACAGCA CCGCCAAGTG	6660
	GTGTTTATTC TTCGTTATTA AATAGTACAC ATGCAGATTC TGTAAGTTGAG GGATATTTTA	6720
	ACGAAAGCTT	6730

(2) INFORMATION FOR SEQ ID NO: 52:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 6482 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 52:

5	AATTTTGTGTC ATTATTAATAA ACCTCGCTTT TAAAAGATTG AAAAGTAAAT GAGTGAAATT	60
	AAAGATTATG CACATTAAAA TCACGCCACA ATTTAATTGT GAAAAATATC ACAAATATAT	120
	TATAACACTA AATTTCCCAA AATTCAAAAAG TGTGTTTTAT TGCAGAAAAC TTATAACAYG	180
10	TGCACAAGTT ATAGTGAATT GCAAACGGAT TACTTTAGTC TTTTAAAAAC ATGAAGTATA	240
	ATTTGTATAG CAATAAATAT AAAAATGGGA GGCTATGTTC AATGAGCAAT ATGAATCAAA	300
	CAATTATGGA TGCATTTTCAT TTCAGACATG CGACTAAGCA ATTCGATCCA CAAAAGAAAG	360
15	TTTCGAAAGA AGATTTTGAA ACAATATTAG AGTCAGGTAG ATTGTCTCCA AGTTCCTCTG	420
	GGTTAGAACC TTGGAAGTTT GTCGTGATTC AAGATCAAGC GTTACGTGAT GAATTAAAAG	480
	CGCACAGTTG GGGCGCAGCA AAACAATTAG ATACAGCGAG CCATTTTGTG CTAATTTTGTG	540
20	CGCGTAAAAA TGTAACGTCA AGATCACCGT ATGTACAACA TATGTTAAGA GATATTAATA	600
	AATATGAGGC ACAAACGATT CCAGCTGTTG AACAAAAATT CGATGCATTC CAAGCAGATT	660
25	TCCATATTTT TGATAATGAT CAAGCCTTGT ATGACTGGTC AAGTAAACAA ACGTATATTG	720
	CATTAGGCAA TATGATGACG ACAGCCGCAT TGTTAGGTAT TGATTCATGT CCGATGGAAG	780
	GTTTTAGTCT GGATACAGTG ACAGACATTT TAGCAAATAA AGGGATCTTA GATACTGAGC	840
30	AATTTGGTTT ATCAGTGATG GTCGCATTTG GCTACAGACA ACAAGAGCCA CCGAAAAATA	900
	AAACACGCCA AGCTTATGAA GATGTTATTG AATGGGTTGG ACCAAAAGAA TAAATAGAAT	960
	ACCGTATGTC TAAATATATA AAATTAAAAA GTTAGCAATA AAAAAGCCTG CGATTACATA	1020
35	AATGAATCGC AGGCTTTTGC GTGAAAAAAT TGTATTAATA AAGTATGGAT GATTATTTTT	1080
	CTGGACAAG GTCAGTATTT GAATGAACTG TGATGTCAAA CCCTTCTGGT GCCGTAAATG	1140
40	TATGTGTTGA GCGTCGGGT TGATAAATAT CAACATGTGT TAATCCATAA CTTTGTGAAT	1200
	TGTTTTGTCT TGCTTGATTG GATTGCCAAG TATTAGCAGC AATATGATGG TGATAATGAT	1260
	TCGTTGACAT AAATAGCGCA CGTGGAATAA CAGACACATG TTGGAATCCT AATTGTTCAA	1320
45	TGTAACATTG ATATGCTGCG TCTAAATCAT GTGTTTTTAA ATGTAAGTGT CCAATCATGC	1380
	CTTTTGCTGG CATTCCTTGC CAACCTTCAT CAGTACGATG TGTTAATAAG GTTTGGCTAT	1440
	CAACTTCTAA AGTATCCATT TTAACCTTGC CATTTTGCCA TTCCCATGAA GATGAAGGTC	1500
50	TATCGCGATA GACTTCAATA CCATTACCTT CGGGGTCGTT GAAATATAAA GCTTCACTTA	1560
	CTAAATGATC ACCAGCGCCG ATGCCCATAT TTTTTTGTGC CACGAAATAT AAGAAGTTAG	1620

55

	aAGTCTGACG	GcCGTCTTCT	AATAAATGTA	ACGTTAGAGT	ATGGcCACCA	GTCCCAACAG	1740
	ATAATACGGT	TGTATTATCG	TCAGAACTTT	TAACGGATAG	TCCTAAAATG	TTTTTGTAAG	1800
5	ATGTTGTCAT	TAAGTCTAAG	TCTCTTACGT	TCAGTACAAT	GTTTGTCACCT	TGTGTTGCTG	1860
	TTTTATCGTG	AAATGCCATT	ATGCATCGCC	TCTTTTTCTA	TTTTTCTATA	AGTTAGTATA	1920
10	AAAAGTATAC	CAGAAAAGAA	AATGAATTGA	TAGCATAAAG	TTTGAAATGC	AAAATAACTA	1980
	GTCGTTTTGC	AATTTTATcAT	TGATGCGAAC	AAAAAAGCGA	TGGTACAGTT	GCACCATCGC	2040
	AAAATTTATT	TAACCAAGAT	ATACATCTTG	ATATGAATCT	TCTTTTTCTA	ACATATGTTT	2100
15	GGCAAATGAA	CATGAGGCAA	TAATTTTCAA	ATTATTTTCT	CGAGCGTGTT	CAACAACTGc	2160
	TTTAAGTAGT	TTTTTGCCAA	CACCTTGACC	ACCAAGTTCA	TCAGATACGC	CTGTATGATC	2220
	AATGTTAATT	TCATTATTAT	CCACAAAACG	GTATGTGATT	TCAGCTAAAG	CATTATTTTC	2280
20	ATCATCACCA	ATATAGAATT	TGTTCTCGCC	TTGTTTGATT	TCAAGGTTAC	TCATACATAT	2340
	CAACTCCTAT	CATGATTGAT	TATAGTATTT	CCCTATTCTA	TTTTAACTTA	AACGAAGTCA	2400
	AAGGTGCATG	ACAGTCATGT	GACGACATTG	CCACATCTAT	GTAGTCGTTT	TTATTAAGCA	2460
25	CAGTTTGAAA	TGAAGATGAA	AACACGTATC	TTGACATTAA	ATCTATTCAG	CTATATAATT	2520
	TATCTCGAAA	TCGAAATAAA	ATAAAAAAGT	TGGTGATCAT	ATGGATCGAA	CGAAACAATC	2580
30	TCTCAATGTT	TTTGTCGGAA	TGAATAGGGC	GTTAGACACA	TTAGAGCAAA	TTACAAAAGA	2640
	AGACGTAAAG	CGATATGGCT	TAAATATTAC	TGAATTTGCA	GTGCTCGAGT	TGCTTTATAA	2700
	TAAAGGTCCG	CAACCAATTc	AACGTATTAG	AGACCGCGTA	TTAATTGCAA	GTAGCAGCAT	2760
35	TTCATATGTT	GTAAGTCAAT	TAGAGGACAA	AGGTTGGATT	ACACGTGAAA	AGGATAAAGA	2820
	TGATAAACGT	GTATATATGG	CTTGTTTAAc	TGAAAAAGGT	CAAAGTCAAA	TGGCAGATAT	2880
	TTTCcCTAAG	CATGCTGAGA	CATTAACAAA	AGCGTTTGAT	GTGTTAACAA	AGGATGAATT	2940
40	AACAATCTTA	CAACAAGCGT	TTAAGAAACT	AAGTGCACAA	TCTACAGAAG	TGTAAGGCGT	3000
	GCACTAAAAA	TTTACATTAA	AGTATCTCGA	TTTCGAGATA	AATGCACTAA	AAATATAAAG	3060
45	AGGGTATATA	AAATGATAAA	TAATCATGAA	TTACTAGGTA	TTCAACCATGT	TACTGCAATG	3120
	ACAGATGATG	CAGAACGTAA	TTATAAATTT	TTTACAGAAG	TACTAGGCAT	GCGTTTAGTT	3180
	AAAAAGACAG	TCAATCAAGA	TGATATTTAT	ACGTATCATA	CTTTTTTTGc	AGATGATGTA	3240
50	GGTTCGGCAG	GTACAGACAT	GACGTTCTTT	GATTTTCCAA	ATATTACAAA	AGGGCAGGCA	3300
	GGAACAAATT	CCATTACAAG	ACCGTCTTTT	AGAGTGCCTA	ACGATGACGC	ATTAACATAT	3360
	TATGAACAGC	GCTTTGATGA	GTTTGGTGTT	AAACACGAAG	GTATTCAAGA	ATTATTTGGT	3420

55

EP 0 786 519 A2

TTAAATGAAG GGGTAGCACC TGGTGTACCT TGGAAGAATG GACCGGTTCC AGTAGATAAA 3540
 GCGATTTATG GATTAGGCCC CATTGAAATT AAAGTAAGTT ATTTTGACGA CTTTAAAAAT 3600
 5 ATTTTAGAGA CTGTTTACGG TATGACAACT ATTGCGCATG AAGATAATGT CGCATTACTT 3660
 GAAGTTGGCG AAGGAGGCAA TGGTGGCCAG GTAATCTTAA TAAAAGATGA TAAAGGGCCa 3720
 10 GCaGCACGTC AAGGTTATGG tGAGGTACAT CATGTGTCAT TTCGTGTGAA AGATCATGAT 3780
 GCAATAGAAG CGTGGGCAAC GAAATATAAA GAGGTAGGTA TTAATAACTC AGGCATCGTT 3840
 AATCGTTTCT ATTTTGAAGC ATTATATGCA CGTGTGGGGC ATATTTTAAAT AGAAATTTCA 3900
 15 ACAGATGGAC CAGGATTTAT GGAAGATGAA CCTTATGAAA CATTAGGCGA AGGGTTATCC 3960
 TTACCACCAT TTTTAGAAAA TAAAAGAGAA TATATTGAAT CGGAAGTTAG ACCTTTTAAAT 4020
 ACGAAGCGTC AACATGGTTA ATTGGAATGA GGAGGATTTG TGATGGAACA TATTTTTAGA 4080
 20 GAAGGACAAA ATGGTGCGCC AACACTAATA TTATTGCATG GTACAGGTGG TGATGAGTTC 4140
 GATTTATTAC CGTTAGGCGA AgcATTGAAT GAAAATTATC ACTTGTTAAG TATTAGAGGA 4200
 CAAGTTTCAG AAAATGGGAT GAACCGTTAT TTCAAACGTC TTGGTGAAGG TGTTTATGAT 4260
 25 GAAGAAGATT TGGCATTTCG TGGACAAGAA TTGTTGACGT TCATTAAAGA AGCTGCTGaA 4320
 CGTTATGATT TTGaTATTGA AAAAGCAGTA CTGTTGGAT TTTCAAATGG ATCAAATATA 4380
 GCGATTAACT TAATGTTGCG TTCAGAAGCA CCATTTAAAA AAGCATTGTT ATATGCACCG 4440
 30 TTATACCCAG TTGAAGTAAC GTCAACAAAG GATTTATCAG ATGTCAGTGT GTTGCTTTCT 4500
 ATGGGGAAAC ATGATCCAAT TGTGCCATTA GCTGCAAGTG AACAAAGTCAT TAAC TTGTTT 4560
 AATACACGTG GGGCACAAGT CGAAGAAGTT TGGGTGAAGG GCCATGAAAT TACAGAAACT 4620
 GGATTAACGG CTGGTCAACA AATACTTGGG AAATAACAGT TCTATTAAGA AGCGGACAGA 4680
 TGGA~~AA~~AAGAT TTTTACTTTT CATCTGCCCG CTTTTTTGAT TTTGAAGTGC TGTAATAAAT 4740
 40 TTTACAATAG TATAGATATT TTAATCGATA TGAGATTTGC CGGTAATACG CTTAATTAAA 4800
 CCTTTATAGA GTACAGGTAT GAGTAAGATG AAACCGAACA ATCCCATAAAT AGGGAATACT 4860
 TTTCCAATTA ATGAAATGAa ACCGATAAAT GTACTAATAT AAGTGATGAC AGCCATTGTA 4920
 45 ATAATAATGA TGAAGTAACG TCTGCTGAAT GGAACGCTGA AACGTGACGC AAATGCATAC 4980
 ATTAATCCAA CAACAGTATT GTAGATGACA AGTATCATAA TGACAGACAT AATAATACCA 5040
 ATTGACGGAG ACATTTGTGT CGCTAATTTT AATGTAGGTA GATCTACGTG TTTAATTTTA 5100
 50 TCGAATTGAG AAATTAAACC TAGATTAATC ATCATGAGTA AAAATGTAAT GATTAAACCG 5160
 CCAATCAAGC CCCC GTATAA CGTTGAGTCA CGATATTTAA CTTTACTACC CATCACTGAT 5220

55

CCAGGTGATA ATGATTTCTG CTTATGAATC TGAGCATCAT TATTAGCGGC AGTAAAATCA 5340
 AGATGACTTG TTGTGAAATA GTAGACCGCA ATCATAATGA CAATCGCAAT TAAAAATGGG 5400
 5 GTAACACCGC CAAGCACAGC AATTAAACGA TCGAATTTTA GAAACAGTGT TGCTAAAATA 5460
 AAGGCGACTA ATATGAGTGC GCTCAGCCAA TACGGTAAGT TGAAACTTTG ATGAATGGTT 5520
 10 GACGCACCAC CTGCAGTCAT AATAATAGCT AAAGACAACA TAAACATTGT TAAAAATAATA 5580
 TCAAAACCTC TTGCAATAGA GGGGTATAAG AAATAGTTAA TTGAATCAGA ATGATTTCTG 5640
 GACTTTAGAT GATGACCTGT ATGCATGACA ACCATTCCAC CTAAAGTAAT CAATAGTCCT 5700
 15 GTTACAATAA TGCCTGAAAT GCTATATGCG CCATGACTTG TGAAAACTG GAAAATTTCT 5760
 TGACCAGTAG CAAAGCCGGC ACCAACGACA ACACCAACAA AGGCAAATGC CACAATAATG 5820
 GACTCTTTTA AGATACGCAT GATTTAAAAA TGTCCCTTCG TAATTTTAAG TAATATAGAA 5880
 20 AATGTAACAT ACATGTTAAT GAAAAATATA GTACTAATAT AGTATTTTGT TAAATTGGAG 5940
 TAGAAGCGAG GGTGTCGGTC ATTTCATTAA TTTATTAGTT GATTTTGCAT TTTTTTGCTG 6000
 TAAAGTTGTT ATAATACAGT TAACAGGAAT TAGCATAGAT ACACCAATCC CCTCACTACT 6060
 25 CGCAATAGTG AGGGGATTTT TTTCGGTGTA GCTAGGTCGC CTATTTATCA TCGTGTTCG 6120
 GTAgCaATGC GTAAACACAG TACCACTAAA TAAGTGCACG ATACATGCAT CAAATGTCGT 6180
 CTTTAGTcTA AGTAACGATC ATGCATTAAAC ATTTTCAAAA TATCTATTG AGCTTGAAGA 6240
 30 TCTTTACCAA TATTGGTATC ACGAATCTTC TTACGTTGTA ATTCTTTATC TACGACGCGC 6300
 TTTATAGAAA GTTCATCGAT ACCTTCGGAA AGTATTTTTn CTTTAGCGTT AAATTGTTGG 6360
 35 TGTGCAACGA GTTGCATACC GAATGAATTA TACAATAGTG TATAGCCTGC AATGCCAGTn 6420

GTTGACTGAT AAGCTTTTGA AAAGCCACCA TCAATGACAA GCATCTTTCC ATCAGCCTTG 6480
 AT - 6482

(2) INFORMATION FOR SEQ ID NO: 53:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16592 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 53:

ATTTAAGGCG ATTGCTTGTTG TATTTCTCTC TTTTGTAGGC AAACCTGCAC TCGTTCCAAA 60
 AAATGTAAC TCCATATATG CCCCTCCTTT TCTTCAATTC ATTTTATCAT AAAATTTGTA 120

EP 0 786 519 A2

	AATTTTTCTA	ACTTTAACGT	AGACATAACT	ATATAAATTT	TGATAATTAC	GTTATACTTA	240
	TCATTAATAA	GTATCACATT	AAACATGATA	CATGAATCGA	TATTTTCATTT	AAGACACTGC	300
5	ATACAGTCGA	GCATATTGTA	TGACCTACTG	AATGGATTAT	CTTATAATAA	TAAATCATAT	360
	ATCTAATTAA	GAATTGAGGT	TTTAATCTTG	AGTACTAAAA	ACAAACACAT	CCCATGTTTA	420
10	ATCACAATCT	TTGGTGCACT	GCGTGACTTA	AGCCATCGTA	AGTnGTTTCC	ATCAATATTC	480
	CATCTCTACC	AACAAGACAA	TTTAGATGAA	CATATTGCCA	TcATCgGTAT	TGGACGTCGT	540
	GACATkwnTA	ATGATGATTT	CCGTAATCAA	GTA AAATCAT	CAATTCAAAA	GCACGTAAAA	600
15	GATACAAACA	AAATTGACGC	GTTTATGGAA	CATGTCTTCT	ATCATAGACA	TGATGTTAGT	660
	AATGAAGAAA	GCTATCAAGA	ATTACTAGAT	TTTAGTAATG	AATTAGATAG	CCAATTTGAA	720
	TTAAAAGGTA	ATCGACTATT	CTATTTAGCA	ATGGCACCAC	AATTCTTTGG	CGTTATTTCT	780
20	GATTATCTAA	AATCTTCTGG	TCTTACTGAT	ACAAAAGGAT	TTAAACGCCT	TGTTATCGAA	840
	AAACCATTCTG	GTAGTGATTT	AAAATCAGCC	GAAGCATTAA	ACAATCAAAT	TCGTAAATCA	900
	TTTAAAGAAG	AAGAAATTTA	TCGTATTGAC	CACTATTTAG	GAAAAGACAT	GGTTCAAAAT	960
25	ATCGAGGTAT	TACGTTTTTG	GAATGCGATG	TTTGAACCAT	TATGGAATAA	CAAATATATT	1020
	TCAAACATCC	AAGTTACATC	TTCTGAAATA	CTAGGTGTTG	AAGATCGTGG	TGTTTATTAT	1080
30	GAATCAAGTG	GCGCGCTAAA	AGATATGGTG	CAAAACCACA	TGTTACAAAT	GGTTGcATTA	1140
	TTAGCTATGG	AAGCACCTAT	TAGTTTAAAT	AGTGAAGATA	TCCGTGCTGA	GAAAGTAAAA	1200
	GTACTTAAAT	CACTGCGTCA	TTTCCAATCT	GAAGATGTTA	AAAAGA ACTT	TGTTCTGTTG	1260
35	CAATATGGCG	AAGGCTATAT	CGATGGTAAA	CAAGTTAAAG	CATACCGTGA	TGAAGATCGC	1320
	GTTGCAGATG	ACTCTAACAC	ACCTACCTTT	GTTTCAGGTA	AATTAACAAT	TGATAACTTT	1380
	AGATGGGCTG	GTGTACCATT	CTATATTCGT	ACTGGTAAAC	GTATGAAATC	TAAAACAATT	1440
40	CAAGTTGTCTG	TTGAATTTAA	AGAAGTACCA	ATGAACTTAT	ACTATGgAAA	CTGaTAAACT	1500
	GTTAGATTCA	AACCTATTAG	TAATCAATAT	CCAACCTAAT	GAAGGTGgTA	TCTTTtACAT	1560
	CtAAATGcTA	AGaAAAATAC	ACAAGGTATC	gAAACAGrAC	CTGtCCmATT	GtCTTACTCm	1620
45	ATGaGCGcTC	aAGaTAAAAT	GaATACTGTA	GATGCATATG	AAAATCTATT	ATTTGATTGT	1680
	CTTAAAGGTG	ATGCCACTAA	CTTCACGCAC	TGGGAAGAAT	TAAaATCAAC	ATGGAAATTT	1740
50	GTTGATGCAA	TTCAAGATGA	ATGGAATATG	GTTGaTCCAG	AATTCCCTAA	CTATGAATCA	1800
	GGTACTAATG	GTCCATTAGA	AAGTGATTTA	CTACTTGCTC	GTGATGGTAA	CCATTGGTGG	1860
	GGACGATATT	CAATAATTGA	ATTAAAACGC	ACATGTTAAA	CAAAAATAAA	TGAGCGAATG	1920
55							

	TATATTATGA	AATTATATTT	TACAATGCCC	AAAACATTTT	TAATAATCAT	TGAACAAATG	2040
	GGTGTATAAT	TTATAGAAAT	AATGTAGAAT	AAAAATAAAT	GATTGAATTA	ATTGGAGTGA	2100
5	AAGTTTTGGA	CGTTATCAAG	CAAATACAAC	AGGCAATTGT	TTATATTGAA	GATCGTTTAT	2160
	TAGAGCCTTT	CAATTTGCAA	GAATTAAGTG	ATTACGTTGG	TCTTTCGCCA	TACCATCTTG	2220
	ATCAATCATT	TAAAATGATT	GTCGGCTTAT	CTCCAGAAGC	TTATGCACGC	GCGCGTAAAA	2280
10	TGACACTCGC	TGCAAATGAT	GTGATTAATG	GTGCTACACG	ACTTGTAGAT	ATCGCTAAAA	2340
	AATATCACTA	TGCAAATTCA	AATGATTTTG	CAAATGATTT	TAGTGATTTT	CACGGCGTAT	2400
15	CACCTATTCA	AGCCTCTACT	AAAAAAGATG	AATTACAAAT	TCAAGAGCGA	TTATATATCA	2460
	AATTATCAAC	TACTGAGAGA	GCACCTTATC	CATACAGATT	AGAAGAGACA	GATGATATTT	2520
	CATTGGTTGG	ATATGCACGA	TTTATAGACA	CTAAGTATTT	GTCACATCCT	TTTAATGTTC	2580
20	CGGATTTTTT	AGAAGACTTG	CTCATTGATG	GTAAATTAAT	AGAGTTACGA	CGATATAATG	2640
	ACGTTAGTCC	ATTTGAACTA	TTTGTTATTA	GTTGTCCTCT	TGAAAATGGT	TTAGAAATAT	2700
	TTGTAGGTGT	ACCAAGTGAA	CGTTATCCTG	CACACTTAGA	AAGTCGATTT	TTACCTGGCA	2760
25	AACATTGTGC	GAAATTCAAT	TTACAAGGTG	AAATTGATTA	TGCAACTAAT	GAAGCTTGGT	2820
	ACTATATTGA	ATCAAGTTTG	CAGTTAACAT	TGCCATATGA	ACGAAATGAT	TTATATGTTG	2880
	AAGTGTACCC	TCTCGATATT	TCATTTAATG	ACCCATTAC	TAAAATTCAG	CTTTGGATTC	2940
30	CTGTTAAACA	GAGTCCTTAT	GACGAAGATT	AAATAATAAA	AAACAAAGAA	GCCCCCTAAT	3000
	ATATCTATAG	GTCTACAAAT	GGCCTTAGAT	TCTATTAGGG	GGCATATTAA	TATGTTAATT	3060
35	TAGTTCGATA	ACACATGCTT	CATATGGACG	TAAGTGTTTT	AAATTAACCT	TGGCATCATA	3120
	ATTAAATAGC	TTTACTTCTC	CATGGCTTAA	ATCAAAATGGT	ACAGTTAATT	CTGCTTCGTG	3180
	GTTAGTAAGA	TTACCTACAA	TAAGAACTTG	CTTTTCATTT	AATGTTCTCG	TGTACGCAAA	3240
40	AACTTGTGAA	TTTTTCAGCAT	CTACTAAATC	AAATTGACCA	TATACGTATA	CATCATTAGA	3300
	CTTTCTTAAT	TGAATTAAAT	CTTTATAAAA	TTGTAATACT	GAATGCTCAT	CTTCTAATTG	3360
	TTGTGCAACA	TTGATAGTTT	TATAATTCGG	ATTCACTGGG	AACCACGGTT	CACCATTGTG	3420
45	AAATCCTCCA	TTTAACGTAT	CATCCCATTTG	CATTGGTGTG	CGAGAATTAT	CTCGGTTCTC	3480
	ATCTTTATAT	TTGCAAGTA	AAGCGTCTAC	ATCTCCACCT	TGAGCTTTCA	CTATTTGATA	3540
	GTCATTTTTA	ACAGCAACAT	CGTTAAACGT	TTCAATACTT	TCAAATGGAT	AATTCGTCAT	3600
50	ACCAATTTCT	TGACCTTGAT	AAATGAATGG	CGTACCTTGT	TGCAAGAAAT	AAACAGCTGC	3660
	ATGACTTGTT	GCTGATTCAT	ACCAATACTT	GTCATCGTCA	CCCCACGTCG	ATACACGTCG	3720
55							

EP 0 786 519 A2

	CCATCTATTT AATACAGATT TATACGAATT TACATCAAAG TGAGAATCAC CACTATTCCA	3840
	CAGTCCCAAA TGTTCAAATT GGAATATCAT ATTAAATTTA CCATTTTCTT CCCCAGACCA	3900
5	GTCATCAGCA TCATCAGGGC TTACACCATT CGCTTCACCA ACAGTCATAA TGTCATACTT	3960
	ACTTAATGAG CGATCTTTCA TCTCTTGTA CCAAGTTTGT ATACCTGGCT GATTCATATC	4020
10	TACATCAAAT GCTGGGGCAT ATGTTTTACC CTCAGGTACA GGTAAGTCAC CCGCTTCAAA	4080
	CGTCTTCTTA ATATGCGTAA TTGCATCTAC TCTAAATCCA TCAATGCCTT TATCAAACCA	4140
	CCAGTTCATC ATTTCAAATA CAGCATCTCT AACTTCCGGA TTACCCCAAT TCAAATCAGG	4200
15	TTGTTTTTTT CTGAATAAAT GGAAATAATA TTGCTCAGTA TTAGCATCAT ATTCCCATGT	4260
	AGATCCATTA AATATACTTT CCCAGTTGTT AGGTTCAGAG CCATCTGGCT TTGGATCTTG	4320
	CCAAATGTAC CAATCACGTT TGGGATTGTC TTTACTAGAT TTGGATTCTA TAAACCAAGG	4380
20	ATGTTTCATCA GATGTATGAT TTACAATAA ATCTAAAATA AGCTTCATGC CTCTATCATG	4440
	AACACCTTTT AATAAACGAT CAAAGTCTTC CATCGTTCCA AATTCATCCA TAATCTCTTG	4500
	GTAGTCACTA ATATCATAAC CATTGTCATC ATTAGGTGAT TTAAACATTG GACTGAGCCA	4560
25	AATGACATCG ATACCGAAAT CTTTTAAGTA GTCCAATTTA TCAATCATT CAGGTAAATC	4620
	CCCAATACCA TCGTGATTAC TATCATTAATA ACTTCTTGGA TATACTTGAT ATGCTACTGC	4680
	TTCTTTCCAC CATTGCTTAT TCATTTTAAA ACTCCTTTGC TATCGCTGTG TTGATTTTCT	4740
30	TATTTTAAAT TCTGTATCTA TAATGACGAG TTCAATAACA TCCTGTGCTT TGTPTTTCAA	4800
	TATATTTAAA ATTGCTGCAC CAGCCTGTTG ACCTAACATT CGAGGCTTGA TGTCAATACA	4860
35	GGTTTGTGGT GGTGACGCAA TTTCGGTTAA ATAAGAATCA TTGAACGTTG CTGTCATTAC	4920
	ATCTTTCGGA ATTTCAATAT TAAGTTCATA TAGGACACTT AAAATCGCTA AATGTAACAT	4980
	AGCATCTAAC GAAATGATTG CCTGTTTAAAT ATTTGGGTCC TTCAAACGCG TATGTAGATT	5040
40	TTGCATGTAA TTAAAAATAA CTTCTCTTTC ATTACTAGTC TCAATAATTT GATAATTAAT	5100
	TTTATTTTGA GAAGCTATCG TTTCAAATCC TTGAATTCTA TCTTTTGAAA CTTCAAATTT	5160
	TCCTTTTCT GTAAATAAATA TTAATTCATC TACACCTTGT TCAATAACAT GTCGTGTCAA	5220
45	ATTTTCAGAA GCTAATATAT TATCATTATC TATATGTGTA AATTGATGAT CTATATCCGA	5280
	TGTAGGCTTA CCAATCACAA TAAATGGCAT GCTTTCATCA ATTAACATTT GTTTAATCGG	5340
	ATCATTTTCT TTTGAATAGA GCAGTATAAA CGCATCAACC ATTCGTTGTT TAATCATTTT	5400
50	ATAAACTTCA TCCATTAAAT CATTCAATT ATTTGAGACT GTCGTTTGTG TACCATAGCC	5460
	ATGCTGGTTA CACGTTTCAG AAATTCCTAG CAATACATTG ATGTAGAATG GATTCAGTCG	5520
55		

EP 0 786 519 A2

	AGTTCTAGCA GCGGTATTAG GAAAATAATT CAATTCTTCC ATAAC TTTCT TCACTTTTGA	5640
	AATTGTGCGT TCGCTAATAC GTTGATTTC TTTTATAACT CTTGAAACTG TCGAAGGAGA	5700
5	AACACCGGCT TTTAGTGCAA CATCTTTAAT CGTAACCATT TAATCACCTC CTGTTAATTT	5760
	CTGCATCGGA AAACGCTTCC AACCCTGTGTA TAATACCAGT TTAGTCACAC TTTCTAAAAA	5820
10	AGTCAAAAGA TTTGTGCAAA CGATTGCATA AAACGATAAA AATAAAACCT TCATACTGAA	5880
	ATTCAATCCG AAAATCAATA TAAAGGTTTG TATAAATATT AAAATCGATT GTTTAGTCAC	5940
	TAACTGCAAA ATAGTTACCT TGGCCATCTT GAAAATTAAA TACACGTTGA CCATTCATTT	6000
15	CTACTATATC ATGCCCAGTT AAACCTAAAT CATTTAATTT TGAGTATAAT GCATCAAAGT	6060
	TTTTCTCTTT AAACATTAAA GATGGTGTTT CTAGGTTTAC TTCCGGGCTA TGCTTTTCAA	6120
	TAAATTTCTT TGCCATAATC GTCAATGACG TTTCAGCATC TTTGGTAGGT GATACTTCAA	6180
20	CTGCAACATA GTCCTCAGCT AACGGTGTTT CACTTACAAC AACAAATTCT AAAGTTTCTG	6240
	TCCAAAATGC TTTGCTTTT TCGACATCAT CAACATATAA CATAACTTGA TTTAACTTTT	6300
	CCATAAAATA GTACCTCTAT TTCTCTATAG TACATGCTAT CATAACACAG TAAATATTTT	6360
25	ATTACTTCAC AAAATGCTTA AAAATATGGC GGGATGCTTT TAAGGTCAAG GATAATACTT	6420
	GTGTAATTTT TTATAGGTTG TAGCTACTCT ATCACACTCT CTTTTATATT TATCAAAAGA	6480
	TATAAAAAAG GATAGTATCT TTCAACTATC CTTTAATCAA TATTATTCTT CAATCCATTG	6540
30	TGTATGGAAT ACGCCTTCTT TATCTTTTCT TTCGTACGTA TGAGCACCAG AGTAGTCACG	6600
	TTGTGCTTGA ATTAAGTTTG CAGGTAAATC AGCAGCACGG TAACTATCAT AGTAATTAAT	6660
35	ACTTGATGAG AAACCAGGTG TTGGTACACC ATTTTGAACA CCAGTTGCGA CAACATCACG	6720
	TAACGCATCT TGATATTCAG TAACGATGTT TTTAAAGTAA GGATCTAGCA ATAAGTTTTG	6780
	TAATCTGGA TTATTATCGT AAGCATCTTT GATCTTTTGT AAGAATTGTG CACGGATAAT	6840
40	GCAACCTTCT CTCCAAATCA TAGCTAAATC ACCAAGTTTT AAATTCATT CATTATCTTC	6900
	ACTTGCTTTA CGCATTTGCG CGAAACCTTG TGCATAAGAA CAAATTTTAC TCATATATAA	6960
	TGCTTTACGA ATTTTTTCTA AAAAGTCTTT CTTGTCACCA TCAAATGATG CTTTTGGACC	7020
45	ATTTAATTCT TTAGAAGCAT TTACGCGCTC TTCTTTGATT GAAGAGATAA AACGTGCAAA	7080
	TACAGATTCA GTAATGATTG TTAATGGAAT ACCTAATTCT AATGCGTTAA TTGAAGTCCA	7140
	TTTTCTGTGA CCTTTTTGAC CTGCAGTATC AAGAATTTTT TCAACTAATG CTTCTTTATT	7200
50	TTCATCTAAT TTCATGAAAA TATCACCAGT GATTTCAATT AAATAACTTT CTAATTCACC	7260
	AGCATTCAG TCTTTGAACG TTTGAGCAAT GTCTTCATGA GACATGCCTA ATAATCTTTT	7320

55

EP 0 786 519 A2

	CATTTTTCACA TAGTGTCCAG CACCATTAGG TCCAATATAA GTAACACATG AAGCACCGTC	7440
	TTTTGCCTTT GCAGCAATTG CATCAAGAAT ATCTGCAACT TTGTTATAAG CTTCTTCTTG	7500
5	TCCACCCGGC ATTAATGACG GACCAGTTAA CGCTCCAATT TCACCACCAG AAACGCCCCAT	7560
	ACCAATAAAG TTGATTGCAC TTTGTGyWAA TGCTTTATTA CGTCTGATAG TATCTTGATA	7620
10	GTTTGTATTA CCACCATCAA TTAAATATATC TCCATCATCT AATAAAGGTA ACAAACATATC	7680
	AATCGTTGCG TCCGTAGCTT TACCTGCTTG AACCATTAAAT AAAATTTTAC GTGGTTTTTTC	7740
	TAAAGAATTA ACAAATTCTT CCAATGAATA CGTTGGATGA ATATTTTTTCC CTTTTGATTC	7800
15	TTCAACCATT AAATCAGTTT TTTCACTTGA GCGGTTAAAT ACAGATACAC TATATCCGCG	7860
	TGATTCAATA TTCCAAGCTA GGTTTTTACC CATAACGGCT AAACCAATAA CTCCAATTTG	7920
	TTGTGTCATA TTACTTACCT CACTTGTTGA TTTTTCATTA GTATTGTATC ACAAATAGA	7980
20	CATACACTAC ACTAAATCAT TTCGAATGTC GCGCAACTAT TTTGATTATT TCTAACACTT	8040
	GACTTGCAAG CAAGTTCAAT GATTTAATCG GCATTCTCTC ATTTGTTGTA TGGATTTTTT	8100
	CATAACCCAC TCCTAAAATG ACTGAAGGAA TACCAAATGT ATTAATAATA CTGCCGTCTG	8160
25	AACCGCCACC AGAAATAATT GTATTTGCAG ATAATCCTAA ATTACGAGCA CTTTCTTGTC	8220
	CAATTTTAAC AACCGCTTCA TTATCATTAA TTTTAAATCC TGGATAACTT TGCTCCACTG	8280
	TAACTACTGC TTTCCACCT AATTCTGATG CAGTAGTTTC AAACACATCA GTCATATGTT	8340
30	TGACTTGTGT TTTTATTCTT TCTGGATCGT GAGAACGTGC CTCTGCTTCT AAAATGACTT	8400
	CATCTGCAAC AATATTCGTA GCTGAACCGC CATGAAACTT ACCAATATTG GCAGTAGTTA	8460
	TTTCATCAAC TTGTCCTAAT TTCATTGAC TAATTGcTTT CGCGCAATA TTAATAGCAC	8520
35	TAACACCCTC TTTTGGCGTA CTTGCATGAG CCGTTTTGCC AAAAATTTTA GCTGAAATTA	8580
	ACATTTGCGT CGGTGCACCT ACAACCGTAG TACCGACATC AGCACTTGCA TCAATAGCAT	8640
40	AACCAAAGTC CGCGTCCAAC AACTCTGAAT TTAATTCTTT AGCACCAATT AAACCTGATT	8700
	CTTCTCCAAC AGTAATCACA AATTGAATTT GTCCATGTGG GATTGTGTGT TCCTTTATCA	8760
	CTTGCAAAAC TTCAAGCATC GCTGATAATC CTGCTTTATC ATCTGCACCT AGAATAGTCG	8820
45	TACCATCAGA GTATATGTAG CCGTCATCTT TTACAATTGG CTTTACATTA ATTGCGGGTA	8880
	CAACAGTATC CATATGGCTC GTCAAATATA ATTTAGGTAC TTCGCCCTTCT TCGATAGTAC	8940
	TATTCATTGT ACACACTAGA TTATTGGCAC CTAATTTAGG ATGTTTAGCC GCTTCATCTT	9000
50	CTTTAACATC TAACCCTAAT GCTATGAATT TTTCTTTTAA AATAGGTTGG ATTGTTGATT	9060
	CATTCCTGT CTCAGAATCG ATTTGTACAA GTTCAAAAAA CGTATTAAGT AATCTTTGCT	9120
55		

EP 0 786 519 A2

	GATGAAATAA AATGTTACAG TAATTGACGT TACACAGATT TATCAGGTTT GTAAATTGTG	9240
	TCATATTATT TTCAATTTAT TATATATAAT TATTGTAACT CAAACTAAGC TTTGTCAAAA	9300
5	ATATATTGAT TGATTTTTCA AAGATATCGT ATAATGAGGA AAATGACATA AGCAAACCTA	9360
	CTCATGTTTT TTATTATATT CCTTTATGAT GATTGCTAGT TATATCGTCT CAAGTTAAAA	9420
	GTTTTATATC TTATGTCGTA ATTATTAATA CAAAGGTTAT TCATTTGGAG GCACACAAAA	9480
10	TGCAAAATAA AGTTTTAAGA ATTATCATT TCGTTATGCT TGTATCAGTT GTATTAGCAT	9540
	TGTTATTAAC GAGTATCATT CCAATTTTAT AAACATATATC TCAACTACCT ATACAAAATC	9600
	ATACAATTAA AAATCCATCC ATTATAAAGC CATGTATTAA TAAGTTATCG TATTGCAACG	9660
15	ATTACTTTCA AACATGGGTC ATACGGATGG ATTATTTTTT AAGCTACTTC ACTATGCATT	9720
	TTCAATGAAC CAAATTGCGA TTTGATTTGT AAATATTCTT CTAATTCATT TAATATTTGA	9780
20	ATAATACTTG CTCTCGAGTT AAGCGCTTTG TGTGTTGTTG GCAATGGCAG TTCATCCAAT	9840
	TTCAAACGCG TCTCATACAA ATTGTGTAAA CGCATTGCTG TATAGTCATT ACTATTCACA	9900
	TTTAGACCAA TTTCTTTCAG CAGTGACGCA ACATCATTTA AAAGCGGATC TTTATGACAG	9960
25	ATACTTTCGA TGAGCGGTTT CATTCTCATT AACAAATCCA CTTGCTCTTC TCGCATATCA	10020
	AAATAATGAT AGTATGAATT TTCGTTTCTA ACAAATGAT TTTTAACATC TCGGAACGCG	10080
	ATAGACTTCG CCTTTTTAAT ATTTAAAAGT AACACTTCAA ATTCAATCGC AATGGTATCT	10140
30	TCATATTTTT CACAAATATA ACTATATTTA CTAAAAATAT CAGCAATTG TTGCTCAATT	10200
	TTACATTTGT ATTTCGTCTAG TTGTTTGTCT AAACCTGGCA TCATTAAATT CaTTGTAAAT	10260
	GCAATGCTTA GTCCAATTAA CAGTAATAAT GTTTCATTAA CAATTAAATG TGCATCAATT	10320
35	GATTTTGCAT TAAAAACATG AAGTAATATA ACGCAACTCG TAATGACACC TTCTTGTAAT	10380
	TTTAATACGA CAGTTAATGG TATAAATAAC AATACGATAA TACCGAGTAC AATTGGACTC	10440
40	TGACCTAATA AACTAAATAT TGCTGAACCT AAAACAATA CTAAAAACA TGATACTAAT	10500
	CTTGAAATAA TCGCTTGTAG CGAATGTACT TTTGTATGTT TAATACATAA TACGACTAAT	10560
	ATGGCGCTTG AAGCATAATT ATCTAAACCT AACAGCTTAC TAATAATTAC ACCTAAAGTC	10620
45	ATACCCACTG CTGTTTTTAT TGTTCTAAAT CCAATCTTGT AAGGATTTAA CTTTAACATG	10680
	GGTTAGCGCC TCTTATCTTT CTTCACAATA TTTATTGAAT AATGTTTGTA ATTGATTAAT	10740
	TACGTTTCATC ACATCATGAC CTTGATTTG ATGTCTTTCA ATCATTTCTG TAATCTTTCC	10800
50	ATCTTTTACT AATGCAAATG ACGGACTTGA AGGCGCATAA CCTTCGAAGT ATTCACGCGC	10860
	TCTTGTGTC GCTTCTTTAT CTTGTCCAGC AAATACTGTC ACTAGACGAT CAGGTAATAC	10920

55

EP 0 786 519 A2

	AGAATTGATC	ATAACTAGTG	TTGTACCATC	TTGTTTAAGA	ACTTTGTCAA	CATCTTCTGC	11040
5	AGTAGTTAAT	TGCTCATATC	CCGCAGATTC	AATTTTCATTC	CTTGCTTGTT	CTACAACACC	11100
	GTTTCATGTAT	AAATCGAAAT	TCATGnCCAT	AAGTTCAATC	ACCTATCCCT	TTATATTTAA	11160
	ACTAeCCTCA	TTCTACTAAT	TAATAACATA	TTGTTCAATA	AACTAATCTG	AATCACACCT	11220
10	ATATTTAGAC	ACAATTTTAA	CAATATACCA	AACATTATTG	TGCTTAAAAT	CATGGTAACT	11280
	AATTTGTTCA	CATGTTTTCA	TTAATATGTT	TCAAGTATGA	TGTCTTATTT	TGACTTTACT	11340
	GCAAAAATGC	ATTCAACCAT	GTTGATTATT	GTTCTTTATC	TTTTTTGAAT	ATATTGCACA	11400
15	TATTTTAGTG	CCAAAAATA	ATACATCCAT	CGACAAGAAC	AAGATAAAAC	AAGTTGTCGA	11460
	TAGATGCATC	TATGTTATCA	CTAATATATA	TTTGTATTTT	CTAAAGTATA	CTGTTTCGATA	11520
	CGCTGTTTAA	TATGATTCAT	ArATTTACCT	GTTTGTA AAC	CATCTAAAAT	ACGATGATCA	11580
20	ATTGAAATAC	ATAAATTAAC	CATGTTACGA	ATTGCAATCA	TATCATTAAAT	TACTACTGGC	11640
	TTTTTAACGA	TTGATTCTAC	TTGTAAAATC	GCTGCTTG TG	GATGATTTAT	AATACCCATT	11700
	GATGATACTG	AACCAAATGT	ACCAGTATTA	TTTACCGTAA	ATGTACCGCC	CTGCATATCT	11760
25	TCAGCTGTCA	ATTGCTTATT	ACGCGCTTTC	GTTGCTAAAG	TATTAATTTT	TCTAGCTATA	11820
	CCTTTGATTG	ACTTTTCGTC	TGCATGCTTA	ATCACAGGTA	CGTATAATTT	ATTTTCATCA	11880
30	GCAACAGCAA	TTGAAATATT	AATGTCTTTA	TGTAAGACAA	TTTCATTTCC	TTGCCAGCTA	11940
	CTATTTAATA	AAGGATATGC	TTTTAAAGCA	TCTGCTACAG	CTTTTACAAA	GAAAGCAAAG	12000
	AACGTTAGAT	TATATCCTTC	TTTATTTTTA	AAGCTGTTTT	TATAATGATT	TCTCGTATTC	12060
35	ACAAGATTTG	TAGCATCTAC	TTCAATCATC	ATCCATGCAT	GTGGAATCTC	TGTTACACTA	12120
	TTAACCATAT	TTTGCGCAAT	TGCTTTACGC	ACACCATTTA	CTGGTATTGT	GCTGTTTTCA	12180
	CTATFGTCTT	CAGATGATTG	GTTACTTGAT	GTATCTACTG	ATGTTGATTT	TGTTTGAACT	12240
40	TGTTTGTCAG	ATTGAGCTGT	GGTACCACCA	TTTTCAATAA	CTGACATTAT	ATCCTTCTTA	12300
	GTTACACGAC	CTTCAAATCC	ACTACCTACA	ACTTGTGATA	AATCAATGTC	ATGCTCTGAA	12360
	GCGAGTTTAA	ATACAACAGG	TGAAAAGCGA	CCATTATTAC	GTGGTTGATT	TTGTTTAGCA	12420
45	GTAGATGTCT	GTTCCACTGT	TGCACTAGCT	TTTTTAGTAG	ATTTCTGAGT	ATGCTCATCC	12480
	ACTTTTGCTT	GTATCTCTTC	AGTTGTTTCA	TTTGTCTTTT	CATCAGCAGT	TTCAATTTTA	12540
	CAGATAATTG	TATCAATAGC	TACTGTCTGC	CCCGCTTCAA	CTAAAATTTT	TGTAATTGTT	12600
50	CCTGATATCG	TGGAAGGGAC	TTCAGCTGTC	ACTTTATCTG	TAATAACTTC	ACATAATGGT	12660
	TCATATTCAT	CAATATGATC	ACCAACAGAA	ACTAACCATT	GTTCAATGGT	GCCTTCATGA	12720
55							

EP 0 786 519 A2

	AATTCACGCA	TTTTATTTAA	GATTTTTTCT	GGATTCATCA	TAATTTTCATT	TTCTAATACA	12840
	GGAGAAAATG	GCATAGATGG	TACAtCTGGA	GCAGCTAAAC	GCATGATTGG	TGCATCTAAA	12900
5	TCGAACAAGC	AATGCTCTGC	AATAATCGCT	GACACTTCTG	ACATAATACT	ACCTTCTAAA	12960
	TTATCTTCAG	TTACAAGTAA	AACTTTACCT	GTATGTTTAG	CACGATCAAT	AATTGTTTCT	13020
	TTATCTAATG	GATAAACAGT	TCGTAAATCA	ACGACTTCAA	CATTGATACC	GTCTGCAGCT	13080
10	AAAATATCCG	CTGCTTGTA	ACAATAATTG	ACCATTAATC	CATAACAAAA	TACTGTTAAA	13140
	TCTTCACCTT	CACGTTTCAC	ATCTGCTTTT	CCTAAAGGTA	CAGTGTAATA	TTCTTCTGGC	13200
	ACTTCTTCCT	TAAAGAAACG	ATAAGCTTTT	TTATGCTCAA	AGTACAATAC	TGGATCATT	13260
15	GATTCGATAG	ATGATAATAA	AAGCCCTTTA	GCATCATACG	GTGTGGAAGG	AATAACAATT	13320
	GTTAAACCTG	GCGATGAAGC	AAATATACTT	TCAATACTTT	GTGAATGATA	TAGTCCTCCG	13380
20	TGAACACCGc	CACCAAATGG	TGCACGAATC	GTTAATGGGC	ATTGCCAATC	ATTATTTGAA	13440
	CGATAACGCA	TTTTCGCAGC	TTCACTAATA	ATTTGATTTG	TCGCAGGTAA	AATAAAATCT	13500
	GCAAATTGAA	TTTCTGCAAT	TGGTCTTTTA	CCTACCATAG	CTGCACCAAT	GGCAGTTCCA	13560
25	ACAATATTTG	ACTCAGCTAA	TGGCGTATCG	ATAACTCTGT	CTTCACCATA	TTTTTGTTGC	13620
	AGTCCTTGAG	TAGTACCAAA	TACGCCACCT	TTTCTACCAA	CATCTTCACC	AAGAATAAAC	13680
	ACATCTTTAT	TTTGTTGTAA	TGCTAAGTCT	TGTGCCTGcG	TATCGCCTCT	AAATAAGATA	13740
30	ATTTAGCCAT	TAGTTAAGAC	TCCCTTCTTC	GTACACAAAT	GCATAGGCTT	CTTCGACACT	13800
	TGGATATGGC	GCGTCTTCAG	CAGCCTTTGT	CGCTTTATTG	ATGATGTCTT	ThATgTCCGC	13860
35	TTCTATTTCT	GCCAACCAAG	CATCATCGAT	AATGCCAGCT	GAAAGCAACT	CTTTTTTGAA	13920
	CTTTTCATTG	CAGTCTGCTT	TTTTAAGcGT	TTACGCTCT	TCTTTTCGTAC	GATATTGGTC	13980
	GTCATCATCT	GATGAATGAG	CTGTCATACG	ACTTGTTACT	GCTTCAATCA	AAGTTGAACC	14040
40	TTGACCAGAA	ATAGCTCGAT	CTCTTGCTTC	TTTCATCGCT	TTATACATTG	CTAATGGATC	14100
	ATTACCATCT	ACTTGTTTAC	CATGTATACC	GTAACCAAGT	GCTCTATCCG	ATAATTTTTT	14160
	AGCTGCGTAT	TGTAATGAAT	CAGGTACTGA	AATTGCATAT	TTATTATTTA	TAATGACACA	14220
45	TACAAAAGGA	AGTTTGTGTA	CACCCGCGAA	GTTTAAACCT	TCATGGAAGT	CACCTTG GTT	14280
	TGAGCTACCT	TCACCAACAG	TTGCTGTTGC	AATTTTCTTC	TTACCATCCA	TTTTTAAAGC	14340
	TAAAGCAGCA	CCAACAGCAT	GGGGTATTTG	AGTTGCTACC	GGTGAACTTT	GAGACAAAAT	14400
50	ATTCTTAGCT	CTACTACTAA	AGTGTGATGG	CATTTGTTTT	CCACCAGAGT	TAACATCGTC	14460
	TTTCTTTCCA	AACGCTGATA	AAAACGTATC	ATACGCTGAG	ATACCCATAT	AAGTAACGAA	14520

55

EP 0 786 519 A2

	AATCTGAGTT GCTTCTTGTC CTTGACCACT TACAACAAAT GGAATTTTAC CTGCACGGTT	14640
	CAATAACCAC AGTCTTTCAT CTATTTTCT ACCTAAATCC ATCCATTAT ATATTACTTT	14700
5	TAGGTCTTCT TCGCTAAGGC CTAATGATTT ATAATCAATC ATGTTAAATC CTCCTATTTA	14760
	TACGTGAATA GCTCTACTTT CTGCTTTCAA TCCTAATTCC ATCAACACTT CAGAGATGGA	14820
10	AGGATGTGCG TGTGTTGTTA GTCCTAATTC TAATGCCGAG CCATTCATGA ACTGTAACAG	14880
	TGATGCCTCA TTAATCAATT CTGTTACATG TGGACCAATC ATATTAATAC CCACAATTTT	14940
	TTCAGTTGAT TGATCAATCA CCATTTTCGT ATACCCTTCG TTTGTGTCAT GGCTATCAAT	15000
15	CACTGCTTTA CCAATTGCTT TAAATGGTAC TTTAAACTT TTAACCTTTCA TTCCCTCTGC	15060
	CTTTGCTTGT TCAATGTTTA AACCGATAGA AGCAATTTCA GGTTGTGAAT AAATACACTT	15120
	AGGCATCATG TTATAGTTTA CTGGGATTGG GTTCCCCTCA AACATATGAT CAACAGCCAC	15180
20	AACACCTTCT TTTGATCCAA CATGTGCCAA TTGTAATTTT CCTATACAAT CACCAGCTGC	15240
	ATAAATATGT TTATCTTCAG TTTGTTGAAA TTCGTTTCGT AAAATATGTC CTGATGTTGa	15300
	AAGtTTTATT TTAGTGTTGT TTAAACCAAT ATCTGATGTG TTAGGTTTTT TACCAATCGA	15360
25	TAGCAACACT TTATCTACTT TAATTATGTC TGAGGAAATT TCAAACGTAA CACCATCTTC	15420
	GTTAACATTT ATATCATTTT CAGAAAGTTT TATTCCTCA TAGAATTTAA CACCACGTGC	15480
30	TGACAATGAT TTTTTTAATA GTTGTAAGC TTGTTTACTT TCAGTTGGTA AAATTCTTTC	15540
	ACCTGCTTCT ATAAGTGTTA CGTCAACACC TAAATCTATC ATCAATGATG CAAATTCCAT	15600
	TCCGATAACA CCACCACCAA TAATACCAAT ACTTGATGGT AACGTCTTTA ATGATAATAT	15660
35	ATCATCGCTA GATAAAATTT TATCATGATC AAATGATAAG AATGGCAACT CTGCAGGCGA	15720
	AGAACCAGTT GCAATTAATA CAAATTGGTT GGGTAATAAG TCTGATTCAC CATCTTCATA	15780
	TTGACAGAA ATTGTGCCAC TTTGAGGTGA AAATATAGAT GTACCTAGAA TACGTCCCGT	15840
40	GCCATTATAA ATGTCAATGT GATTGTGTTG CATTAAATGC TTTACACCTT GATACATTTG	15900
	ATTAATAATG TCTTCTTTTC GTGCCAACAT ATTTTCAAAA TTAACATTAG CATCTTTGAC	15960
	ATCAACGCCA AACATTGCTG CCTGTTTTAC TGTTTGAAAT ACTTCAGCAG ATTTAAGCAG	16020
45	CGATTTAGTA GGAATACAAC CTTTATGGAG ACAAGTACCT CCTAATAGTT GTCGTTCTAC	16080
	TATTGCCACT TTTTACCTA ATTGAGACGC ACGTATCGCA GCAACATATC CTGCAGTACC	16140
	TCCACCGAGA ACGACTAAAT CATATTGTTT CTCTGACATG TTCTTACTCC TAACTAATGA	16200
50	TATATATCCA TTGAAAATTT ATTAATACAT AGTTTTTCATG TCCATTAAAT ACCTATTTTA	16260
	CATGATTGTC TATTTAGTTT GAATGCACAT AAATAAATCC ATAAATGAGT ATTCAACACA	16320

55

TAAATCAGTA ACACTTGAC ACCTGAAATCAT TCGTGCAATT TCATCTACTT TATCATCGCT 16440
 AATTAACCTCT TGAACCTGTG TTGTTGTACG ATCATCTTTT GATGATTTCG AAATTAATAA 16500
 ATGATGGTCG CTCATCGATG CAACTTGTGG TAAAGTGAGAG ATACAAATAA CTTGTATATA 16560
 TTCTGCTaTA TCTCGCATT TCTCTGCCAT TT 16592

(2) INFORMATION FOR SEQ ID NO: 54:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 13794 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 54:

CCAATACAAC GTAAAAAGAT TGCTTGTGTT ATTAATGAGT TAGATAAAAT AATTAAAGGA 60
 TTTAATAAGG AAAGAGACTA CATAAAATAT CAATGGGCTC CAAAATATAG CAAAGAnTTT 120
 TTTATACTTT TTATGAACAT TATGTACTCA AAAGATTTTT TAAATATCG ATTTAATTTA 180
 ACATTTCTTG ATTTATCTAT CTTATATGTA ATATCATCTC GAAAAAATGA GATACTAAAT 240
 TTAAAAGATT TGTTTGAAAG TATTAGATTT ATGTATCCTC AAATTGTTAG GTCAGTTAAT 300
 AGATTAAATA ATAAAGGTAT GCTAATCAAA GAACGATCCC TTGCAGATGA AAGGATTGTG 360
 TTAATCAAAA TAAATAAAAT ACAATATAAC ACTATTAAAA GCATATTCAC AGATACTTCC 420
 AAGATTCTCA AACCAAGAAA ATTTTCTTT TAAATTTAAA CAGATTTACC TCTTGATAAA 480
 ATAAATAAGC AATCATACTA CTTCTCAATT TAGTATAAAT AAAAATACAT AATTAACTTT 540
 CTTTTGTTTT TATATTATTT CAATACCCTA CTATATATCA CAACACATAA ATTAAGCATG 600
 ACACTCATT C AATTTAGTTC ACCATTTCTG GTTCCAATTT TACTGAGTAT CATGCTTTTA 660
 ATGTTATAAA CCTAATGCTT TAATAAATCG TGTTAATTCT TCTCGCATAC TGTCATCTTT 720
 CAATGCATAT TCTATGGTAG TTTTAACGAA GCCTAATTTT TCTCCAACGT CATAACGTTC 780
 GCCTTCGAAG TCATATGCAT ACACTTGGTT ATCATTATTC ATACGTTCAA TCGCATCTGT 840
 TAACTGAATT TCGTTACCTG CGCCTTCTTT TTGCGTTTTT AAATAATCGA AAATTTCAGG 900
 CGTTAATACA TAACGTCCCA TAATAGCTAG GTTTGATGGT GCCGTACCTT GTGCTGGCTT 960
 TTCAACAAAC TTTTTCACCT CATACTGACG TCCGTTTTTA GTTAATGGGT CAATAATTCC 1020
 ATAACGATGA GTATCTGCTT CCGGAACCTC TTGGACACCT ATAACGAGT GCCCTGTTTC 1080
 TTCATAAAGC TCAATCAACT GTTTCACCTG TGGCACTTCA GATTCAACAA TATCGTCACC 1140

EP 0 786 519 A2

	TAAACCTTTT	TGTTCTTTCT	GCCTTACATA	AAAAATATTC	GCAAGTTCCG	TTGAATACTG	1260
	AACCTTCTCT	AGTAATTCAG	ATTTACCTTT	TTCTTTTAAC	ACCATTTCTA	ATTCTTTTTG	1320
5	ACTATCAAAA	TGATCTTCAA	TCGCGCGTTT	GTGGCGACCT	GTCACCTATAA	TAATATCTTC	1380
	AATTCCAGCT	CTTGCAGCTT	CTTCAACGAT	ATATTGTATT	GTGGGTTTAT	CTAAGATAGG	1440
	AAGCATTTCC	TTTGGCATCG	CTTTAGTTGC	TGGTAAAAAT	CTAGTCCCTA	AACCAGCAGC	1500
10	GGGAATGATT	GCCTTTTTTA	TTTTTTTCAA	AGTTAATGTG	CTCCTTTTCC	TAAGTATTAA	1560
	ATCTATGTAT	CAACGTCATT	TTAACACTAA	TTAGAACGCC	TTCATAGTGT	CATTGAGTAT	1620
	GTAATTATTT	CTTGGGAAAT	TTGTTTTAAT	TTTAAAAAAC	AGGCTTACTT	CATATAATTT	1680
15	ATGAAATAAA	CCTGTCAATT	TTGGATTGAT	TATGCTTTGT	GATTCTTTTT	ATTTCTGCGT	1740
	AATAACGCTA	AACCTAAAAT	GCTAAATAAT	CCGCCGAACA	ACATGCCGTT	GTTTGTGAT	1800
20	TCTTCTCCAC	CTGTTTCAGG	TAGTTCAGAT	TTCTTAGATT	GTGCTTTTTT	AGTTGGTACC	1860
	ACTGCTTTAA	CCTTTTCATT	GATTTCAATA	ACAGGTGTTA	CTACTTTACC	TTGTTCCACT	1920
	GGTTTAGAAG	GTTTTTTAGG	TTCTTCTTTA	GCAGGTGGTA	TTGGTTTACC	AGGTTCAGTT	1980
25	GGTACCTCTG	GCGTTGGCGG	TGTTGGTGTT	TCCGGCTCGC	TTGGTACTTC	TGGTGTGCGT	2040
	GGTGTTGGTG	TTTCCGGCTC	GCTTGGTACT	TCTGGTGTG	GTGGCGTTGG	TGGCACGATT	2100
	GGAGGTGTTG	TATCTTCTTC	AATCGTTTGT	TGACCTTCAT	TATGACCACT	TACTTGTGGA	2160
30	AGTGTATCTT	CTTCAAAGTC	AACACTATTG	TGTCCACCGA	ATTGATAATT	TGGTTTATCT	2220
	TTATTTGTAT	CTTCTTCAAT	AATTTCAGTG	TGCTTATTGA	ATCCGTGAAT	ATGTGGCACA	2280
	CTGTGGAAGT	CGATATCAAT	GATATTACCA	CCTTGTTTCAT	ACTTAGGTTT	GTCTTTCTCT	2340
35	GTATCTTCTT	CGAATGATTG	GTTACCATTG	TTTTGACCAT	GAATTTGAGG	TACACTATCG	2400
	AAATCGATAT	CTACGATATT	GCCACCTTGT	TCATATTTTCG	GTTTATCTTC	TTCTGTGTCT	2460
40	TCCTCAAATG	ACTGATTACC	GCTATTTTGG	CCACCTTCGT	AACCTAATTC	ACTCTTAATA	2520
	TCCACGTGGC	TATTTTCTTC	GATTTCTTCA	ATCAGCCAT	AATTACCGTG	ACCATTTTCA	2580
	GTTCTTAAAC	CAGAATGAGA	AATATGATGA	TTGTTTTTCAG	TAATTTCTCTC	GATTGGTCCT	2640
45	TGCGCTTGAC	CATGTTCTTC	AGGTAGTTCA	TCTACTAGTT	CAATCAGATT	ACTTTCAGTC	2700
	GTATATTCTT	TCGTATCTTC	AATTGTTGTA	TGATCGCTAA	CAGCACCAGT	TACAATACCT	2760
	TTTGTAGAAT	CTTCGTCAAA	TTCAACTAGG	TTAGACTCAG	TAGTAACCTG	ACCACCACCT	2820
50	GGGTTTGTAT	CTTCTTCATA	TTCAACAACA	TCAGCATGAT	GTTTTGAATT	TTCATGTGTC	2880
	GATTCTTCAA	AGTCTACATG	AATAGAATCT	TCTTCAGTTT	CAATGGTACC	TTCTGCATGA	2940

55

	TCTTCGATTG	TACCACTCAA	TTCATGCTTC	TCCACTGGCG	GCTCTGATTT	AAATTCAAGT	3060
5	TCGATAGGAG	TACTATGTTT	TATAATAGGT	TCCTTTAGTT	TATCTTTGCC	GTGCGCTTGA	3120
	GCGTTATTAG	AGTAAAATGC	AACGCCATTT	TTCCaAGTTA	AATTACTTGT	ATAATAATAG	3180
	TTATAATATC	CAAAAAGGTG	TGTTTGAAAT	TCTAAGTTGC	TAGCATTGTA	ATCATAATAC	3240
10	CCTTCATATT	TTATTACATA	ATTTTTACTT	TGGTCTAAAT	TATTAAAGTT	TAAAGAATAA	3300
	CCACCATTAG	TATCAAAATC	TAAACTCATA	TTATCAGTCA	CATCTTCAAA	TTTGCTGACA	3360
	TCATCAAGCT	TTGCATAnTn	AgctTTCAGC	TAAATCGTCT	GAACCAATGT	GTTTATATAC	3420
15	CTTAACTGTT	GGATTATTAA	CCCCTGGTTT	ATTTCTTTTA	GTTACTTGAC	CAGTTACTGT	3480
	CACAGAGCTT	AACGACTGGT	TGTTAGGTTT	CATGTACGCA	AAATGACTAA	ATTTCCCATC	3540
	TACTTTATTT	AAAGTATCAA	TTCGACCATT	AGCTGTTACT	CCCCAATTAT	CTCTAACTCC	3600
20	ACCTAAATAT	TGAATATTAA	ATATTTTGCT	AACCGTAGTC	TCACCCAATT	TAACTTCAAC	3660
	ATTTTGTTTA	CCTTTTTGCG	TCACTGTTGT	AGGATCAATA	AATAGATTTA	AAGATAATTC	3720
	AGCAGTTAAA	TCTTTCTTTT	CTTGTAACATA	TTCTTTAAAC	GTATATCTAA	CTTTTCTTTC	3780
25	TCCAATTATT	TCTCCTGTG	CCATAACTTG	ACCATCTGTA	CTTTTTATCT	CCGGAACTTT	3840
	ACGCAGTGTT	GAGATACCAT	GAGTTTCAAC	ATTATCGCTT	AATGTGAAAT	CAAAATAATC	3900
30	TCCCGCCTTA	ATTCCTTCTC	CAAATTTCCA	TTTATATTTT	AAGGTTACTC	TTTCTGCGTT	3960
	ATGAGGATTT	ACAACATTG	TATCTTGTTT	ATGTCCTACA	ATTTCACTAC	CTTCTTCTAC	4020
	TTCCACTTTA	TTTGTTACAT	CTGTACCTGT	CGCTTTAGTT	TCTTCCACTA	CTTCTTCTC	4080
35	TGCAACTGCT	GTAACGTCAc	TGatCTTTTC	ATTCTTGGTT	TAATTTCTGA	GACGTTACTT	4140
	GGTTGAGCTA	TGTCAACTTG	AGTTCCCTGTA	GTTTCCTTAT	CAGCAACTTT	TTCCGATGGC	4200
	AAATCAACTC	GCGAAgTTTC	TACTTTTGTT	GCTTGCAcAG	TTTTCGGTGC	TTCTTCTGTT	4260
40	GTTACTTGTTG	TTGATTGTGA	TGGTTGCTCA	GTTGATGTG	CGCTGTATGA	TTGTGTTTCA	4320
	TCTATTGTAT	TAACGTTATT	TGTAGTTGTT	TGTGTTTCGC	TTGCTTTACT	TTCACTAGCT	4380
	GAACTCCAC	TTTCTCTAC	TGTAGTATTG	TTTTGTTCCG	ATGCTGCAGC	TTCTTTTCT	4440
45	TGTCCCATTC	CAACAACGAT	CATTGTTCTT	AAGAATACTG	AGGCCGCTCC	CAATTTGTGT	4500
	TTTCTTATGC	CGTATCTAAG	ATTGCTTTTC	ACTATAATAT	TCTCCCTTAA	ATGCAAAATT	4560
50	CATTTATTTT	TAAAACCTAA	TAAATGCAAT	TCTATATTGT	TCGGTTTTTA	AAAGCAATGA	4620
	AAAAAAGCGA	GTTAATAAAA	AGTTAAGATT	GTTGTAACT	TTATGTATAA	TGAGTTTTTT	4680
	ATTATTTGAA	ACTCACATAT	ATATTGCATA	CAAAGCTCTT	GAACACCTTG	ATATAACAGG	4740

55

EP 0 786 519 A2

	TACTAAACCA	TACATAATAA	TCGCCTGTAC	AATGCATCAT	TAACAAGTCA	CTGAAACGCC	4860
	TTTCATTGTA	TTAATAACGT	CACTATAATT	TTTATATCGT	TCGGTTTTTG	TTTGATTTTA	4920
5	ATGATTATTT	ATACAAAAAC	AGCCGTATTT	CAAGCCGACA	TTTTAAATTT	AACTAAATTT	4980
	GCATCTAGTT	AATAATTGCA	TTTATCAAAT	TTGTCTTATT	GATCCAATCT	AATTTGTACT	5040
	CACAAACTAG	TTTAAAATTC	TAACTTTATC	TCTCAGTTTC	TTATCAATCA	TCAGACATAA	5100
10	ACCAATGAAG	CAATCAGAAA	ACACTCTAAT	TTTCTATTAG	AAATTTGATT	TAATATAAAA	5160
	AAACAGGCTT	ACTTCATATA	ATTTATGAAA	TAAACCCGTC	AATTTTGTGT	TAATTATGCT	5220
	TTGTGATTCT	TTTTATTTCT	GCGTAATAAT	GCTAAACCTA	GAATGCTGAA	TAATCCGCCG	5280
15	AACAACATAC	CTTTGTTTGT	TGATTCTTCT	CCACCTGTTT	CAGGTAGTTC	AGATTTCTTA	5340
	GATTGTGGTT	TTTLAGTTGG	TGCCACTGCT	TTAACCTTTT	CATTGATTTT	AATAACAGGT	5400
20	GTTACTACTT	TACCTTGTTT	CACTGGTTTA	GAAGGCTTTT	TAGGTTCTTC	TTTGGCAGGT	5460
	GGTACTGGTT	TACCAGGTTT	AGCTGGTACC	TCTGGTGTTC	GCGGTGTTGG	AGTTTCTGGC	5520
	TCACTCGGCA	CTTCTGGTGT	CGGTGGTGTG	GGTGTTCCTG	GCTCACTTGG	TACTTCTGGT	5580
25	GTTGGTGGCG	TTGGTGTTC	CGGCTCACTT	GGTACTTCTG	GTGTCGGTGG	CGTTGGTGGC	5640
	ACGATTGGAG	GTGTTGTATC	TTCTTCAATC	GTTTGTGAC	CTTCATTTTG	GCCGCTTACT	5700
	TTTGGAAGTG	TATCTTCTTC	AAAGTCAACA	CTATTGTGTC	CACCGAATTG	ATAACTTGGT	5760
30	TTATCTTTAT	TTGTATCTTC	TTCAATAATT	TCAGTGTGCT	TATTGAATCC	GTGAATATGT	5820
	GGCACACTGT	CGAAGTCGAT	ATCAATGATG	TTACCGCCAT	GTTCATACTT	AGGTTTGTCT	5880
	TTTTCTGTAT	CTTCCTCGAA	TGACTGATTA	CCTTTATTTT	GACCATGAAT	TTGAGGTACA	5940
35	CTATCAAAAT	CGATATCTAC	GATATTGCCA	CCTTGTTTAT	ATTTAGGTTT	GTCTTCTTCT	6000
	GTGTCTTCCT	CGAATGACTG	GTTACCGCTA	TTTTGGCCAC	CTTCATAACC	TAATTCACCT	6060
40	TTAATATCAA	CGTGGCTATT	TTCTTCGATT	TCTTCAATCA	CGTCATAATT	CCCGTGACCA	6120
	TTTTCAGTTC	CTAAACCAGA	ATGAGAAATA	TGATGATTGT	TTTLAGTAAT	TTCCTCGACT	6180
	GGTCCTTGTT	CTTGACCATG	CTCTTCAGGT	AATTCATCCA	CTAATTCAAT	CAGATTACTT	6240
45	TCAGTTGTAT	ATTCTTTCGT	ATCTTCAACT	GTTGTATGAT	CGCTCACCTGC	GCCAGTTACA	6300
	ATACCTTTTG	TAGACTCTTC	GTCAAATTCA	ACTAAGTTAG	ACTCAGTAGT	AACCTGACCA	6360
	CCACCTGGGT	TTGTATCTTC	TTCATATTCA	ACAACATCAG	CGTGATGTTT	TGAATTTTCA	6420
50	TGTGTAGATT	CTTCAAAGTC	AATTGGATTT	GATTCCTCAG	AGGACTCAGT	GTATCCTCCA	6480
	ACGTGACCTG	CTTCGCTATC	CACAGCAGTA	TGGTAATCGA	TATCAATAGC	TGATGAATCC	6540

55

EP 0 786 519 A2

	TGGTAATCAA	TGTCAAGAGT	TGATGAATCA	TATTCCTCTT	CAACAGTAGT	TACTAAATTC	6660
	TTATCATATT	GACCTGTAAG	AGTTTCTTTA	ATTGTATCTT	CTTTATATTC	AAATTTATTA	6720
5	TTTTGAATAA	TCGGACCATT	TTTCTCATTT	CCGTTGCTT	TATTACTGTA	TAAAACTAAA	6780
	CCATTATCCC	AAGTTAAGGT	ATATCCTCTA	TCATAATAAT	ACTTATAAAG	TTGCTCTGGA	6840
	TGTCCTACCA	TTTGTGTTCT	AAAATCAACT	TCATCAGTAC	CATTTAAATA	CTCTCCATCA	6900
10	TAGTGAACAA	CATAAGTTTT	ATCTAGATTT	TCTATATTCA	ATGAATAGCT	TCCATTATTT	6960
	TGTAAATTCA	AATTCCCACT	CATATTACTT	GTGACTTCTT	TAAATTTAGA	AGTATCTGTC	7020
15	GTATTTGCAT	ATACACTCTT	CGCTATGTCT	TCATTATTAC	CCAAGTATTC	AAATATCCTA	7080
	ACTTTTGGTT	GATTTCCATT	CTGATTACTA	CCTTTCATTA	AAGTTCCAGT	AACAGTCACA	7140
	CTTGTCGTTT	TACCATTATT	AGGTTTAATA	AATGCAACAT	GCGAAAATCT	ATTATTCGCT	7200
20	TTATTAAATG	TCTCAATCGA	TCCATTTAAA	TTGGCATAAT	AATCCCAAT	ACCATCTTTA	7260
	TATTTAACAT	CTAATTCCTT	TGAAGTTTGT	TCTTCATTTA	GTGTTGAAGT	TATAGTTTGA	7320
	TTTCCATTAG	TTTGTACAGT	TTTAGGATCA	ATAAATAAAT	TAAATTTCTAG	TTCAGCCGTT	7380
25	ACATCAACCT	TATCTTCAAT	ATCATTTGTA	AATGTATATC	TAATCTTTCC	ACCTTCTAAA	7440
	ACTTCACCTG	TCGCCATTAC	GACTGAACCA	TTTTTAATTT	CTGGTACTTT	TCTAGCAGTT	7500
	GATACGCCAT	GCGTATTTAC	ATTATTTGAT	AAAGTAAAGT	CAAAGTAGTC	ACCTTGATGT	7560
30	AAACCATTCT	CAAATTTCAA	CTTATATTTT	AGTACCGCTC	GTTGTCCTGC	ATGAGGTTCT	7620
	ACTTTATTTG	TATTGTTATG	CCCCTCAATA	GAACCAATTT	CTACTGTAAC	TTTACTTGTT	7680
35	ACATCTGTAC	CCGTTTCCAC	TTTCGCGTTA	CTAGCTTCCT	TAGCTTCCGC	TACATCTGCT	7740
	GATCTTGTC	CACGTGGCTT	ACTTTCTGAT	GCCGTTCTTG	GCTGTGCCAC	TTCAACTTGT	7800
	GTTTCTGCGA	CTTGATTTTG	TGTAGCCTTT	TTAGGTGTTA	AATCTACTTG	TCTTTGATCT	7860
40	CCGCTATTGT	CTTGAGATTG	TGTTGTTTCC	TTAACTTGAG	GTTTCGCTTC	TTCCTTAACT	7920
	ACCTCTTCTT	TAACTGTTTC	TATATTTGCT	GGTTGTGCAG	TTTGTGGTGC	TTGTAAGTCT	7980
	TTTGGTGCTT	CTTCAGTTGT	TACTTGTGTT	GCGTTTGACG	GTTGTTCTGT	TACTGTTGCG	8040
45	TTATATGATT	GAGTTTCTTC	TATATGATTA	ACGTTAGTTG	CAGTTGTTTG	TGTTTCACTT	8100
	GTTTTATTAT	CAGTAGCTGA	ATTCCCATTT	TCTTCTACTG	TAGTTGTCTT	TTGTTCTGAT	8160
	GCTGCAGCTT	CTTGTCTTGT	TCCCATCCCA	ACAACGATCA	TTGTTCTCTA	GAATACTGAT	8220
50	GCTGCTCCCA	ATTTATGTTT	TCTAATGCCG	TACCTAAGAT	TGTTTTTTCAC	TATAATATCT	8280
	CCCTTTAAAT	GCAAAAATCA	TTAATTTTTT	AAACTTAATA	AATGCAAGTC	TATATTGTTC	8340

EP 0 786 519 A2

	ATGTTAATTG ATAATTTTAT TATTTGAAAT ATACCTATAA ATTGTATTCA AGTCATCAGA	8460
	AACCCTTGTC ACACAAGGCT TGTATTTTTT ATACTTATTT TTTAAATTAA ATTCATCATT	8520
5	ATCTAATTTA AAACAATATA CTAAACGTTT CATAATTATC GCCTGTACAA TACGCACAAA	8580
	AACATGTCTT GAAACGCCTT TCATTACTCT AAAATACCCA ATATACTTTT TATATCGTTC	8640
10	GGATTCTGAG TATTTTCAGAC GATTTTCTGC ATAAAAATAA ACGTGTTTCA AGGCAATATA	8700
	TTGCAATTAC CTAAAAACAC GTTTACTTAA TATTTAGTTA AACAAATAAG CTAATGAATA	8760
	AAATGAAGAT GATACCTGAA ACGGAAATAA TCGTTTCTAA TAATGACCAT GTTAAGAATG	8820
15	TTTCTTTTAC AGTTAAACCA AAATATTCTT TAAACATCCA AAATCCTGCG TCATTTACAT	8880
	GAGACAAAAT CACACTACCT GCACCTATCG CAAGTACAAC TAATGCAACA TTTACATCTG	8940
	ATGATTGTAA TAATGGTAAG ACAATACCTG TAGTTGAAAT CGCAGCTACT GTAGCCGAAC	9000
20	CTAATGCGAT ACGTAGCACA GCTGCAACAA TCCATGCTAG TAAAATCGGA GACATCTCTG	9060
	TACCTTCAAA CATTTTAGCA ATTGTATTTT CGACACCGCC GTCAATTAAT ACTTGTTTAA	9120
	ATGTACCGCC ACCGCCAATA ATCAATAACA TCATTCCGAT TGGATAAATC GCATTGTCAT	9180
25	CTGATTCCAT AATATGATTC ATCTTACGCT TTCTCATTA TCCCATCGTA ACGATTGCAA	9240
	ATAATACTGC TATTAGCATG GCTGTCCCTG CTGTTCTTAT CATATAAATG ATAGATTCAA	9300
	ATAGATTGT AGGTTTGTCA TGCCCAAGTTA CAAGTTGCGT TATCGTAGAC ACTAACATTA	9360
30	ATATGACTGG TAATGTTGCT GTTAATAAAC TCATACCAAA TCCTGGCATC TCTTGATCCG	9420
	TAAATTCTTT TTGTGCACCT AACGCTGAAA TATCGCCTTC TCGTGTATAC GCAGACGGAA	9480
35	TCATTTTTTG TGCACTTTGT TAAATATAGG CCCTGCAATG AGTGTAAGTG GaATGGCAAT	9540
	AATCATACCA TACAGTAATA CATCTCCAAC ATTTGCCTTT AATTCTTTTG CGATGACTAC	9600
	CGGTCCTGGA TGTGGTGGTA AAAAGCCATG TGCTACTGAT AAAGCTGTTA CCATAGGTAG	9660
40	TCCTAGTTTT AACACTGAAA CATTGCGCG TTTTGCTACT GTAAATACTA ATGGAATCAG	9720
	TAAGACTAAA CCTACTTCAA AGAACAATGC AATACCGACG ATAAATGCTG CAACAAGCAT	9780
	TGCCCATTTG ACATGTTTTT GACCAAATTT TTGAATCAAC GTGTCTGCGA TTCGAGTTGC	9840
45	ACCACCACCA TCAGCAAGCA ATTTCCCAAG TATGGCACCT AAACCGAATA TCAGTGCAAT	9900
	GTGGCCGAGC GTAGTGCCCA TTCCTTTCTC AATCGTCTCC ATAATTTTAG TCAATGGTAT	9960
	ACCTAGCATT AACGCTGTAA TCATCGATGT GATAATTAAT GAAATAAATG TATTTAATTT	10020
50	AAACCCAATA ATTAATACTA ATAAAATAAC GATACCTAAA ACAACACTGA TTAACGGCCA	10080
	TATTTGTTA AACATGACAT TCCCCTCTTT CTCTTTTCAA TAGAATGTAA CACCGTCGTC	10140
55		

	GAGTGACGTA	TTTATTGTGT	TTTATTTTCA	GCGATATGTT	GGCGTTGAAA	ATCTGCAATT	10260
	TGTTCATAAT	TCTCTGTTAA	AGAACGACTT	AAATTGATAA	AAATGGATAC	GATCTCTTGG	10320
5	TAAACAGTGA	CATTTTCTTC	AATCGGCGTA	TGATTGTTTG	TGGCACCGAC	CATCGATGAA	10380
	ACGATTGAAA	AATCTTCAAT	GTCACCTACA	GCTTTAAGTC	CGAGCACGCA	GGCACCTAAG	10440
10	CATGAACTTT	CATAACTTTC	AGGAACCACT	AACCTCTGTG	CAAATATATC	TGACATCATT	10500
	TGACGCCATA	CTTCACTTTT	CGCAAAACCA	CCTGTTGCTT	TTATCATCTT	AGGTGTTTCA	10560
	TTCATTACTT	CAATAAGCGC	AAGATAGACG	GTATACAAAT	TGTAAAGAAC	ACCTTCTAAT	10620
15	GCAGCGCGAA	TCATATGTTT	TTTTTTATGA	GATAAAGTTA	AACCGAAGAA	TGAACCTCTT	10680
	GCATTTGCGT	TCCAAAGCGG	CGCACGTTCT	CCTGCTAAAT	AGGGATGGAA	TATTAAACCA	10740
	TCTGCACCTG	GTTTAACACG	CTTTGCAATT	TGAGTTAAGA	CATCATAAGG	ATCAACACCG	10800
20	AGACGTTTCG	CAGTTTCGAC	TTCACCTCGT	AGCAACTCGT	CGCGCAACCA	TCTCAATACG	10860
	ACACCACCAT	TATTTACAGG	ACCTCCGATG	ACGTAGTGGT	CCTCTGTTAA	GACATAACAA	10920
	AATATTCTAC	CTTTGTAATC	AGTACGCGGT	TTATCTATCA	CAGTACGAAT	CGCCCCAGAT	10980
25	GTACCGATTG	TGACAGCAAC	TTCTCCTTTA	CCAACACTAT	TGACACCTAA	ATTAGAAAGG	11040
	ACCCCATCAC	TCGCACCAAT	AACAAACGGT	GTATCTTTAT	TAAGCCCCAT	TAATGTTGCA	11100
	TAACGTTCTT	TCATACCTTT	CATCACATAC	GTTGTTGGAA	CTAATTCCGG	CAACATTTCC	11160
30	TTGGAATAC	CCAGCAGTTC	TAATGCCTCA	ACATCCCAAT	CTAATGTTTC	TAAATTAAAC	11220
	ATCCCTGTTG	CGGAAGCCAT	TGAATAATCA	ATGATATATG	TATCAAATAA	ATGATAGAAA	11280
35	ATGTATGTTT	TAATATCTGC	AACTTAGCA	GTACGTTGAA	ATACATCTTG	CCATTCATGT	11340
	TTCATCCAAA	AAATCTTCGC	TAATGGCGAC	ATAGGATGAA	TCGGTGTGCC	TGTTGCTGG	11400
	TAAATCGCAT	TGCCATCATG	CAC TTCATT	ATTACTGTTG	CATATTTTGC	AGCGCGGTTA	11460
40	TCTGCCCAAG	TAATATTATT	TGTTAATCTT	TGATGTTGCT	GATCCATCGC	AATCAAGCTA	11520
	TGCATTTGCG	CACTAAATGA	CACAACTTA	ATGTCGTCTT	TATTAACTTT	GGATTCTCTC	11580
	ATAACATATT	TAATAGTCAT	TAGTACTGCA	TCAAATAATT	CATCTGGGTT	TTCTTCTGAG	11640
45	ACATCAACGT	TTGGTGTGTG	TAAATCATAG	CCTATTTGAT	GTTTCATGAT	AAAAGTTCCA	11700
	TTTTCATCAT	ATAAGACTGA	CTTGGTACTC	GTCGTTCCAA	TGTCGACACC	AATCATATAT	11760
	TTCATGATAA	ATCCTTCTTT	CTTTCATTTT	AATTCAACCA	AAATCCTTCA	ATATCTTTAC	11820
50	CAACATCGTC	GAAATTTAAA	TGAAACGCTT	CTTTCAAAAT	TTGACTGTG	TATTGTTCCA	11880
	CTGCATCAAT	AAACACTTGA	TGATTATGAT	GTATGCGTTC	AAAATCTTGC	GGGTTCTGTT	11940

55

AAAATGAGTT TAAATATTGA TGATTAGATG CTTTGATTAA TGTTTCATGA AATTCAAAGT 12060
 CATGCTTCGT AAATGATTCT GCATCCTCAA ATTTTACTGC CACTTTCATC ATTTCAAGTT 12120
 5 GTTCTTCAT TTCTTTTACG ATAGGTAGTC GCTCTTGATT TTAACTCTT GAAAATGCAA 12180
 ATGACTCTAA CATCAGTCGC AAATCATACA TTTCTTTCTT TTCTTGTTCC CCAAACGGCA 12240
 10 ACACATGTGC ACCCATTTCTT TCTAATTGGA TGAGTTGATT TTGTTGCAAT AATTTAAATG 12300
 CATCTCGAAT TGGCGAACGA CTCACATTAA ATTGCTTTGC CATTTGATTT TCAGTGAGTA 12360
 ACGTACCTTC AGCTATGTGA CCATTCACAA TGCCTAAGCG TAATTCTGCC GCGATACCTT 12420
 15 CTCCAGTTGT CATACTTCC AACCATTCTT CTGGATATCC ATACATCATC AAAGTCACTC 12480
 CTTCAATTACA CGACATACTT GTATACAAGT ATGTTAATAT AGTTATTATG AGTTTGCAAG 12540
 CGCTTTCTTT ACGAGCACTA AAATAGTGAC CACCCCTTTT CGATTTAAAT TTAAAGGAAA 12600
 20 TGGTCACTAT CACACGAATG ATTTAATTGT TATGTTGTAT GTGGGATATT TCTAATTGTT 12660
 CTGTACTCAT ATGCGCTTTA GGTACTTCAA TGCAATAATG CGTTTCATGA CAGTTTGAC 12720
 ATTCGAATCG ACGTGTGTGC GCTGTATGTT TCGCTTTGAT AACTGCCCAC AAAGATGGTG 12780
 25 AGAATATATG CTGGCAGTTA GGACATAAAT AGGCAACCTT TTGTTGGTAA TAAAAAGTAA 12840
 CACCAATGCC ATAACCAATC ATAAATGGTA AAGCAATTAA AAACGGCCAT TTATTTTTC 12900
 TCAAAATTGC ACTTATAATG CTAGAATATT GAATTATTCC TATAATACCA GCACTAATCC 12960
 30 AAATGTTACG ACGAATACTT TTCATTTTACG CTGATTTACT CATGACATGC TCTATGTCTT 13020
 TTAAGTGTGT GATTGGAGAC GTCGACGCTT CATTTACGTA ATATTGAACA TTTTAAATTT 13080
 TGTTTAATAC CGCTTGTTGC TGTTTAACTT GTTGGTTAAT TTCTTGTTGT TTCATAGTTA 13140
 35 GTAAAGTATT GAGCGTCTTC AAAGTACCTT CACCTTTTAG CAACATATCT ATATCGCTTA 13200
 ACGCAACAACC TAAATCTTTA AGCAATAAGA TTAACCTCTAA TGTTTGTCGC TGTGTTCTG 13260
 40 TATACACACG ACGCTTTCCT TCTGTAAATC CTTGTGGTTT CAAAATACCT TTGCGATCAT 13320
 AATATTGAAT CGTTCGTGTT GTCACATTGC ATAATTTTGC GAGTTCTCCA GTCGAATAGT 13380
 TAGACATAGA TTCCACCTCC TATAATTACC ATAGTTGATG ACCCGACGTC ACGAGCAAGT 13440
 45 ACAATTTCCA CATTTTAAAG AAATTTATTA TACTAGGCGT CTTATTTTTA TGATTTTCGTA 13500
 CCATGTTGAT TTACAAACTC ACTCAAACTA AGTAACACAC CTAATAACA TCTACTCTGT 13560
 TATTTAGAA TGAATTTGTT GTAATTTATC TTCAACTTCA GTAATCTCTG TCGCACATTC 13620
 50 TTTAGTAAA TCTCGATACT TTTCCGTCTC TGCATTGTTT TTATAACGTA TTTTATGTTT 13680
 TAAACTTGcC CACATATCCA TACCTATCGT TCTAATTTGA ATTTCAACAG GCAATACCTC 13740
 55

(2) INFORMATION FOR SEQ ID NO: 55:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1059 bas pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 55:

5	GGATAAGTTC AGGTAAATTC ATTTCTTTTT CAATTTTGAT TTTCATTGTT TCCGCCCTTT	60
10	TAAAATAAAG TTAGTTGCTT CTGTTCTCTCA TATTCCAAAT CACTTTGCTT TATATATGTT	120
15	TCAAGCTCTT CCGCTGTATC AAATGTCTTT TTCACACCTT GCCAACCTGG CACGATATGA	180
20	CCGTGAAAGT AATAAGTGCC ATTTACTACA TGGATATGTG CCACTCGTTC GTTATCCTGA	240
25	TACAGATATC TCTTAGATCC AAAGAATTGA TTTAGGTATT CTTTACGCGC GCTATCTGTC	300
30	ATGGTCATCA CTCCTTTTAA CAATTAGGCA GACCAAACGA CATGCATTCTG TCGTATAGCT	360
35	CTTCATTACT TATGCTTGCC TTATAGTTTT CAATCACATT GCTAACTTCT TTATGACTCA	420
40	TTGCTTTAAC TTGTTCTGCT GTATATTTTT CGCAGTCTTC TAATTCCAGT TGCTCCTGTA	480
45	ATGACATCAC ATATTCAACT TGTCTTTGGG TTGCCATCGT TAACCCTCCC ACAAGTCAAA	540
50	AGCTCTTTGG ACGTAAAACT TCGCCTTTGC TAAATCCTCA TGACCATTCT TTAACGGTGC	600
55	TCTAGACATG TATTTGATTG CATTACCTAT TGCGAATGCT AGTTGAGGTG GATACTGTGC	660
60	CGTAACCTGT TCGATAAAAT CTATAATTTC AATGTCGCCG TATGTGTAGT GCGCTGGTTG	720
65	CTTAACATTG TCTTGCGCTT CGTTCATATC TACTTTTCTG TTAGTGATTA CGCTCATTAT	780
70	GCTTCACTCC ATTTCTTGAA CATTGGGTTA TAAGTGACAT CGAACCAGTA CGGATCACGT	840
75	GAATGTTTTT GTGGCGTTCC ATCATAAAGC CATGGTCTTA ATCTTCTCTT TCTTTCCTGT	900
80	TCATATTCCG CTCTCACATT TCGTTGGTAT CGGTTCAAAA TCGCTTTTTT TCTGATTTTT	960
85	TCTCTCCCTT TTTCTTCATC TTnATtTGA CTCTnCATAT ATTCAACTTC TTCTGTAGAT	1020
90	nTTGAGTCCT TTCTTCCACA CAATAATTCA nCGCCGCGC	1059

(2) INFORMATION FOR SEQ ID NO: 56:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 30246 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

	GAAGTAAAAG AAGAATTAAA TTAAACATTA ACAATGGATG AAATTGAATA TGTCGGGACA	60
	ATTGTAGGTC CTGCATATCC ACAACAGGAT ATGTTAACTG AGTTAAATGG ATTTTCGCGCA	120
5	TTAACCAAAA TCGATTGGGA AAACGTAAC ATCAATAATG AAATTACGGA TATACGCTGG	180
	ATTGATAAAG ATAATGATGC GTTGATTGCG CCTGCTGTCA AAGTTTGGAT TGAAACTTAT	240
10	GGTGGTAAAC ATGACAAATA ATGACACCAT CATGTTACGA CATTATGTCC CACAAGATTA	300
	TTCGATGTTA GAAGCTTTTC AATTAAGTGA AAGTGATTTG AAGTTTGTTA AAACGCCAGA	360
	GGAAAATATT ACAGCTGCAA TGTCTGATAA TGAAAGGTAT CCCATCGTTG TAATGGATGG	420
15	CAGGCAATGT GTGGCCTTTT TTACATTACA TCGTGGA AAA GGGGTCGCAC CATTTAGCGA	480
	TAACCAAGAT GCAGTATTTT TCAGGTCATT TAGTGTTGAT CAACGTTATC GTAATAGAGG	540
	AATAGGTAAA GTGGTAATGG AAAAATTGGC GTCATTTATC ACTTCAACAT TTCAGGATAT	600
20	TAATGAGATT GTGTTAACGG TTAATACTGA CAATCCACAT GCCATGGCAC TTTATCGCCA	660
	ACAAGGATAT CAATATATGG GAGATAGTAT GTTCGTCGGA AGACCTGTTC ATATTATGGC	720
	GTTAACTATA AAATAAATTA AATTTAAAAG CATCTTTACT CATCGTCGAC CACAACAATT	780
25	AATGATGAAT AAAGGTGCTT TTTGTTATAG ATCATCGGAC AATTTACTAT AGTAAAAAGC	840
	GACCTAGTGA ACAATTGACA TATATCCACA GGTCGCTTAA CTTAAGTTAT ATTGCTAGTT	900
	GCGATTAATT GATAGACTCA TCATTTTTGC GCTGTGCGA TGGTCTTTTT ATTA AAAATG	960
30	CCGTAATCCA AGCCGTAATC GGAATACTGA TTGCAACGGC AATACCGCCT AAAATAATAG	1020
	AAATAAATTC TTGGGCAAAT ATTTTCGAGT TTATAATATG ACCAAATGAA TATTTAAGTT	1080
35	TGAAAAACCA AATAAATAAA GCAAGTTGGC CACCAAAAAA GGCAAGGTAA ATCGTGTTG	1140
	CAGATGTCGC TAAAATTTCT CTACCAACAC GCATGCCAGA TTGGAATAAT TCGTATTGCG	1200
	TAACGTTgGA TTCACTTGAT GCAATTCATA AATGGGTGAA CTAATGGTAA TTGTTAAATC	1260
40	TATCACAGCT GCAATAACAG CAAGAATAAT AGTGAACACC ATAAATTGAA CCATATCAAT	1320
	GCCAATATTC ATTGAATACA CATATGTTTC ATCTTGTTGT TCGGTTGAAA AGCCTTG TAG	1380
	ATGACCGAAG TAGACCGATA AATAAATGAG TGTAATCAAC AATATTGTTG TAACGATAgT	1440
45	GCTGgATAAA TGCaGCTTGT GTTTTAACAT TGTAACTATT GAGTACGAAT AAATTACAAG	1500
	CGCCAATAAT AATGCAGAAA AAGAATGTGA CGACATAAAT CGGTACGCCA AAAATAATCA	1560
	ATACAATACT AATAATTAAA ATAGCGAAAT TTAAAAATAG GGTAAATAA GAGATGAATC	1620
50	CCTTTTTACC TCCGAAAATT ATCATCAGAA AGAGGAGCAA TAACGCCAAT ATAAATACAG	1680
	CATTCATTGT TTCGCCCTCC TTAATGTTTC AAATATTTCC ATAAACAATA TTGTGATAGG	1740

55

EP 0 786 519 A2

	CATCGAAATA GTATAAGTCA CTGTATTGGC ATTTTTTAAA AAGATTAAAA ACATAGGTAG	1860
	TGCACCGGAT AAATATGAGA ATAATAAGAT GTTAGTCATT GTTCCCATAA TATCTTGGCC	1920
5	GATGTTTCGC CCAGCAAGCG CCCATCTCCT CATTGAAATG TGTGGCGTAC GCTGTAAAAT	1980
	TTCATGCATA CCACTAGCAA TTGTAATTGC AACATCCATA ATAGCGCCAA GTGAACCTAT	2040
	TAACACTGAG GCTAGGAAGA TATCTTTCGG TGGTAATGAT AAAAAGTTCA TCGTTTCATA	2100
10	TTTAATGCCT TTACCATCTG TCATATATAT GATTAATTCT GTTAAACCTA TACTCAAAAA	2160
	AGTTCCGATA ATTGTACTGG CTATGGTAAT GAGTGTACGC ATATGCCAGC CTGTAACGAG	2220
	CAATAAAGTG AGTATTGTTG AACAGATCAT GGCAATGGTC ATGAGTAAGA ATAAATTAAT	2280
15	ATTGCTATGT TGAATATGAA TGTAAATTGC GATTAATATG GCAATAGAAT TCAAGATTAA	2340
	CGATAAAATC GATTGCAGTC CGACTTTGCG ACCAACCAAT AATACAGTTA ATAAGAACAA	2400
	ACCAGTGATG ATAACCGTTA AGGTATCAGC CTTCTTTTCT ATAATATAAG CATCACTCGG	2460
20	CTTGTTAGAA ATATGTAATA ATACTTTTTTC GTGTGTGCGA AATGCCTCAG AATCTGCTTG	2520
	CGATTTGACG TACTGATGAT TAATCGTCGT CGTTTCTCCA GCAAATTGAC CATTTAATAT	2580
25	TTTGACTTTT AATTGATTTT TATATTTAAT ATCACGATTA TTTGTGTCAT CTTTGTAGG	2640
	TGTCGAAGAA ACATGTTTGA CATCTATAAT TTGACCAATT GGTGTGTGT AAAAGTTCTC	2700
	ATTATTGAAT GTAAATAAAA TAGCACCAAT GAATGCGATG CAGAACAAAC CTAAATTAT	2760
30	ATTAAATGGC TTTGTAAATA AATTTCTATA TTTCAAAAAC AAAACCCCAA TTCTATGAAT	2820
	GAATTAATAT GGTGATTATA CGCCCTTAAT TTTTATTTT CAAAGATATT ACTGCTAAGT	2880
	GTAAAACGAA AATCATCATT GATAGCATCG AATTACTTAA TGGAATGTAG ACGTTTTAGT	2940
35	CATTAATTGC TGAATAAGTG TTAATAATAT GCCAATATCA CTCTTTGTAT AAGGCTCCTT	3000
	TGTAATAGCA CATATCGTTC TTTTAAATTC AGTATGATCT AATTTTATAT CTATCCATGA	3060
	TTTAGATTCT GGTAATGTA TATTTTGTGA TGAAATGATG TAACCTTCTT TTTGACGAAG	3120
40	GAGATACTGC GCAAGTGGTT GGCTACTGAT TGTGTATACA TCTGATTTAG TAATCTTGCG	3180
	CAATTGTTTT TTTACAGTTT CGGCAAATGG TGCCAAGCAA TAAATATGAC TATGCTCAAA	3240
45	CTGAATTAAT GGTGGGTGTG TCGCCATCGT AATTGGATCG TCTGAAGGCG CATATAAATG	3300
	ATAGTGCTCT TCGAATAAAG GTAGCATATG TAATTGTTTG TGTTTACGTA TTTCTGGTGT	3360
	AAGTTCCGTG AAACCAATGT CTATATTCCC ATTTAATACG CTATTTATAA TTGTGTCATG	3420
50	TTCTAATAAG CTCGGTATGA CATGTGTATC ATTTGTAAA TGAAACGTTT GGATAAGTGG	3480
	TAGTAACATG TGGGATACGT CACTCTCATC ATAGCCAATG TAGATACTTT TATTTTTAGT	3540

55

EP 0 786 519 A2

5
 10
 15
 20
 25
 30
 35
 40
 45
 50

TTCATTAAAT AATAATTTCC CTTGAGATGT GAGCGTAATA TTGCGTCCTT GCTTTTTTAAA 3660
 TAAAGACACA TTAAGTTCTT GTTCTAATAA TGTAATTTGA CGGCTTATCG CTGATTGAGC 3720
 AATGTTTAGT TCAAGTGCTG TTTCGGAGAT ATGTTCTCTT TTAGCGACCT CGATAAAATA 3780
 TCTTAATTGT TTAATTTCCA TAGCGATATA GGCACCTCCA AAAATGAGTG TTTTGTAAC 3840
 ATTATAGCAA TATTATTGAT AAATGTTCTA TTTTTTAGAT GAATATCTTC TATTTTATAT 3900
 ATTGAACAGA TAAATTTTTT AGATTATAGT AATTATCATT AATAACTAAT ATCAGAATAT 3960
 TCTAAAAAAG GGGTGTGCAT CATGCACAAT GAGAAATTAA TTAAAGGCTT ATATGACTAT 4020
 CGTGAGGAAC ATGATGCGTG TGGTATTGGT TTTTATGCGA ATATGGATAA TAAAAGGTCT 4080
 CACGACATCA TTGATAAATC GCTTGAAATG TTGCGACGCT TAGATCACAG GGGCGGGGTC 4140
 GGCAGCAGATG GCATCACTGG TGATGGCGCA GGTATTATGA CTGAAATACC TTTTGCAATTT 4200
 TTCAAACAAC ATGTAACGGA CTTTGATATC CCAGGTGAAG GTGAATATGC CGTGGGGTTA 4260
 TTTTTTTTCCA AAGAACGCAT TTTAGGTTCT GAACATGAAG TAGTTTTTAA AAAATATTTT 4320
 GAAGGCGAAG GGTATCAAT TCTTGGTTAT CGTAATGTAC CAGTTAATAA AGATGCCATT 4380
 GCTAAACATG TAGCAGATAC GATGCCAGTC ATTCAACAAG TGTTTATTGA TATTAGGGAC 4440
 ATTGAAGATG TTGAAAAGCG TTTGTTTTTA GCGAGAAAAC AATTAGAGTT CTATTCGACT 4500
 CAGTGCGATT TAGAATTGTA TTTTACGAGC TTATCACGCA AAACAATTGT ATATAAAGGT 4560
 TGGTTACGAT CAGACCAAAT TAAAAACTA TATACAGATT TATCGGATGA TTTATATCAA 4620
 TCAAAGCTAG GGTAGTGCA TTCGAGATTT AGTACGAATA CATTCCCGAG TTGGAAAAGG 4680
 GCACATCCTA ACCGTATGTT AATGCATAAT GGTGAGATTA ACACGATTAA AGGTAATGTA 4740
 AACTGGATGC GAGCACGCCA ACATAAATTA ATCGAAACAT TATTTGGCGA GGATCAACAT 4800
 AAAGTGTTC AAATTGTCGA TGAGGATGGT AGTGACTCTG CCATTGTAGA TAATGCGCTA 4860
 GAGTTCTTAT CGTTAGCCAT GGAGCCAGAA AAGGCAGCGA TGTTACTCAT ACCTGAACCT 4920
 TGGTTATATA ATGAAGCGAA TGATGCAAAT GTACGTGCGT TTTATGAATT TTATAGTTAT 4980
 TTAATGGAAC CGTGGGATGG TCCTACAATG ATTCGTTCT GTAACGGTGA CAAACTTGGC 5040
 GCGCTTACAG ATAGAAATGG ATTACGTCCA GGTCGTTATA CGATTACTAA AGATAACTTT 5100
 ATTGTCTTTT CATCTGAAGT GGGTGTGTG GACGTACCTG AAAGTAATGT TGCTTTTAAA 5160
 GGTCAATTGA ATCCTGGAAA GTTATTGCTT GTTGATTTTA AACAGAATAA AGTCATTGAA 5220
 AATAATGATT TAAAAGGTGC GATTGCTGGA GAATTACCAT ATAAAGCGTG GATTGATAAC 5280
 CATAAAGTTG ACTTTGATTT TGAAAATATA CAATATCAAG ATTCGCAATG GAAAGATGAG 5340

55

EP 0 786 519 A2

	CAGGAACTTG TAGAAGGTAA GAAGGATCCT ATCGGTGCAA TGGGATATGA TGCGCCAATT	5460
5	GCAGTGTGGA ACGAGCGACC AGAATCACTA TTTAATTACT TTAAACAGCT GTTTGCACAA	5520
	GTTACGAATC CACCAATTGA TGCCTATCGT GAAAAAATCG TAACGAGTGA ACTTTCTTAT	5580
	TTAGGTGGCG AAGGTAACTT ACTAGCACCT GACGAAACGG TTTTAGATCG TATTCAATTG	5640
10	AAAAGGCCGG TATTGAATGA ATCACACTTA GCAGCGATTG ATCAGGAACA TTTTAAATTA	5700
	ACTTATTTAT CAACGGTATA TGAAGGGGAT TTGGAAGATG CGTTAGAAGC ATTAGGCCGA	5760
	GAAGCAGTGA ATGCTGTAAA GCAAGGCGCT CAAATTCTAG TGTTAGATGA TAGTGGATTA	5820
15	GTTGATAGCA ATGGCTTTGC AATGCCGATG TTAAGTCATGT GCATCAATTA	5880
	CTTATTAAAG CAGATTTACG TATGTCTACA AGTTTAGTCG CTAAATCTGG TGAGACACGA	5940
	GAAGTGCATC ATGTTGCTTG TTTACTCGCA TATGGCGCGA ATGCAATTGT GCCATACCTA	6000
20	GCGCAACGTA CAGTTGAACA ACTGACATTG ACAGAAGGGT TACAAGGCAC CGTTGTGCGAT	6060
	AATGTTAAGA CATATACGGA TGTATTGTCA GAAGGTGTCA TTAAAGTAAT GGCTAAGATG	6120
	GGAATTTGCA CAGTGCAAAG TTATCAAGGG GCACAAATAT TTGAAGCGAT TGGCTTGTCT	6180
25	CATGATGTGA TTGATCGTTA TTTTACTGGG ACACAGTCTA AGTTATCTGG TATTTGATT	6240
	GATCAAATTG ATGCTGAAAA TAAAGCACGT CAACAAAGTG ATGATAATTA TCTTGCATCA	6300
	GGTAGTACAT TCCAATGGAG ACAACAAGGT CAACATCATG CTTTTAATCC GGAATCTATT	6360
30	TTCTTATTGC AGCACGCATG TAAAGAAAAT GACTATGCGC AATTTAAAGC ATACTCTGAA	6420
	GCGGTGAACA AAAATAGAAC AGATCACATT AGACATTTAC TTGAATTTAA AGCATGTACA	6480
35	CCGATTGACA TCGACCAAGT TGAACCGGTA AGTGACATTG TCAAACGCTT TAATACAGGG	6540
	GCGATGAGTT ATGGATCGAT TTCAGCGGAA GCACATGAAA CGTTAGCACA AGCCATGAAC	6600
	CAATTAGGTG GAAAGAGTAA TAGTGGTGAA GGTGGCGAAG ATGCAAAACG TTATGAAGTA	6660
40	CAAGTTGATG GAAGCAACAA AGTAAGTGGC ATTAAACAAG TTGCTTCTGG GCGTTTTGGT	6720
	GTAAGTAGTG ATTATTTACA ACATGCCAAA GAAATTCAAA TTAAAGTTGC GCAAGGTGCA	6780
	AAGCCTGGTG AAGGTGGTCA ATTACCTGGT ACTAAGGTAT ATCCGTGGAT TGCAGAGACA	6840
45	AGAGGGTCAA CGCCAGGTAT CGGTCTGATT TCACCACCGC CACATCATGA TATTTATTCA	6900
	ATAGAAGATT TAGCGCAACT GATACATGAT TTGAAAAATG CGAATAAAGA TGCAGATATC	6960
	GCGGTAAAAT TAGTTTCGAA AACAGGTGTT GGTACCATTG CATCTGGGGT GGCAAAAGCA	7020
50	TTTGCAGATA AAATTGTCAT CAGTGGTTAC GATGGTGGTA CAGGGGCTTC ACCCAAACG	7080
	AGTATTCAGC ATGCCGGTGT TCCTTGGGAG ATTGGTTTAG CAGAAACACA TCAAACATTA	7140

55

EP 0 786 519 A2

	AAAGATGTAG CGTACGCATG TGCCTTGGG GCGGAAGAAT TTGGATTTGC AACTGCACCA	7260
	TTAGTGGTGT TGGGCTGTAT TATGATGCGT GTATGCCATA AAGATACATG TCCAGTAGGA	7320
5	GTTGCAACTC AAAACAAAGA TTTACGTGCT TTATATAGAG GTAAAGCACA TCATGTTGTT	7380
	AATTTTATGC ATTTTATTGC ACAAGAATTA AGAGAAATTT TAGCATCTTT AGGTTTGAAA	7440
	CGTGTAGAAG ACTTAGTTGG AAGAACTGAT TTATTACAAC GATCATCAAC ATTTAAAGCG	7500
10	AATAGCAAAG CGGCTAGTAT TGATGTTGAA AAAGTGTAT GTCCTTTCGA TGGGCCAAAC	7560
	ACAAAAGAAA TTCAACAAAA TCATAATCTT GAGCATGGAT TTGATTTAAC AAATTTATAT	7620
	GAAGTAACGA AGCCATATAT TGCTGAAGGG CGTCGCTATA CAGGTAGCTT TACAGTAAAT	7680
15	AATGAACAAC GTGATGTAGG GGTATTATTA GGTAGTGAGA TTTGAAACA ATATGGAGAA	7740
	GCAGGACTTC CTGAAAATAC AATTAATGTT TATACGAATG GTCATGCTGG TCAAAGTCTT	7800
	GCAGCATATG CACCGAAAGG CTTAATGATT CATCATACTG GAGATGCGAA TGACTATGTT	7860
20	GGTAAAGGAT TATCTGGTGG TACGGTCATT GTCAAAGCAC CTTTGAAGA ACGACAAAAT	7920
	GAAATTATTG CTGGTAACGT CTCATTCTAT GGTGCGACAA GTGGTAAGGC ATTTATTAAC	7980
	GGTAGTGCG GAGAAAGATT CTGTATTAGA AATAGTGGTG TAGATGTTGT CGTTGAAGGT	8040
25	ATCGGCGACC ATGGATTAGA GTATATGACT GGTGGACATG TCATTAATTT AGGTGATGTA	8100
	GGTAAGAACT TCGGTCAAGG TATGAGTGGT GGTATTGCTT ACGTTATCCC GTCTGATGTA	8160
	GAAGCTTTTG TTGAAAATAA TCAACTAGAT ACGCTTTCGT TTACAAAGAT TAAACACCAA	8220
30	GAAGAAAAAG CATTCAATTA GCAAATGCTG GAAGAACATG TGTCACACAC GAATAGTACG	8280
	AGAGCGATTG ATGTGTTAAA ACATTTTGAT CGCATTGAAG ATGTCGTCGT TAAAGTTATT	8340
35	CCTAAAGATT ATCAATTAAT GATGCAAAAA ATTCATTGTC ACAAATCATT ACATGACAAT	8400
	GAAGATGAAG CGATGTTAGC TGCATTTTAC GATGACAGTA AAACAATCGA TGCTAAACAT	8460
	AAACCAGCCG TTGTGTATTA AGGAAAGGGG GAGATACGAT GGGTGAATTT AAAGGATTTA	8520
40	TGAAGTATGA CAAACAGTAC TTAGGTGAAT TATCACTGGT AGACCGTTTG AAGCATCATA	8580
	AAGCATATCA ACAACGATTT ACTAAAGAAG ATGCCTCTAT CCAAGGTGCA CGATGTATGG	8640
	ATTGTGGAAC GCCGTTTTGT CAAACCGGAC AACAGTATGG TAGGGAAACA ATAGGTTGTC	8700
45	CAATTGGAAA CTACATTCCT GAATGGAACG ACTTAGTGTA TCATCAAGAT TTTAAACTG	8760
	CTTATGAACG CTTAAGCGAA ACAAATAACT TTCCTGACTT TACAGGGCGT GTATGTCCTG	8820
	CACCATGCGA AAGTGCTTGT GTGATGAAGA TTAATAGAGA ATCGATTGCG ATTAAAGGTA	8880
50	TTGAACGCAC AATTATTGAT GAAGCTTTTG AAAATGGTTG GGTAGCGCCG AAAGTTCCGA	8940

55

EP 0 786 519 A2

	CTGAAGAACT TAATCTACTA GGATATCAAG TAACTATTTA TGAACGTGCT AGAGAATCAG	9060
	GCGGTTTATT AATGTATGGT ATTCCGAATA TGAAACTTGA TAAAGATGTG GTTCGACGTC	9120
5	GTATTAAGTT AATGGAAGAA GCGGGCATT A CTTTCATTAA TGGTGTGAA GTCGGTGTG	9180
	ATATTGATAA AGCAACGTTA GAATCTGAGT ATGATGCCAT TATATTATGT ACTGGTGAC	9240
	AAAAAGGTAG AGATTTACCT TTAGAAGGAC GCATGGGTGA TGGTATACAT TTCGCTATGG	9300
10	ATTATTTAAC TGAACAAACG CAGTTGTAA ATGGAGAAAT TGATGATATA ACAATAACTG	9360
	CAAAAGATAA GAATGTCATT ATCATTGGTG CTGGTGATAC AGGGGCAGAC TGTGTAGCGA	9420
	CAGCATTAAG AGAAAATTGT AAATCGATTG TTCAATTAA TAAATATACG AAATTGCCAG	9480
15	AAGCAATTAC ATTTACAGAA AATGCATCAT GGCCTTTAGC AATGCCGGTG TTTAAATGG	9540
	ACTATGCGCA CCAAGAGTAC GAAGCTAAGT TTGGTAAGGA ACCACGTGCA TATGGTGTTT	9600
	AAACAATGCG TTACGATGTT GACGATAAAG GACACATACG TGGTTTGTAT ACTCAAATTT	9660
20	TAGAGCAAGG CGAAAATGGT ATGGTCATGA AAGAAGGACC TGAAAGATTT TGGCCTGCTG	9720
	ACCTTGATTT ATTATCAATC GGCTTCGAAG GTACAGAACC AACAGTACCG AATGCTTTTA	9780
	ACATTAAAAC GGATAGAAAT CGAATCGTGG CGGATGATAC AAACATCAA ACTAATAATG	9840
	AAAAGGTATT TGCTGCTGGA GATGCTAGAC GTGGTCAAAG TTTAGTTGTA TGGGCAATTA	9900
	AAGAAGGTAG AGGCGTAGCG AAAGCAGTAG ATCAGTATTT AGCTAGTAAA GTTTGTGTAT	9960
30	AATCTTTGTA TGGAAATGGT GGTACGTTG ACGTTGTGAC ATGCTGAATC GAGTTTGAAA	10020
	AAATCTAGTA TCTATCAACG TCACATGCCA TCTTTGTAAC CTAAAAACAA AGGTTTGTA	10080
	GACAACAAAT AGATTAATTA TAAGTAGTGA TTTTTTACAT TCGTTTATAG GTCAACTGTA	10140
35	GTGGAAGACA ATGATTTGTG GTAATCATGT AATGCTTAAA AACAATATTT ACTTTTACAG	10200
	AACGTTTATA TATGATAAAT ATTGTGTTTA GGAGGAATAC CCAAGTCCGG CTGAAGGGAT	10260
	CGGTCTTGAA AACCGACAGG GGCTTAACGG CTCGCGGGGG TTCGAATCCC TCTTCCTCCG	10320
40	CCATCAATAT TTATATTAAA TTCTATATAT AATGAAGGTA AGTGCTCAAA TTTTGAGTAT	10380
	TTACCTTTTT TATTTGTCTT TGAATGGCTC GTAATTTTGT ATAATAGAAA TGATAAGGCA	10440
	TTGAGATTGG AAGGGCATTT GGCTTGTGCA ATATACATAG CTAAATGTCT TTTTGTTTT	10500
45	GTGAAATATG ATGGATGGCT TGTGTGGACA AGTTTGCTAT TTATAGATAT GCATTTTCA	10560
	ATTTAGGAGT TGGCCATGCA TCTACACTTT ATAATGGTGA GAGCGTGGTG AGGTATTGTT	10620
	AATAACGCAA TTGTAGCGAG GAGTTATTGC TACATATGTC GTTATGGCTC ATTGATTTTC	10680
50	TGAAATGGCT ACCCCAGATA ATTGTGACAA AATAAAAATA TTTTGTGAA AGCCTTTACA	10740

55

EP 0 786 519 A2

TAAAAAGAGA AGATGTAAAA GCCATCGTAA CCGCTATTGG GGGAAAAGAA AATCTTGAAG 10860
 CTGCAACGCA TTGTGTAACA CGATTACGTT TAGTGCTGAA GGATGAAAGT AAAGTTGATA 10920
 5 AAGACGCATT AAGTAATAAC GCGTTGGTCA AGGGGCAGTT TAAAGCAGAC CATCAATATC 10980
 AAATTGTCAT TGGTCCAGGA ACAGTCGATG AAGTGATATA GCAGTTTATT GATGAAACAG 11040
 GTGCTCAAGA AGCTTCGAAA GATGAAGCGA AACAAGCAGC TGCACAAAAA GGAATCCAG 11100
 10 TACAACGTTT GATCAAATTG TtGGGGGATA TTTTATACC AATATTACCT GCGATTGTGA 11160
 CAGCTGGTTT GTTAATGGGA ATCAATAATT TACTTACAAT GAAAGGTTTA TTTGGTCCAA 11220
 AAGCACTTAT TGAGATGTAT CCACAAATTG CTGATATTTT AACATCATT AATGTGATTG 11280
 15 CGAGTACGGC ATTTATTTTC TTACCAGCAT TAATTGGTTG GAGTAGTATG CGTGTATTTG 11340
 GTGGTAGTCC GATTCTAGGC ATAGTCTTAG GTTTGATTTT AATGCATCCG CAATTAGTAT 11400
 CTCAGTATGA TTTGGCAAAA GGAATATTTC CGACGTGGAA CTTATTTGGC TTAGAGATTA 11460
 20 AGCAGTTGAA TTACCAAGGT CAAGTGTTGC CAGTtTTAAT TGCAGCTTAC GTTCTAGCTA 11520
 AAATTGAAAA AGGATTAAAT AAAGTCGTTT ACGATTCGAT AAAAATGTTG GTCGTTGGAC 11580
 25 CCGTAGCGCT TTTAGTTACT GGATTTTTAG CATTATTAT CATTGGACCA GTTGC GTTAT 11640
 TGaTTGGTAC AGGTATTACA TCTGGTGTTA CATTATATT CCAACATGCA GGATGGCTTG 11700
 GCGGAGCAAT ATATGGATTG TTATATGCAC CACTTGTAAT TACAGGACTA CACCATATGT 11760
 30 TTTTAGCAGT AGATTTCCAA TTGATGGGTA GCAGCTTAGG CGGTACGTAT TTATGGCCAA 11820
 TTGTTGCGAT TTCCAATATT TGTGAGGGCT CTGCAGCATT TGGAGCATGG TTTGTCTATA 11880
 AACGTCGTAA AATGGTTAAA GAAGAAGGCT TGGCATTAA ACCTTGATT TCTGGTATGT 11940
 35 TAGGTGTTAC TGAACCAGCC ATGTTCCGTG TGAACCTACC TCTGAAATAT CCATTTATCG 12000
 CTGCGATATC AACGTCTTGT GTATTGGGGG CAATCGTTGG TATGAATAAC GTACTTGGAA 12060
 AAGTTGGTGT TGGTGGCGTG CCAGCATTCA TTTCAATTCA AAAAGAATTT TGGCCAGTAT 12120
 40 ATCTTATTGT GACAGCTATT GCTATTGTTG TACCATGTAT ACTAACAATT GTGATGTCTC 12180
 ATTTTAGTAA ACAAAAAGCG AAAGAAATTG TTGAAGATTA ATAAAATAAA AAAGGGGCGT 12240
 TCGTTATTTG GACGTCCTTT ATTACGTTAT AAGGTGGTAA TTGTGTGTCG AAAGAAATAG 12300
 45 ATTGGAGAAA ATCCGTTGTA TATCAAATTT ATCCTAAGTC GTTTAATGAT ACGACGGGGA 12360
 ATGGTATAGG AGATATCAAT GGAATTATAG AAAAATTGGA TTATATCAAG TTATTGGGTG 12420
 TTGATTATAT TTGGTTAACA CCAGTGATG AATCACCGAT GAATGATAAT GGCTATGATA 12480
 50 TCAGCAATTA TTTAGAAATC aATGAAGACT TTGGAACGAT GGATGATTTT GaAAAGTTAA 12540

55

EP 0 786 519 A2

	CGACGGAGCA	TGaATGGTTT	AAAGAAGCCC	GTAAATCTAA	AGATAACCCy	TATAGAGATT	12660
	ATTACTTTTT	CAGATCATCT	GAAGACGGGC	CGCCAACAAA	TTGGCATTCT	AAATTCGGTG	12720
5	GTAATGCATG	GAAGTATGAT	TCTGAGACAG	ATGAATATTA	TTTACATTTA	TTTGATGTCA	12780
	GTCAAGCTGA	TTTAAATTGG	GATAATCCGG	AAGTACGTCA	ATCGTTATAT	CGCATAGTCA	12840
	ATCATTGGAT	AGACTTCGGC	GTTGATGGTT	TTCGATTTGA	TGTCATTAAC	TTAATTTCTA	12900
10	AAGGTGAATT	TAAGGACTCT	GACAAAATAG	GTAAAGAATT	TTATACGGAT	GGTCCTAGAG	12960
	TGCATGAGTT	TCTGCATGAA	TTAAATCGTC	AAACGTTTGG	TAACACTGAC	ATGATGACTA	13020
	TAGGAGAAAT	GTCTTCGACG	ACGATTGAAA	ATTGTATTAA	GTATACACAA	CCAGAACGCC	13080
15	AAGAATTGAA	TAGTGTTTTT	AATTTTCATC	ATCTAAAGGT	TGATTATGTT	GATGGTGAAA	13140
	AGTGACAAA	TGCGAgcTTG	nATTTTCATA	AGTTAAAGGA	AATTCTGATG	CAATGGCAAC	13200
	GAGGTATTTA	TGACGGTGGC	GGATGGAACG	CGATTTTCTG	GTGTAATCAT	GATCAGCCAC	13260
20	GGGTAGTGTC	TAGATTTGGT	GATGATACGT	CGGAAGAGAT	GAGGATACAA	AGTGCTAAAA	13320
	TGTTAGCTAT	CGCACTGCAT	ATGTTGCAAG	GGACGCCATA	TATTTACCAA	GGTGAAGAAA	13380
25	TTGGTATGAC	GGACCCACAT	TTTACATCAA	TAGCACAATA	TCGTGATGTT	GAATCGATTA	13440
	ATGCCTACCA	TCAGTTGTTA	AGTGAAGGGC	ATGCTGAAGC	GGATGTGTTA	GCGATTTTAG	13500
	GACAGAAGTC	ACGAGACAAT	TCGAGAACGC	CTATGCAATG	GAGTGATGAT	GTTAATGCTG	13560
30	GATTTACAGC	TGGTAAncCT	TGGATTGATA	TTTCGGAAAA	TTATCATCAG	GTCAACGTTA	13620
	GACAAGCACT	TCAGAATAAA	GAGTCTATTT	TCTATACGTA	TCAAAAATTA	ATACAATTAA	13680
	GACATACGCA	TGATATTATT	ACGTATGGAG	ACATTGTGCC	ACGTTTTATG	GATCATGATC	13740
35	ATTATTTGT	TTATGAACGT	CATTATAAGA	ATCAACAATG	GCTAGTAATT	GCGAATTTCT	13800
	CAGCAtCGGC	TGTTGATTTG	CCAGAAGGAT	TGGCTAGAGA	AGGTTGTGTT	GTGATTCAAA	13860
	CAGGCACAGT	GGAAAATAAT	ACGATAAGCG	GGTTTGGTGC	AATTGTAATC	GAAACAAACG	13920
40	CGTAAAATAA	ATTGAGTGGA	TGCGTTTATA	TGGCGAAACA	AAAAAAGTTT	ATGAAGATTT	13980
	ATGAGGCGTT	GAAAGAAGAT	ATATTAAACG	GGCAGATTCA	ATATGGTGAA	CAAATTCCGT	14040
	CTGAACATGA	TTTGGTGCAA	TTGTACCAGT	CATCTCGAGA	GACCGTGCGT	AAGGCATTAG	14100
45	ATTTGTTGGC	ATTAGACGGC	ATGATTCAAA	AGATTCATGG	TAAAGGGTCA	CTTGTCATTT	14160
	ATCAGGAGGT	TACAGAGTTT	CCATTTTCTG	AACTTGTTAG	TTTTAAAGAA	ATGCAAGAAG	14220
	AAATGGGCGT	CGCATATTTA	ACTGAAGTTG	TTGTGAATGA	GGTTGTTGAA	GCGCATGAAG	14280
50	TTCCAGAAGT	TCAACATGCT	TTAAACATCA	ATTCTAGTGA	ATCACTCATT	CATATTGTTA	14340

55

EP 0 786 519 A2

	TTGTTTCAGA TATAGGTAAT GATGTTGCGA GTGATTCTAT TTATGATTAT TTGGAAAAGG	14460
	TATTAAATCT TAATATTAGT TATTCAAGTA AGTCTATTAC TTTTGAACCG TTTGATGAAC	14520
5	AAGCATATCA ATTGTTTGGT GATGTATCGG TGGCTTATTC AGCAACAGTT CGAAGTATTG	14580
	TGTATTTAGA AAATACAATG CCGTTTCAAT ATAATATTTT AAAACATCTT GCAAATGAAT	14640
	TTAAATTTAA TGA CTCTCTCA AGACGTCGTA TAAAGTAAAC AATGATATAA ATGATTTATA	14700
10	CTTGCAATTA ACTATTAAAA TATAGTAATA TATATCTTGC CGTGCTAGGT GGGGAGGTAG	14760
	CGGTTCCCTG TACTCGAAAT CCGCTTTATG CGAGGCTTAA TTCCTTTGTT GAGGCCGTAT	14820
	TTTTGCGAAG TCTGCCCAA GCACGTAGTG TTTGAAGATT TCGGTCCTAT GCAATATGAA	14880
15	CCCATGAACC ATGTCAGGTC CTGACGGAAG CAGCATTAAAG TGGATCATCA TATGTGCCGT	14940
	AGGgTAGCCG AGATTTAGCT AACGACTTTG GTTACGTTTCG TGAATTACGT TCGATGCTTA	15000
	GGTGACCGGT TTTTATT TTTT TAAATATTA AACCGATTAT TAAGAGTTGA AAATATATAA	15060
20	TTATAGAAGC TACTTTCTTG AAGACAATTC AGCGTATTAT ACGTGAACA TGTGTGTTGGG	15120
	AAGTAGCTTT TTTATATGTG AAGTTTGATT CAAGTGAACG CGATGTGCAG TTTGAATGAT	15180
	TTTTGTGTCA ATGAAAAGTA AGAAGTTATA ATTTGATGAT AAAGAAATGA TGGTGAAATG	15240
25	AGGGGGAGTA TCTTACAATA GAATTATTAA TGAGATACGT TATGATTATT GACAATCAA	15300
	TGCCTACGGA GGACATATGC AAATATATTT AAGTACTTTA ACAGAGTTAG ATTATGATAA	15360
30	ATCTTTAAAT AGTATTGAAG AAAGTTTTGA TGATAATCCT GAAACGAGTT GGCAAGCACG	15420
	TGCGAAAAGTA AAACATTTAA GAAAATCTCC TTGCTATAAT TTTGAATTAG AAGTAATAGC	15480
	GAAAAATGAA AATAACGATG TCGTTGGACA CGTTTTATTA ATTGAAGTAG AAATTAATAG	15540
35	TGATGATAAG ACGTATTATG GTTTGGCGAT TGCCTCTTTA TCAGTTCATC CTGAATTACG	15600
	TGGAeAAAAA TTAGGTCGTG GCTTGGTTCA AGCAGTAGAA GAGCGTGCCA AAGCACAAGA	15660
	GTATAGTACG GTTGTTGTAG ACCATTGTTT TGA CTACTTT GAAAAGTTGG GTTATCAAAA	15720
40	TGCTGCTGAG CATGACATTA AATTAGAATC TGGTGATGCA CCGTTACTTG TAAAATATTT	15780
	ATGGGATAAT TTGACGGATG CACCACACGG AATCGTAAAA TTTCCAGAAC ATTTTTATTA	15840
	ATTGTTCAAT TAAGAAGTAA AGGTATTATC ATGCTATAAT GAGAGGTAAT TGTTTATGGA	15900
45	GGTGCTAACT TGAATTATCA AGCCTTATAT CGTATGTACA GACCCCAAAG TTTTCGAGGAT	15960
	GTCGTCGGAC AAGAACATGT CACGAAGACA TTGCGCAATG CGATTTTCGAA AGAAAAACAG	16020
	TCGCATGCTT ATATTTTTAG TGGTCCGAGA GGTACGGGGA AAACGAGTAT TGCCAAAGTG	16080
50	TTTGcTAAAG CAATCAACTG TCTAAATAGC ACTGATGGAG AACCTTGTA TGAATGTCAT	16140

55

EP 0 786 519 A2

	AATAATGGCG	TTGATGAAAT	AAGAAATATT	AGAGACAAAG	TTAAATATGC	ACCAAGTGAA	16260
	TCGAAATATA	AAGTTTATAT	TATAGATGAG	GTGCACATGC	TAACAACAGG	TGCTTTTAAT	16320
5	GCCCTTTTAA	AGACGTTAGA	AGAACCCTCCA	GCACACGCTA	TTTTTATATT	GGCAACGACA	16380
	GAACCACATA	AAATCCCTCC	AACAATCATT	TCTAGGGCAC	AACGTTTTGA	TTTTAAAGCA	15440
	ATTAGCCTAG	ATCAAATTGT	TGAACGTTTA	AAATTTGTAG	CAGATGCACA	ACAAATTGAA	16500
10	TGTGAAGATG	AAGCCTTGGC	ATTTATcgCT	AAAGCGTCTG	AAGGGGGTAT	GCGTGATGCA	16560
	TTAAGTATTA	TGGATCAGGC	TATTGCATTT	GGTGATGGTA	CGTTAACATT	GCAAGATGCG	16620
	TTGAATGTCA	CAGGTAGCGT	ACATGATGAA	GCGTTGGATC	ACTTGTTTGA	TGATATTGTA	16680
15	CAAGGTGACG	TACAAGCATC	TTTTAAAAAA	TACCATCAGT	TTATAACAGA	AGGTAAAGAA	16740
	GTGAATCGCC	TAATAAATGa	TATGATTTAT	TTTGTCaGAG	ATACGATTAT	GAATAAAACA	16800
	TCTGAGAAAG	ATACTGAGTA	TCGAGCACTG	ATGAACTTAG	AATTAGATAT	GTTATATCAA	16860
20	ATGATTGATC	TTATTAATGA	TACATTAGTG	TCGATTCTGT	TTAGTGTGAA	TCAAAACGTT	16920
	CATTTTGAAG	TGTTGTTAGT	AAAATTAGCT	GAGCAGATTA	AGGGTCAACC	ACAAGTGATT	16980
	GCGAATGTAG	CTGAACCAGC	ACAAATTGCT	TCATCGCCAA	ACACAGATGT	ATTGTTGCAA	17040
25	CGTATGGAAC	AGTTAGAGCA	AGAACTAAAA	ACACTAAAAG	CACAAGGAGT	GAGTGTCGCT	17100
	CCTGTTCAAA	AATCTTCGAA	AAAGCCTGCG	AGAGGCATAC	AAAAATCTAA	AAATGCATTT	17160
	TCAATGCAAC	AAATTGCAAA	AGTGCTAGAT	AAAGCGAATA	AGGCAGATAT	CAAATTGTTG	17220
30	AAAGATCATT	GGCAAGAAGT	GATTGATCAT	GCCAAAAATA	ATGATAAAAA	ATCACTCGTT	17280
	AGTTTATTGC	AAAATTCGGA	ACCTGTGGCG	GCAAGTGAAG	ATCACGTACT	TGTGAAATTT	17340
35	GAGGAAGAGA	TCCATTGTGA	AATCGTCAAT	AAAGACGACG	AGAAACGTAG	TAGTATAGAA	17400
	AGTGTTGTAT	GTAATATCGT	TAATAAAAAAC	GTTAAAGTTG	TTGGTGTACC	ATCAGATCAA	17460
	TGGCAAAGAG	TTCGAACGGA	ATATTTACAA	AATCGTAAAA	ACGAAGGCGA	TGATATGCCA	17520
40	AAGCAACAAG	CACAACAAAC	AGATATTGCT	CAAAAAGCAA	AAGATCTTTT	CGGTGAAGAA	17580
	ACTGTACATG	TGATAGATGA	AGAGTGATAC	ATGACAAGCG	ATATAATCGT	ATGTATAATG	17640
	AAAGAAACAT	CATTTTATTG	ATAAATATTT	ATTGATTTTC	AAGGAGGAAA	TGGAATATGC	17700
45	GCGGTGGCGG	AAACATGCAA	CAAATGATGA	AACAAATGCA	AAAAATGCAA	AAGAAAATGG	17760
	CTCAAGAACA	AGAAAACTT	AAAGAAGAGC	GTATTGTAGG	AACAGCTGGC	GGTGGCATGG	17820
	TTGCAGTTAC	TGTAACCTGGT	CATAAAGAAG	TTGTCGACGT	TGAAATCAAA	GAAGAAGCTG	17880
50	TAGACCCAGA	CGATATTGAA	ATGCTACAAG	ACTTAGTGTT	AGCAGCTACT	AATGAAGCGA	17940

EP 0 786 519 A2

	TCCCTGGaAT GTGATCATAG ATGCATTATC CAGAACCTAT ATCAAACTT ATTGATAGCT	18060
	TTATGAAATT GCCAGGCATT GGTCCAAAGA CAGCCCAACG TCTGGCTTTT CATACCTTAG	18120
5	ATATGAAAGA AGACGATGTT GTTCAGTTTG CCAAAGCATT AGTAGATGTT AAGAGAGAAT	18180
	TAACATATTG TAGCGTATGT GGTCACATTA CTGAAAATGA TCCATGTTAT ATTTGTGAAG	18240
	ATAAGCAAAG AGATCGTTCA GTTATTTGTG TTGTGGAAGA TGACAAAGAT GTCATAGCTA	18300
10	TGGAAAAAAT GAGAGAATAC AAAGGTTTAT ATCACGTTTT ACATGGGTCT ATTTTCGCCTA	18360
	TGGATGGCAT TGGACCAGAA GATATTAATA TTCCTTCATT GATTGAACGC TTGAAAAACG	18420
	ATGAAGTTAG CGAATTAATC TTAGCTATGA ACCCGAACTT AGAGGGGGAA TCTACAGCCA	18480
15	TGTATATTTT TAGATTAGTT AAGCCTATAG GTATCAAAGT GACGAGATTA GCACAAGGGT	18540
	TATCGGTAGG TGGCGATTTA GAGTATGCTG ACGAAGTAAC ATTATCTAAA GCAATCGCAG	18600
	GTAGAACAGA AATGTAATkT CTTCTATTAA ACATTTTTGA TTTAATACT ATAGTAAGAA	18660
20	AAGTCACAGT GTAATCATTG TGGCTTTTTT TATGGTGTGG TGTGATGTAC TACTTTATTT	18720
	GCGGTGTGGC GGTGGTATGG TTTACCTAGT TTTACTGAGG GATGGGTAAT CTTTAGGAAG	18780
	CAAGCCGTTG GTTGTGATTT GTTACTTCTA ATAGTAATGA TGTGAATTGG ATTATCGAAT	18840
25	TAGATCTATG GTTATGGTGT GTTGGTGCTA TTAATTTGAT AAATGCGGT AATGACTATG	18900
	CAAATGAAAT TCTTTTGTA TGAATGAT AGATGCTGGC TTAGTAAGTT GTACTTCTTT	18960
30	GGTCTAAAGC TTATTAAATC AGCCTGTATA GCGGTGTTTT GAGAGATTAT TTAAACTTG	19020
	TAAATTTATT TTTAATTTCT GGTAACAAAA TAACGTCTG TTTTGCGTTT TTTTGATTG	19080
	ATATGGTTAG AGAAAAATCT GTTCTTGTT CTAAAAACG TACTATTTAT AAGTGGGGAT	19140
35	TTTTTAAGTT CGATTTTATG GATAAGGGCG TTCAGTACAG ATGACAAAGG TGTAATTTTT	19200
	ACTGTTGTTA AGCAGTTTGA AAGCCTGTAT AGTATTTATT TGTTGAGGCA AACAAAACAA	19260
	CTCAACTTAA GAAATAACTT GAATTACTAA CGAAAATTAA TTTTAAAAAG TTATTGACTT	19320
40	AAATGTAAAT AAAATGTATA ATTAATTCTT GTCGGTAAGA AAAATGAACA TTGAAACTG	19380
	AATGACAATA TGTCAACGTT AATTCCAAAA AACGTAAC TAAGTTACAA ACATTATTTA	19440
	GTATTTATGA GCTAATCAAA CATCATAATT TTTATGGAGA GTTTGATCCT GGCTCAGGAT	19500
45	GAACGCTGGC GCGGTGCCTA ATACATGCAA GTCGAGCGAA CGGACGAGAA GCTTGCTTCT	19560
	CTGATGTTAG CGGCGGACGG GTGAGTAACA CGTGGATAAC CTACCTATAA GACTGGGATA	19620
	ACTTCGGGAA ACCGkAGCTA ATACCGGATA ATATTTTGAA CCGCATGGTT CAAAAGTGAA	19680
50	AGACGGTCTT GCTGTCACTT ATAGATGGAT CCGCGCTGCA TTAGCTAGTT GGTAAGGTAA	19740

55

EP 0 786 519 A2

	GAGACACGGT	CCAGACTCCT	ACGGGAGGCA	GCAGTAGGGA	ATCTTCCGCA	ATGGGCGAAA	19860
	gCtGaCGGAG	CAACGCCGCG	TGAGTGATGA	AGGTCTTCGG	ATCGTAAAAC	TCTGTTATTA	19920
5	GGGAAGAACA	TATGTGTAAG	TAAGTGTGCA	CATCTTGACG	GTACCTAATC	AGAAAGCCAC	19980
	GGCTAACTAC	GTGCCAGCAG	CCGCGGTAAT	ACGTAGGTGG	CAAGCGTTAT	CCGGAATTAT	20040
	TGGGCGTAAA	GCGCGCGTAG	GCGGTTTTTT	AAGTCTGATG	TGAAAGCCCA	CGGCTCAACC	20100
10	GTGGAGGGTC	ATTGGAAACT	GGAAAACTTG	AGTGCAGAAG	AGGAAAGTGG	AATTCCATGT	20160
	GTAGCGGTGA	AATGCGCAGA	GATATGGAGG	AACACCAAGT	GCGAAGGCGA	CTTTCTGGTC	20220
	TGTAAGTAC	GCTGATGTGC	GAAAGCGTGG	GGATCAAACA	GGATTAGATA	CCCTGGTAGT	20280
15	CCACGCCGTA	AACGATGAGT	GCTAAGTGTT	AGGGGGTTTC	CGCCCTTAG	TGCTGCAGCT	20340
	AACGCATTAA	GCACTCCGCC	TGGGGAGTAC	GACCGCAAGt	TGAAACTCAA	AGGAATTGAC	20400
	GGGGACCCGC	ACAAGCGGTG	GAGCATGTGG	TTTAATTCGA	AGCAACGCGA	AGAACCTTAC	20460
20	CAAATCTTGA	CATCCTTGA	CAACTCTAGA	GATAGAGCCT	TCCCCTTCGG	GGGACAAAGT	20520
	GACAGGTGGT	GCAIGGTTGT	CGTCAGCTCG	TGTCGTGAGA	TGTTGGGTTA	AGTCCCGCAA	20580
25	CGAGCGCAAC	CCTTAAGCTT	AGTTGCCATC	ATTAAGTTGG	GCACTCTAAG	TTGACTGCCG	20640
	GTGACAAACC	GGAGGAAGGT	GGGGATGACG	TCAAATCATC	ATGCCCTTA	TGATTTGGGC	20700
	TACACACGTG	CTACAATGGA	CAATACAAAG	GGCAGCGAAA	CCGCGAGGTC	AAGCAAATCC	20760
30	CATAAAGTTG	TTCTCAGTTC	GGATTGTAGT	CTGCAACTCG	ACTACATGAA	GCTGGAATCG	20820
	CTAGTAATCG	TAGATCAGCA	TGCTACGGTG	AATACGTTCC	CGGGTCTTGT	ACACACCGCC	20880
	CGTCACACCA	CGAGAGTTTG	TAACACCCGA	AGCCGGTGGA	GTAACCTTTT	AGGAGCTAGC	20940
35	CGTCGAAGGT	GGGACAAATG	ATTGGGGTGA	AGTCGTAACA	AGGTAGCCGT	ATCGGAAGGT	21000
	GCGGCTGGAT	CACCTCCTTT	CTAAGGATAT	ATTCGGAACA	TCTTCTTCAG	AAGATGCGGA	21060
	ATAACGTGAC	ATATTGTATT	CAGTTTTGAA	TGTTTATTTA	ACATTCAAAT	ATTTTTTGGT	21120
40	TAAAGTGATA	TTGCTTATGA	AAATAAAGCA	GTATGCGAGC	GCTTGACTAA	AAAGAAATTG	21180
	TACATTGAAA	ACTAGATAAG	TAAGTAAAT	ATAGATTTTA	CCAAGCAAAA	CCGAGTGAAT	21240
	AAAGAGTTTT	AAATAAGCTT	GAATTCATAA	GAAATAATCG	CTAGTGTTTC	AAAGAACACT	21300
45	CACAAGATTA	ATAACGCGTT	TAAATCTTTT	TATAAAAGAA	CGTAACTTCA	TGTTAACGTT	21360
	TGACTTATAA	AAATGGTGGA	AACATAGATT	AAGTTATTAA	GGGCGCACGG	TGGATGCCTT	21420
	GGCACTAGAA	GCCGATGAAG	GACGTTACTA	ACGACGATAT	GCTTTGGGGA	GCTGTAAGTA	21480
50	AGCTTTGATC	CAGAGATTTT	CGAATGGGGA	AACCCAGCAT	GAGTTATGTC	ATGTTATCGA	21540

55

EP 0 786 519 A2

	GAGGAAGAGA AAGAAAATTC GATTCCCTTA GTAGCGGCGA GCGAAACGGG AAGAGCCCCAA	21660
	ACCAACAAGC TTGCTTGTTG GGGTTGTAGG ACACTCTATA CGGAGTTACA AAGGACGACA	21720
5	TTAGACGAAT CATCTGGAAA GATGAATCAA AGAAGGTAAT AATCCTGTAG TCGAAAATGT	21780
	TGTCTCTCTT GAGTGGATCC TGAGTACGAC GGAGCACGTG AAATTCGCTC GGAATCTGGG	21840
	AGGACCATCT CCTAAGGCTA AATACTCTCT AGTGACCGAT AGTGAACCAG TACCGTGAGG	21900
10	GAAAGGTGAA AAGCACCCCG GAAGGGGAGT GAAATAGAAC CTGAAACCGT GTGCTTACAA	21960
	GTAGTCAGAG CCCGTTAATG GGTGATGGCG TGCCTTTTGT AGAATGAACC GGCAGAGTTAC	22020
	GATTTGATGC AAGGTTAAGC AGTAAATGTG GAGCCGTAGC GAAAGCGAGT CTGAATAGGG	22080
15	CGTTTAGTAT TTGGTCGTAG ACCCGAAACC AGGTGATCTA CCCTTGGTCA GGTGGAAGTT	22140
	CAGGTAACAC TGAATGGAGG ACCGAACCGA CTTACGTTGA AAAGTGAGCG GATGAACTGA	22200
	GGGTAGCGGA GAAATTCCAA TCGAACCTGG AGATAGCTGG TTCTCTCCGA AATAGCTTTA	22260
20	GGGCTAGCCT CAAGTGATGA TTATTGGAGG TAGAGCACTG TTTGGACGAG GGGCCCCCTCT	22320
	CGGGTTACCG AATTCAGACA AACTCCGAAT GCCAATTAAT TTAACCTGGG AGTCAGAACA	22380
	TGGGTGATAA GGTCCGTGTT CGAAAGGGAA ACAGCCCAGA CCACCAGCTA AGGTCCCAA	22440
25	ATATATGTTA AGTGGAAGG GATGTGGCGT TGCCAGACA ACTAGGATGT TGGCTTAGAA	22500
	GCAGCCATCA TTTAAAGAGT GCGTAATAGC TCACTAGTCG AGTGACACTG CGCCGAAAAT	22560
30	GTACCGGGGC TAAACATATT ACCGAAGCTG TGGATTGTCC TTTGGaCAAT GGTAGGAGAG	22620
	CGTTCTAAGG GCGTTGAAGC ATGATCGTAA GGACATGTGG AGCGCTTAGA AGTGAGAATG	22680
	CCGGTGTGAG TAGCGAAAGA CGGGTGAGAA TCCCGTCCAC CGATTGACTA AGGTTTCCAG	22740
35	AGGAAGGCTC GTCCGCTCTG GGTTAGTCGG GTCCTAAGCT GAGGCCGACA GcGTAGGCGA	22800
	TGGATPAACAG GTTGATATTC CTGTACCACC TATAATCGTT TTAATCGATG GGGGGACGCA	22860
	tAGGATAGGC GAAGcGTGcG ATTGGATTGC ACGTCTAAGC AGTAAGGCTG AGTATTAGGC	22920
40	AAATCCGGTA CTCGTTAAGG CTGAGCTGTG ATGGGGAGAA GACATTGTGT CTTCGAGTCG	22980
	TTGATTTCAc ACTGCCGAGA AAAGCCTCTA GATAGAAAAT AGGTGCCCCGT ACCGCAAACC	23040
	GACACAGGTA GTCAAGATGA GAATTCTAAG GTGAGCGAGC GAACTCTCGT TAAGGAACTC	23100
45	GGCAAAATGA CCCCCTAACT TCGGGAGAAG GGGTGCTCTT TAGGGTTAAC GCCCAGAAGA	23160
	GCCGCACTGA ATAGGCCCAA GCGACTGTTT ATCAAAAACA CAGGTCTCTG CTAAACCGTA	23220
	AGGTGATGTA TagGGcTGAC GCCTGCCCCG TGCTGGAAGG TTAAGAGGAG TGGTTAGcTT	23280
50	CTGCGAAgCT ACGAATCGAA GCCCCAGTAA ACGGCGGCCG TAACTATAAC GGTcCTAAGG	23340

55

EP 0 786 519 A2

	TGTCTCAACG	AGAGACTCGG	TGAAATCATA	GTACCTGTGA	AGATGCAGGT	TACCCGCGAC	23460
	AGGACGGAAA	GACCCCGTGG	AGCTTTACTG	TAGCCTGATA	TTGAAATTCTG	GCACAGCTTG	23520
5	TACAGGATAG	GTAGGAGCCT	TTGAAACGTG	AGCGCTAGCT	TACGTGGAGG	CGCTGGTGGG	23580
	ATACTACCTT	AGCTGTGTTG	GCTTTCTAAC	CCGCACCACT	TATCGTGGTG	GGAGACAGTG	23640
	TCAGGCGGGC	AGTTTGA CTG	GGGCGGTGCG	CTCCTAAAAG	GTAACGGAGG	CGCTCAAAGG	23700
10	TTCCCTCAGA	ATGGTTGGAA	ATCATTCATA	GAGTGTAAG	GCATAAGGGA	GCTTGACTGC	23760
	GAGACCTACA	AGTCGAGCAG	GGTCGAAAGA	CGGACTTAGT	GATCCGGTGG	TTCCGCATGG	23820
	AAGGGCCATC	GCTCAACGGA	TAAAAGCTAC	CCCGGGGATA	ACAGGCTTAT	CTCCCCCAAG	23880
15	AGTTCACATC	GACGGGGAGG	TTTGGCACCT	CGATGTCGGC	TCATCGCATC	CTGGGGCTGT	23940
	AGTCGGTCCC	AAGGGTTGGg	CTGTTCCGCC	ATTAAAGCGG	TACGCGAGCT	GGGTTCAGAA	24000
	CGTCGTGAGA	CAGTTTCGGTC	CCTATCCGTC	GTGGGCGTAG	GAAATTTGAG	AGGAGCTGTC	24060
20	CTTAGTACGA	GAGGACCGGG	ATGGACATAC	CTCTGGTGTA	CCAGTTGTCTG	TGCCAACGGC	24120
	ATAGCTGGGT	AGCTATGTGT	GGACGGGATA	AGTGCTGAAA	GCATCTAAGC	ATGAAGCCCC	24180
25	CCTCAAGATG	AGATTTCCCA	ACTTCGGTTA	TAAGATCCCT	CAAAGATGAT	GAGGTTAATA	24240
	GGTTCGAGGT	GGAAGCATGG	TGACATGTGG	AGCTGACGAA	TACTAATCGA	TCGAAGACTT	24300
	AATCAAAATA	AATGTTTTGC	GAAGCAAAAT	CACTTTTACT	TACTATCTAG	TTTTGAATGT	24360
30	ATAAATTACA	TTCATATGTC	TGGTGACTAT	AGCAAGGAGG	TCACACCTGT	TCCCATGCCG	24420
	AACACAGAAG	TTAAGCTCCT	TAGCGTCGAT	GGTAGTcGAA	CTTACGTTCC	GCTAGAGTAG	24480
	AACGTTGCCA	GGCAAAAAAT	GGATGCGATG	AGCCGCATTG	AGACCGCAAG	GTCTCTTTTT	24540
35	TTTATGTCTA	AAACGTCAAA	ATAAAAAGCA	AACACAAAGA	AAAATGGCTT	GGCGAAGTGA	24600
	AAACGTTTGA	ATCTGACGAA	ACGAGAAAAG	AxCGCAACGA	GTTTAGTAGA	GCTAAATGAG	24660
	TAAGyGAGAG	CCGAAGrAGA	GGAAAGAAGC	AAGCGATTGT	CACAAGTCAA	GAAAGGTTCT	24720
40	TAGCGAsGAT	GGTAGCCAAC	TTACGTTCCG	CTAGAGTAGA	ACTGGAAATG	ATAATTTAAT	24780
	AATGTACACT	TTCGATTGTC	TAAGTATGTA	CAACTTTAAT	TTTGTGTTTA	TATAAATTTA	24840
	AAATGATATC	ATCGAAAAACA	AAATATTGTA	TAAATAGAGA	AGAGCAGTAA	GACGGTATCT	24900
45	AATTGAAAAT	GATCTTACTG	CTCTTTTATA	TACTTTATTG	AAATACAAAA	AGGAAATTAA	24960
	TTATTATACA	ATAGACAAGC	TATTGCATAA	GTAACACTAA	CTTTTATCAA	AGAAGTGTTA	25020
	CTTTATAATT	AATGATTTTA	TTAGAGCGTC	TACATGCGGT	TTTAAAGCAT	CATCGTCTAT	25080
50	ACCGCCAAAG	CCTAATATAA	ATTTAGGGGT	TTTCTTATAG	TCTTGATCAT	CATCAAAATT	25140

55

EP 0 786 519 A2

	TCCATTTTTT	ACTGTAATTG	TAAAATGCAT	ACCCGTTTCA	GCACCTTGAA	TATCAAGCTG	25260
	CTCTTTGTAA	GGTTTCAATC	TTTTTAAAAT	ATAGGTTAGT	TTTCTACGAT	AAATTCTGCT	25320
5	CATTTTATTT	AAATGCCTTT	CAAAACCACC	GGAAGATATA	AACGTTGCAA	TAAGGTTTTG	25380
	CATATGAACA	GGTACAGTGT	TGCCTTCAAT	GTGATTTTGA	GAATGATATT	TTTTTCATTAT	25440
	AGAATAGGGT	AACACCATAT	ATGCAACTCG	ACAGCTAGGA	AAAATAGACT	TTGAAAATGT	25500
10	ACTGATATAA	ATCACTTTTT	CTCCTCTTGA	ATATAGACCT	TGAATTGCTG	GAATGGGTTT	25560
	GCCGAAATAT	CTAAACTCGG	AATCATAATC	ATCTTCTATA	ATAAATCGTT	CTTCTTTTTTC	25620
	TTGAGCCCAT	TGTATTAATT	GAGTTCGTTT	TTTTAAGTCC	ATCACATATC	CAGTTGGAAA	25680
15	TTGATGGGAA	GGCGTTATAT	ATACTATATT	TTTTTGTGAT	TTAATAACTT	CATCTACGTT	25740
	TATTCCATTIA	TCTTCAACTT	CAATTTGTTC	ATATTCAACT	TGTTTTTTTAT	CTAAAATATT	25800
	TTTGATTGGT	GGATAACTAG	GTTTTTTCGAT	AATAAATGTT	GAAGTATAAA	GTAAATCGAC	25860
20	TAATTGATTT	ACTAATTGTT	CGGTAGATGA	GCCAATTATA	ATTTGATTAG	GATCACAAAT	25920
	TACGCCACGA	TTAGTAAATA	AATAAAATGC	CAGTTGAAAC	CGCAAATGTA	ATTCTCCTTG	25980
	AAAATGTCCT	CTACGTAATT	GATTTAAATG	ATTTGTATCA	TAAAGATCTT	TGGAATACTT	26040
25	TCTGAAAAGT	TCTATAGGGA	AATGTTTTCGT	ATCTATTTCA	TCCAAATTAA	AAGCATAATC	26100
	ATAAGCTTCA	TCACTCGCTT	TTGGTTTATA	TGAATCATCA	TCAAAAAGAG	AGGGGATAGG	26160
30	TTGATTGTTT	AAAATTGTTA	AAGATTCAAT	TTCGGACACA	AAATATCCAG	AGCGAGGTCT	26220
	TGAATAAATG	TAACCTTCGT	CTAATAGAAG	TTGATATGCA	TGCTCTACGG	TTGTTTGGCT	26280
	AATAGATAAA	TGTTTGCTTA	ATTGTCTTTT	AGAATAAAAT	TTATCGCCTT	CTTTAAATTG	26340
35	ACCTTCAATT	ATTTGTTTTT	TTAATTTTTT	ATAAAGTTGA	TGGTATAAAG	TGTTTTTCAA	26400
	TTTTATAACT	GACCTCCTAA	ATTTATCTTA	TTTTGTACCT	TTTTAAATAT	CAGTTTATAC	26460
	ATTACAATGT	ATTTAATCAA	CTTGAAAAGG	GGTTTTATGT	ATAATGAGTA	AAATTATTGG	26520
40	ATCAGACAGA	GTCAAAAGAG	GTATGGCTGA	AATGCAAAAA	GGCGGCGTTA	TTATGGATGT	26580
	CGTTAATGCT	GAGCAAGCAA	GAATTGCAGA	AGAAGCTGGC	GCGGTAGCAG	TTATGGCATT	26640
	AGAACGAGTA	CCTTCTGATA	TTAGAGCTGC	TGGTGGTGTT	GCACGTATGG	CAAACCCTAA	26700
45	AATTGTAGAA	GAAGTAATGA	ATGCTGTTTC	TATTCCAGTC	ATGGCTAAAG	CACGTATTGG	26760
	TCATATCACT	GAAGCAAGAG	TATTAGAGGC	GATGGGTGTT	GACTATATTG	ATGAATCAGA	26820
	AGTGTTAACA	CCAGCAGATG	AGGAATATCA	CTTAAGAAAA	GATCAATTTA	CAGTACCATT	26880
50	TGTATGTGGA	TGTCGTAATT	TAGGTGAAgm	TGCGCGTAGA	ATTGGTGAAG	GTGCTGCTAT	26940

55

EP 0 786 519 A2

	ACAAGTTAAT TCAGAAGTTA GTCGATTGAC TGTAATGAAT GATGATGAGA TTATGACTTT	27060
	TGCGAAAGAT ATCGGTGCGC CTTATGAAAT TTTAAAACAA ATTAAAGACA ATGGTCGTTT	27120
5	ACCGGTAGTT AACTTTGCAG CTGGTGGCGT TGCGACTCCT CAAGATGCTG CTTTAATGAT	27180
	GGAATTAGGT GCTGACGGTG TATTCGTTGG ATCAGGTATT TTTAAATCAG AAGATCCAGA	27240
	AAAATTTGCT AAAGCAATTG TTCAAGCAAC AACACATTAC CAAGACTATG AACTAATTGG	27300
10	AAGATTAGCA AGTGAACTTG GCACTGCTAT GAAAGGTTTA GATATCAATC AATTATCATT	27360
	AGAAGAACGT ATGCAAGAGC GTGGTTGGTA AGATATGAAA ATAGGTGTAT TAGCATTACA	27420
	AGGTGCAGTA CGTGAACATA TTAGACATAT TGAATTAAGT GGTCATGAAG GTATTGCAGT	27480
15	TAAAAAAGTT GAACAATTAG AAGAAATCGA GGGCTTAATA TTACCTGGTG GCGAGTCTAC	27540
	AACGTTACGT CGATTAATGA ATTTATATGG ATTTAAAGAG GCTTTACAAA ATTCAACTTT	27600
20	ACCTATGTTT GGTACATGCG CAGGATTAAT AGTTCTAGCG CAAGATATAG TTGGTGAAGA	27660
	AGGATACCTT AACAAAGTTGA ATATTACTGT ACAACGAAAC TCATTCGGTA GACAAGTTGA	27720
	CAGCTTTGAA ACAGAATTAG ATATTAAAGG TATCGCTACA GATATTGAAG GTGTCTTTAT	27780
25	AAGAGCCCCA CATATTGAAA AAGTAGGTCA AGGCGTAGAT ATCCTATGTA AGGTTAATGA	27840
	GAAAATTGTA GCTGTTTCAGC AAGGTAAATA TTTAGGCGTA TCATTCCATC CTGAATTAAC	27900
	AGATGACTAT AGAGTAACTG ATTACTTTAT TAATCATATT GTAAAaAAAG CATAGCTTAA	27960
30	TGTATGCTAA ATCAACGAAT TATTGATATT TATAGATTTG TTGAGAAGAA AATATCTCCT	28020
	TCAAACCTAG CTTTGGAGGA GTTATTTTTT ATGTCAAAAT TAAAAATGAT AAAAAATAAA	28080
35	GCTATACATA AGAAAAAAAC CCTTCAAAGA GACTGAGAAT AGTCAAAATT TTGAAGGGGT	28140
	TAATTCGATG TTGATGTATT TGTTAAATAA AGAATCCAGC GATTGCAGCT GAAATGAAAG	28200
	ATACTAGTGT tGCACCGAAT AATAATTTCa AACCAAAGCG GGCAACTGTA TCTCCTTTTT	28260
40	TGTCATTAAG TGATTTAATC GCACCTGAAA TAATACCGAT AGAGCTAAAG TTAGCAAATG	28320
	ATACTAAGAA TACAGATGTA ACACCTTTTG CGTGTTCAGA TAAATCACTA AGTTTACCAA	28380
	GTGCTTGCA TGTACAAAT TCGTTAGATA ATAGTTTTGT CGCCATAACT GAACCGGCTT	28440
45	GAACTGCATC TTGCCATGGC ACACCGACTA AGAATGCAAA TGGTGCAAAG ACAAACCAA	28500
	TTAATGTTTG GAAATCCCAA GAAATAGCGC CACCTGAAAC TGTACTAAAG ATATTGCTTA	28560
	CAATTCCATT TAATAGAGCG ATAATGGCAA TGTATCCGAT TAACATTGCG CCTACAATGA	28620
50	CAGCTACTTT AAATCCATCT AAAATATATT CTCCTAGCAT TTCGAAGAAT GATTGTTGTC	28680
	TTTCTTCAGT TTCTTCAACT AATAATTTGT CATCTTCTTC ATTAACTTTA TAAGGGTTAA	28740

55

	TAGGTTCAAT TAAGGTAAAG TATGCACCGA TAATTGAAGC AGAAACAGTC GACATTGCTG	28860
	AAGCTGTTAA TGTGTATAAA CGTTGCTTAG GTATGTATGG TAATTGTTTT TTAATTGAAA	28920
5	TAAATACTTC AGATTGTCCC AAAATTGCTG CAGCAACTGC ATTGTATGAT TCTAAACGTC	28980
	CCATACCATT AATTTTAGAA ATTAAGAATC CTAAAACATT AATGATTAAA GGTAAAATCT	29040
	TTGTGTATTG AAGGATACCG ATAATCGCTG AAATAAATAC GATAGGTAAT AATACACTGA	29100
10	AGAAGAATGG TGGTTGCTTA GGATCGATAT ATTGAATACC ACCGAATACA AAGTTAACAC	29160
	CATCTGCTGC TTTTAATAAT AAGTAGTTAA AACCGTTTGA AATACCACCA ATAACCTTGA	29220
	TTCCCATTGT AGTTTTAAGC AAGATAAATG CAAAGATAAG CTGAATTGCA AGTAAAATTC	29280
15	CTACATATTT CCAGCGAATA TTTTTCCTGT CTGAGCTAAA TAGAAACGCA AGTGCTAAAA	29340
	AGAAGATAAT TCCGATAATC CCAATTAGAA TATGCATATA TTTCTCATT CTTTAGTTTT	29400
	TTCTACaATc TATCATACAA TAAAATGGAA GGGCTAACAT CATAAATTTT TGAAAATATA	29460
20	AAAACAAATT AATTGAAAAA GGTCAAAATA GGTCAATATA TATAGTCAAA GAAGGTCAAA	29520
	AAGGGGTGAT ATACATGCAC AATATGTCTG ACATCATAGA ACAATAaTCA AACGTTTATT	29580
25	TGAAGAGTCG AATGAAGATG TCGTTGAAAT TCAGAGAGCG AATATCGCAC AGCGTTTTGA	29640
	TTGCGTACCA TCACAATTAA ATTATGTAAT CAAAACACGA TTCACTAATG AACATGGTTA	29700
	TGAAATCGAA AGTAAACGTG GTGGTGGTGG TTACATCCGA ATCACTAAAA TTGAAAATAA	29760
30	AGATGCAACA GGTATATATTA ATCATTTGCT TCAGCTGATT GGACCTTCTA TTTCTCAACA	29820
	ACAAGCTTAT TATATTATTG ATGGGCTTTT AGATAAAATG TTAATAAATG AACGTGAAGC	29880
	TAAAATGATT CAAGCAGTTA TTGATAGAGA AACGCTATCA ATGGATATGG TTTCTAGAGA	29940
35	TATTATTAGA GCAAATATTT TAAAACGTTT GTTACCAGTT ATAAATTATT ACTAAATGAA	30000
	ATGAGGTGTT GAAGTGCTTT GTGAAAATTG TCAACTTAAT GAAGCGGAAT TAAAAGTTAA	30060
40	AGTTACAAGT AAAAAATAAAA CAGAAGAAAA AATGGTGTGT CAAACTTGTG CTGAGGGGCA	30120
	CCATCCGTGG AATCAAGCTA ATGAACAACC TGAaTATCAA GAACATCAAG ATAATTTCGA	30180
	AGAAGCATTT GTTGTTAAGC AAATTTTACA ACATTTAGCT ACGAAACATG GAATTAATTT	30240
45	TCAAGA	30246

(2) INFORMATION FOR SEQ ID NO: 57:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 14333 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 57:

	TATTCCTCCCA	TCGGTTTATT	AAATCGTCCA	TTTCAATACT	GTTTTTCCCC	AAGATGTCGA	60
5	TAAATCCATT	TCAAACGCTT	GGACGATATC	TTGCATCGTA	CATACATTAA	TTTCATGTCC	120
	TTTTAATAAT	GCTAACTTTT	CAACTATGTC	TGGGTACTTA	CGATATAAAT	CAACAACTTG	180
	CTCAAAATCT	TTAGAGCCGC	TTCGACTACT	ACCAATCAAC	GTTAATCCTT	TTTCAAGTAC	240
10	TAATCGTGTA	TTCACCTCCA	CGGGTAATTC	ACTTACGCCT	AACAAAGCAA	TACTGCCTTC	300
	TGGTGAAATA	TGTTCAACTA	TTTGTGAAG	TGCAACTTGA	CTTCCTTTAC	CTCCAACACA	360
15	TTCAAATGCA	TGATCAATTT	TAAGATCATC	TGGTATTTGA	TTTACTGTAA	AGATGTCATC	420
	TACAAATGAA	AAATGACTTA	ATTTATAGTC	TGTCTTACCA	AATACATAAG	TTTtagcttc	480
	TGGGTACAAC	TTACGTAGCA	AAATAGCAGT	AATATAACCT	AAGTTACCAT	CACCCCAAAT	540
20	ACCAAAGCTG	GTTTTCAAAG	GTATAGATTT	ACGTTCAAAT	CGTTGTATAG	CATGATAACT	600
	TACTGACACT	AACTCTGTGT	ATGAAATCGT	ACTCAAATCA	ATGTCATTAG	GCAGCGGAAC	660
	GATACGATCA	TGTGCCATCA	CAACGTAGTC	TTGCATAAAA	CCATCATAAC	CACTAGATCT	720
25	AAAATAACTA	GAGGCTAAGT	AATTCTCCGC	AATAATATGA	TGTTGCTCTG	TAGGTGTATT	780
	CGGTACCATT	ACTACTTTTC	TACCTTTTTT	AAATACCCCT	TTACTATCAA	ATACAACTTC	840
	ACCAACAGCT	TCATGAACTA	ATGACATTGG	TAATTTTTTG	CGTAGTACAT	TTTCATCTCT	900
30	TCGACCTGTG	TAATACCTTT	GATCAGCTGC	ACAAATAGAC	AAGTATAAAG	GTCTTACGAT	960
	GACATGATTA	CCATAAATAT	CAACATTATT	ATATGTGACG	TCGAACTGTC	TCGGTGCAAC	1020
35	GAGTTGATAT	ACTTGATTAA	TCATCGGCAA	TATCACCTTG	AATAATGGCA	TTTGCTACTT	1080
	TTAAATCATA	CGGTGTTGTC	ACTTTAATGT	TGTATAGTTC	TCCaCGTACC	AATTTAACTG	1140
	CATGTCCAGA	TTGACAATG	ATTTTACATG	CATCTGATAA	GATTTCTTTT	TGTTCACTAC	1200
40	TTAAGGCGCG	ATAACTATCT	TGTAATAATT	TAATATTAAA	TGATTGTGGT	GTTTGGCCTT	1260
	GATACATTTT	ATTCCTTACA	GGGATACTGT	GTATGTTCTG	TTTATCTTTA	GACATTACAA	1320
	TCGTATCAAT	TGCTTCAATG	ACTGTATCTA	CTGCACCATA	TTTTGCTGCT	ACTTCAATGT	1380
45	TCTCTTTAAT	AATACGTTGA	GTTAAAAATG	GTCTTACGGC	ATCATGAGTT	ACAATCACAT	1440
	CATCATTATT	AATTCCATTT	ACATTGCGAA	TATGGTCGAT	AATGTTTATA	ATTGTTTCAT	1500
	TTCGATCCGT	ACCACCTGCA	ACTACTTTGA	CACGTTGATC	TGTAATGTTA	TATTTTTTTA	1560
50	AAATATCCTG	TGTATGGGAA	ATCCACTGTG	CTGGCGTTGC	GATAATAATC	TCATTAAATT	1620
	CACTCACTAA	AATGAACCTC	TCAATTGTAT	GGATTAAAT	CGGTTTATTA	TCAATATCTA	1680

EP 0 786 519 A2

	CTGCATAAAT CATGTTGTCC TCCATTCTGT CATTACATCA TTTCCATTTA TACATTACTG	1800
	ACCTATGCCC GCACATAAGC CTAACCTATT GCTCACTTGC CTCTTTTATT AATCCAAAGA	1860
5	TAGTTGTCAC AATAGTGTGA TAATTTTTTTA TAAAAATGTA TTTTGTAAAC TGACCAATTCT	1920
	AAGTTGTTTT GCCATGCAGT TAATCATTAA CTCTGACGAT ATTAAATTGT TAAAGGTATT	1980
10	AATGTTTACT CTTTTTCAAA TTCATTATTA CTGCCATCAT TTTACCATAT ATTATAATAA	2040
	ATTTATCTTA TTAAGTGGCT GTACTTGATT TTCACTTTAA AAATTATCAA ATATTGCCAT	2100
	CTCATTTTAA GTATACAAAA TGCAAAACAA CCGATTCAAC AGCATATTTT ACACAAGTAA	2160
15	ACCGGCTATT TATCAACGTA TATTGGAAGA TGAATTATTT CGATAGTATC TATAGACCAG	2220
	ACGGCATTTC CACTTTTATA GCTATAACTA TACCAGCGTT TTCGTCCTCA AAGGTGCATA	2280
	CTAATAAATC GTAAACATGA CTTTATCAAA TCGTTCCTTC TTGTAACTA ATTTATCAAA	2340
20	TGTCTCCGGG CCTTTTTCTA ACGGTAAAAA ATGAGAAATA ATAGGCTTTA CATTAATATC	2400
	TTTCGTCTTC ATATAATGTA AGGTTGCCGT CCACTCTTTG CCCGGAATAT TACTGGACAA	2460
	ACAGTTCCAA GAGCCACATA CTGTCAACTC GTTACGCAGA ATTTTTTCAA AATGAACGCG	2520
25	ATCAATCTCA ATATCATCAT ATGGTATTCC GAGTAATACC ACCTCGCCAC CTTTTTTAGG	2580
	TAGCGTCAAT ATTTGACCAA TCGTAACTTT AGCACCTGAT GATTCTATAG CTAAATCGAT	2640
30	TTGATTGGCG TAATGATTTT CGATGAATTT CTCAAGATTT TCTTCTTTTG AATTGATTGT	2700
	TTGATGTGCG CCAATGATG TTGCAATATC TAGTTTATGC GCATCTATAT CTATAGCGAT	2760
	GATATGTGCA GCACCAAATA TTCGTGCCCC TTGAATAGCT AACAAACCTA TACTGCCACA	2820
35	CCCCATTACT GCAACAGTCA TACCAGGTTG TATATTCGAT TTATAAAACC CATGCGCAAC	2880
	AACGGCTGAT GGCTCAACCA TTGCTGCTTC AATGTAATCA ACATTGTCTG GAACCTTTAA	2940
	AACAATTTGC GCTGGCAATT TGACATATTC CGCGAACGAT CCAGGTTTAT ATGAGCCAAT	3000
40	GACGAATAAC TTTTCACATC GTGCATATTC ACCTTTTAAA CAATACTCGC ATTGATAACA	3060
	AGGTATTGCT GGGCAACCTG TCACTTTGTC GCCCACATTA ACATGCGTAA CATCACTTCC	3120
	AATGGCATCT ACTACACCTG AAAATTCATG ACCAAATGGC ATACCTTTAA TGTATGGCCC	3180
45	CATTTTTTTG TATCGTGACG TGTCTGAACC ACATATGCCA GTCGCTCGTA CTTTAATAAT	3240
	AACGTCATTC GCACTTTCAA TGACTGGCTT TTCATTATCC TCATACCGTA AATCTTCCAC	3300
	GCCATATAAT TTCAATGCTT TCACTTGTA ATCACCTCAA ATTTGATTTA ATTCACAACT	3360
50	TTTTTCTTTT TAAAAATACC TGTCGCAAAA TAACCTGCAA TGACAATGGA ATTACTTACG	3420
	AGTAAATGTT CCATATAAAA ATCAGTGATT TGTCTTAATG GCCCAAGCAT AAAAGTTAGC	3480

55

EP 0 786 519 A2

	TGCTTTAATA	CCTTCGCCGG	ATTTTAAATG	TTGATACGCC	TCGTCCCATT	TCGAAATATC	3600
	ATATATTTTT	GTCACCAAAG	CTTCAGCATT	TACTAAACCA	TCCGCCATAA	GTTGCAATGA	3660
5	AGGTTCCCAA	TCTGCTGGCT	TTTGACTTCT	ACTACCAACA	ACTGTTATTT	CTTTTTGAAT	3720
	CACTTTTTCC	ATATCAAATG	GAATTTCAGC	ATCCTTAAAA	ATACCTATTT	GA CTGTAGAA	3780
	ACCTTTTTTG	CGTAAAAATAT	CCAAACCTTG	TCGTGCTGCT	GGAACTGCAC	CTGAACATTC	3840
10	AACAACAACA	TCTGCACCGT	AACCGTCTGT	AATTCCATTG	ATATACGTTT	TTAAGTCTGT	3900
	TTGTTGTAAA	TTGACTACAT	AATCCATGTG	CAATGCTTCT	GCTTTATCTA	ATCTGACTTT	3960
	GTCATTGTCC	AATCCAGTTA	CCACAACAGT	TGCGCCTTTA	CTTTTTAACA	CTTGTGCTAC	4020
15	AAGTAATCCG	ATTGGCCCAG	GTCCCATTAC	AACTGCTACA	TCGCCTGAAT	TGACTTGAAT	4080
	CTTAGAAACG	CCATGATGTG	CACATGCTAA	TGGTTCTGTC	ATAGCTGCAG	ACTGATACGA	4140
20	TATTCGTCTG	GAATATGATG	CAAACCTTCT	TCACGTGCAA	TGACATAATT	AGTAAATGCG	4200
	CCATCAACTT	GTGTTCCAAT	ACCTTTTCGA	TGGTTGCATA	AATTATAGTC	TTTTGATTTA	4260
	CAGTATTCAC	ACTCATTACA	AACATAGAAT	GTCGTTTCAG	aTGtGACACG	GTCACCAACT	4320
25	TTAAAATCTT	TAACGTCTGC	TCCAACCTCA	ACGATTTTAC	CAGAAAATTC	ATGACCTAAT	4380
	GTCACTGGAA	AATTAACCTT	ATAATGACCT	TCATAAGTAT	GAATATCTGT	GCCACAAATT	4440
	CCTGCATAAT	GTACTTTAAT	CTTTACTTTA	TCATCTAGCG	GTGTTGCAAC	TTCTTTATCA	4500
30	AGAAGTTCTA	AGTTGCCATG	TCCTTCTCTT	GTTTTTACTA	AAGCTTTTAC	CACAAACACC	4560
	TCGATTTTTA	ATTGAATAGA	CTAAATAGTT	TAAAGATAAG	ATAGTTAACG	ATATTACCAC	4620
	CTTGATCAAT	ACTTGAAATT	TCAGATGAAC	CTTTTGGCAT	TTGTACATTC	GTACCTTTTCG	4680
35	CCATATCTGT	GAAAATGGGT	GCTACGTCTG	TTGCAATATA	TAGTGAAATT	GCAATCATAA	4740
	TCGTACCCAC	AATGACAGAA	TGAATAATGT	TTCCTCTTGC	TGCACCAACA	ATAAACGCGA	4800
40	CAACAAATGG	TATCGTTGCT	AAGTCACCAA	AAGGTAGTAC	TTGGTTTCCT	GGTAAAATAA	4860
	CGGCTAATAA	AACAGTGATA	GGTACTAAAA	TTAATGCTGT	CGAAATAACT	GCTGGATGAC	4920
	CTAATGCTAC	AGCCGCATCC	AATCCAATAT	AAATTTACG	TTCGCCAAAA	CGTTTATTTA	4980
45	GCCATGTTCT	TGCAGACTCT	GAAACTGGCA	TTAAACCTTC	CATTAAGATT	TTTACCATTTC	5040
	TAGGCATTAA	TACCATTACT	GCAGCCATTG	ACATTCCTAA	ATTAATGATG	TCTCCAGGTT	5100
	TGTAACCTGC	TAACACACCA	ATACCTAAAC	CTAAAATTAA	GCCGACAAAT	ATAGACTCTC	5160
50	CAAATGCGCC	AAAACGTTTT	TGAATTGTTT	CAGGATCAGC	ATCTAACTTA	TTCAGACCGG	5220
	GTACTTTTTG	TAACAATTTA	ACTAAGTAAA	TACCTGGTGC	ATAAGAAATT	GTACTTCCTG	5280

55

EP 0 786 519 A2

	CTACTTTCAA ACAGATAATT TGGAAAATAA CTGCTGCTAA TAACGCTTGC CAAATACTGC	5400
5	CTGATACGGC ATAAACCATT GCTGCTGTAA ACGTATAATG CCAAAAATTC CAAATATCTA	5460
	CATTCATCGT CTTTGTCACT TTAGTTACTA GCAATACAAC GTTAACTATG ATTCCGAGTG	5520
	GAATAATAAA TGCTGCGACA GATGATGCCC AAGCGATAGA TGATGTTGCT GGCCAACCTA	5580
10	CATCAATCAC ATTCAGACTG ACGCCTAAAT TTTTAACCAT CGCTTGTGCT GCTGGCCCTA	5640
	AATTTTTTAAC TAATAAATCG ATGACTAAGA AAATCCCTAC AAAAGCCACA CCTATTGTTA	5700
	AACCAGACCT AAATGCCGCT CCAATTTTCT GCCTAAAGAA TAGGCCAAGC AAGAATATGA	5760
15	CAACCGGTAA AATAACAGTt GCACCTAAAT CTAAAAATCC CTTTACAAAA TCAGTGAAGT	5820
	AACTCATATT TAAACCCTCC CTGTTATATA TGCATTGTCA CGATACTTTC CGATTGTGAT	5880
	TACATTTGAC GTTACAGTCA TTTCAACGAC AACCCTTGCT AAATTCGACT GCAGTCCTTT	5940
20	TGAATTACAG tCACTGCGTT TCTATGTCAT CAACAATCAT TTGTCGTGAT AGTCATTTAT	6000
	ATGCAATTTG CATATATTAA TATGTTATCG ACCCACGTTA CATATCAATT CCGTTATTTT	6060
	TGTAACTCTG TTAAGATTG TTGTTTTGTT TCTTCAATAC CAATACCAGT TAAGAAATTA	6120
25	CGTGCGTTGA TAACTGGGAA TTTATATTCT TTTTTTGTCA TTGCAGTTGT AACTAATAAA	6180
	TCTGCAGTGT CTTCATAAGG TCCAACCTCT GTAATTTTGA TTTGTTTAAT ATCTACTTTA	6240
30	ATATTGTGTT CCTTTGCCAT TTCTTCAATT GCATTATTTA CTACTGTTGA CGTTGCAATA	6300
	CCTGCACCAC ACGCTACTAA TACTTGTTTC ATTTTCAATT CCTCCAATTA ATTTTTAGTT	6360
	ATATTCCAAA TAATCATTGA TTAGTGTTGC TAAAATTGTT TCATCTTTCG TTCGTAGAAT	6420
35	CTGCTCCAAT TTTTCTTCAC TTTGAAAAAT TTGCATCAAC TGTGTGAACA GCTTAAGTTG	6480
	ATCATCTACT TTATCCATTG CTAACATAAA AACGATTTTC ACTTCTGTCT GTTGATCAAG	6540
	TGTTCCCATT TCAATAAACG GCACTTCTTT TTCTAGAACA GCCACACCTA TCGTTCTATG	6600
40	GTTAATATGT TCGACATCTG TATGCGGTAT AGCGACCGAA CATAGATGCG TTGGTAAACC	6660
	AGTAGCAAAAT TCTTTTTCTC TGTCGATGAC TGCATCTTTA AACGTTGACT TCACGAACCC	6720
	ATTTTGAAAT AACACATCTG ACATTTGTGA CAATACGGAT TCTTTATCAG TTGCCGACAA	6780
45	ATTGAGCATT ATATTTTCTT TATGCACTAA TTGCTGTCCC ATCCATTTTC CCTCGCTTCT	6840
	TTATTTGAAT AATTTTTTAA AATCTCATT ACATCAGAAT TTTTGCGACT TTGTATGATG	6900
	CGCTTAATTG CGTCATTGTC TTGCGCCACA TCTCTCAATT GTAGTAACGC TCTTAAGTGT	6960
50	GTCACTTTAT CAACAGCAGC AATAGGTACA ATAATATGGA TTGCTGTGCC ATCTGACATG	7020
	TATATTGGTT CTTGTAATAT CAACATACTC ATCGCTGTTT TATGTACATG CTTTTCAGAG	7080

55

	TGCATCTCAT GAATATATTT AATATCAATA AAATGATTAG CAACTAACAC ATCACTTGCT	7200
	TTAGCAATAG CTTTCATCAAT ATTTTCAACA TGATGCATT CTTTCACGTG CCTTGCCGGT	7260
5	ATCAAGTCAG CTAAATCTAA TGyCTwATTT tGTGtGACaA TCGATCCATT AATGGTTGAA	7320
	ATTGAATTAT AATTGGCAAT AAAATCTTCT AAACCATCAC GTAGTcTGTA ATGTCATTAA	7380
10	CTGTCGTTGT GCGTTCAATT AATGCCATTA ACTTGTTTAT TTCCTTATCA ATGTCAGCCG	7440
	ATTCCTTATT AATGTACTTC ATCACTTCTT TACGTAACCT TCGTTGCTCA TTTTCAGATA	7500
	AAGCTACTTT TGTGATAAAT AATTTTTTAT GTGTTAGGAC AAACATTGGT GAAAAGACGA	7560
15	TGTCATAATC TAATGTGTAA TTTTCAAATG TTCTAAGTGA AATCGCATCT AAGAAAATAA	7620
	TTTCTGGAAA TAAGTTTCGC AACTCGTATA ACATCATTTG TGATACTGAC GTGCCTTG TG	7680
	TACACACGAT AATAGCTTTT ATCTTGCCAT CGAAGTTTTT ATCTTGACGT CTCAAACCTAC	7740
20	CTCCGAACAA CATGGTTAAA TATGCTATTT CATTATCAGG CAACGATTTT CCGAAATATT	7800
	CAGTTAACGA TTGACATGAT TGTTTCACCA TATGAAATAA GGATTGATAA TTTCTTGTA	7860
	AAGGATTTAT TAATTCATCA CGATCCGTTA AGTTATATTT AATCCTATAA AAAGCAGGCG	7920
25	TTAAATGTAA CAAGAGTTGC TGTGATAATT TCTCCTTATC TTCAATGTTA ATAAAAGTGA	7980
	TTTGTTCAAA ATGGTGAATC ATTTGAGCGA TGGCCATCGT TAAATTCGAT ATGCTATCTG	8040
	ATTCTTGCAA ATCAGTCCAT TGCACACTTG TTGAAAGTAA GTGTAATGTC AAATATAACT	8100
30	TTTCCGCTTC TGGCAAATCC GGCTCATGTT GCGTCATAAT CTCCGTTGCT TGATATTCTT	8160
	TCGTATCCCT CAAATACTGA TAATTAATAT TTAATGGATT CATCACATGA CCACTTTGAA	8220
35	TTCGTCTACG AATCACACAA AGGACATAAG GCAATGAACT AAGTGATTTG TCTATAAAGC	8280
	GACTCTTCAA AAATGTCTT ACCTGTTTGA TCTTGCTTTT TTGATATGCG ATATCTTCGA	8340
	ATGTTAAGTT GAGCGCCTTT AAAACTTCAC TTTTAGTAAT ATCATGATT C AACCTTGAT	8400
40	CAATCAACTT AATGAAGAAA CGGCGAACTT CAAATTCATC ACCAACAATT TCATAACCAT	8460
	GTTTTGAGGA ATACTTAAGT GACAAACCAT GATTTTCCAA TTGCTCTTTC ACATGATTTA	8520
	TATCGTGAAT GACAGTATTT TTAAGTACTT GTAAATCAAT TGAAAAATGG TTTAGAGACA	8580
45	TTGCGTTTTT CTTACTAAAA AGCATGAGCA TTAAATAATA ACGACGTGTT TCTATGCTAA	8640
	AAATGACATT GTTGCCGTTT AACATTTGCT GCTCCGATAC ATCTCGCTTG AATAACGTCA	8700
	TGATTTGAGA ACTTACAATA AAATTTCCCTT GGCTTGTTCT TTCAAGTTTT GGATAACCCT	8760
50	CTTGTTCAAG CCACAAATTG ATTTTTTGAA TGCGATATCC TAGTTGTCTA CGAGACAAAC	8820
	CAAATATCGA TTCAAGTTCT TTACCATGAA TAGTAGGATT CAATACAATT TCTCTGAGTA	8880

EP 0 786 519 A2

	TCAATCGTCA	CACCGATGTA	CACACTTTGA	ACACATATTT	TCAAAATGAG	CATGTACATC	9000
	ATTGTGATGT	TTTAACAACA	TTTCAATTAT	ATCTATATTT	TTTGTGATTT	TAATCTTTTA	9060
5	AAATAAAGCA	ATTGAAATTT	TTGCATATAT	TTTTGTGTTT	TGTGTTTTTT	TGAAGCATT	9120
	TTAACATACA	TATCTCAATC	ATTATCAAAT	TGTCATGACC	ATTGTAACCC	AATACAAAAA	9180
10	CCCTAAGGAC	GCTTATATCA	GGCGCCTTAG	GGTTAACTGT	ATCTATTTAA	TTAAGTATTA	9240
	TTATTTCGTAT	GTACGTAAC	TATGGTCTAT	CAAGTTCCAC	ACTTCTTCAA	CATCAACTGC	9300
	TGTAGCAAAA	TAAGCATTGG	CAGGCTTACC	TGTAACATGA	TTTAAATCGA	CAGCCATAGT	9360
15	GCCATAAGTT	AGTGGACTTT	GATGTTCAAT	GTCGATATTA	ACGGGTACCA	TTGTAAACAA	9420
	TTCTGGTTGT	AACAAATACA	AAATTGTACA	AGCATCATGT	ATTGGACCAC	CATCCATATT	9480
	AAAGTGAGTC	TTGTATGTCT	TCTTAAAGAA	TTGCAATAAT	TCTACGACGA	ACTGTGCAAC	9540
20	AGGATTATTG	ATACTTTCAA	AGCGTTCAAT	CACGTGATCG	TCGGCTAAAA	CTTGATGTGT	9600
	TACATCTAAA	CCAAACACAT	TTATAGTAAT	CCCACTTTCA	AAAACACGCT	TCGCTGCTTC	9660
	AGCATCTACC	CAAATATTGA	ATTCTGCTGT	AGGCGTCCAA	TTTCCAAATG	TACCACCACC	9720
25	CATCAAAGTA	ATAGATTCAA	TATGCTCAGC	GATTCTTGGC	TCACGAATCA	ATGCCGTTGC	9780
	TACATTGTA	AGAGGACCTG	TCGCTACAAT	TGTTACAGGT	GTATCACTCG	TCATCACTTT	9840
30	GTTTATAATC	ACATCTGATG	CTGGCATTGC	AACTGCTTGA	CGTGATGGTG	TCGACGGTAG	9900
	TTTCGGACCA	TCTAATCCAG	ATTCCCCATG	TATTTTCAGAA	GCAAAGGCAG	CTGGTTTAAT	9960
	TAACGGCCTA	TCCGCACCTT	TCGCTACTGC	TATATCTTGG	CGTCCCATAA	TATCCAATAC	10020
35	GTTCAAGGCG	TTTGTGATAT	TCTTGTCAAC	TGATTGATTA	CCTGCGACTG	TTGTTACAGC	10080
	TAATATCTCT	AGTGGACTGT	CAATTGCCCC	CGCTAAAATT	AATGCTATTG	CATCATCGTG	10140
	TCCTGGATCA	CAATCCATAA	TAATCTTTCT	TTTCATTTAT	ATATCCACCT	TTCTTAAGTT	10200
40	GTTATCGATA	GCTTATGTAT	ATTTATTTAT	GTGGTGAATC	ATGTTTATTT	TGAAAAATAG	10260
	TTTTAACTTT	CTCATATTTT	TGGATACAAA	CACTATTTAT	CTATTTTATG	GCTTATAAAT	10320
	TTATCCGATA	TGCCTTATCA	ACCTACCTCG	CTAAAAATAG	GATGTCTACA	TATCTATACC	10380
45	GACTTTTGTC	AACTCATTTT	CACAACAATA	TAAACAGCAA	TTTATATGAT	TGTTACATGA	10440
	TTCAAACAAT	TTTTATGAAA	AATATTTTCA	TACACAGAAT	ATATATTGAT	ATTAAATTTT	10500
	TCAAAAGCTA	TATTGAGAAT	AATTAGGAGG	GATGTTGATG	AAATCTTTAT	TTGAAAAAGC	10560
50	ACAGCAGTTC	GGCAAGTCCT	TTATGTTACC	TATCGCAATC	TTACCAGCTG	CAGGTCTATT	10620
	GTTGGGTATC	GGTGGTGCAT	TAAGTAATCC	AAACACCGTT	AAAGCATACC	CTATTTTAGA	10680

55

EP 0 786 519 A2

AAATTTACCG GTCATCTTTG CAATTGGTGT CGCAATCGGA TTATCTAGAA GCGATAAAGG 10800
 TACTGCAGGT tTAGctGCGC TGCTCGGTTT CTTAATTATG AACGCAACTA TGAATGGCTT 10860
 5 ATTAACATATC ACGGGCACAT TGGCAAAAGA TCAGCTTGCA CAAAATGGAC AAGGCATGGT 10920
 GCTCGGTATA CAAACGGTTG AAACCGGTGT TTTTGGCGGG ATTATCACAG GTATTATGAC 10980
 CGCAATACTT CACAACAAAT ATCACAAAGT GGTATTACCA CCGTATTTAG GTTTCTTTGG 11040
 10 TGGCTCTAGA TTTGTCCCTA TTGTCACAGC ATTTGCCGCA ATCTTTTTAG GTGTATTGAT 11100
 GTTTTTTCATT TGGCCAAGCA TACAAGCCGG CATTATCAT GTTGGTGGAT TTGTAACGAA 11160
 AACAGGTGCC ATCGGTACTT TTGTTTATGG CTTATCTTA AGATTGTTAG GTCCACTCGG 11220
 15 TTTACACCAT ATTTTTTACT TACCGTTTTG GCAGACGGCA CTTGGTGGTA CTTTAGAAGT 11280
 CAAAGGGCAC TTAGTTCAAG GTACGCAGAA CATCTTCTTT GCTCAACTTG GTGATCCAGA 11340
 TGTGACGAAG TATTATTCAG GTGTGTCACG CTTTATGTCA GGCCGTTTTA TTACGATGAT 11400
 20 GTTCGGCTTA TGTGGTGCCG CACTTGCAAT TTATCACACA GCTAAACCTG AACATAAAAA 11460
 AGTTGTCGGC GGTTTAATGT TATCCGCTGC ACTCACTTCA TTTTAAACAG GTATTACCGA 11520
 25 ACCTTTAGAG TTTAGTTTCT TGTTTGTCGC ACCTATTCTT TATGTAATCC ATGCCTTCTT 11580
 TGATGGATTA GCATTTATGA TGGCAGACAT TTTCAACATT ACAATTGGTC AAACCTTCAG 11640
 TGGAGGCTTT ATCGATTTCT TACTCTTTGG TGTGCTACAA GGTAATAGTA AAACAAACTA 11700
 30 CCTATACGTC ATACCTATTG GAATTGTGTG GTTCTGTTT TATTACATCG TTTTCAGATT 11760
 CTTAATTACG AAATTTAATT TCAAAACACC TGGTCGAGAA GATAAAGCTG CAGCACAACA 11820
 AGTTGAGGCT ACTGAAAGAG CACAACTAT TGTTGCTGGT TTGGGAGGCA AAGATAACAT 11880
 35 TGAAATCGTT GACTGTTGTG CAACGAGACT ACGCGTCACA CTTTATCAAA ATGACAAAGT 11940
 CGATAAAGTA TTAAGCGAAA GTACTGGTGC CAAAGGTGTA ATCCAGCAAG GCACTGGTGT 12000
 40 GCAAGTAATT TATGGGCCCTC ACGTTACAGT TATCAAAAAT GAAATTGAAG AATTGCTCGG 12060
 GGATTAAGAC TAACCGAAAT ATCAACAGAA CTAATGGCAA CGATGTACGA AGTAAGAAGT 12120
 GACATCGTTG CTTTTATTTT TAATGTTACA TTTGAAGCAT TAAGTTCATC ATGCACTGTA 12180
 45 GTGAGCCCGC AAATCGCCTC TGCTAGACAA TCATCTTAAT GCTATGATTA AAGCTTAAGT 12240
 GCCAGATTG AATTTAATTT CAACAACGAC TTTCACTACA TTAAAAATAG GGCCACTCGA 12300
 CACATATAGT TGTATCAAAT AGCCCTTTAT ACAATTTTTT GGGTAAGGTT TTACAATTTT 12360
 50 TGGGATGGTA TAGATTTTAT AAAAAGTTAT TTAAGTTCTT CTGCTTCAGC CATAATATCT 12420
 TTTAATGTTT TAGCTGAATG TGCGAACCTG CTTTGTTCTT CGTCGTTTAA TGGGATTTCT 12480

	TCCTCATATT CGCCTTCTAA TAATGCTGAT ACAGTCAATA CGGCATCTTC ATTTCTGAAA	12600
	ATCGCTTCAG TAATTCTAGC TAATCCCATT GCAACACCAT AATAAGTGGC ACCTTTAGCT	12660
5	TGAATAATGT CATATGCTGC ATCACGTGTT TGAACAAAAA TTTGTTCAAT TTGCGCTTTG	12720
	CCCTCAGGAC GTTGTTC AAG	12780
	CATACTGGTA ATTCAGTGTC ACCATGTTCA CCAATAATTT GAGCATCGAC GCTACGTGGC	12840
10	GCAACATCGn AcgyTcGCTT AACAATAATC TAAAGCGTGC AGAGTCTAAA ATTGTACCAG	12900
	AACCTATAAC ACGTTCTTTA GGTAACCAG AGAATTTCCA TGTTGCATAC GCTAAAATAT	12960
15	CAACAGGATT TGTAGCTACC AAGAAAATAC CATCAAATTT TGATGCCATT ACTTCACCAA	13020
	CAATTGATTT GAATATTTTC AAGTTTTTAG ATACTAAATC TAAACGTGTT TCTCCAGGTT	13080
	TTTGTGCAGC ACCAGCACAG ATGACAATA GATCCGCATC ATGACAATCA CTGTATTCGC	13140
20	CAGCTTTCAC ACGAACTGTT GTTGGAGAAT ATGGTGTGGC ATGTTTTTAAA TCCATAACAT	13200
	CTCCTCGAAC TTTTTCAGTG TCTAAATCAA TGATGACTAA TTCATCAACA ATGCTTTGGT	13260
	TCACTAATGA AAATGCGTAG CTTGAACCTA CTGCACCATT ACCTATTAAT ACAACTTTGT	13320
25	TCCCTTTAAA TTTGTTTCAAT ACAAAAACTC CTTTATGATT AATTCATAA CATACATGTA	13380
	GCTTCAAATA TGTTAGTTTA ATGCTGCTTA TTGACGATAC AAAAGCAAAT AAACATCTCT	13440
	TTTATTTTCA ACGCATAACT TAAAAGGTCA TGTGTCATCC GCTTTTAAGT TTGTGATTTA	13500
30	TTTCACATAT AAAATGTAAC ATGCATTAAG TACTGGGTCA ATATTAAATT GTGATTTATT	13560
	TCACATTTTA TTTTAATTTT TACACCTTTT TAATTTGTAT mCGATTACAT CTTAGATGTC	13620
35	TTTAGTCTTC GTACTTCGCC AGTGATTATT TACACTTTCA CATTTTTTATT ATCATGTTTA	13680
	CTTTTTTCTA GGAAAACAAC AATGTTTTTT GAATTAGTCA AATAAATGCG CTCAATCGTC	13740
	GGTGTGCAAA CAGACAATTG TACACAATGC TTATTGATAA GTATTTAAAA AATTAAAAAT	13800
40	GTCATACAAT TATCAAATTT GCCATTTTAT TTATATTTTC TCAAACCAAT TAATTGAATA	13860
	TCGAAATTTT TAGTAGAATA ATCAAAATAT ACAGATTAAA GGAGGAGTAT CATGCTTACA	13920
	GAACAAGAGA AAGACATTAT CAAACAAACG GTGCCTTTAC TTAAAGAGAA AGGGACAGAA	13980
45	ATTACGTCAA TCTTTTATCC AAAAATGTTT AAAGCGCATC CTGAACTTTT AAACATGTTT	14040
	AATCAAACGA ACCAAAAACG AGGCATGCAA TCTTCAGCAT TAGCACAAGC TGTAATGGCC	14100
	GCAGCGGTTA ATATCGATAA CTTAAGTGTT ATTAAACCAG TCATTATGCC AGTCGCATAT	14160
50	AAACACTGCG CACTACAAGT TTATGCTGAA CATTATCCAA TTGTGGGGAA AAATTTATTA	14220
	AAAGCCATTC AAGACGTGAC AGGATTAGAA GAAAATGACC CTGTCATTCA AGCTTGGGCA	14280

(2) INFORMATION FOR SEQ ID NO: 58:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 8779 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 58:

	GGTATTTTnG GAnGGGTACC TAAAGCAATT CCGGCAAAGG GTnAATCCAG GTACCGAAAT	60
15	GGACTTCCCG TTATCGATAA TACCGACATA TATTGTGACA AGTAGATTTT ATGGACATTT	120
	AGGCTTACTT TTA CTGTGTA TAATTGCATG TATGTTTACT GGTATTTAtC CaTCaATACA	180
	TATCATTCAA TTATTGATAT ATGTACCGTT TTGTTTTTTC TTA ACTGCCT CGGTGACGTT	240
20	ATTAACATCA AACTCGGTG TGTTAGTTAG AGATACACAA ATGTTAATGC AAGCAATATT	300
	AAGAATATTA TTTTACTTTT CACCAATTTT GTGGCTACCA AAGAACCATG GTATCAGTGG	360
	TTTAATTCAT GAAATGATGA AATATAATCC AGTTTACTTT ATTGCTGAAT CATACCGTGC	420
25	AGCAATTTTA TATCACGAAT GGTATTTTCAT GGATCATTGG AAATTAATGT TATACAATTT	480
	CGGTATTGTT GCCATTTTCT TTGCAATTGG TCGTACTTA CACATGAAAT ATAGAGATCA	540
	ATTTGCAGAC TTCTTGTAAT ATATTTATAT GACGAAACCC CGCTAACCAT TAATAAATGG	600
30	AAGTGGGGTT CATTTTTGTT TATAATTTAA GTAAATAACA TATTAAGTTG GTGTATTATG	660
	AACGTTTTTAA TAAAGAAATT TTATCATTTG GTAGTTCGAA TACTTTCTAA AATGATTACG	720
35	CCTCAAGTGA TTGATAAACC GCATATCGTA TTTATGATGA CTTTCCAGA AGATATTAAG	780
	CCTATCATCA AAGCATTAAA TAATTCGTCTG TATCAGAAAA CTGTTTTAAC AACACCAAAA	840
	CAAGCGCCTT ATTTATCTGA ACTTAGCGAC GATGTTGATG TGATAGAAAT GACTAATCGA	900
40	ACATTGGTAA AACAAATTAA GGCTTTGAAA AGCGCGCAGA TGATTATTAT CGATAATTAT	960
	TACCTATTGC TAGGTGGATA TAATAAGACT TCTAATCAAC ACATTGTTCA AACGTGGCAT	1020
	GCAAGTGGTG CATTAAAAA CTTTGGCTTA ACAGATCATC AAGTCGATGT GTCTGACAAG	1080
45	GCAATGGTTC AGCAGTACCG TAAAGTTTAT CAAGCGACGG ATTTTTACTT AGTGGGTTGT	1140
	GAACAAATGT CACAATGTTT TAAACAGTCT TTAGGTGCAA CAGAAGAGCA AATGCTGTAT	1200
	TTTGGGCTTC CGAGAATTAA TAAATATTAC ACAGCTGATA GAGCAACGGT TAAGGCAGAG	1260
50	TTAAAGGATA AATATGGAAT TACAAATAAG TTGGTATTAT ATGTACCAAC ATATAGAGAA	1320
	GATAAAGCAG ATAATAGGGC TATTGATAAA GCTTATTTTG AAAAATGTTT ACCAGGATAT	1380

EP 0 786 519 A2

	ATCGACACGT CTACATTAAT GCTAATGTCA GATATAATTA TTAGCGACTA TAGTTCGCTG	1500
	CCAATAGAAG CTAGCTTGTT AGATATTCCA ACTATATTTT ATGTGTATGA TGAAGGAACA	1560
5	TATGATCAGG TGAGAGGCCT GAATCAATTT TACAAAGCAA TACCGGATAG CTACAAAGTG	1620
	TATACTGAAG AAGATTTAAT AATGACGATA CAAGAAAAAG AACATCTATT AAGTCCGTTA	1680
	TTTAAAGATT GGCATAAGTA TAATACTGAT AAAAGTTTAC ATCAGCTCAC AGAATATATA	1740
10	GATAAGATGG TGACAAAATG AGGTTTACGA TAATCATACC TACATGTAAT AATGAGGCAA	1800
	CAATTCGACA ATTGTTAATA TCTATTGAGA GTAAAGAACA CTATAGAATC CTTTGTATTG	1860
	ATGGTGGTTC TACTGATCAA ACAATTCCTA TGATTGAACG GTTACAAAGA GAACTCAAGC	1920
15	ATATTTTCATT AATACAATTA CAAAATGCTT CGATAGCTAC GTGTATTAAT AAAGGTTTGA	1980
	TGGATATCAA AATGACAGAT CCACATGATA GTGACGCATT TATGGTCATA AAACCAACAT	2040
20	CAATCGTATT GCCAGGTAAA TTAGATAGGT TAACTGCTGC TTTCAAAAAT AATGATAATA	2100
	TTGATATGGT AATAGGGCAG CGAGCTTACA ATTACCATGG TGAATGGAAA TTGAAAAGTG	2160
	CTGATGAGTT TATTAAAGAC AATCGAATCG TTACATTAAC GGAACAACCA GATTTGTTAT	2220
25	CAATGATGTC TTTTGACGGA AAGTTATTCA GTGCTAAATT TGCTGAATTA CAGTGTGaCG	2280
	AAACTTTAGC TAACaCATAC AATCACGCAA TACTTGTCAA GGCGATGCAA AAAGCTACGG	2340
	ATATACATTT AGTTTCACAG ATGATTGTCG GAGATAACGA TATAGATACA CATGCTACAA	2400
30	GTAACGATGA AGATTTTAAT AGATATATCA CAGAAATTAT GAAAATAAGA CAACGAGTCA	2460
	TGGAAATGTT ACTATTACCT GAACAAAGGC TATTATATAG TGATATGGTT GATCGTATTT	2520
	TATTCAATAA TTCATTAAAA TATTATATGA ACGAACACCC AGCAGTAACG CACACGACAA	2580
35	TTCAACTCGT AAAAGACTAT ATTATGTCTA TGCAGCATTG TGATTATGTA TCGCAAAACA	2640
	TGTTTGACAT TATAAATACA GTTGAATTTA TTGGTGAGAA TTGGGATAGA GAAATATACG	2700
40	AATTGTGGCG ACAAACATTA ATTCAAGTGG GCATTAATAG GCCGACTTAT AAAAAATTCT	2760
	TGATACAACT TAAAGGGAGA AAGTTTGCAC ATCGAACAAA ATCAATGTTA AAACGATAAC	2820
	GTGTACATTG ATGACCATAA ACTGCAATCC TATGATGTGA CAATATGAGG AGGATAACTT	2880
45	AATGAAACGT GTAATAACAT ATGGCACATA TGACTTACTT CACTATGGTC ATATCGAATT	2940
	GCTTCGTCGT GCAAGAGAGA TGGGCGATTA TTTAATAGTA GCATTATCAA CAGATGAATT	3000
	TAATCAAATT AAACATAAAA AATCTTATTA TGATTATGAA CAACGAAAAA TGATGCTTGa	3060
50	ATCAATACGC TATGTCGATT TAGTCATTCC AGAAAAGGGC TGGGGACAAA AAGAAGACGA	3120
	TGTCGAAAAA TTTGATGTAG ATGTTTTTGT TATGGGACAT GACTGGGAAG GTGAATTCGA	3180
55		

EP 0 786 519 A2

	TAAAATCAAA	CAAGAATTAT	ATGGTAAAGA	TGCTAAATAA	ATTATATAGA	ACTATCGATA	3300
	CTAAACGATA	AATTAACCTA	GGTTATTATA	AAATAAATAT	AAAACGGACA	AGTTTCGCAG	3360
5	CTTTATAATG	TGCAACTTGT	CCGTTTTTAG	TATGTTTTAT	TTTCTTTTTTC	TAAATAAACG	3420
	ATTGATTATC	ATATGAACAA	TAAGTGCTAA	TCCAGCGACA	AGGCATGTAC	CACCAATGAT	3480
	AGTGAATAAT	GGATGTTCTT	CCCACATACT	TTTAGCAACA	GTATTTGCCT	TTTGAATAAT	3540
10	TGGCTGATGA	ACTTCTACAG	TTGGAGGTCC	ATAATCTTTA	TTAATAAATT	CTCTTGGATA	3600
	GTCCGCGTGT	ACTTTACCAT	CTTCGACTAC	AAGTTTATAA	TCTTTTTTAC	TAAAATCACT	3660
	TGGTAAAACA	TCGTAAAGAT	CATTTTCAAC	ATAATATTTT	TTACCATTTA	TCCTTTGCTC	3720
15	ACCTTTAGAC	AATATTTTTA	CATATTTATA	CTGATCAAAT	GAGCGTTCCA	TTAATGCATT	3780
	CCCCATCATA	TTACGTTGCT	TCTCGCCACC	AAGGTTTTTA	TAGTCTCCTG	CACCCATGAT	3840
	AACTTGATTA	ATTCTAAATT	TACCTCGTTT	GGTAGTAATC	GTATGGTTGT	AATTTGCTGT	3900
20	ATCACTTGAT	CCAGTTTTTA	AACCATCTGT	ACCCGGCAAA	CTCATTTTTG	CACCTTCCAA	3960
	TGAAAAGTTG	AATGTGTAAT	ACGTAAGTGC	ATGCGTTGTT	GGTGCTAACT	GCTTTGTAAA	4020
25	GTCTAATATT	TTAGGTGTCT	CTTTAATCAC	GTGTAAATCT	AAAATGGCAT	AGTCTCTAGC	4080
	AGTCGTTACA	GTACGTTCTT	GGTCTTTATA	CTTTGTTGGT	GCAAATGTAC	GTAATCTTGA	4140
	ATTTTCAGCA	CCCGTTGGAT	TGACGAAATG	TGTATTTTTT	ATTCCGATAG	CTTTAGCTTT	4200
30	GTTATTCATT	AAATCAACGA	AATCGCTGGT	GTTTTTTGAA	ACCTTCTTAG	CTAAAATTAA	4260
	TGCCGCGGCA	TTACTAGAAT	TAGATACTGT	AATTTGTAAT	AGGTCTGCGA	TTGTCCATAC	4320
	TTGTCCAGGA	TATAGTTTCG	TATTACTCAA	CTCAGGTAGT	GTAGACATAA	TATATTCTTT	4380
35	GTTCGTCATT	GTGACTGTGT	CATCAAGTGA	AAGCTGCCCC	TTATTTACAG	CTTCCAATGT	4440
	TAAGTACATT	GTCATTAATT	TAGTCATAGA	CGCTGGATTC	CACTTAGTAT	CGATATTGTA	4500
	TTGATACAGT	AATTGTCCAG	TTTGACTTAC	ATTAACAGCA	CTCGTCGGTT	CGTATGCAGC	4560
40	CGACAAACCT	GCATAACCAT	ATTGATTTGC	TGCTTGTACA	GGGGTTACGT	CACTGTTAGT	4620
	AGCTTGTGCA	TATGGTGTCA	TAATACTTAA	TGTTAAACAT	AAAATGATGA	TAATAGATAT	4680
45	TAAATTTTTT	ATAAAGCGTT	AATCTTCCCT	TTTCCAATTC	TTAAATATTC	CCTAAAAGCA	4740
	ATGGTTATTC	CTACTTACGG	AAATCATTCG	TAATTCACCT	CACCTTAATT	AAATTGTTGA	4800
	AAATAAAGTT	TTCTGCAGTT	AATTTGAAAA	ATAATGCAAA	TATATTACGT	GTGTAGCTAA	4860
50	AGGTGTTATA	ATGTTTGTAC	GAAGAGCAAA	CTTACTCAAA	AGCGATTAAAT	TTTCATGTTT	4920
	TAATATAAAG	ACTTTGAGAA	GTTATTACAA	AAAATGCAAT	AGAAATATTC	TATCATATAA	4980

55

EP 0 786 519 A2

	AAGTATATGA TAGAAATGCA TGTATCTATC TAAATGAATT AACTATAAAAT TTCAAACAGA	5100
	AGAGGTAAAA CTATGAAACG AGAAAAATCCA TTGTTTTTCT TATTTAAAAA ACTATCATGG	5160
5	CCAGTGGGTC TTATCGTTGC AGCTATCACT ATTTCATCAC TAGGGAGCTT AAGTGGACTA	5220
	TTAGTGCCAC TGTTTACTGG ACGAATTGTA GATAAATTTT CCgTGAGCCA TATCAATTGG	5280
	AATCtAATCG CATTATTTGG TGGTATCTTT GTCATCAATG CTTTATTAAG CGGATTAGGT	5340
10	TTATATTTTAT TAAGTAAAAAT TGGTGAAAAG ATTATTTATG CGATACGCTC AGTTTTATGG	5400
	GAGCATATCA TACAATTAAA AATGCCATTG TTTGACAAAA ATGAAAGTGG TCAATTAATG	5460
	AGTCGATTAA CTGACGATAC GAAAGTGATA AATGAATTTA TTTCACAAAA GCTACCTmAC	5520
15	TTATTACCAT CAATCGTTAC ATTAgTTGGG TCACTAATCA TGTTATTTAT TTTAGATTGG	5580
	AAAATGACAT TATTAAACATT TATAACGATA CCGATATTCG TTTTaATTAT GATTCCTCTA	5640
20	GGTCGTATTA TGCAAAAGAT ATCGACAAGT ACACAATCTG AAATTGCAAA CTTCAGTGGT	5700
	TTGTTAGGGC GTGTCCTAAC TGAAATGCGT CTTGTTAAAA TATCAAATAC AGAGCGTCTT	5760
	GAATTAGATA ATGCACATAA AAATTTGAAT GAAATATATA AATTAGGTTT AAAACAGGCT	5820
25	AAAATTGCGG CAGTTGTACA ACCAATTTCA GGTATAGTTA TGTTGCTAAC AATTGCAATT	5880
	ATTTTAGGTT TTGGTGCATT AGAAATTGCG ACTGGTGCAA TCACTGCAGG TACATTAATT	5940
	GCAATGATAT TTTATGTTAT TCAGTTATCT ATGCCTTTAA TCAATCTTTC CACGTTAGTT	6000
30	ACAGATTATA AAAAGGCAGT CGGTGCAAGT AGTAGAATAT ACGAAATCAT GCAAGAACCT	6060
	ATTGAACCGA CAGAAGCTCT TGAAGATTCT GAAAATGTAT TAATTGATGA CGGTGTATTG	6120
	TCATTTGAAC ATGTAGACTT TAAATATGAT GTGAAGAAAA TATTAGATGA TGTGTCGTTC	6180
35	CAAATCCAC AAGGTCAAGT GAGTGCTTTT GTAGGCCCTT CTGGGTCTGG TAAAAGTACG	6240
	ATATTTAATC TGATAGAACG TATGTATGAA ATTGAGTCAG GTGATATTAA ATATGGCCTT	6300
	GAAAGTGTCT ATGATATCCC GTTATCTAAG TGGCGACGCA AAATTGGATA TGTTATGCAA	6360
40	TCAAATTGCGA TGATGAGTGG TACAATTAGA GACAATATTT TATACGGAAT TAATCGTCAT	6420
	GTTTCAGATG AAGAACTTAT TAATTATGCT AAATTAGCGA ACTGTCATGA TTTTATCATG	6480
45	CAATTTGATG AAGGATATGA CACGCTTGTA GGTGAACGAG GATTGAAACT GTCTGGCGGA	6540
	CAACGTCAAC GTATTGATAT TGCTAGAAGT TTTGTAAAA ATCCTGATAT TTTGTTACTT	6600
	GATGAAGCAA CAGCTAATCT CGATAGTGAA AGTGAATTGA AAATTCAAGA AGCTTTAGAA	6660
50	ACATTGATGG AAGGTAGAAC AACGATTGTC ATTGCGCATC GTTTGTCTAC AATTAaaaaa	6720
	GCCGGTCAAA TTATATTCTT AGACAAAGGA CAGGTAACAG GTAAAGGTAC GCATTCAGAA	6780

EP 0 786 519 A2

	TTTTATATAT	ATAAGTAAGC	TTGGAGCAAA	TACACATATA	CCATCGAGGA	AATTAAAGTG	6900
	TGGCACATTG	ATGGATATAG	ATGTTAATAA	ATTGCTTCAA	GCTTTTGTCT	ATTTTAAATC	6960
5	ATTTGAGAAG	TTACGACATA	ATAATTCTTA	AATTAATGAA	ATCGATATTT	TAAGAAAAAA	7020
	ATGCTCATGG	TATAATACAA	GTTATAAGCA	AACATACATA	TATTAAATAC	TGTAGCCACG	7080
	AGTCATAATT	CTTCATATTT	TACATAGCAA	TTTAACTGAT	TTTAGAGTCC	ACGGTACAGA	7140
10	AGTTTGATAT	TTCAATGTTT	CTAAATTTTT	AAAAAATTAA	ATCATAGGTG	GGTGCCAAAT	7200
	GTTTTTATTA	ATCAACATTA	TTGGTCTAAT	TGTATTTCTT	GGTATTGCGG	TATTATTTTC	7260
	AAGAGATCGC	AAAAATATCC	AATGGCAATC	AATTGGGATC	TTAGTTGTTT	TAAACCTGTT	7320
15	TTTAGCATGG	TTCTTTATTT	ATTTTGATTG	GGGTCAAAAA	GCAGTAAGAG	GAGCAGCCAA	7380
	TGGTATCGCT	TGGGTAGTTC	AGTCAGCGCA	TGCTGGTACA	GGTTTTGCAT	TTGCAAGTTT	7440
	GACAAATGTT	AAAATGATGG	ATATGGCTGT	TGCAGCCTTA	TTCCCAATAT	TATTAATAGT	7500
20	GCCATTATTT	GATATCTTAA	TGTACTTTAA	TATTTTACCG	AAAATTATTG	GAGGTATTGG	7560
	TTGGTTACTA	GCTAAAGTAA	CAAGACAACC	TAAATTCGAG	TCATTCTTTG	GGATAGAAAT	7620
25	GATGTTCTTA	GGAAATACTG	AAGCATTAGC	CGTATCAAGT	GAGCAACTAA	AACGTATGAA	7680
	TGAAATGCGT	GTATTAACAA	TCGCAATGAT	GTCAATGAGC	TCTGTATCGG	GAGCTATTGT	7740
	AGGTGCGTAT	GTACAAATGG	TACCAGGAGA	ACTGGTACTA	ACGGCAATTC	CACTAAATAT	7800
30	CGTTAACGCG	ATTATTGTGT	CATGCTTGTT	GAATCCAGTA	AGTGTTGAAG	AGAAAGAAGA	7860
	TATTATTTAC	AGTCTTAAAA	ACAATGAAGT	TGAACGTCAA	CCATTCTTCT	CATTCCTTGG	7920
	AGATTCTGTA	TTAGCAGCAG	GTAAATTAGT	ATTAATCATC	ATCGCATTTG	TTATTAGTTT	7980
35	TGTAGCGTTA	GCTGATCTAT	TTGATCGTTT	TATCAATTTG	ATTACAGGAT	TGATAGCAGG	8040
	ATGGATAGGC	ATAAAAGGTA	GTTTCGGTTT	AAACCAAATT	TTAGGTGTGT	TTATGTATCC	8100
	ATTGCGCTA	TTACTCGGTT	TACCTTATGA	TGAAGCGTGG	TTGGTAGCAC	AACAAATGGC	8160
40	TAAGAAAATT	GTTACAAATG	AATTTGTTGT	TATGGGTGAA	ATTTCTAAAG	ATATTGCATC	8220
	TTATACACCA	CACCATCGTG	CGGTTATTAC	AACATTCTTA	ATTTCAATTG	CAAACCTCTC	8280
45	AACGATTGGT	ATGATTATCG	GTACATTGAA	AGGCATTGTT	GATAAAAAGA	CATCAGACTT	8340
	TGTATCTAAA	TATGTACCTA	TGATGCTATT	ATCAGGTATC	CTAGTTTCAT	TATTAACAGC	8400
	AGCTTTCGTT	GGTTTATTTG	CATGGTAATA	TGTCGAAGAG	TGACTATGAT	AATACATTTT	8460
50	AACTAATAAA	TATGTCCAGG	CATGTCGTCT	ATTGATATAG	GTGAGATGCT	TGGACTTTTT	8520
	TATTATTGAT	ATAAAGGTAT	ATTAAATATTT	TTAAAGTTAC	CGAAATTGAA	GCATTATAAA	8580

GACAGTAAGG ACTAGGTACA GTCATAGTAC TTCGAGCAAA ATTTGTTTTG TTATTATAAA 8700
 CAACACAAAG GAGATAACTT CTCTAnTGAA GAAGTTAAAA ACATTATAGC AGACAATGAA 8760
 5 ATGAAAGTAA ATTAAAAAT 8779

(2) INFORMATION FOR SEQ ID NO: 59:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 31096 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 59:

GTTGCAGTAG TCAAAGAATT AAACAAGGTG AAGGcGTGTA GCTTGCACAC CCGAAAATGT 60
 20 GCGTAAGTTA aCGGATGCAG GACATAAAGT AATTGTTGAA AAAAATGCTG GCATTGGTTC 120
 AGGATTTTCT AACGATATGT ATGAAAAAGA AGGCGCTAAG ATCGTAACTC ACGAACAAGC 180
 ATGGGAAGCT GATCTTGTTA TCAAAGTAAA AGAACCTCAT GAAAGCGAAT ATCAATATTT 240
 25 CAAAAAGAAT CAAATTATCT GGGGATTTTT ACATCTAGCA TCTTCAAAG AAATAGTAGA 300
 AAAAATGCAA GAAGTTGGTG TAACTGCGAT TAGTGGTGAA ACCATTATAA AAAATGGAAA 360
 AGCAGAATTA TTAGCGCCAA TGAGTGCTAT AGCAGGTCAA CGCTCAGCAA TTATGGGAGC 420
 30 TTACTIONCT GAAGCACAAC ATGGTGGTCA AGGTACTTTA GTGACTGGTG TACATGAAAA 480
 TGTGGATATA CCTGGTAGTA CATATGTGAT TTTCGGTGGT GGAGTAGCAG CAACAAATGC 540
 AGCAAATGTT GCCTTGGGAC TAAATGCTAA AGTAATCATT ATCGAGTTAA ACGATGACCG 600
 35 CATTAAATAT CTGAAGATA TGTATGCAGA AAAAGATGTC ACAGTAGTCA AATCAACACC 660
 AGAAATTTA GCAGAACAAA TTAAGAAAGC AGATGTATTT ATTTCTACAA TTTAATTTTC 720
 40 AGGTGCGAAA CCGCCAAAAT TGGTTACTCG TGAGATGGTT AAATCAATGA AAAAAGGTTC 780
 AGTATTAATC GATATAGCTA TTGACCAAGG TGGAACATTT GAAACAATTA GACCAACTAC 840
 AATTTCTGAT CCAAGTGTATG AAGAAGAAGG TGTGATTCAT TATGGTGTAC CAAATCAACC 900
 45 AGGAGCAGTC CCAAGAACTT CAACAATGGC ATTAGCACAA GGAAATATTG ATTATATATT 960
 AGAAATTTGT GACAAAGGCT TAGAACAAGC AATTAAAGAT AATGAAGCCT TAAGTACTGG 1020
 TGTAAACATT TACCAAGGAC AAGTGACAAA TCAAGGATTA GCTTCATCAC ATGACCTAGA 1080
 50 TTATAAGAA ATATTAAATG TTATCGAATA GATAGTAATT TAAATGAAAT TGAGTGAAAT 1140
 GAATATTTTA AATATAGCAT TATAGTTTGG ACTAAAAATT TACAAAACGG AAGGATGTAA 1200

EP 0 786 519 A2

	TCGAAGAAGC	TAAAGCAAGC	ATTAAACCAT	TTATTCGTCG	AACACCTCTA	ATTAAATCAA	1320
	TGTATTTAAG	CCAAAGTATA	ACTAAAGGGA	ATGTATTTCT	AAAATTAGAA	AATATGCAAT	1380
5	TCACAGGATC	TTTTAAATTT	AGAGGCGCTA	gCAATnAAAA	TTAATCACTT	AACAGATGAA	1440
	CAAAAAGAAA	AAGGCATTAT	CGCAGCATCT	GCTGGGgAAC	CATGCACAAG	GTGTTGCTTT	1500
	AACAGCTAAA	TTATTAGGCA	TTGATGCAAC	GATTGTAAATG	CCTGAAACAG	CACCACAAGC	1560
10	GAAACAACAA	GCAACAAAAG	GCTATGGGGC	AAAGGTTATT	TTAAAAGGTA	AAAACTTTAA	1620
	CGAAACTAGA	CTTTATATGG	AAGAATTAGC	GAAAGAAAAT	GGCATGACAA	TCGTTCATCC	1680
	ATATGACGAT	AAGTTTGTAA	TGGCAGGCCA	AGGAACAATT	GGTTTAGAAA	TTTtagatga	1740
15	TATTTGGAAT	GTGAATACAG	TCATCGTACC	AGTTGGCGGT	GGAGGATTAA	TTGCAGGTAT	1800
	TGCCACCGCA	TTAAAATCAT	TTAACCCCTC	AATTCATATT	ATCGGTGTTC	AATCTGAGAA	1860
20	TGTTTCATGGT	ATGGCTGAGT	CTTCTATAAA	GAGAGATTTA	ACTGAACATC	GAGTGGATAG	1920
	CACAATAGCA	GATGGTTGTG	ATGTAAAAGT	TCCTGGTGAA	CAACATATG	AAGTAGTTAA	1980
	ACATTTAGTA	GATGAATTTA	TTCTTGTTAC	TGAAGAAGAA	ATTGAACATG	CTATGAAAGA	2040
25	TTTAATGCAG	CGTGCCAAAA	TTATTACTGA	AGGTGCAGGC	GCATTACCAA	CAGCTGCAAT	2100
	TTTAAGTGGA	AAAATAAACA	ATAAATGGCT	TGAAGATAAA	AATGTTGTTG	CATTAGTTTC	2160
	AGGCGGGAAT	GTTGACTTAA	CTAGAGTTTC	AGGTGTCATT	GAACATGGAC	TGAATATTGC	2220
30	AGATACAAGC	AAGGGTGTGG	TAGGTTAAAA	CATTTAATCT	TAAAAATGAG	GTGTAATTAT	2280
	GTCAAATGGT	AAAGAATTAC	AAAAAAATAT	AGGTTTCTTC	TCAGCGTTTG	CTATTGTTAT	2340
	GGGGACAGTT	ATTGGTTCAG	GAGTATTCTT	TAAAATATCA	AACGTAACAG	AAGTAACAGG	2400
35	AACAGCAGGA	ATGGCCTTGT	TTGTATGGTT	CCTAGGCGGC	ATCATTACCA	TTTGTGCGGG	2460
	GTTAACAGCA	GCAGAACTTG	CTGCTGCAAT	CCCTGAAACA	GGTGGCTTAA	CGAAGTATAT	2520
40	AGAATATACA	TACGGTGATT	TCTGGGGCTT	CCTATCAGGT	TGGGCGCAAT	CATTTATTTA	2580
	TTTTCCAGCT	AACGTAGCAG	CATTGTCTAT	CGTATTTGCG	ACACAGCTAA	TTAATTTATT	2640
	CCATTTATCT	ATAGGTTTCG	TAATACCAAT	AGCAATCGCA	TCTGCGTTAT	CTATTGTGTT	2700
45	GATAAATTTT	CTAGGTTCAA	AAGCAGGCGG	AATTTTACAA	TCAGTTACTT	TAGTAATTAA	2760
	ACTGATTCCA	ATCATCGTTA	TTGTAATTTT	TGGTATTTTT	CAATCTGGAG	ATATCACTTT	2820
	TTCAATTAAT	CCAACACAG	GTAATTCaGG	AAATGGCTTC	TTTACAGCAA	TTGGTAGTGG	2880
50	TTTATTAGCA	ACTATGTTTG	CATATGATGG	TTGGATTCAT	GTAGGAAATG	TTGCGGGGGA	2940
	ACTTAAAAAT	CCTAAACGCG	ATTTACCTTT	AGCGATTTCa	GTTGGTATCG	GTTGTATTAT	3000

55

EP 0 786 519 A2

TGGTAATTTA AATGCAGCTT CAGATACATC AAAAATATTA TTTGGTGAAA ATGGCGGTAA 3120
 GATTATTACA ATCGGTATAT TAATTTCTGT TTATGGTACG ATCAATGGCT ATACTATGAC 3180
 5 TGGTATGCGC GTACCATATG CAATGGCTGA AAGAAAATTA TTGCCATTTA GCCATTTATT 3240
 CGCAAAATTA ACAAATCTG GCGCACCATG GTTTGGCGCA ATTATACAAC TTATAATCGC 3300
 TATCATCATG ATGTCAATGG GAGCATTTGA TACAATTACA AATATGTTAA TCTTTGTTAT 3360
 10 TTGGTTGTTT TATTGTATGT CATTGTGTGC GGTAAATAATT TTAAGAAAAC GTGAACCAAA 3420
 TATGGAACGA CCATATAAAG TACCGTTATA TCCGATCATA CCTTTAATTG CTATTTTGGC 3480
 AGGATCATTG GTATTAATTA ATACACTGTT TACACAATTT ATATTAGCAA TCATTGGAAT 3540
 15 TCTAATAACA GCACTTGGTA TACCAGTTTA TTACTATAAA AAGAAACAAA AAGCAGCATA 3600
 AGGTAAGATA ACTAGCATTG AGAATAAATG GATGGACTAC TAATAAATTT AAAGTTTTAC 3660
 20 ACATTTAAAT CAAAACCAT TCAATTATTC TATGGAACAG ACAAATTTCT GTTATGGAAT 3720
 TTGTCTGTTT TTCAAAAGTA TAGGGAGGCA AATAGAGATG GAAAAGCCGT CAAGAGAGGC 3780
 ATTTGAAGGC AATAATAAGT TGTTAATAGG AATTGTTCTA AGTGTAATAA CGTTTTGGCT 3840
 25 ATTTGCACAA TCATTGGTTA ATGTTGTACC AATACTTGAA GATAGTTTCA ATACAGATAT 3900
 TGGAACGGTT AATATCGCCG TTAGTATAAC TGCTTTATTT TCAGGAATGT TTGTAGTAGG 3960
 AGCAGGTGGT CTGTCTGATA AATATGGCAG AATTAACTC ACGAACATTG GTATTATCTT 4020
 30 AAATATATTA GGTTCATTAT TAATCATTAT TTCAAATATT CCTTTATTAC TTATTATAGG 4080
 AAGATTAATT CAAGGACTTT CAGCAGCATG TATTATGCCT GCAACTTTGT CTATTATTAA 4140
 GTCATATTAC ATTGGGAAAAG ATAGACAACG CGCTTTAAGT TATTGGTCAA TTGGCTCATG 4200
 35 GGGCGGCTCT GGTGTTTGTT CATTTTTTGG AGGTGCAGTT GCAACGCTTT TAGGTTGGCG 4260
 TTGGATTTTC ATCCTATCAA TTATAATTTT ATTAATTGCA CTGTTTCTTA TTAAAGGCAC 4320
 ACCTGAAACT AAATCTAAAT CGATTTCTCT AAATAAATTT GACATTAAAG GTCTGGTTCT 4380
 40 TTTAGTCATF ATGCTCCTCA GTTTAAATAT TTTAATTACT AAAGGATCAG AATTAGGTGT 4440
 AACCTCACTT CTTTTTATTA CTTTATTAGC TATTGCAATT GGATCTTTTA GTTTATTTAT 4500
 45 AGTTCTTGAA AAGCGTGCTA CAAATCCTTT AATCGATTTT AAATTATTTA AAAATAAAGC 4560
 TTACACAGGT GCAACAGCTT CAAACTTTTT GTTAAATGGT GTTGCAAGGAA CATTAATAGT 4620
 AGCCAACACA TTTGTTCAAA GAGGTTTAGG ATATTCTTCA TTGCAAGCAG GAAGTTTATC 4680
 50 AATCACTTAT TTAGTAATGG TACTAATTAT GATTCGTGTT GGTGAAAAGT TACTTCAAAC 4740
 ACTCGGATGC AAGAAACCAA TGTTAATTGG AACAGGAGTT CTTATTGTCTG GAGAATGTCT 4800

55

	ATTCTTTGGT	TTAGGACTAG	GGATATATGC	TACACCATCA	ACAGATACAG	CAATTGCAAA	4920
	TGCACCGTTA	GAAAAAGTAG	GCGTTGCTGC	AGGTATCTAT	AAAATGGCTT	CTGCATTAGG	4980
5	TGGAGCATTT	GGCGTCGCAT	TGAGTGGTGC	AGTATATGCA	ATCGTATCAA	ATATGaCAAA	5040
	CATTTATACA	GGTGcAATGa	TTGnCAATTAT	GGTTaAATGC	AGGTATGGGa	ATATTATCaT	5100
	TCGTTATCAT	TTTGtTACTT	GTGcCTAAAC	mAAACGACAC	TCAATTATGA	TAATTGAGAA	5160
10	TTAAATTGAA	ATCATACAAG	TCGCTACAAT	ATTAAACAAA	AATATAAACC	GATTCTTATG	5220
	TGTCATTATT	TTAAATGAAC	ATAGGGATTG	GTTTTTTTATT	ACTCTTTTAC	GCTACTTTAT	5280
15	TTATAATTAT	TATAAATTGT	CACAAATTCA	ATTTACCTTA	CAATATATTT	TGTGTTATTA	5340
	TATTCTGGAG	CATAAATAAA	TTGTTCAACA	CATAGTTGTA	ATGTGTTTCA	ATACTTTTTG	5400
	GATAGATTGC	GAAATTGTAT	TGAATCGTCA	TCGTTTTTAA	TTTTTAAATG	AGAATGGAAT	5460
20	GAGCATTACA	ATACACAAGC	AATCAAAAGT	AAATACATTC	ACAACACAAC	AGAGACATAA	5520
	CAACAAGATA	AGGAGTGAAC	AATAGCTGTG	AATTATCGTG	ATAAAATTCA	AAAGTTTAGT	5580
	ATTTCGTAAAT	ATACAGTTGG	TACATTTTCA	ACTGTCATTG	CGACATTGGT	ATTTTTAGGA	5640
25	TTCAATACAT	CACAAGCACA	TGCTGCTGAA	ACAAATCAAC	CAGCAAGCGT	GGTTAAACAG	5700
	AAACAACAAA	GTAATAATGA	ACAGACTGAG	AATCGAGAAT	CTCAAGTACA	AAATTCTCAA	5760
	AATTCACAAA	ATGGTCAATC	ATTATCTGCT	ACTCATGAAA	ATGAGCAACC	AAATATTAGT	5820
30	CAAGCTAATT	TAGTAGATCA	AAAAGTAGCG	CAATCATCTA	CTACTAATGA	TGAACAACCA	5880
	GCATCTCAAA	ATGTAAATAC	AAAGAAAGAT	TCGGCAACGG	CTGCGACAAC	ACAACCAGAT	5940
	AAAGAACAAA	GTAAGCATAA	ACAAAACGAA	AGTCAATCTG	CTAATAAAAA	TGGAAACGAC	6000
35	AAATAGAGCGG	CTCATGTAGA	AAATCATGAA	GCAAATGTAG	TAACAGCTTC	AGATTCTATCT	6060
	GATAATGGTA	ACGTACAACA	TGACCGAAAT	GAATTACAAG	CGTTTTTTGA	TGCAAATTAT	6120
40	CATGATTATC	GCTTTATTGA	CCGTGAAAAT	GCAGATTCTG	GCACATTTAA	CTATGTAAAA	6180
	GGCATTTTTG	ATAAGATTAA	TACGTTATTA	GGCAGTAATG	ATCCAATAAA	CAATAAAGAC	6240
	TTGCAACTTG	CATACAAAGA	ATTGGAACAA	GCTGTTGCTT	TAATTCGTAC	AATGCCTCAA	6300
45	CGTCAACAGA	CTAGCCGACG	TTCAAATAGA	ATTCAAACGC	GTTCGGTTGA	GTCAAGAGCT	6360
	GCAGAGCCTA	GATCAGTATC	AGACTATCAA	AATGCAAATT	CATCATATTA	TGTTGAAAAT	6420
	GCTAATGATG	GTTTCGGGCTA	TCCTGTTGGT	ACATATATCa	ATGCTTCTAG	TAAAGGGGCG	6480
50	CCATATAATT	TACCAACTAC	ACCATGGAAT	ACATTGAAGG	CCTCTGACTC	AAAGGAAATT	6540
	GCTCTTATGA	CAGCGAAACA	AACTGGAGAC	GGGTACCAAT	GGGTTATTAA	GTTTAATAAA	6600

55

EP 0 786 519 A2

	GTAGGAAGAA CTGACTTTGT AACAGTTAAT TCAGATGGAA CAAATGTACA ATGGAGTCAT	6720
	GGAGCAGGAG CAGGTGCAAA TAAACCACTT CAACAAATGT GGAATATGG AGTAAATGAT	6780
5	CCTCATCGTT CACATGACTT TAAAATAAGA AATAGAAGTG GCCAAGTAAT ATATGACTGG	6840
	CCAACTGTCC ATATTTATTC TTTAGAAGAT TTATCTAGAG CGAGTGATTA TTTTAGTGAA	6900
	GCTGGAGCGA CACCTGCTAC TAAAGCTTTT GGTAGACAAA ATTTTGAATA TATTAATGGT	6960
10	CAAAAACCTG CTGAATCACC GGGTGTTCCT AAAGTTTATA CTTTCATCGG TCAAGGTGAT	7020
	GCAAGTTATA CAATTTCACT TAAAACACAA GGTCCAACCTG TTAATAAATT GTACTATGCA	7080
	GCAGGTGGGC GTGCTTTAGA GTACAATCAA TTATTTATGT ACAGTCAACT ATACGTCGAA	7140
15	TCAACGCAAG ACCATCAACA ACGTCTTAAT GGTTTAAGAC AAGTGGTTAA TCGTACATAT	7200
	CGCATAGGTA CAACTAAACG TGTAGAAGTG AGTCAAGGAA ATGTACAAAC GAAAAAGGTA	7260
	TTAGAAAGTA CAAACCTAAA TATAGATGAT TTTGTTGATG ATCCTTTAAG TTATGTTAAG	7320
20	ACGCCGAGTA ATAAAGTGTT AGGATTTTAT TCGAATAATG CAAATACTAA TGCTTTTAGA	7380
	CCGGGTGGAG CCCAACAATT AAATGAATAT CAATTAAGTC AATTATTTAC TGATCAAAAA	7440
25	TTACAAGAAG CAGCAAGAAC TAGAAACCCA ATAAGATTAA TGATTGGTTT CGACTATCCT	7500
	GATGCTTATG GTAATAGTGA ACTTTAGTTC CTGTTAACCT AACGGTATTA CCTGAAATCC	7560
	AACATAATAT TaAATTCTTT AAAAAATGACG ATACTCAAAA TATTGCTGAA AAACCATTTT	7620
30	CAAAACAAGC TGGGCATCCA GTTTTCTATG TATATGCAGG TAACCAAGGG AATGCTCCG	7680
	TGAATTTAGG TGGTAGCGTA ACATCTATTC AACCATTACG TATTAATTTA ACAAGTAATG	7740
	AGAATTTTAC AGATAAAGAT TGGCAAATTA CAGGTATTCC GCGTACATTA CACATTGAAA	7800
35	ACTCGACAAA TAGACCTAAT AATGCCAGAG AACGCAATAT TGAACCTGTT GGTAACCTAT	7860
	TACCGGGGGA TTACTTTGGA ACGATACGTT TTGGACGTAA AGAACAAATTA TTCGAAATTC	7920
	GTGTTAAACC ACATACACCA ACAATTACAA CGACAGCTGA GCAATTAAGA GGTACAGCAT	7980
40	TACAAAAAGT GCCTGTTAAT ATTTCGGGAA TACCGTTGGA TCCATCGGCA TTGGTTTATT	8040
	TAGTTGCACC AACAAATCAA ACTACGAATG GTGGTAGTGA GGCAGATCAA ATACCATCTG	8100
45	GTTATACGAT ACTTGCGACT GGTACACCTG ATGGGGTGCA TAATACAATT ACTATACGAC	8160
	CGCAAGATTA TGTGTATTTC ATACCACCTG TAGGTAAACA AATTAGAGCA GTAGTTTATT	8220
	ATAATAAAGT AGTTGCATCT AATATGAGTA ATGCTGTTAC TATTTTGCCA GATGACATTC	8280
50	CACCAACAAT CAATAATCCT GTTGAATAA ATGCCAAATA CTATCGAGGC GACGAAKCAA	8340
	CTTTACAATG GGTGTCTCTG ATAGACATTC TGGTATAAAA AATACAACTA TTACGACATT	8400

55

EP 0 786 519 A2

	TACAGGTAGA	GTGAGTATGA	ATCAGGCATT	TAACAGTGAT	ATTACATTTA	AAGTGTGAGC	8520
	GACAGaCAAT	GTCAATAATA	CGACAAATGA	TAGTCAATCT	AAACATGTTT	CAATTCATGT	8580
5	AGGTAAAATT	AGTGAAGATG	CTCATCCGAT	TGTATTAGGA	AATACTGAGA	AAGTTGTAGT	8640
	AGTCAATCCG	ACTGCTGTAT	CTAATGATGA	AAAGCAAAGC	ATAATTACTG	CCTTTATGAA	8700
	TAAAAACCAA	AATATAAGAG	GATATTTAGC	ATCAACTGAT	CCAGTAACTG	TCGATAATAA	8760
10	TGGTAATGTC	ACATTACATT	ACCGTGATGG	CTCATCGACA	ACGCTTGATG	CTACAAATGT	8820
	GATGACATAC	GAACCAGTTG	TGAAACCTGA	ATACCAAAC	GTCAATGCTG	CTAAAACAGC	8880
	AACGGTAACG	ATTGCTAAAG	GACAATCATT	TAGTATTGGT	GATATTAAAC	AATATTTTAC	8940
15	TTTAAGTAAT	GGACAACCTA	TTCCAAGTGG	CACATTTACA	AATATTACAT	CTGATAGAAC	9000
	TATTCCAAC	GCACAAGAAG	TTAGTCAAAT	GAACGCAGGC	ACGCAGTTAT	ACCATATAAC	9060
20	TGCTACAAAT	GCGTATCATA	AAGATAGTGA	AGACTTCTAT	ATTAGTTTGA	AAATCATCGA	9120
	TGTGAAACAA	CCAGAAGGCG	ATCAACGTGT	ATATCGTACA	TCAACATATG	ATTTAACTAC	9180
	TGATGAAATC	TCAAAAGTAA	AACAAGCATT	TATTAATGCA	AATAGAGATG	TAATTACGCT	9240
25	TGCCGAAGGT	GATATTTTCA	TTACAAATAC	ACCTAATGGT	GCTAATGTAA	GTACTATTAC	9300
	AGTAAATATT	AATAAAGGTC	GATTAACGAA	ATCATTCGCG	TCAAACCTAG	CTAATATGAA	9360
	TTTCTTGCGT	TGGGTTAATT	TCCCACAAGA	TTATACAGTG	ACATGGACGA	ATGCAAAAAT	9420
30	TGCAACAGAG	CCAACAGATG	GTGGTTTATC	ATGGTCTGAT	GACCATAAAT	CTTTAATTTA	9480
	TCGTTATGAT	GCTACATTAG	GTACTCAAAT	TACGACGAAT	GATATTTTAA	CAATGTTAAA	9540
	AGCAACAAC	ACAGTGCCTG	GATTGCGAAA	TAACATTACT	GGTAATGAAA	AATCACAAGC	9600
35	AGAAGCTGGC	GGAAGACCTA	ACTTTAGAAC	GACTGGTTAT	TCACAATCAA	ATGCGACAAC	9660
	TGATGGTCAA	CGTCAATTTA	CGTTGAATGG	TCAAGTGATT	CAAGTGTTAG	ACATCATCAA	9720
40	CCCTTCAAAC	GGTTATGGTG	GGCAACCTGT	TACAAATTCA	AATACTCGTG	CAAACCATAG	9780
	TAACTCAACT	GTTGTTAACG	TAAACGAACC	GGCAGCTAAT	GGTGcTGGCG	CATTTACAAT	9840
	TGACCACGTT	GTAAAAAGTA	ATTCTACACA	TAATGCAAGT	GATGCAGTTT	ATAAAGCACA	9900
45	GTTATACTTA	ACGCCATATG	GTCCAAAACA	ATATGTTGAA	CATTTAAATC	AAAATACAGG	9960
	AAATACTACT	GACGCTATTA	ACATTTATTT	TGTACCAAGT	GACTTAGTGA	ATCCAACAAT	10020
	TTCAGTAGGT	AATTACACTA	ATCATCAAGT	GTTCTCAGGT	GAAACATTTA	CAAATACTAT	10080
50	TACAGCGAAT	GATAACTTTG	GTGTGCAATC	TGTAAGTGTA	CCAAATACAT	CACAAATTAC	10140
	AGGTACTGTT	GATAATAACC	ATCAACATGT	TTCTGCAACG	GCACCAAATG	TGACATCAGC	10200

EP 0 786 519 A2

	GTTCAATGTA ACAGTGAAAC CTTTGCCTGA TAAATATCGA GTTGGTACTT CATCAACGGC	10320
	TGCTAATCCT GTGAGAATTG CCAATATTTT GAATAATGCG ACAGTATCAC AAGCTGATCA	10380
5	AACGACAATT ATTAATTCGT TAACGTTTAC TGAAACAGTA CCAAATAGAA GTTATGCAAG	10440
	AGCAAGTGCG AATGAAATCA CTAGTAAAC AGTTAGTAAT GTCAGTCGTA CTGGAAATAA	10500
	TGCCAATGTg cACAGTAACT GTTACTTATC AAGATGGAAC AACATCAACA GTGACTGTAC	10560
10	CTGTAAAGCA TGTCAATCCA GAAATCGTTG CACATTCGCA TTACACTGTA CAAGGCCAAG	10620
	ACTTCCCAGC AGGTAATGGT TCTAGTGCAT CAGATTACTT TAAGTTATCT AATGGTAGTG	10680
	ACATTGCAGA TGCAACTATT ACATGGGTAA GTGGACAAGC GCCAAATAAA GATAATACAC	10740
15	GTATTGGTGA AGATATAACT GTAACGTCAC ATATCTTAAT TGATGGCGAA ACAACGCCGA	10800
	TTACGAAAAC AGCAACATAT AAAGTAGTAA GAACTGTACC GAAACATGTC TTTGAAACAG	10860
20	CCAGAGGTGT TTTATACCCA GGTGTTTCAG ATATGTATGA TGCGAAACAA TATGTTAAGC	10920
	CAGTAAATAA TTCTTGCTCG ACAAATGCGC AACATATGAA TTTCCAATTT GTTGGAACAT	10980
	ATGGTCCTAA CAAAGATGTT GTAGGCATAT CTACTCGTCT TATTAGAGTG ACATATGATA	11040
25	ATAGACAAAC AGAAGATTTA ACTATTTTAT CTAAAGTTAA ACCTGACCCA CCTAGAATTG	11100
	ACGCAAACCTC TGTGACATAT AAAGCAGGTC TTACAAACCA AGAAATTAAA GTTAATAACG	11160
	TATTAAATAA CTCGTCAGTA AAATTATTTA AAGCAGATAA TACACCATTA AATGTCACAA	11220
30	ATATTACTCA TGGTAGCGGT TTTAGTTCGG TTGTGACAGT AAGTGACGCG TTACCAAATG	11280
	GCGGAATTAA AGCAAAATCT TCAATTTCAA TGAACAATGT GACGTATACG ACGCAAGACG	11340
	AACATGGTCA AGTTGTTACA GTAACAAGAA ATGAATCTGT TGATTCAAAT GACAGTGCAa	11400
35	CAGTAACAGT GACACCACAA TTACAAGCAA CTACTGAAGG CGCTGTATTT ATTAAAGGTG	11460
	GCGACGGTTT TGATTTTCGGA CACGTAGAAA GATTTATTCA AAACCCGCCA CATGGGGCAA	11520
	CGGTGTCATG GCATGATAGT CCAGATACAT GGAAGAATAC AGTCGGTAAC ACTCATAAAA	11580
40	CTGCGGTTGT AACATTACCT AATGGTCAAG GTACGCGTAA TGTTGAAGTT CCAGTCAAAG	11640
	TTTATCCAGT TGCTAATGCA AAGGCGCCAT CACGTGATGT GAAAGGTCAA AATTTGACTA	11700
45	ATGGAACGGA TGCGATGAAC TACATTACAT TTGATCCAAA TACAAACACA AATGGTATCA	11760
	CTGCAGCATG GGCAAATAGA CAACAACCAA ATAACCAACA AGCAGGCGTG CAACATTTAA	11820
	ATGTCGATGT CACATATCCA GGTATTTTCAG CTGCTAAACG AGTTCCGTGT ACTGTTAATG	11880
50	TATATCAATT TGAATTCCCT CAACTACTT ATACGACAAC GGTGGAGGC ACTTTAGCAA	11940
	GTGGTACGCA AGCATCAGGA TATGCACATA TGCAAAATGC TACTGGTTTA CCAACAGATG	12000

55

	TGAATAAACC GAATGTGGCT AAAGTCGTTA ACGCAAATA TGACGTCATC TATAACGGAC	12120
	ATACTTTTGC AACATCTTTA CCAGCGAAAT TTGTAGTAAA AGATGTGCAA CCAGCGAAAC	12180
5	CAACTGTGAC TGAAACAGCG GCAGGAGCGA TTACAATTGC ACCTGGAGCA AACCAAACAG	12240
	TGAATACACA TGCCGGTAAC GTAACGACAT ACGCTGATAA ATTAGTTATT AAACGTAATG	12300
	GTAACGTTGT GACGACATTT ACACGTCGCA ATAATACGAG TCCATGGGTG AAAGAAGCAT	12360
10	CTGCAGCAAC TGTAGCAGGT ATTGCTGGAA CTAATAATGG TATTACTGTT GCAGCAGGTA	12420
	CTTTC AACCC TGCTGATACA ATTCAAGTTG TTGCAACGCA AGGAAGCGGA GAGACAGTGA	12480
	GTGATGAGCA ACGTAGTGAT GATTTTCACAG TTGTCGCACC ACAACCGAAC CAAGCGACTA	12540
15	CTAAGATTTG GCAAAATGGT CATATTGATA TCACGCCTAA TAATCCATCA GGACATTTAA	12600
	TTAATCCAAC TCAAGCAATG GATATTGCTT ACACTGAAAA AGTGGGTAAT GGTGCAGAAC	12660
20	ATAGTAAGAC AATTAATGTT GTTCGTGGTC AAAATAATCA ATGGACAATT GCGAATAAGC	12720
	CTGACTATGT AACGTTAGAT GCACAACTG GTAAAGTGAC GTTCAATGCC AATACTATAA	12780
	AACCAAATTC ATCAATCACA ATTACTCCGA AAGCAGGTAC AGGTCACTCA GTAAGTAGTA	12840
25	ATCCAAGTAC ATTAAGTACA CCGGCAGCTC ATACTGTCAA CACAAGTAA ATTGTGAAAG	12900
	ATTATGGTTC AAATGTAACA GCAGCTGAAA TTAACAATGC AGTTCAAGTT GCTAATAAAC	12960
	GTAAGTCAAC GATTAAAAAT GGCACAGCAA TGCCTACTAA TTTAGCTGGT GGTAGCACAA	13020
30	CGACGATTCC TGTGACAGTA ACTTACAATG ATGGTAGTAC TGAAGAAGTA CAAGAGTCCA	13080
	TTTTACAAA AGCGGATAAA CGTGAGTTAA TCACAGCTAA AAATCATTTA GATGATCCAG	13140
	TAAGCACTGA AGGTAAAAAG CCAGGTACAA TTACGCAGTA CAATAATGCA ATGCATAATG	13200
35	CGCAACAACA AATCAATACT GCGAAAACAG AAGCACAACA AGTGATTAAT AATGAGCGTG	13260
	CAACACCACA ACAAGTTTCT GACGCACTAA CTAAAGTTCTG TGCAGCACAA ACTAAGATTG	13320
40	ATCAAGCTAA AGCATTACTT CAAAATAAAG AAGATAATAG CCAATTAGTA ACGTCTAAAA	13380
	ATAACTTACA AAGTTCTGTG AACCAAGTAC CATCAACTGC TGGTATGACG CAACAAAGTA	13440
	TTGATAACTA TAATGCGAAG AAGCGTGAAG CAGAACTGA AATAACTGCA GCTCAACGTG	13500
45	TTATTGACAA TGGCGATGCA ACTGCACAAC AAATTTTACA TGAAAAACAT CGTGTGCGATA	13560
	ACGCATTAAAC AGCATTAAAC CAAGCGAAAC ATGATTTAAC TGCAGATACA CATGCCTTAG	13620
	AGCAAGCAGT GCAACAATTG AATCGCACAG GTACAACGAC TGGTAAGAAG CCGGCAAGTA	13680
50	TTACTGCTTA CAATAATTCG ATTCGTGCAC TTCAAAGTGA CTTAACAAGT GCTAAAAATA	13740
	GCGCTAATGC TATTATTCAA AAGCCAATAA GAACAGTACA AGAAGTGCAA TCTGCGTTAA	13800

55

EP 0 786 519 A2

	CTGATAATAG TGCTTTAAAA ACTGCTAAGA CGAAACTTGA TGAAGAAATC AATAAATCAG	13920
	TAACTACTGA TGGTATGACA CAATCATCAA TCCAAGCATA TGAAAATGCT AAACGTGCGG	13980
5	GTCAAACAGA ATCAACAAAT GCACAAAATG TTATTAACAA TGGTGATGCG ACTGACCAAC	14040
	AAATTGCCGC AGAAAAACA AAAGTAGAAG AAAAATATAA TAGCTTAAAA CAAGCAATTG	14100
	CTGGATTAAC TCCAGACTTG GCACCATTAC AAAGTCAAA AACTCAGTTG CAAAATGATA	14160
10	TTGATCAGCC AACGAGTACG ACTGGTATGA CAAGCGCATC TATTGCAGCA TTTAATGAAA	14220
	AACTTTCAGC AGCTAGAAGT AAAATTCAAG AAATTGATCG TGTATTAGCC TCACATCCAG	14280
	ATGTTGCGAC AATACGTCAA AACGTGACAG CAGCGAATGC CGCTAAATCA GCACTTGATC	14340
15	AAGCACGTAA TGGCTTAACA GTCGATAAAG CGCCTTTAGA AAATGCGAAA AATCAACTAC	14400
	AACATAGTAT TGACACGCAA ACAAGTACAA CTGGTATGAC ACAAGACTCT ATAAATGCAT	14460
20	ACAATGCGAA GTTAACAGCT GCACGTAATA AGATTCAACA AATCAATCAA GTATTAGCAG	14520
	GTTCAACGAC TGTAGAACAA ATTAATACAA ATACGTCTAC AGCAAATCAA GCTAAATCTG	14580
	ATTTAGATCA TGCACGTCAA GCTTTAACAC CAGATAAAGC GCCGCTTCAA ACTGCGAAAA	14640
25	CGCAATTAGA ACAAAGCATT AATCAACCAA CGGATACAAC AGGTATGACG ACCGCTTCGT	14700
	TAAATGCGTA CAACCAAAAA TTACAAGCAG CGCGTCAAAA GTTAACTGAA ATTAATCAAG	14760
	TGTTGAATGG CAACCCAACT GTCCAAAATA TCAATGATAA AGTGACAGAG GCAAACCAAG	14820
30	CTAAGGATCA ATTAAATACA GCACGTCAAG GTTTAACATT AGATAGACAG CCAGCGTTAA	14880
	CAACATTACA TGGTGATCT AACTTAAACC AAGCACAACA AAATAATTTT ACGCAACAAA	14940
	TTAATGCTGC TCAAAATcAT GctGCGCTTG AAACAATTAA GTCTAACATT ACGGCTTTAA	15000
35	ATACTGCGAT GACGAAATTA AAAGACAGTG TTGCGGATAA TAATACAATT AAATCAGATC	15060
	AAAAATTACAC TGACGCAACA CCAGCTAATA AACAAGCGTA TGATAATGCA GTTAATGCGG	15120
40	CTAAAGGTGT CATTTGGAGAA ACGACTAATC CAACGATGGA TGTTAACACA GTGAACCAAA	15180
	AAGCAGCATC TGTTAAATCG ACGAAAGATG CTTTAGATGG TCAACAAAAC TTACAACGTG	15240
	CGAAAACAGA AGCAACAAAT GCGATTACGC ATGCAAGTGA TTTAAACCAA GCACAAAAGA	15300
45	ATGCATTAAAC ACAACAAGTG AATAGTGcAC AAAACGTGCA AGCAGTAAAT GATATTAAAC	15360
	AAACGACTCA AAGCTTAAAT ACTGCTATGA CAGGTTTAAA ACGTGGCGTT GCTAATCATA	15420
	ACCAAGTCGT ACAAAGTGAT AATTATGTCA ACGCAGATAC TAATAAGAAA AATGATTACA	15480
50	ACAATGCATA CAACCATGCG AATGACATTA TTAATGGTAA TGCACAACAT CCAGTTATAA	15540
	CACCAAGTGA TGTTAACAAT GCTTTATCAA ATGTCACAAG TAAAGAACAT GCATTGAATG	15600

55

EP 0 786 519 A2

	ATTTAAATAA	TGCACAACGT	CAAAACTTAC	AATCGCAAAT	TAATGGTGCG	CATCAAATTG	15720
	ATGCAGTTAA	TACAATTAAG	CAAAATGCAA	CAAACTTGAA	TAGTGCAATG	GGTAACTTAA	15780
5	GACAAGCTGT	TGCAGATAAA	GATCAAGTGA	AACGTACAGA	AGATTATGCG	GATGCAGATA	15840
	CAGCTAAACA	AAATGCATAT	AACAGTGCAG	TTTCAAGTGC	CGAAACAATC	ATTAATCAAA	15900
	CAACAAATCC	AACGATGTCT	GTTGATGATG	TTAATCGTGC	AACCTTCAGCT	GTTACTTCTA	15960
10	ATAAAAATGC	ATTAAATGGT	TATGAAAAAT	TAGCACAATC	TAAAACAGAT	GCTGCAAGAG	16020
	CAATTGATGC	ATTACCACAT	TTAAATAATG	CACAAAAAGC	AGATGTTAAA	TCTAAAATTA	16080
	ATGCTGCATC	AAATATTGCT	GGCGTAAATA	CTGTTAAACA	ACAAGGTACA	GATTTAAATA	16140
15	CAkCGATGGg	TAACTTGCAA	GGTGCAATCA	ATGATGAACA	AACGACGCTT	AATAGTCAAA	16200
	ACTATCAAGA	TGCGACACCT	AGTAAGAAAA	CAGCATACAC	AAATGCGGTA	CAAGCTGCGA	16260
20	AAGATATTTT	AAATAAATCA	AATGGTCAAA	ATAAAACGAA	AGATCAAGTT	ACTGAAGCGA	16320
	TGAATCAAGT	GAATTCTGCT	AAAAATAACT	TAGATGGTAC	GCGTTTATTA	GATCAAGCGA	16380
	nCAAaCAGCA	AAACAGCAGT	TAAATAATAT	GACGCATTTA	ACAACTGCAC	AAAAAACGAA	16440
25	TTTAACAAAC	CAAATTAATA	GTGGTACTAC	TGTCGCTGGT	GTTCAAACGG	TTCAATCAAA	16500
	TGCCAATACA	TTAGATCAAG	CCATGAATAC	GTTAAGACAA	AGTATTGCCA	ACAAAGATGC	16560
	GACTAAAGCA	AGTGAAGATT	ACGTAGATGC	TAATAATGAT	AAGCAAACAG	CATATAACAA	16620
30	CGCAGTAGCT	GCTGCTGAAA	CGATTATTAA	TGCTAATAGT	AATCCAGAAA	TGAATCCAAG	16680
	TACGATTACA	CAAAAAGCAG	AGCAAGTGAA	TAGTTCTAAA	ACGGCACTTA	ACGGTGATGA	16740
	AAACTTAGCT	GCTGCAAAAC	AAAATGCGAA	AACGTACTTA	AACACATTGA	CAAGTATTAC	16800
35	AGATGCTCAA	AAGAACAATT	TGATTAGTCA	AATTACTAGT	GCGACAAGAG	TGAGTGGTGT	16860
	TGATACTGTA	AAACAAAATG	CGCAACATCT	AGACCAAGCT	ATGGCTAGCT	TACAGAATGG	16920
40	TATTAACAAC	GAATCTCAAG	TGAAATCATC	TGAGAAATAT	CGTGATGCTG	ATACAAATAA	16980
	ACAACAAGAG	TATGATAATG	CTATTACTGC	AGCGAAAGCG	ATTTTAAATA	AATCGACAGG	17040
	TCCAAACACT	GCGCAAAATG	CAGTTGAAGC	AGCATTACAA	CGTGTTAATA	ATGCGAAAGA	17100
45	TGCATTGAAT	GGTGATGCAA	AATTAATTGC	AGCTCAAAAC	GCAGCGAAAC	AACATTTAGG	17160
	TACTTTAACG	CATATCACTA	CAGCTCAACG	TAATGATTTA	ACAAATCAAA	TTTCACAAGC	17220
	TACAAACTTA	GCTGGTGTTG	AATCTGTAA	ACAAAATGCG	AATAGTTTAG	ATGGTGCTAT	17280
50	GGGTAACCTA	CAAACGGCTA	TCAACGATAA	GTCAGGAACA	TTAGCGAGCC	AAAACCTCTT	17340
	GGATGCTGAT	GAGCAAAAAC	GTAATGCATA	CAATCAAGCT	GTATCAGCAG	CCGAAACCAT	17400

EP 0 786 519 A2

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

TGTTAATAAT	GCGAAACATG	CATTAAATGG	TACGCAAAAC	TTAAACAATG	CGAAACAAGC	17520
AGCGATTACA	GCAATCAATG	GCGCATCTGA	TTTAAATCAA	AAACAAAAAG	ATGCATTAAA	17580
AGCACAAGCT	AATGGTGCTC	AACGCGTATC	TAATGCACAA	GATGTACAGC	ACAATGCGAC	17640
TGAACTGAAC	ACGGCAATGG	GCACATTAAA	ACATGCCATC	GCAGATAAGA	CGAATACGTT	17700
AGCAAGCAGT	AAATATGTTA	ATGCCGATAG	CACTAAACAA	AATGCTTACA	CAACTAAAGT	17760
TACCAATGCT	GAACATATTA	TTAGCGGTAC	GCCAACGGTT	GTTACGACAC	CTTCAGAAGT	17820
AACAGCTGCA	GCTAATCAAG	TAAACAGCGC	GAAACAAGAA	TTAAATGGTG	ACGAAAGATT	17880
ACGTGAAGCA	AAACAAAACG	CCAATACTGC	TATTGATGCA	TTAACACAAT	TAAATACACC	17940
TCAAAAAGCT	AAATTAAAAG	AACAAGTGGG	ACAAGCCAAT	AGATTAGAAG	ACGTACAAAC	18000
TGTTCAAAACA	AATGGACAAG	CATTGAACAA	TGCAATGAAA	GGCTTAAGAG	ATAGTATTGC	18060
TAACGAAACA	ACAGTCAAAA	CAAGTCAAAA	CTATACAGAC	GCAAGTCCGA	ATAACCAATC	18120
AACATATAAT	AGCGCTGTGT	CAAATGCGAA	AGGTATCATT	AATCAAACCTA	ACAATCCGAC	18180
TATGGATACT	AGTGCGATTA	CCCAAGCTAC	AACACAAGTG	AATAATGCTA	AAAATGGTTT	18240
AAACGGTGCT	GAAAACCTTA	GAAATGCACA	AAACACTGCT	AAGCAAAACT	TAAATACATT	18300
ATCACACTTA	ACAAATAACC	AAAAATCTGC	CATCTCATCA	CAAATTGATC	GTGCAGGTCA	18360
TGTGAGTGAG	GTAAC TGCTA	CTAAAAATGC	AGCAACTGAG	TTGAATACGC	AAATGGGTAA	18420
CTTGGAACAA	GCTATCCATG	ATCAAAACAC	AGTTAAACAA	AGTGTTAAAT	T TACTGATGC	18480
AGATAAAGCT	AAACGTGATG	CGTATACAAA	TGCGGTAAGC	AGAGCTGAAG	CAATTCTGAA	18540
TAAAACGCAA	GGTGCAAATA	CGTCTAAACA	AGATGTTGAA	GCGGCTATT C	AAAATGTTTC	18600
AAGTGCTAAA	AATGCATTGA	ATGGTGATCA	AAACGTTACA	AATGCGAAGA	ATGCAGCTAA	18660
AAATGCATT A	AATAACTTAA	CGTCAATTAA	TAATGCACAA	AAACGTGACT	TAACAACTAA	18720
AATTGATCAA	GCAACAACTG	TAGCTGGTGT	TGAAGCTGTA	TCTAATACGA	GTACACAATT	18780
GAAACACAGCG	ATGGCTAACT	TGCAAAATGG	TATTAATGAT	AAAACAAATA	CACTAGCAAG	18840
TGAAAAC TAT	CATGATGCTG	ATTCAGATAA	GAAAAC TGCT	TATACTCAAG	CCGTTACGAA	18900
CGCAGAAAAT	ATTTTAAATA	AAAATAGTGG	ATCAAATTTA	GACAAAAC TG	CCGTTGAAAA	18960
CGCGTTGTCA	CAAGTTGCTA	ATGCGAAAGG	TGCCCTAAAT	GGTAACCATA	ATTTAGAGCA	19020
AGCTAAATCA	AATGCAAAACA	CTACTATAAA	CGGACTTCAA	CATTTAACAA	CTGCTCAAAA	19080
AGATAAATTG	AAACAACAAG	TGCAACAAGC	ACAAAATGTT	GCAGGTGTAG	ATACTGTTAA	19140
ATCAAGTGCC	AACACATTAA	ATGGTGCTAT	GGGTACGTTA	AGAAATAGCA	TACAAGATAA	19200

EP 0 786 519 A2

TAACAATGCT GTTGATAGTG CTAATGGTGT CATTAAATGCA ACAAGCAATC CAAATATGGA 19320
 TGCTAATGCA ATTAACCAAA TCGCTACACA AGTGACATCA ACGAAAAATG CATTAGATGG 19380
 5 TACACATAAT TTAACGCAAG CGAAACAAAC AGCAACAAAT GCCATCGATG GTGCTACTAA 19440
 CTTAAATAAA GCGCAAAAAG ATGCGTTAAA AGCACAAGTT ACAAGTGCGC AACGTGTTGC 19500
 AAATGTAACA AGTATCCAAC AAAGTCAAA TGAACCTAAT ACAGCTATGG GTCAATTACA 19560
 10 ACATGGTATT GATGATGAAA ATGCAACAAA ACAAACTCAA AAATATCGTG ACGcTGAACA 19620
 AAGTAAGAAA ACTGCTTATG ATCAAGCTGT AGCTGCTGCG AAAGCAATTT TAAATAAACA 19680
 AACAGGTTCA AATTCAGATA AAGCAGCAGT TGACCGTGCA TTACAACAAG TAACAAGTAC 19740
 15 GAAAGATGCA TTGAATGGTG ATGCAAACT GGCAGAAGCG AAAGCGGCAG CTAAACAAAA 19800
 CTTAGGCACT TTAAACCATA TTACGAATGC ACAACGTACT GACTTAGAAG GCCAAATCAA 19860
 TCAAGCGACG ACTGTTGATG GCGTTAATAC TGTA AAAACA AATGCCAATA CATTAGACGG 19920
 20 CGCAATGAAT AGCTTACAAG GTTCAATCAA TGATAAAGAT GCGACATTAA GAAATCAAAA 19980
 TTATCTTGAT GCGGATGAAT CAAAACGAAA TGCATATACG CAAGCTGTCA CAGCGGCTGA 20040
 25 AGGCATTTTA AATAACAAA CTGGTGGTAA CACATCTAAA GCAGACGTTG ATAATGCATT 20100
 AAATGCAGTT ACAAGAGCGA AAGcGgCTTT AAATGGTGCT GACAACTTAA GAAATGCGAA 20160
 AACTTCAGCA ACAAAATACGA TTGATGGTTT ACCTAACTTA ACACAATTAC AAAAAGACAA 20220
 30 CTTGAAGCAT CAAGTTGAaC AAGCGCAAAA TGTAGCAGGT GTAAATGGTG TTAAAGATAA 20280
 AGGTAATACG TTAAATACTG CCATGGGTGC ATTACGTACA AGTATCCAAA ATGATAATAC 20340
 GACGAAAACA AGTCAAAATT ATCTTGATGC ATCTGACAGC AACAAAAATA ATTACAATAC 20400
 35 TGCTGTAAAT AATGCAAATG GTGTTATTAA TGCAACGAAC AATCCAAATA TGGATGCTAA 20460
 TGCGATTAAAT GGCATGGCAA ATCAAGTCAA TACAACAAAA GCAGCGTTAA ATGGTGCACA 20520
 AAACCTAGCT CAAGCTAAAA CAAATGCGAC GAACACAATT AACACGCAC ATGACTTAAA 20580
 40 CCAAAAACAA AAAGATGCAT TAAAAACACA AGTTAACAAT GCACAACGTG TATcTGATGC 20640
 AAATAACGTT CAACACACTG CAACTGAATT GAACAGTGCG ATGACAGCAC TTAAAGCAGC 20700
 TATTGCTGAT AAAGAAAGAA CAAAAGCAAG CGGTAATTAT GTCAATGCTG ATCAAGAAAA 20760
 45 ACGTCAAGCG TATGATTCAA AAGTGACTAA CGCTGAAAAT ATCATTAGTG GTACACCGAA 20820
 TGCGACATTA ACAGTCAATG ACGTAAATAG TGCGGCATCA CAAGTCAATG CGGCTAAAAC 20880
 50 AGCATTAAT GGTGATAACA ACTTACGTGT AGCGAAAGAG CATGCCAACA ATACAATTGA 20940
 CGGCTTAGCA CAATTGAATA ATGCACAAAA AGCAAAATTA AAAGAACAAG TTCAAAGTGC 21000

EP 0 786 519 A2

GAAAGGCTTA AGAGATAGTA TTGCGAATGA AGCAACAATT AAAGCAGGTC AAAACTACAC 21120
 TGACGCAAGT CCAAATAATC GTAACGAGTA CGACAGTGCA GTTACTGCAG CAAAAGCAAT 21180
 5 CATTAAATCAA ACATCGAACC CAACGATGGA ACCAAATACT ATTACGCAAG TAACATCACA 21240
 AGTGACAACCT AAAGAACAGG CATTAAATGG TGC GCGAAAC TTAGCTCAAG CTAAGACAAC 21300
 TGC GAAAAAC AACTTGAATA ACTTAACATC AATTAACAAT GCACAAAAAG ATGCGTTAAC 21360
 10 GCGTAGcATT GATGGTGCAA CAACAGTAGC TGGTGTAAT CAAGAACTG CAAAAGCAAC 21420
 AGAATTAAAT AACGCAATGC ATAGTTTACA AAATGGTATC AATGATGAGA CACAAACAAA 21480
 ACAAACTCAG AAATACCTAG ATGCAGAGCC AAGTAAGAAA TCAGCTTATG ATCAAGCAGT 21540
 15 AAATGCAGCG AAAGCAATTT TAACAAAAGC TAGTGGTCAA AATGTAGACA AAGCAGCAGT 21600
 TGAACAAGCA TTGCAAAATG TGAACAGTAC GAAGACGGCG TTGAACGGTG ATGCGAAATT 21660
 AAATGAAGCT AAAGCAGCTG CGAAACAAAC GTTAGGTACA TTAACACACA TTAATAATGC 21720
 20 ACAACGTACA GCGTTAGACA ATGAAATTAC ACAAGCAACA AATGTTGAAG GTGTTAATAC 21780
 AGTTAAAGCC AAAGCGCAAC AATTAGATGG TGCTATGGGT CAATTAGAAA CATCAATTCTG 21840
 25 TGATAAAGAC ACGACGTTAC AAAGTCAAAA TTATCAAGAT GCTGATGATG CTAAACGAAC 21900
 TGCTTATTCT CAAGCAGTAA ATGCAGCAGC AACTATTTTA AATAAAACAg CTGGCGGTAA 21960
 TACACCTAAA GCAGATGTTG AAAGAGCAAT GCAAGCTGTT ACACAAGCAA ATACTGcATT 22020
 30 AAACGGTATT CA mA ACTTAG ATCGTGCGAA ACa rGCTGCT AACACAGCGA TTACAAATGC 22080
 TTCGGACTTA AATACAAAAC mAAAAGAAGC ATTAAAAGCA CAAGTAACAA GTGCAGGACG 22140
 TGTATCTGCA GCAAATGGTG TTGAACATAC TGCGACTGAA TTAAATACTG CGATGACAGC 22200
 35 TTTAAAGCGT GCCATTGCTG ATAAAGCTGA GACAAAAGCT AGTGGTAACT ATGTCAATGC 22260
 TGATGCGAAT AAACGTCAAG CATATGATGA AAAAGTTACA GCTGCCGAAA ATATCGTTAG 22320
 TGGTACACCA ACACCAACGT TAACACCAGC AGATGTTACA AATGCAGCAA CGCAAGTAAC 22380
 40 GAATGCTAAG ACGCAGTTAA ACGGTAATCA TAATTTAGAA GTAGCGAAAC AAAATGCTAA 22440
 CACTGCAATT GATGGTTTAA CTTCTTTAAA TGGTCCGCAA AAAGCAAAAC TTAAAGAACA 22500
 AGTGGGTCAA GCGACGACGT TGCCAAATGT TCAAACTGTT CGTGATAATG CACAAACATT 22560
 45 AAACACTGCA ATGAAAGGTC TACGAGATAG CATTGCGAAT GAAGCAACGA TTAAAGCAGG 22620
 TCAAACTAC ACAGATGCAA GTCAAAACAA ACAAAGTAC TACAACAGTG CAGTCACTGC 22680
 50 AGCAAAAGCA ATCATTGGTC AAACAACTAG TCCATCAATG AATGCGCAAG AAATTAATCA 22740
 AGCGAAAGAC CAAGTGACAG CTAAACAACA AGCGTTAAAC GGTCAAGAAA ACTTAAGAAC 22800

55

EP 0 786 519 A2

	AGATGCAGTG	AAACGTCAAA	TCGAAGGTGC	AACGCATGTT	AATGAAGTAA	CACAAGCACA	22920
	AAATAATGCG	GATGCaTTAA	ATACAGCTAT	GACGAACTTG	AAAAATGGTA	TTCAAGATCA	22980
5	GAATACGATT	AAGCAAGGTG	TTAACTTCAC	TGATGCCGAC	GAAGCGAAAC	GTAATGCATA	23040
	TACAAATGCA	GTGACGCAAG	CTGAACAAAT	TTTAAATAAA	GCACAAGGTC	CAAATACTTC	23100
	AAAAGACGGT	GTCGAAACTG	CGTTAGAAaAA	TGTACAACGT	GCTAAAAACG	AATTGAACGG	23160
10	TAATCAAAAT	GTTGCGAACG	CTAAGACAAC	TGCGAAAAAT	GCATTGAATA	ACCTAACATC	23220
	AATTAATAAT	GCACAAAAAG	AAGCATTGAA	ATCACAAATT	GAAGGTGCGA	CAACAGTTGC	23280
	AGGTGTAAAT	CAAGTGTCTA	CAACGGCATC	TGAATTAAAT	ACAGCAATGA	GCAACTTACA	23340
15	AAATGGTATT	AATGATGAAG	CAGCTACAAA	AGCAGCGCTT	AATGGTACTC	AAAACCTTGA	23400
	AAAAGCTAAA	CAACACGCAA	ATACAGCAAT	TGACGGTTTA	AGCCATTTAA	CAAATGCACA	23460
20	AAAAGAGGCA	TTAAACAAT	TGGTACAACA	ATCGACTACT	GTTGCAGAAG	CACAAGGTAA	23520
	TGAGCAAAAA	GCAAACAATG	TTGATGCAGC	AATGGACAAA	TTACGTCAAA	GTATTGCAGA	23580
	TAATGCGACA	ACAAAACAAA	ACCAAAATTA	TACTGATGCA	AGTCAGAATA	AAAAGGATGC	23640
25	GTACAATAAT	GCTGTCACAA	CTGCACAAGG	TATTATTGAT	CAAACCTACAA	GTCCAACTTT	23700
	AGATCCGACT	GTTATCAATC	AAGCTGCTGG	ACAAGTAAGC	CAAACCTAAAA	ATGCATTAAA	23760
	TGGTAATGAA	AACCTAGAGG	CAGCGAAACA	ACAAGCGTCA	CAATCATTAG	GTTTCATTAGA	23820
30	TAACCTTAAAT	AATGCGCAAA	AACAAACAGT	TACTGATCAA	ATTAATGGCG	CGCATACTGT	23880
	TGATGAAGCA	AATCAAATTA	AGCAAAATGC	GCAAAACTTA	AATACAGCGA	TGGGTAACTT	23940
	GAAACAAGCG	ATAGcTGACA	AAGATGCTAC	GAAAGCGACA	GTAACTTCA	CTGATGCAGA	24000
35	TCAAGCAAAA	CAACAAGCAT	ATAACaCTGC	TGTTACAAAT	GCTGAAAATA	TCATTTCAAA	24060
	AGCTAATGGC	GGCAATGCAA	CACAAGCTGA	AGTTGAACAA	GCAATCAAAC	AAGTTAATGC	24120
40	TGCAAAACAA	GCATTAAATG	GTAATGCCAA	CGTTCAACAT	GCAAAAGACG	AAGCAACAGC	24180
	ATTAATTAAT	AGCTCTAATG	ACCTTAACCA	AGCACAAAAA	GACGCATTAA	AACAACAAGT	24240
	TCAAAATGCA	ACTACTGTAG	CTGGTGTAAG	CAATGTTAAA	CAAACAGCAC	AAGAGTTAAA	24300
45	CAATGCTATG	ACACAATTAA	AACAAGGCAT	TGCAGATAAA	GAACAAACAA	AAGCTGATGG	24360
	TAACTTTGTC	AATGCAGATC	CTGATAAGCA	AAATGCATAT	AATCAAGCAG	TAGCGAAAGC	24420
	TGAAGCATTa	ATTAGTGctA	CGCCTGATGT	TGTCGTTACA	CCTAGCGAAA	TTACTGCAGC	24480
50	GTTAAATAAA	GTTACGCAAG	CTAAAAATGA	TTTAAATGGT	AATACAAACT	TAGCAACGGC	24540
	GAAACAAAAT	GTTCAACATG	CTATTGATCA	ATTGCCAAAC	TTAAACCAAG	CGCAACGTGA	24600

EP 0 786 519 A2

	AGCGGCGACA ACGCTTAATG ACGCGATGAC ACAATTGAAA CAAGGTATTG CGAATAAAGC	24720
	ACAAATTAAA GGTAGCGAGA ACTATCACGA TGCTGATACT GACAAGCAAA CAGCATATGA	24780
5	TAATGCAGTA ACAAAGCAG AAGAATTGTT AAAACAAACA ACAAATCCAA CAATGGATCC	24840
	AAATACAATT CAACAAGCAT TAACTAAAGT GAATGACACA AATCAAGCAC TTAACGGTAA	24900
	TCAAAAATTA GCTGATGCCA AACAAGATGC TAAGACAACA CTTGGTACAC TAGATCATTT	24960
10	AAATGATGCT CAAAAACAAG CGCTAACAAAC TCAAGTTGAA CAAGCACCAG ATATTGCAAC	25020
	AGTTAATAAT GTTAAGCAAA ATGCTCAAAA TCTGAATAAT GCTATGACTA ACTTAAACAA	25080
	TGCATTACAA GATAAACTG AGACATTAAA TAGCATTAAAC TTTACTGATG CAGATCAAGC	25140
15	TAAGAAAGAT GCTTATACTA ATGCGGTTTC ACATGCAGAA GGTATTTTAT CTAAAGCAAA	25200
	TGGCAGCAAT GCAAGTCAAA CTGAAGTGGA ACAAGCGATG CAACGTGTGA ACGAAGCGAA	25260
20	ACAAGCATTG AATGGTAATG ACAATGTACA ACGTGCAAAA GATGCAGCGA AACAAGTGAT	25320
	TACAAATGCA AATGATTTAA ATCAAGCAAT GACACAATTG AAACAAGGTA TTGCAGATAA	25380
	AGACCAAACCT AAAGCAAATG GTAACCTTGT CAATGCTGAT ACTGATAAGC AAAATGCTTA	25440
25	CAACAATGCG GTAGCACATG CTGAACAAAT AATTAGTGGT ACACCAAATG CAAACGTGGA	25500
	TCCACAACAA GTGGCTCAAG CGTTACAACA AGTGAATCaA GCTAAGGGTG ATTTAAACGG	25560
	TAACCATAAC TTACAAGTTG CTAAAGACAA TGCAAATACA GCCATTGATC AGTTACCAAA	25620
30	CTTAAATCAA CCACAAAAAA CAGCATTAAA AGACCAAGTG TCGCATGCAG AACTTGTTAC	25680
	AGGTGTTAAT GCTATTAAGC AAAATGCTGA TGCGTTAAAT AATGcAATGG GTACATTGAA	25740
	ACAACAAATT CAAGCGAACA GTCAAGTACC ACAGTCAGTT GACTTTACAC AAGCGGATCA	25800
35	AGACAAACAA CAAGCATATA ACAATGCGGC TAACCAAGCG CAACAAATCG CAAATGGCAT	25860
	ACCAACACCT GTATTGACGC CTGATACAGT AACACAAGCA GTGACAACTA TGAATCAAGC	25920
	GAAAGATGCA TTAAACGGTG ATGAAAAATT AGCACAAGCG AAACAAGAAG CTTTAGCAAA	25980
40	TCTTGATACG TTACGCGATT TAAATCAACC ACAACGTGAT GCATTACGTA ACCAAATCAA	26040
	TCAAGCACAA GCGTTAGCTA CAGTTGAACA AACTAAACAA AATGCACAAA ATGTGAATAC	26100
45	aGCaATGAGT AACTTGAAAC aAGGTATTGC aaACAAAGAT ACTGTCAAAG CAAGTGAGAA	26160
	CTATCATGAT GCTGATGCCG ATAAGCAAAC AGCATATACA AATGCAGTGT CTCAAGCGGA	26220
	AGGTATTATC AATCAAACGA CAAATCCAAC GCTTAACCCA GATGAAATAA CACGTGCATT	26280
50	AACTCAAGTG ACTGATGCTA AAAATGGCTT AAACGGTGAA GCTAAATTGG CAACTGAAAA	26340
	GCAAAATGCT AAAGATGCCG TAAGTGGGAT GACGCATTTA AACGATGCTC AAAAACAAGC	26400

55

	AGCAACGAGC	CTAGATCAAG	CAATGGATCA	ATTATCACAA	GCTATTAATG	ATAAAGCTCA	26520
	AACATTAGCG	GACGGTAATT	ACTTAAATGC	AGATCCTGAC	AAACAAAATG	CGTATAAACA	26580
5	GGCAGTAGCA	AAAGCTGAAG	CATTATTGAA	TAAACAAAGT	GGTACTAATG	AAGTACAAGC	26640
	ACAAGTTGAA	AGCATCACTA	ATGAAGTGAA	CGCAGCGAAA	CAAGCATTAA	ATGGTAATGA	26700
	CAATTTGGCA	AATGCAAAAC	AACAAGCAAA	ACAACAATTG	GCGAACTTAA	CACACTTAAA	26760
10	TGATGCACAA	AAACAATCAT	TTGAAAGTCA	AATTACACAA	GCGCCACTTG	TTACAGATGT	26820
	CACTACGATT	AATCAAAAAG	CACAAACGTT	AGATCATGCG	ATGGAATTAT	TAAGAAATAG	26880
	TGTTGCGGAT	AATCAAACGA	CATTAGCGTC	TGAAGATTAT	CATGATGCAA	CTGCGCAAAG	26940
15	ACAAAATGAC	TATAACCAAG	CTGTAACAGC	TGCTAATAAT	ATAATTAATC	AAACTACATC	27000
	GCCTACGATG	AATCCAGATG	ATGTTAATGG	TGCAACGACA	CAAGTGAATA	ATACGAAAGT	27060
	TGCATTAGAT	GGTGATGAAA	ACCTTGACAGC	AGCTAAACAA	CAAGCAAACA	ACAGACTTGA	27120
20	TCAATTAGAT	CATTTGAATA	ATGCGCAAAA	GCAACAGTTA	CAATCACAAA	TTACGCAATC	27180
	ATCTGATATT	GCTGCAGTTA	ATGGTCACAA	ACAAACAGCA	GAATCTTTAA	ATACTGCGAT	27240
25	GGGTAACCTA	ATTAATGCGA	TTGCAGATCA	TCAAGCCGTT	GAACAACGTG	GTAACCTCAT	27300
	CAATGCTGAT	ACTGATAAAC	AAACTGCTTA	TAATACAGCG	GTAAATGAAG	CAGCAGCAAT	27360
	GATTAACAAA	CAAACCTGGT	AAAATGCGAA	CCAAACAGAA	GTAGAACAAG	CTATTACTAA	27420
30	AGTTCAAACA	ACACTTCAAG	CGTTAAATGG	AGACCATAAT	TTACAAGTTG	CTAAAACAAA	27480
	TGCGACGCAA	GCAATTGATG	CTTTAACAAG	CTTAAATGAT	CCTCAAAAAA	CAGCATTAAA	27540
	AGACCAAGTT	ACAGCTGCAA	CTTTAGTAAC	TGCAGTTCAT	CAAATTGAAC	AAAATGCGAA	27600
35	TACGCTTAAC	CAAGCAATGC	ATGGTTTAAG	ACAGAGCATT	CAAGATAACG	CAGCAACTAA	27660
	AGCAAATAGC	AAATATATCA	ACGAAGATCA	ACCAGAGCAA	CAAACTATG	ATCAAGCTGT	27720
	TCAAGCCGCA	AATAATATTA	TCAATGAACA	AACTGCAACA	TTAGATAATA	ATGCGATTAA	27780
40	TCAAGCAGCG	ACAACTGTGA	ATACAACGAA	AGCAGCATTA	CATGGTGATG	TGAAGTTACA	27840
	AAATGATAAA	GATCATGCTA	AGCAAACGGT	TAGTCAATTA	GCACATCTAA	ACAATGCACA	27900
45	AAAACATATG	GAAGATACGT	TAATTGATAG	TGAAACAAC	AGAACAGCAG	TTAAGCAAGA	27960
	TTTGA CTGAA	GCACAAGCAT	TAGATCAACT	TATGGATGCA	TTACAACAAA	GTATTGCTGA	28020
	CAAAGATGCA	ACACGTGCGA	GCAGTGCATA	TGTCAATGCA	GAACCGAATA	AAAAACAATC	28080
50	CTATGATGAA	GCAGTTCAAA	ATGCTGAGTC	TATCATTGCA	GGATTAAATA	ATCCA ACTAT	28140
	CAATAAAGGT	AATGTATCAA	GTGCGACTCA	AGCAGTAATA	TCATCTAAAA	ATGCATTAGA	28200

55

EP 0 786 519 A2

	TCAATTAACA CCAGCTCAAC AACAAAGCGCT AGAAAATCAA ATTAATAATG CAACAACTCG	28320
	TGATAAAGTG GCTGAAATCA TTGCACAAGC GCAAGCATtA AATGAAGCGA TGAAAGCATT	28380
5	AAAAGAAAAGT ATTAAGGATC AACCACAAAC TGAAGCAAGT AGTAAATTTA TTAACGAGGA	28440
	TCAAGCGCAA AAAGATGCTT ATACGCAAGC AGTACAACAC GCGAAAGATT TGATTAACAA	28500
	AACAACTGAT CCTACATTAG CTAAATCAAT CATTGATCAA GCGACACAGG CAGTGACAGA	28560
10	TGCTAAAAAC AATTTACATG GTGATCAAAA ACTAGCTCAA GATAAGCAAC GTGCAACAGA	28620
	AACGTtAAAT AACTTGTCTA ACTTGAATAC ACCACAACGT CAAGCACTTG AAAATCAAAT	28680
	TAATAATGCA GCAACTCGTG GCGAAGTAGC ACAAAAATTA ACTGAAGCAC AAGCACTTAA	28740
15	CCAAGCAATG GAAGCTTTAC GTAATAGCAT TCAAGATCAA CAGCAAACGG AAGCGGGTAG	28800
	CAAGTTTATC AATGAAGATA AaCCaCmAAA AGrTGCTTAC CAAGCAGCAG TTCAAAATGC	28860
20	AAAAGATTTA ATTAATCAAA CTAACAATCC AACGCTTGAT AAAGCACAAG TTGAACAATT	28920
	GACACAAGCT GTTAACCAAG CTAAAGATAA CCTACACGGT GATCAAAAAC TTGCAGACGA	28980
	TAAACAACAT GCGGTTACTG ATTTAAATCA ATTAAATGGT TTGAATAATC CGCAACGTCA	29040
25	AGCACTTGAA AGCCAAATAA ACAACGCAGC AACTCGTGGC GAAGTAGCAC AAAAATTAGC	29100
	TGAAGCAAAA GCGCTTGATC AAGCAATGCA AGCATTACGT AATAGTATTC AAGATCAACA	29160
	ACAAACAGAA TCTGGTAGCA AGTTTATCAA TGAAGATAAA CCGCAAAAAG ATGCTTACCA	29220
30	AGCAGCAGTT CAAAATGCAA AAGATTTAAT TAACCAAACA GGTAATCCAA CACTCGACAA	29280
	ATCACAAGTA GAACAATTGA CACAAGCAGT AACAACTGCA AAAGATAATC TACATGGTGA	29340
	TCAAAAACTT GTCGTGATC AACAAACAAGC AGTAACAACT GTAAATGCAT TGCCAACTT	29400
35	AAATCATGCA CAACAACAAG CATTAAGTGA TGCTATAAAT GCAGCGCCTA CAAGAACAGA	29460
	GGTTGACAA CATGTTCAAA CTGCTACTGA ACTTGATCAC GCGATGGAAA CATTGAAAAA	29520
	TAAAGTTGAT CAAGTGAATA CAGATAAGGC TCAACCAAAT TACACTGAAG CGTCAACTGA	29580
40	TAAAAAAGAA GCAGTAGATC AAGCGTTACA AGCTGCAGAA AGCATTACAG ATCCAACTAA	29640
	TGGTTCAAAT GCGAATAAAG ACGCTGTAGA CCAAGTATTA ACTAAGCTTC AAGAAAAAGA	29700
45	AAATGAGTTA AATGGTAATG AGAGAGTCGC TGAAGCTAAA ACACAAGCGA AACAACTAT	29760
	TGACCAATTA ACACATTTAA ATGCTGATCA AATTGCAACT GCTAAACAAA ACATTGATCA	29820
	AGCGACGAAA CTTCAACCAA TTGCTGAATT AGTAGATCAA GCAACGCAAT TGAATCAATC	29880
50	TATGGATCAA TTACAACAAG CAGTTAATGA ACATGCTAAC GTTGAGCAAA CTGTAGATTA	29940
	CACACAAGCA GATTCAAGATA AACAAAATGC TTATAAACAA GCTATTGCTG ATGCTGAAAA	30000

55

EP 0 786 519 A2

	TGCAAAACAA GCATTAAATG GTGATGAACG TGTAGCACTT GCTAAAACAA ATGGTAAACA	30120
	TGACATCGAC CAATTGAATG CATTAAACAA TGCTCAACAA GATGGATTTA AAGGTCGCAT	30180
5	CGATCAATCA AACGATTTAA ATCAAATCCA ACAAATTGTA GATGAGGCTA AGGCACTTAA	30240
	TCGTGCAATG GATCAATTGT CACAAGAAAT CACTGACAAT GAAGGACGCA CGAAAGGTAG	30300
	CACGAACTAT GTCAATGCAG ATACACAAGT CAAACAAGTA TATGATGAAA CGGTTGATAA	30360
10	AGCGAAACAA GCACTTGATA AATCGACTGG TCAAACTTA ACTGCAAAAC AAGTTATCAA	30420
	ATTAAATGAT GCAGTCACTG CAGCTAAGAA AGCATTAAAT GGTGAAGAAA GACTTAATAA	30480
	TCGTAAAGCT GAAGCATTAC AAAGATTGGA TCAATTAACA CATCTAAACA ATGCTCAAAG	30540
15	ACAATTAGCA ATCCAACAAA TTAATAATGC TGAAACGCTA AATAAAGCAT CTCGAGCAAT	30600
	TAATAGAGCA ACTAAATTAG ATAATGCAAT GGGTTCAGTA CAACAATATA TTGACGAACA	30660
20	GCACCTTGGT GTTATCAGCA GCACAAATTA CATCAATGCA GATGACAATT TGAAAGCAAA	30720
	TTATGATAAT GCAATTGCGA ATGCAGCACA TGAGTTAGAT AAAGTGCAAG GTAATGCAAT	30780
	TGCaaaAGCT GAAGCAGAGC AATTGAAACA AAATATTATC GATGCTCAAA ATGCATTAAA	30840
25	TGGAGACCAA AACCTTGCAA ATGCCAAAGA TAAAGCAAAT GCGTTTGTTA ATTCGTTAAA	30900
	TGGATTAAAT CAACAGCAAC AAGATCTTGC ACATAAAGCA ATTAACAATG CCGATACTGT	30960
	ATCAGATGTA ACAGATATTG TTAATAATCA AATTGACTTA AATGATGCAA TGGAAACATT	31020
30	GAAACATTTA GTTGACAATG AAATTCCAAA TGCAGAGCAA ACTGTCAATT ACCAAAACGC	31080
	TGACGATAAT GCTAAA	31096

(2) INFORMATION FOR SEQ ID NO: 60:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2243 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 60:

45	ATGACAGAAT GGGAGCGAGG ACTTAGAATG TTTCCTAAAT CAGGTTTATT AAATTTTGAG	60
	TTAGCGATAG mAAATCGTTC ATTAAATGAT GATGAAAAAG CATTAAAATA TGTGCGTAAA	120
	GCATTAAATG CAGACCCTAA AAATACAGAT TATATTAACT TAGAAAAAGA GTTGACTAAA	180
50	TCAAATGAGT CGAAAAATAA ATAACCTTTTA TGATGTACAA CAGTTATTGA AAAGTTACGG	240
	ATTTCTAATA TATTTTAAAA ATCCAGAAGA TATGTACGAA ATGATTCAAC AGGAGATTTC	300

EP 0 786 519 A2

	TAATCAGAGA AGGAATGAAC AGAAATGACA AAAATTATTT TAGCAGCTGA TGTAGGCGGG	420
	ACGACTTGTA AATTAGGTAT TTTCACACCT GAATTAGAAC AATTACATAA ATGGTCTATT	480
5	CACACTGATA CATCTGATAG TACAGGATAT ACACTTTTGA AAGGAATTTA TGATTTCGTTT	540
	GTTGAAAAAG TAAATGAAAA TAATTATAAT TTTTCAAATG TACTTGGCGT AGGTATTGGT	600
10	GTACCAGGTC CTGTTGACTT TGAAAAAGGT ACAGTAAATG GAGCAGTAAA CTTATATTGG	660
	CCAGAAAAAG TTAATGTACG TGAGATTTTT GAACAATTCG TTGATTGTCC AGTGTATGTA	720
	GATAATGATG CTAACATAGC TGCTTTAGGG GaGAAACACA AAGGTGCTGG TGAAGGTGCC	780
15	GATGATGTTG TTGCCATCAC ACTTGGTACA GGTCTAGGTG GAGGAATTAT TTCCAAATGG	840
	TGAAATCGTA CATGGTCATA ATGGCTCtGG CGCAGAAATA GGTCATTTTA GAgCAGACTT	900
	CgATCAACGA TTTaAATGTA ATTGTGGTCG TTCTGGATGT ATTGAAACAG TTGCTTCaGC	960
20	GACAGGCGTT GTTAACTTAG TTAACCTtCa CTATCCGAAG TTGACGTTTA GATCTTCTAT	1020
	ATTAGAATTG ATTAAAGAAA ATAAGGTtAC aGCAAAAGCT GTTTTTGATG CGGCAAAAGC	1080
	TGGTGACCAA TTCTGTATTT TCATTACTGA AAAGGTTGCA AACTATATTG GATATTTATG	1140
25	TAGTATTATT AGTGTTACAA GTAATCCGAA ATATATCGTT CTAGGTGGAG GAATGTCTAC	1200
	TGCAGGACCT ATTTTAATTG AAAATATTAA AACAGAATAT CATAATTTAA CATTTGCACC	1260
	TGCTCAATTT GAAACTGAAA TTGTACAAGC GAAATTAGGT AATGATGCAG GTATTACAGG	1320
30	AGCAGCAGGA TTAATCAAGA CCTATGTATT AGATAAAGAG GGGGTAAAAT AATGGCTATT	1380
	GTTGATGTGG TTGTTATTCC AGTTGGAACG GAAGGTCCGA GTGTTAGTAA ATATATTGCA	1440
35	GATATTCAGA AAAAaCTTCA AGAATATAAA GCAATGGGTA AAATTGATTT TCAATTAACA	1500
	CCAATGAATA CTCTAATTGA AGGTGAATTA AGCGATGTAT TAGAAGTTGT GCAAGTGATA	1560
	CATGAATTAC CTTTTGATAA AGGTTTAAGT AGAGTTTGTA CAAATATCCG TATTGATGAC	1620
40	CGACGAGACA AATCTAGAAA AATGAATGAT AAActAACAT CAGTACAAAA ACATTTAGAA	1680
	AATAGTGGTG AAAACCTATG AGGATTTCAA GCTTAACTTT AGGCTTAGTT GATACTAATA	1740
	CGTATTTTCA CGAAAATGAC AAAGCTGTTA TTCTGATTGA CCCTTCAGGT GAAAGTGAAA	1800
45	AAATTATTAA AAAATTAAAC CAAATAAATA AACCGTTAAA AGCTATTTTA TTAACACATG	1860
	CACACTTTGA TCATATCGGA GCAGTCGATG ATATAGTTGA TCGATTGAT GTCCCGGTTT	1920
	ATATGCATGA AGCAGAGTTT GATTTTCTAA AAGATCCCGT TAAAAATGGG GCAGATAAAT	1980
50	TTAAGCAATA TGGATTACCA ATTATTACAA GTAAGGTAAC TCCTGAAAAG TTAaMCGAAG	2040
	GTAGCACAGA AATAGAAGGA TTTAAGTTnT nAyrTGTaCA CACACCTGGA CATTCAACCAG	2100
55		

GAATCGGACG TACAGATTTA TATAAAGGTG ATTATGAAAC GCTAGTTGAT TCTATTCAAG 2220
 ATAAAATATT TGAATTAGAA GGC 2243

(2) INFORMATION FOR SEQ ID NO: 61:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 8009 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 61:

TTGGnATCAT tyAcgGTAAA AAGAATAAaG CAAGATTtAT TTCATTAGTA CTAATTTGTG 60
 CAATGTTTGC AATTTGTTGG GTTGCATATA TTCAATGGGA GTCTACAATC GCTTCATTTA 120
 CACAATCTAT TAATATTTCa ATGGCACAAT ATAGTGTTTT ATGGACAATT AACGGAATAA 180
 TGATTTTAGT AGCACAACCA TTAATTAAAC CGATTCTCTA TCTGTTAAAA GGAAACTTAA 240
 AGAAGCAAAT GTTTGTCGGC ATCATCATTT TTATGTTGTC GTTCTTTGTC ACGAGTTTTG 300
 CCGAAAACCT TACAATATTT GTTGTCTGTA TGATTATTTT AACTTTTGGA GAAATGTTTG 360
 TATGGCCAGC AGTTCCAACT ATAGCCAATC AGTTAGCGCC AGATGGTAAG CAAGGACAGT 420
 ACCAAGGTTT TGTGAATTCA GCTGCTACAG TAGGAAAAGC ATTTGGTCCA TTTCTTGGTG 480
 GTGTATTAGT TGATGCGTTT AATATGCGCA TGATGTTTAT CGGTATGATG CTACTACTTG 540
 TATTTGCATT AATATTATTA ATGGTTTTCA AGGAGAATAA TACGCAACCT AAAAAAATAG 600
 ATGCATAATG AGTAAATAGA ATTAACGTTA TAGACTTGAA ATAAATGTCG TTATAACATA 660
 ATATTAATTT GTATAATTTA ATTTCTGTTG GAGCTTTTCT ACAGAAAGCT AGTGATGCTG 720
 AGAGCTAGTG TTAAGGACTA AATGTAAATC GTATTAATTT TAAATTGAAT GAATGACATC 780
 TCTTACTATT AAAATGAGTG CACAATTTTT GTGAAATAGG GTGGTAACGC GGCAAATGTC 840
 GTCCCTATGT AAATAGAATA GTTAGAGGTG TCTTTTTTAT TGAATAGGAG GAAATGTGTT 900
 GAATTACAAC CACAATCAAA TTGAAAAGAA ATGGcAAGAC TATTGGGACG AAAATAAAAC 960
 ATTTAAAACA AATGATAACT TAGGTCAAAA GAAATTTTAT GCTTTAGACA TGTTTCCATA 1020
 TCCATCAGGT GCTGGTTTAC ATGTTGGACA TCCTGAGGGc TATACAGCAA CAGATATCAT 1080
 TTCAAGATAT AAAAGAATGC AAGGATATAA TGTATTACAT CCGATGGGGT GGGATGCATT 1140
 CGGATTACCA GCAGAGCAAT ATGCTTTAGA CACTGGCAAC GACCCACGTG AATTTACAAA 1200
 GAAAAATATC CAACTTTTAA AACGACAAAT TAAAGAATTA GGGTTCAGTT ATGATTGGGA 1260

EP 0 786 519 A2

	GTTATATAAC	AAAGGTTTAG	CATACGTTGA	TGAAGTTGCA	GTAACTGGT	GTCCAGCATT	1380
	AGGCACTGTT	TTATCTAACG	AAGAAGTGAT	TGATGGTGTC	TCTGAACGTG	GTGGACATCC	1440
5	AGTTTATCGT	AAGCCGATGA	AACAATGGGT	ACTTAAAATC	ACAGAATATG	CAGATCAATT	1500
	ATTAGCAGAT	TTAGATGATT	TAGATTGGCC	TGAGTCTTTA	AAAGATATGC	AGCGCAATTG	1560
	GATTGGACGT	TCTGAAGGGG	CCAAAGTTTC	ATTTGATGTA	GATAATACGG	AAGGAAAAAGT	1620
10	AGAAGTATTT	ACGACTAGAC	CAGATACAAT	CTATGGTGCA	TCATTCTTAG	TCTTAAGTCC	1680
	TGAACATGCA	TTAGTTAATT	CAATTACAAC	AGATGAATAT	AAAGAAAAAG	TAAAAGCTTA	1740
	TCAACAGAA	GCTTCTAAAA	AGTCAGATTT	AGAACGTACA	GATTTAGCAA	AAGATAAATC	1800
15	AGGTGTATTT	ACTGGTGCA	ATGCAACTAA	TCCTTTATCT	GGTGAAAAAG	TACAAATTTG	1860
	GATTGCTGAT	TATGTATTAT	CAACATATGG	TACTGGAGCA	ATTATGGCAG	TACCAGCGCA	1920
20	TGATGACAGA	GATTATGAAT	TTGCTAAAAA	GTTTGATTG	CCAATCATTG	AAGTCATCGA	1980
	AGGTGGAAAT	GTTGAAGAAG	CAGCATACAC	TGGTGAAGGT	AAACATATTA	ATTCTGGTGA	2040
	ACTTGATGGT	TTAGAAAATG	AAGCGGCAAT	TACTAAAGCT	ATTCAATTAT	TAGAGCAAAA	2100
25	AGGTGCTGGC	GAAAAGAAAG	TTAATTACAA	ATTAAGAGAT	TGGTTATTCA	GTCTGAGCG	2160
	TTATTGGGGC	GAACCAATTC	CTGTCAATTCA	TTGGGAAGAT	GGAACAATGA	CAACTGTTCC	2220
	TGAAGAAGAG	CTACCATTGT	TGTTACCTGA	AACAGATGAA	ATCAAGCCAT	CAGGGACTGG	2280
30	TGAGTCTCCA	CTAGCTAATA	TTGATTCATT	TGTAAATGTT	GTAGATGAAA	AAACAGGTAT	2340
	GAAAGGACGT	CGTGAAACAA	ATACAATGCC	ACAATGGGCA	GGTAGTTGTT	GGTATTATTT	2400
	ACGTTACATC	GATCCTAAAA	ATGAAAATAT	GTTAGCAGAT	CCTGAAAAAT	TAAAACATTG	2460
35	GTTACCTGTT	GATTTATATA	TCGGTGGAGT	AGAACATGCG	GTTCTTCACT	TATTATATGC	2520
	AAGATTTTGG	CATAAAGTCC	TTTATGATTT	GGCTATCGTA	CCTACTAAAG	AACCTTTCCA	2580
	AAAATTATTT	AACCAAGGTA	TGATTTTAGG	AGAAGGTAAT	GAGAAGATGA	GTAAATCTAA	2640
40	AGGAAATGTA	ATCAATCCTG	ATGATATAGT	ACAGTCTCAT	GGTGCAGATA	CTTTGCGTCT	2700
	TTACGAAATG	TTTATGGGAC	CTTTAGATGC	TGCAATTGCA	TGGAGTGAAA	AAGGATTAGA	2760
45	TGGGTCTCGT	CGATTCTTAG	ATCGCGTATG	GCGTTTAAATG	GTAAATGAAG	ATGGGACATT	2820
	GAGTTCAAAA	ATTGTAACTA	CAAATAATAA	ATCTTTAGAT	AAAGTTTATA	ACCAAACGTG	2880
	TAAAAAGGTA	ACAGAAGACT	TTGAAACATT	AGGATTTAAT	ACTGCTATTA	GTCAATTAAT	2940
50	GGTATTTATT	AATGAGTGTT	ATAAAGTTGA	TGAAGTTTAT	AAACCTTACA	TTGAAGGCTT	3000
	CGTTAAAAATG	TTAGCACCTA	TTGCACCACA	TATCGGTGAA	GAATTATGGT	CAAAATTAGG	3060

EP 0 786 519 A2

	TGATGAAGTA	GAAATCGTTG	TTCAAGTGAA	TGGTAAATTG	AGAGCTAAAA	TTAAAAATTGC	3180
	TAAAGATACA	TCAAAAAGAAG	AAATGCAAGA	AATTGCCTTA	TCTAATGACA	ATGTTAAAGC	3240
5	GAGTATTGAA	GGTAAAGACA	TCATGAAAGT	CATCGCTGTT	CCTCAAAAAAT	TAGTCAATAT	3300
	TGTAGCTAAA	TAATGTTTTA	AGGAGGACTT	TGAAATGAAG	TCAATTACTA	CAGATGAATT	3360
	AAAAAATAAA	CTTTTAGAAT	CTAAACCAGT	TCAAATTGTT	GATGTTCGTA	CTGATGAAGA	3420
10	AACAGCAATG	GGATATATT	CTAATGCAAA	GTTAATTCCA	ATGGATACCA	TTCCGGATAA	3480
	TTTAAATTCA	TTTAATAAAA	ATGAAATATA	TTATATTGTA	TGTGCTGGTG	GAGTTCGAAG	3540
	CGCTAAAGTT	GTAGAATATT	TAGAGGCAAA	TGGCATTGAT	GCCGTAAATG	TCGAAGGCGG	3600
15	CATGCACGCA	TGGGGCGATG	AAGGTTTGGA	AATAAAAAGT	ATTTAAAGTA	GTGACATAAT	3660
	TTAAAATAAT	ATTACATTG	TAATGACACC	AAGTAACGTT	TCGGTTGCTT	GGTGTTTTTT	3720
	GGTATGAATT	ACTTCTGTT	ACAAAACAAT	CTAAAGCGTT	CTTGTTATGT	TTTATTAAGA	3780
20	TTTTAATTAC	AAAACGGAAA	CTAAATTGTA	ATAAAATAAA	ACTTTATTTT	ATAAAATGAT	3840
	GATGATAAAA	TTGAGTGAAC	TTAAAATATT	GTACAAAATA	ATATAGCTAT	AAATATAATA	3900
25	TAGCTATAAA	TATAATATGA	GGGAGCGTAT	ATTTTTAGCA	TAATTCTTAA	CAACACAGCA	3960
	GAGAACAGAC	AACCAGGAGG	AAAATGAAAT	GAATTTGTTA	AAGAAAAATA	AATATAGTAT	4020
	TAGGAAGTAT	AAAGTAGGCA	TATTCTCTAC	TTTAATCGGA	ACAGTTTTAT	TACTTTCAAA	4080
30	CCCAAATGGT	GCACAAGCCT	TAAGTACGGA	TAATAATGTA	CAAAGCGATA	CTAATCAAGC	4140
	AACACCTGTA	AATTCACAAG	ATAAAGATGT	TGCTAATAAT	AGAGGTTTAG	CAAATAGTGC	4200
	GCAGAATACA	CCTAATCAAT	CTGCAACAAC	CAATCAAGCA	ACGAATCAAG	CATTGGTTAA	4260
35	TCATAATAAT	GGTAGTATAG	TAAATCAAGC	TACGCCAACA	TCAGTGCAAT	CAAGTACGCC	4320
	TTCAACACAA	AACAATAATC	ATACAGATGG	CAATACAACA	GCAACTGAGA	CAGTGTCAAA	4380
	CGCTAATAAT	AATGATGTAG	TGTCGAATAA	TACCGCATT	AATGTACCAA	CTAAAACAAA	4440
40	TGAAAATGGT	TCAGGAGGAC	ATCTAACTTT	AAAGGAAATT	CAAGAAGATG	TTCGTCATTC	4500
	TTCAAATAAA	CCAGAGCTAG	TTGCAATTGC	TGAACCAGCA	TCTAATAGAC	CGAAAAAGAG	4560
45	AAGTAGACGT	GCGGCACCGG	CAGATCCTAA	TGCAACTCCA	GCAGATCCAG	CGGCTGCAGC	4620
	GGTAGGAAAC	GGTGGTGCAC	CAGTTGCAAT	TACAGCGCCA	TATACGCCAA	CAACTGATCC	4680
	TAATGCCAAT	AATGCAGGAC	AAAATGCACC	TAACGAAGTG	CTGTCAATTTG	ATGACAATGG	4740
50	TATTAGACCA	AGTACCAACC	GTTCTGTGCC	AACAGTAAAC	GTTGTTAATA	ACTTGCCGGG	4800
	CTTCACACTA	ATCAATGGTG	GCAAAGTAGG	GGTGTTTAGT	CATGCAATGG	TAAGAACGAG	4860

55

EP 0 786 519 A2

	TCGTATACAT	GGAAGTATA	CGAATGACCA	TGGCGATTTT	AATGGTATCG	AGAAAGCATT	4980
	AACAGTAAAT	CCGAATTCTG	AATTAATCTT	TGAATTTAAT	ACAATGACTA	CTAAAAACGG	5040
5	TCAAGGCGCA	ACAAATGTTA	TTATCAAAAA	TGCTGATACT	AATGATACGA	TTGCTGAAAA	5100
	GACTGTTGAA	GGCGGTCCAA	CTTTGCGTTT	ATTTAAAGTA	CCTGATAATG	TGAGAAATCT	5160
	CAAAATTCAA	TTTGTACCTA	AAAATGACGC	AATAACAGAT	GCGCGTGGCA	TTTATCAACT	5220
10	AAAAGATGGT	TACAAATACT	ATAGCTTTGT	TGACTCTATC	GGACTTCATT	CTGGGTCACA	5280
	TGTTTTTGTT	GAAAGACGAA	CAATGGATCC	AACAGCAACA	AATAATAAAG	AGTTTACTGT	5340
	AACAACATCA	TTAAAGAATA	ATGGTAATTC	TGGTGCTTCT	CTAGATACAA	ATGACTTTGT	5400
15	ATATCAAGTT	CAATTACCTG	AAGGTGTTGA	ATATGTGAAC	AATTCATTGA	CTAAAGATTT	5460
	TCCAAGTAAC	AATTCAGGCG	TTGATGTTAA	TGATATGAAT	GTTACATATG	ATGCAGCAAA	5520
20	TCGTGTGATA	ACAATTAAAA	GTACTGGAGG	AGGTACAGCA	AACTCTCCGG	CACGACTTAT	5580
	GCCTGATAAA	ATACTCGATT	TAAGATATAA	ATTACGTGTA	AATAATGTGC	CGACACCAAG	5640
	AACAGTAACA	TTTAACGAGA	CATTAACGTA	TAAAACATAT	ACACAAGATT	TCATTAATTC	5700
25	AGCTGCAGAA	AGTCATACTG	TAAGTACAAA	TCCATATACT	ATCGATATCA	TCATGAATAA	5760
	AGATGCATTA	CAAGCCGAAG	TTGACAGACG	TATTCAACAA	GCTGATTATA	CATTTGCGTC	5820
	ATTAGATATC	TTTAATGGTC	TGAAACGACG	CGCACAAACG	ATTTTAGATG	AAAATCGTAA	5880
30	CAATGTACCA	TTAAATAAAA	GAGTTTCTCA	AGCATATATT	GATTCATTAA	CTAATCAAAT	5940
	GCAACATACG	TTAATTCGAA	GTGTTGATGC	TGAAAATGCA	GTTAATAAAA	AAGTTGACCA	6000
	AATGGAAGAT	TTAGTTAATC	AAAATGATGA	ATTGACAGAT	GAAGAAAAAC	AAGCAGCAAT	6060
35	ACAAGTTATC	GAGGAACATA	AAAATGAAAT	AATTGGTAAT	ATTGGTGACC	AAACGACTGA	6120
	TGATGGCGTT	ACTAGAATCA	AAGATCAAGG	TATACAGACC	TTAAGTGGGG	ATACTGCAAC	6180
	ACCGGTTGTT	AAACCAAATG	CTAAAAAAGC	AATACGTGAT	AAAGCAACGA	AACAAAGGGA	6240
40	AATTATCAAT	GCAACACCAG	ATGCTACTGA	AGACGAGATT	CAAGATGCAC	TAAATCAATT	6300
	AGCTACGGAT	GAAACAGATG	CTATTGATAA	TGTTACGAAT	GCTACTACAA	ATGCTGACGT	6360
45	TGAAACAGCT	AAAAATAATG	GCATCAATAC	TATTGGAGCA	GTTGTTCCCTC	AAGTAACTCA	6420
	TAAAAAAGCT	GCAAGAGATG	CAATTAACCA	AGCAACAGCA	ACGAAAAGAC	AACAAATAAA	6480
	TAGTAATAGA	GAAGCAACTC	AGGAAGAGAA	AAATGCAGCA	TTGAACGAAT	TAACTCAAGC	6540
50	AACCAACCAT	GCTTTAGAAC	AAATCAATCA	AGCAACAACA	AATGCTAATG	TTGATAACGC	6600
	CAAAGGAGAT	GGTCTAAATG	CCATTAATCC	AATTGCTCCT	GTAAGTGTG	TTAAGCAAGC	6660

55

TGATGCGACT CAAGAAGAAA GACAAGCAGC AATTGACAAA GTGAATGCTG CTGTAAGTGC 6780
 AGCAAACACA AACATTTTAA ACGCTAATAC CAATGCTGAT GTTGAACAAG TAAAGACAAA 6840
 5 TGCGATTCAA GGAATACAAG CAATTACACC AGCTACAAAA GTAAAAACAG ATGCAAAAAA 6900
 TGCCATCGAT AAAAGTGC GG AAACGCAACA TAATACGATA TTTAATAATA ATGATGCGAC 6960
 GCTCGAAGAA CAACAAGCAG CACAACAATT ACTTGATCAA GCTGTAGCCA CAGCGAAGCA 7020
 10 AAATATTAAT GCAGCAGATA CGAATCAAGA AGTTGCACAA GCAAAGATC AGGGCACACA 7080
 AAATATAGTA GTGATTCAAC CGGCAACACA AGTTAAAACG GATACTCGCA ATGTTGTAAA 7140
 TGATAAAGCG CGAGAGGCGA TAACAAATAT CAATGCTACA ACTGGCGCGA CTCGAGAAGA 7200
 15 GAAACAAGAA GCGATAAATC GTGTCAATAC ACTTAAAAAT AGAGCATTAA CTGATATTGG 7260
 TGTGACGTCT ACTACTGCGA TGGTCAATAG TATTAGAGAC GATGCAGTCA ATCAAATCGG 7320
 CGCAGTTCAA CCGCATGTAA CGAAGAAACA AACTGCTACA GGTGTATTAA ATGATTTAGC 7380
 20 AACTGCTAAA AAGCAAGAAA TTAATCAAAA CACAAATGCA ACAACTGAAG AAAAGCAAGT 7440
 GGCTTTAAAT CAAGTGGATC AAGAGTTAGC AACGGCAATT AATMATATAA ATCAAGCTGA 7500
 25 TACAAATGCG GAAGTAGATC AAGCGCAACA ATTAGGTACA AAAGCAATTA ATGCGATTCA 7560
 GCCAAATATT GTTAAAAAAC CTGCAGCATT AGCACAAATC AATCAGCATT ATAATGCTAA 7620
 ATTAGCTGAA ATCAATGCTA CACCAGATGC AACGAATGAT GAGAAAAATG CTGCGATCAA 7680
 30 TACTTTAAAT CAAGACAGAC AACAAAGCTAT TGAAAGTATT AAACAAGCTA ACACAAATGC 7740
 AGAAGTAGAC CAAGCTGCGA CAGTAGCAGA GAATAATATC GATGCTGTTT AAGTTGATGT 7800
 AGTAAAAAAA CAAGCAGCGC GAGATAAAAT CACTGCTGAA GTGGcGAacG TATTGaAGCG 7860
 -35 GTTAAACAAA CACCTAATGC AACTGACGAA GAAAAGCAGG CTGCTGTTAA TCAAATCCAA 7920
 TCAACTTTAA AGATTCAAGC AATTTAATCC AAATTTAATC CAAAACCCAA ACAAATGGAT 7980
 TCAGGGTAGG ACACCACTTA CAAATCCAA 8009

(2) INFORMATION FOR SEQ ID NO: 62:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 10953 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 62:

ACCCACCCCN TGGGGATAnT TTACCTGGTG GGGCCTTCGA TTGCCTTTAG GTGAAACCaG 60

EP 0 786 519 A2

	AGATGAATGC TAACCATATT CATTCTGCTA AAGATGGTCG TGTTACTGCG ACAGCTGAAA	180
	TTATTCATCG AGGTAAGTCG ACACATGTAT GGGATATAAA AATTAAGAAT GACAAAGAAC	240
5	AATTAATTAC AGTTATGCGT GGTACAGTTG CTATTAAACC TTAAAAATAA AAGAACTGCT	300
	AGCTGAAATG TTATGAGATA TTCATAACTA CGGCTAGCAG TTTTTTTATG CGCTATATTG	360
	TTGTAGTTTT AGAAATGCTT GTTCAATGCG TTCGGCAGCT TTACGGCCAC CCATAACATT	420
10	TCTACCAAAT GGTCCTAATT CTAAGTCTGC AAAGCATCCT GCGACAAATA GATTTGGTAT	480
	CCATTCTAAT TTTTCGGAAA TAACAGGGTA ATTACATTCG TTGATAGGTG CATCATAATT	540
	TTGTATTAAAT TGCTTAATAA GTGGTTGTGA CATAAAATCT TGTTCAAAAC CAGTTGCAAC	600
15	CATAATCTGT TGATATGGAA CAGAATCATT TTCAGTGTTA ATTACACCAC CACTAATTTG	660
	AGTGATAGGT GTTTTATGCa CATTTATACG ACCATTTTTA ATATGTTTTT TAAGGCGTAA	720
	GTACAGTTCG TGAGGCATTG ATCCTTTATG ACGTTCGCGT TGTACAATGG CATTTCTTTC	780
20	AGGCATGCTT TTAGTACTTA AAAATGAAGA CATATTTTTT GGACCTAACC AACCAGGATC	840
	AGCATCAAAG TCATGTATTT CAATATCTTT ATTTAGCCAT AAATGAATCT TTTTATCGTT	900
25	ATCATGATTT AACAATTTAA GTGCAAGATG TGCAGCAGTa ATGCCGCTAC CAACGATATG	960
	ATCGGTCTTA TCATATACTA CTTGATCAAG TTCTTTCTCG AAGATATGAT TTACATTCTG	1020
	TTTGTCTTTT AAAATGTCAG GCATAAACGG AATATTTGTA CTGCCTATTG CAATAACGAC	1080
30	GCAATCTGTA GTGATAATTT GTCCATCTTC TAACTTGATA TGCCATTGTG CTTCTTGTTT	1140
	ATCTAAAGTT TGAACATAAC CTTGAACCAA GCAATCCTCT AATTGATATT GTTTAGAAGC	1200
	ATGTGCAATA TGATCCATAA ACATTGTCAA TTCAGGTCGT TGATAAGGAC CATAAAAAAGC	1260
35	ATTTGTATAT TGGTGCTGTT TAGCGAATTG TTTTAGATGG AACGGTTGTG GATGTACGTG	1320
	ATGTACAATC GGTGATCTTA AATAAGGCAT TTCTATTCGA TTTGTATATG AGTTAAACCT	1380
	TTGGCAAAAA GTTTCGTGTG GGTCAATGAT TGTTAATCGG TCTGTTGTTA ATCCGCTTGA	1440
40	TAATAGTTTT TGTGCGATTG CAGTTCCCTG TATGCCACCG CCGATAATTG TCCAATGCAT	1500
	AATAAAACCT CTCTCTTTTT AAAACGTAAT AGTTACGATT TATAATTATT ATTATCATAA	1560
45	TACATAACGA CATGAAAGGC AATTAAATTA AAGAGATATA TGATAGTAGG GCGAATCTGT	1620
	AGTCAAAGAA AAAATCATTG AAAAAGAGGT AACAATGTCA AAAGAWACA GCAGTAAAT	1680
	CATTCTAAT TTGGAATCAT CTTACTGCTG TTTGTTGTTG ATTTATATTC ATGATTTTGT	1740
50	TATATAATCT ACAATTTTGT GTCTTTTAAG TCTTCCGAAA TTTCATCGAC TTTAGTCTTT	1800
	TTAGTATAAG GCGTTTTAAT ATTATATGCT GCTTTCATAA TCATATGACT TGAAAGAGGA	1860

55

	GCAATAAAAT ATAAAAACGT ACCAAATAGT AATGACATTG CACCTAATGT TGATGCTTTT	1980
	CCGGCAGCAT GTGCACGTGA ATATACATCT TCAAGTCTCA ATAATCCTAT AGCTGCTAGG	2040
5	GCGCTAATTA AAGCACCGAT GATAACAAAG ATAAGTGCAA GACTAATCAG TATGATTTTG	2100
	ATCATGTTCA ATCACCTTAC CTTTGTCCAT AAATTTAGAG AATACTGCAG TACCTAAAAA	2160
	AGCTAATATA CCAATCATCA TAATAACGAC AATCATGTAT TTAATATTTA ATAAAATACT	2220
10	GAATAATGCT ATAACTGCCA TTAATTGAAG ACCAATCGCA TCTAATGCGA CAACACGATC	2280
	GGCAAGTGAT GGGCCTAGCA CAACGCGAAT GAGCATAGCT AACATAGAAA TGACAACTAT	2340
	GATTAATGCA ATAACGATAA TAACATTATG ATTCAATTATA TTTCGCCCAC CTCTCTTACA	2400
15	ATTTTCTCTA ATGATGTTTT AATACTTTCT ACTTCTTGCT CTTTAGTTGA AAAATCTATG	2460
	GCATGAATAT AAATTTTTGT ACGATCGTCA CTTACACCAA GCACTACAGT ACCAGGTGTT	2520
20	AATGTAATTA AATTAGACAG CAAGACAATT TGCCAATCTT TTTTAAATC TGTGTGATAA	2580
	ACAAAGAATC CTGGTTCATT TTTAATCGAA GGTTTAATAA TAATTTTCAA AACATCAAAA	2640
	TTAGCTTTAA TCAGTTCGAT TAAGAAAATA ATAACTAATT TAATAATACG ATATAGCGTG	2700
25	ATGACATAAA ATCTACCTGG TAACACTCTG TGTAAGAGGT AAACAAGAAC TAGGCCAAAG	2760
	ATGAAACCTA ACACAAAGTT ATTTGTTGTG TAACTATTTG TCACAAACAA CCAAAACACT	2820
	GCGATAATAA AGTTTAATAC TAATTGTACA GCCATGTTAT TTACCTCCTA ATACAGCTTT	2880
30	AACGTAGGTT GATGGATTGT AGAATGTTTC TGCACCAGCT TTTACCATTG GATATAAGTA	2940
	ATCTGCTGAC AATCCATATA AAACAGTTAT CACAACGCA ACGATTGCAA TCGTAGTTAA	3000
	ATATTTGACG TCGACTTTGT TATTAAGATC ATATCCTTTT GGTTGACCGA AAAAGCCTTG	3060
35	TAGGAATATG CGAATGACAG AATATAATAC GACTAACTT GATAATAAGA CGATGACACC	3120
	ACTTAAATAA AATCCTCTTT CAAATGTTGA TTGGACAATA AAAAATTTTC CATAAAAGCC	3180
40	ACTGAGTGGG GGAATGCCAG CTAAACTTAA TGCTGCGATA AAGAATGACC AACCAAGTAC	3240
	AGGATATCGT TTAATTAAGC CACCAAATTG TCTTAAATCA GCAGTGCCTG TAATTTTAAT	3300
	CATAATTCCG ATAAGCAAGA ATAATGCAAG TTTTACTAAC ATGTCGTGCA ATGTATAGTA	3360
45	AATAGCCCCA ATCATACCTG ACTCTGTCAT CATTGCAACG CCGACTAAGA TCACACCTAC	3420
	AGCAATCATG ACATTGTATA GGATGATTTT TTTAATGTTG GCATATGCAA CAGCACCGAC	3480
	ACAACCAAAG ATGATCGTTA ATAGTGCTAA GAATAAATG ACATAATGTG AAAAGCTTAC	3540
50	ATTATCACTA AAGAATAGGC TCAATGTTCT AGCGATTGCA TAAACACCAA CTTTGTGTTAA	3600
	CAAAGCACCA AAGAATGCAA TGATTGGAAT TGGTGGGCAT AGTATGCACT AGGTAACCAA	3660

	ATATTGACTA AGCCACTGTC ATGCGCTGAA AGGTTAGCTA ATTTATTGCT TATATCTGCT	3780
	AGATTCAATG TTCCTACTAC TGAATATAAA ATCGCTACAC CCATTACGAA GAAGGATGAC	3840
5	GATACAACGT TAACAAGAAC ATATTTTATT GTTCTTGTA GTTGAATTTT TGTAGAACCA	3900
	ATTACTAATA AGAAATAAGA TGACATTAAA AATACTTCGA AAAATACGAA TAGGTTGAAA	3960
	ATGTCACCAG TTGTGAATGC ACCAATGATA CCTATTAACA TAAATAGTAC TGAAAAATAA	4020
10	TAATAATATC TTTCACGTTT AATACCAATT GTTTGGTATG AATATAAAAT CACAATAGCT	4080
	GTAATAATAA TACTAGTAAT TATTAGTAGG GCACTGAATA TGTCTAATAC AAAGACAATA	4140
	CTGTATGGTG CTTTCCATGA ACCTAGCTCT ACGCGTATTG GTCCATGTTT AACAAACATTT	4200
15	GCTAAATTGA TAATTGCCGC GACCAAGGTT AATAATGTAC CGCCTAGTGC GACATAACGC	4260
	TTTATAATAG GACGCTTTCC AATAAAGACA AGTAATATGG CTGTAATTAC TGGAATAACT	4320
	AGCGTTAACA CAAGCATATT ACTTTCAATC ATCTTCTGGA ACTCCTTTCA TACTCTCAAC	4380
20	GTTATCTGTG CCTAATTCTT TATATGTTCT AAATGCTAAT ACTAAGAAAA AGGCTGTTGT	4440
	CGCAAGGCGA TAACGATTGC TGTAAAATA AGTGCTTGCG GGaTAGGaTC AACATAGCTT	4500
25	TTTACGTTTC CTTCATAAAT TGGAACAGTA CCATGTTTAA GTCCGCCCAT AGTTATTAAA	4560
	AATAAATTTG CTGCATGTGT TAATAGTGTA GTTCCCATAA CAATTCGTAT CAGACTTTTA	4620
	GACAAAACGA GATAGACACT AATTGCTGTG AGAATACCAC TAACAAAAAT CATAATAATT	4680
30	TCCACTATTC GTTCTCTCCA ATCGAAATAA TAATTGTCAT GACAGTACCA ACTACTGCAC	4740
	ATAAAACACC GAAATCAAAG AATACTGCTG TTGTCATATG AACAGGTTCT AATATAAATA	4800
	ACGGTATATC AAATGTGACA TGCGTAAAGA AATTTTGGCC TAAAAACCAA CTTGCGATAG	4860
35	GCGTCGCAAT ACAAAAACT AATCCGATAC CTATCAAGAT TTTAAATCT AATGGGAAAA	4920
	TTTTACGCAT TGTTTCTATA TCAAATGCAA TCGTAATGAT AACAAAGTGAA CTTGCGAATA	4980
40	ATAATCCGCC GACGAAACCG CCACCAGGTG TATAATGTCC TGCTAAGAAA AGTGAAAAAC	5040
	CAAAGACCAT TACCATGAAA AAGATAATAA CTGCAGCAA TTGCAAAATT AGATCATTTT	5100
	GTGTCTATT CATGATTTTT CACCTCGTTA CCTTGCGTTT GACGCTTTTT ACGTAATTTA	5160
45	ATCATTGTAT ATACAGCTAA TCCTGCGATA CCAAGCACAG ATGACTCGAA TAAAGTATCC	5220
	ATACCACGGA AATCAACAAG TATGACGTTT ACCATGTTTT TACCGTGAGC TAAATCATAA	5280
	ACGTGCTCTT GATAAACTT AGATATCGAT TCAAATGTG TATTTCCGTA TGCAATTAAA	5340
50	CCGATAATAA TGACGGACAA ACCAACACCA CCAGCAATTA AAGCATTAGT AAGCTGGAAT	5400
	GAGCGCTTTT CATTATAACG ATTTAAATTT GGTAAGTGGT AGAAGCATAA TAAGAACAAT	5460

55

	ATAACAATA CAGACACAGC ATATCCAAC T GCACTTAACA TAATGATGCT AAATAATCTT	5580
	GATTTAGCGA AAAGAATTAA AAAGGCAGCA CTTAATAATA AAATTACGAT ACAAACCTCG	5640
5	AAAATTCTAA TCGGACTAAC GTCTTTAAAA TTAATGTTGA AAGGTACTGA GAATATAGTG	5700
	ACAAATGTTA ATAAAATTAA TGCACCAAAA ATGATAACTA AATTATTACG TGAATAATCG	5760
	GTAACATAGC TATTCGTCAT CTTTTCAGAG TAGTTTGGAA TAACATTTGC ACTTCTGTTG	5820
10	TACCAATAAT TGAATGTTAG TTTACCAGGT TGTCGTTGCA ACAATTTTAC CCAATAACTA	5880
	AATGTCACAA TTAGTAAGAT ACCTAAAATA TAAATCACTA ATGTTGATAA AAAGGCAGGC	5940
	GTTAATCCAT GGAACATATG GAATTCAACA TCATCAATTA CCGTATGATT AATCGAAGag	6000
15	TnAGCTGGTT CAATAATCGA ATTAGTTAAA ATGCCAGGGA ATAAACCAAA TACAATTACT	6060
	AATGTAGCTA AAATAGCTGG TGATAAAAGC ATTAATATTG ATACTTCGTG TGCTTTTTTTA	6120
20	GGTAATTGTT CAGGTTTATA TTGTCCGAAA AATATATGCA TTATAAATTT AATTGAATAT	6180
	ACAAATGTGA AGACACTGCC CACTATACCA ATGATTGGGA ATAGGTAGCC TAATGTATCA	6240
	ACACTGAATA AATTTGCTTG GCTTGCTGTA AATGTTGTTT CTAAAAATGA TTCTTTTGAT	6300
25	AAGAAACCAT TGAACGGTGG TACACCAGCg CATACTTAAT GCTGTAATAA CAGTGATTGT	6360
	AAATGAAATA GGCATAATTG TTAGTAAGCC ACCTAATTTT TTAACATCAC GTGTACCAGT	6420
	AGAATGATCC ACTGCACCTG TAATCATAAA TAGGGCACCT TTAAATGTTG CATGGTTGAT	6480
30	TAAATGGAAT ATTGCAGCCG TAAATGCAGC AGCATATATT TTGCTATCAT CGCCTTGATA	6540
	GTGATAACTA ATGGCACCGA TTCCAAGCAT CGCCATAATC ATACCTAATT GGGATACTGT	6600
	TGAAAATGCC AGTATACCTT TCAAGTCTTG TTGTTTTGTT GCGTTTAGCG AAgCCCAGAA	6660
35	TAATGTAATT AAACCAACGA GTGTGACAGT CCATACCCAA CCTTGCGATG CTGCGAAGAT	6720
	TGGTGTTCATT CGAGCGATTA AATATAACCC TGCTTTAACC ATTGTTGCTG AATGAAGATA	6780
40	AGCACTGACT GGTGTAGGTG CTTCATTGC ATCTGGTAGC CAAATATAAA ATGGAAACTG	6840
	AGCAGATTTT GTAAAAGCAC CAATCATGAT TAAATCATC GCAAAAATGA AGAATGGGCT	6900
	ATTTTGAATT TCAGAAGCAT GTTGAATCAT GTACTGAATG CTAAATGATT GTGTTGGTAT	6960
45	AGCGAGTAAG ATGATACCAC CTAATAATGA TAGACCACCA AATACTGTGA TTATGAGCGA	7020
	TTTTTGAGCA CCATATATAG ATGCTTGTCG TTCGCGCCAG AATGAAATAA GTAAAAAACT	7080
	AGAAAATGAC GTTAGCTCCC AGAATAAATA TAGAATAATA ACATTATCTG AAAGTACGAC	7140
50	ACCTAACATT GCACCCATAA ATAGTAATAA ATAACAATAA AAATTCCTTA GTTGTCTCTGA	7200
	CTTACTTAAG TAGCCGATTG AATATAATAC TACTAACTG CCGATTCCTG AAATAAGCAA	7260

EP 0 786 519 A2

CCAATTTAAG GTTTTCATTA CAGTATTACC TGACATCGTC GTTTTAATTA ATGTAAGCAT 7380
 ATAAATAAAT ATGACGATAG GGACAGGTAA TACGAACCAT CCTAAATGTA TACGTTTAAA 7440
 5 AAATCTATAC AGGATAGGAA TAATGAGTGC GAATATTAAC GGTAATATCA CCGCAATATG 7500
 TAACAACTC ACTATGTTGT CCTCCTTTAA AAAATATTTA TGTATTTCAT TATACATGAA 7560
 TGATATAGTT CTGAAAAACG TACACACTCC TTGTTGTGCT TTATTTTCAG AaGTATTTAA 7620
 10 ATAAGAAGAA ACACGTCATT TTTTATTTAA AATTTTCTTT GTATTGAAGT GAATAATCTT 7680
 CTTTTAAGCG TGCTAAACTA GCTAAAGACA TTTCAGCATG TTTTGTTTGC TGAGCTTTAA 7740
 GTTTAGTTTC TAAATCTGTA ATTGCTTGTT GAAGTGAATC TTCATAGCGC AATACATCAA 7800
 15 CATTGAAGTC GCGTAATTGT GAACGTTTTG TATAGCGTTT TTCAAAATGG CTTAATGCTT 7860
 TGCGGTCATG GAAAAATACA CCTTCAGTTT CAGTAGGGTT ATGTAAATCA CCTTGTTTCG 7920
 20 GGTGTTTGAT AACTTGTTCA ACTTTAACAA GGACATCGTC TCCATTTTCT TCAACAATCG 7980
 TGACACCATA GCTACCTGTT TTGTGTGAAA ATCGATATAG CTTCATGCTA TTTTCCTCCC 8040
 TTAAAAGTAT GTTAATATAT ATGTATCATA ACATGAATGG AGAATATAAA TGGCTAACTA 8100
 25 TCCACAGTTA AACAAAGAAG TACAACAAGG TGAAATCAAA GTGGTTATGC ACACAAATAA 8160
 AGGTGACATG ACATTCAAAT TATTTCCAAA TATTGCACCA AAAACAGTTG AAAATTTTGT 8220
 GACACATGCA AAAAATGGTT ATTATGATGG AATCACATTC CACCGTGTCA TTAATGACTT 8280
 30 CATGATTCAA GGTGGCGATC CAACAGCTAC TGGTATGGGT GGCgAAAGTA TTTATGGCGG 8340
 TGCTTTTGAA GATGAATTTT CATTAATGC ATTTAACTTA TATGGCGCAT TATCAATGGC 8400
 TAACTCAGGA CCTAATACTA ATGGTTCACA ATTTTTCATT GTTCAAATGA AAGAAGTACC 8460
 35 TCAAAATATG TTAAGTCAAC TTGCAGATGG TGGCTGGCCT CAACCAATCG TTGATGCATA 8520
 TGGCgAAAAG GGTGGTACAC CATGGTTAGA TCAAAAACAT ACAGTATTCG GTCAAATCAT 8580
 TGATGGTGAA aCTACATTAG AAGATATTGC AAATACAAAA GTGGGACCAC AAGATAAACC 8640
 40 ACTTCATGAT GTTGTAATTG AATCTATTGA TGTGAAGAA TAATATCTAA ACATAATTAA 8700
 CTACCAACAT TTTAAACTCG GATAAAGCTA ATTTATGAAT GGATTAGTAT ATATTCCAAC 8760
 gAAAATAAAT AAATAATAT GATGAGCAAT CTCAATATAT TTATCaAGAA AGCACAGTTT 8820
 TTAAATAGAT GTGTATTTTA AAGATAATAG TTGAGGTTGC TTTTATGTT TTTACAGAGA 8880
 ATTGCTATTC AAATAGTAAA TAAATTGAAA ACAAAGTAGC TGGATATCAT ATTGATTTAG 8940
 50 ATAGGAATTT GTTGCTAATT TTATTTGTAA ATCCAAGTTT GTAGAATTCT TATTCATTTA 9000
 TAAAATAATA TTCGTATGAT TTGATTTTTT AATTAGTCCA CCATTTGAT TTGTGCTATG 9060

55

EP 0 786 519 A2

	AACATATCAA	GGTGCGTGTA	CTGGTATTCA	ACCATACGGT	GCGTTTGTG	AGACCCCTAA	9180
	TCATACTGAA	GGACTGATTC	ATATATCAGA	AATTATGGAT	GACTIONGTT	ATAATTTGAA	9240
5	GAAATTTCTA	TCAGAAAGCC	AAATTGTTAA	AGCTAAAATT	TTGTCTATAG	ATGATGAAGG	9300
	AAAGCTTAAT	CTATCATTAA	AGGATAATGA	TTACTTCAAA	AATTATGAGC	GTAAGAAGGA	9360
	AAAACAATCA	GTATTAGATG	AAATCAGAGA	AACAGAAAAA	TATGGGTTTC	AAACACTTAA	9420
10	AGAACGCTTA	CCAATCTGGA	TAAAACAGTC	AAAGCGAGCA	ATTCGAAACG	ACTAAAGGAA	9480
	CAGATAAATC	GTACCGAAAA	TCATACAAAG	GGTCTGAAAT	GAAAGTTTCT	TAGACTATAA	9540
	AAGAGATTAG	TATCTATTAA	ATTTTATTAG	ATACTAATCT	CTTTTGTCT	ACGATAACGT	9600
15	AATATGaTTG	ATTCTATTTA	CACGTACAAA	TGGTTTAAGG	TGACATATCC	ATTATCTTTG	9660
	TTAGATAGAA	TCGTTGATTT	GCaATATTGT	ATGTGGATTT	GTTTTTTTTTA	TTTATTTTAG	9720
	AAATGAGAAC	TACAACTTAA	AGTATTAAAC	GAATTGCAAC	TATATAAACA	GATAATTGGA	9780
20	GAATGAAAAA	ATTACATGTT	ATAGTCAACT	CAATAATTTT	AAGGAGGAAT	TAAGTAATGA	9840
	AAAGTAAATA	CGAACCATTG	TTTGATAAAG	TAGAATTACC	AAATGGAGTA	GAGTTGAGAA	9900
25	ATCGATTTGT	GTTAGCCCCCT	TTAACACATA	TTCTTTCAAA	TGATGATGGT	ACTATTTTCAG	9960
	ATGTAGAACT	TCCTTATATT	GAAAAGCGTT	CACAAGATGT	TGGTATTACA	ATTAATGCTG	10020
	CGAGTAATGT	GAGTGATGTC	GGAAAAGCAT	TTCCAGGACA	GCCATCAATC	GCGCATGACA	10080
30	GTAATATTGA	AGGACTAAAA	CGATTAGCTA	CAGCAATGAA	GAAAAACGGT	GCCAAAGCAC	10140
	TCGTACAAAT	ACATCATGGC	GGTGACAAAG	CATTGCCTGA	ATTAACACCT	GATGGAGACG	10200
	TCGTAGCACC	AAGTCCAATT	TCTTTAAAAA	GTTTTGGTCA	GAAACAAGAA	CATAGTGCTA	10260
35	GAGAAATGAC	GAATGAAGAG	ATTGAACAAG	CAATCAAGGA	TTTTGGTGAA	GCAACGCGAC	10320
	GTGCAATTGA	AGCAGGGTTT	GATGGTGTTG	AAATACATGG	CGCGAATCAT	TACTTAATTC	10380
	ATCAATTTGT	ATCACCATAC	TATAATAGAA	GAAATGATGT	ATGGGCAAAT	CAATATAAAT	10440
40	TCCCGGTGCG	TGTGATTGAA	GAAGTACTTA	AAGCGAAAGA	AGCGTATGGC	AATAAAGACT	10500
	TTATAGTTGG	ATACAGATTA	TCTCCAGAGG	AAGCGGAGTC	TCCAGGAATC	ACAATGGAAA	10560
45	TTACAGAGGA	ACTCGTTAAT	AAAATTAGCC	ATATGCCAAT	CGACTATATT	CATGTTTCAA	10620
	TGATGGATAC	GCAATGCAACG	ACACGTGAAG	GTAAATACGC	TGGACAAGAA	AGACTGCCTT	10680
	TAATTCACAA	ATGGATAAAT	GGTCGTATGC	CACTTATCGG	TATTGGTTCA	ATTTTCACAG	10740
50	CTGACGAAGC	TTTAGATGCA	GTTGAAAAATG	TTGGTGTTGA	CTTAGTAGCC	ATTGGTAGAG	10800
	AGCTACTACT	GGATTATCAA	TTGTTGAAA	AAATTAAAGA	TGGACGGGAA	GATGAAATTA	10860

55

AATTTAATGA AGGGTTTTAT CCATTACCAC GTA

10953

(2) INFORMATION FOR SEQ ID NO: 63:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 8155 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 63:

TTTGATAnAA	AACTGAATnA	ATTAAATGTA	TCGATTCAAC	CTAATGAAGT	GAATTTACAA	60
GTTAAAGTAG	AGCCTTTTAG	CAnAAAGGTT	AAAGTAAATG	TTAAACAGAA	AGGTAGTTTA	120
GCAGATGATA	AAGAGTTAAG	TTCGATTGAT	TTAGAAGATA	AAGAAATTGA	AATCTTCGGT	180
AGTCGAGATG	ACTTACAAAA	TATAAGCGAA	GTTGATGCAG	AAGTAGATTT	AGATGGTATT	240
TCAGAATCAA	CTGAAAAGAC	TGTAAAAATC	AATTTWCCAG	AACATGTCAC	TAAAGCACAA	300
CCAAGTGAAA	CGmAGGCTTA	TATAAATGTA	AAATAAATAG	CTAAATTAAA	GGAGAGTAAA	360
CAATGGGAAA	ATATTTTGGT	ACAGACGGAg	TAAGAGGTGT	CGCAAACCAA	GAACTAACAC	420
CTGAATTGGC	ATTTAAATTA	GGAAGATACG	GTGGCTATGT	TCTAGCaCAT	AATAAAGGTG	480
AAAAACACCC	ACGTGTACTT	GTAGGTCGCG	ATACTAGAGT	TTCAGGTGAA	ATGTTAGAAT	540
CAGCATTAAT	AGCTGGTTTG	ATTTCAATTG	GTGCAGAAAGT	GATGCGATTA	GGTATTATTT	600
CAACACCAGG	TGTTGCATAT	TTAACACGCG	ATATGGGTGC	AGAGTTAGGT	GTAATGATTT	660
CAGCCTCTCA	TAATCCAGTT	GCAGATAATG	GTATTAAATT	CTTTGGATCA	GATGGTTTTA	720
AACTATCAGA	TGAACAAGAA	AATGAAATTG	AAGCATTATT	GGATCAAGAA	AACCCAGAAT	780
TACCAAGACC	AGTTGGCAAT	GATATTGTAC	ATTATTCAGA	TTACTTTGAA	GGGGCACAAA	840
AATATTTGAG	CTATTTAAAA	TCAACAGTAG	ATGTTAACTT	TGAAGGTTTG	AAAATTGCTT	900
TAGATGGTGC	AAATGGTTCA	ACATCATCAC	TAGCGCCATT	CTTATTTGGT	GACTTAGAAG	960
CAGATACTGA	AACAATTGGA	TGTAGTCCTG	ATGGATATAA	TATCAATGAG	AAATGTGGCT	1020
CTACACATCC	TGAAAAATTA	GCTGAAAAAG	TAGTTGAAAC	TGAAAGTGAT	TTTGGGTTAG	1080
CATTTGACGG	CGATGGAGAC	AGAATCATAG	CAGTAGATGA	GAATGGTCAA	ATCGTTGACG	1140
GTGACCAAAT	TATGTTTATT	ATTGGTCAAG	AAATGCATAA	AAATCAAGAA	TTGAATAATG	1200
ACATGATTGT	TTCTACTGTT	ATGAGTAATT	TAGGTTTTTA	CAAAGCGCTT	GAACAAGAAG	1260
GAATTAAATC	TAATAAAACT	AAAGTTGGCG	ACAGATATGT	AGTAGAAGAA	ATGCGTCGCG	1320

	CTGGTGATGG	TTTATTAACT	GGTATTCAAT	TAGCTTCTGT	AATAAAAATG	ACTGGTAAAT	1440
	CACTAAGTGA	ATTAGCTGGA	CAAATGAAAA	AATATCCACA	ATCATTAAAT	AACGTACGCG	1500
5	TAACAGATAA	ATATCGTGTT	GAAGAAAATG	TTGACGTAA	AGAAGTTATG	ACTAAAGTAG	1560
	AAGTAGAAAT	GAATGGAGAA	GGTCGAATTT	TAGTAAGACC	TTCTGGAACA	aACCATTAGT	1620
	TCGTGTCATG	GTTGAAGCAG	CAACTGATGA	AGATGCTGAA	aGATTTGCAC	AACAAATAGC	1680
10	TGATGTGGTT	CAAGATAAAA	TGGGATTAGA	TAAATAAATA	CTGTATTACA	AATGAGCCGA	1740
	TGCGTATGcA	nTcgtTTTTT	GTGTTTGTAG	AAATAATTTA	TAGTACAAAC	GTAAAATGAT	1800
	ATAAACAAAA	TAAAAACAAA	GTAATCAATA	TGTAATATAA	AATACACTGG	TACTCAATAT	1860
15	ATAATGATGA	TAAATTTAAT	TTTAATTAGA	TAGAGTTGCT	TTGTGTTTTT	AACGCAGATG	1920
	CTACTACTTA	TCTTAACAGT	TGATTAAGTG	AAATCATTTA	ACAGCGAGAA	TAATCAACCA	1980
20	GGAGGATGAC	TTAATGAATT	TATTCAGACA	ACAAAAATTT	AGTATCAGAA	AATTTAATGT	2040
	CGGTATTTTT	TCAGCTTTAA	TTGCCACTGT	TACTTTTATA	TCTACTAACC	CGACAACAGC	2100
	GTCTGCAGCA	GAGCAAAATC	AGCCTGCACA	AAATCAACCA	GCACAACCAG	CTGATGCCAA	2160
25	TACACAGCCT	AACGCAAATG	CTGGTGCTCA	AGCTAATCCT	ACAGCACAGC	CAGCTGCACC	2220
	TGCCAACCBA	GGACAACCAG	CAGTACAACC	AGCAAACCAA	GGTGGACAGG	CTAATCCAGC	2280
	AGGAGGAGCA	GCACAACCAA	ATACACAACC	AGCTGGACAA	GGTGATCAAG	CTGATCCGAA	2340
30	TAACGCTGCA	CAAGCACAAC	CTGGAAATCA	AGCAACACCG	GCAAACCAAG	CAGGTCAAGG	2400
	AAATAACCAA	GCAACACCTA	ATAATAATGC	AACACCGGCA	AATCAAACAC	AGCCAGCGAA	2460
	TGCTCCAGCA	GCAGCGCAAC	CAGCAGCACC	TGTAGCAGCA	AACGCACAAA	CTCAAGATCC	2520
35	AAATGCTAGC	AATACTGGTG	AAGGCAGTAT	TAATACGACA	TTAACATTGG	ATGATCCTGC	2580
	CATATCAACA	GATGAGAATA	GACAGGATCC	AACTGTAAC	GTTACAGATA	AAGTAAATGG	2640
	TTATTCAATTA	ATTAACAACG	GTAAGATTGG	TTTCGTAAAC	TCAGAATTAA	GACGAAGCGA	2700
40	TATGTTTGAT	AAGAATAACC	CTCAAAACTA	TCAAGCTAAA	GGAAACGTGG	CTGCATTAGG	2760
	TCGTGTGAAT	GCAAATGATT	CTACAGATCA	TGGTAACTTT	AACGGTATTT	CAAAAACGTG	2820
45	AAATGTAAAA	CCAGATTCAG	AATTAATTAT	TAACCTTTACT	ACTATGCAAA	CGAATAGTAA	2880
	GCAAGGTGCA	ACAAATTTAG	TTATTAAAGA	TGCTAAGAAA	AATACTGAAT	TAGCAACTGT	2940
	AAATGTTGCT	AAGACTGGTA	CTGCACATTT	ATTTAAAGTA	CCAACTGATG	CTGATCGTTT	3000
50	AGATTTACAA	TTTATTCCTG	ACAATACAGC	AGTTGCTGAT	GCTTCAAGAA	TTACAACAAA	3060
	TAAAGATGGT	TATAAATACT	ATTCATTAT	TGATAATGTA	GGTCTATTCT	CAGGATCACA	3120

55

EP 0 786 519 A2

	TAATACTGAA ATCGGTAACA ATGGTAATTT TGGTGCTTCA TTAAAAGCAG ATCAATTTAA	3240
	ATATGAAGTA ACATTACCAC AAGGTGTAAC TTACGTTAAT AATTCATTAA CTACAACATT	3300
5	CCCTAATGGT AATGAAGACA GTACAGTATT GAAAAATATG ACTGTTAATT ATGATCAAAA	3360
	TGCAAATAAA GTTACATTTA CAAGCCAAGG TGTGACAACG GCACGTGGTA CACACACTAA	3420
	AGAAGTTTTA TTCCCAGATA AATCTTTAAA ATTATCATAT AAAGTTAATG TTGCGAATAT	3480
10	CGATACACCT AAAAATATTG ATTTTAATGA AAAATTAACA TATCGTACTG CTTCAGATGT	3540
	TGTAATTAAT AATGCGCAAC CAGAAGTaCA CTAAGTGCAG ATCCATTTTC AGTAGCGGTT	3600
	GAAATGAACA AAGATGCGTT GCAACAACAA GTAAACTCAC AAGTTGATAA TAGTCATTAC	3660
15	ACAACAGCAT CAATTGCAGA ATACAATAAA CTTAAACAAC AAGCAGATAC TATTTTAAAT	3720
	GAAGATGCGA ATCATGTATA AACTGCAAAT CGTGCATCTC AAGCGGATAT TGATGGTTTA	3780
	GTAAGTAAAT TACAAGCTGC ATTAATTGAT AATCAAGCAG CAATTGCTGA ATTAGATACT	3840
20	AAAGCTCAAG AAAAGGTTAC AGCAGCACAA CAAAGTAAAA AAGTTACGCA AGATGAAGTT	3900
	GCAGCACTTG TAACTAAAAT TAACAATGAT AAAATAATG CAATCGCAGA AATTAATAAA	3960
25	CAAACTACAG CACAAGGTGT CACAACTGAA AAAGATAATG GTATCGCAGT GTTAGAACAA	4020
	GATGTGATTA CACCAACAGT TAAACCTCAA GCGAAACAAG ATATTATCCA AGCAGTTACA	4080
	ACTCGTAAAC AACAAATTAA AAAGTCAAAT GCATCATTAC AAGATGAAAA AGATGTAGCA	4140
30	AATGATAAAA TTGGTAAAAAT TGAAACAAAG GCAATTAAAG ATATTGATGC AGCAACAACA	4200
	AATGCACAAG TAGAAGCCAT TAAAACAAAA GCAATCAATG ATATTAATCA AACTACACCT	4260
	GCTACAACAG CTAAAGCAGC AGCTCTTGAA GAATTTGACG AAGTTGTTCA AGCACAAATT	4320
35	GATCAAGCAC CTTTAAATCC TGATACAACA AATGAAGAAG TAGCGGAAGC TATTGAACGT	4380
	ATTAATGCAG CTAAAGTTTC TGGTGTTAAA GCAATTGAAG CGACAACGAC TGCACAAGAT	4440
	TTAGAAAGAG TTAAAAACGA AGAAATCTCA AAAATTGAAA ATATTACTGA CTCTACGCAA	4500
40	ACAAAAATGG ATGCCTATAA TGAAGTTAAA CAAGCTGCAA CAGCTAGAAA AGCTCAAAAT	4560
	GCTACAGTTT CAAATGCAAC AAATGAAGAA GTAGCAGAAG CTGATGCAGC AGTAGATGCA	4620
45	GCTCAAAAGC AAGGTTTACA TGACATCCAA GTTGTTAAAT CAAAACAGGA AGTTGCTGAT	4680
	ACAAAATCAA AAGTATTAGA TAAAATCAAT GCAATTCAAA CACAAGCAAA AGTTAAACCT	4740
	GCAGCTGATA CGGAAGTAGA AAACGCATAT AATACACGTA AACAAGAAAT TCAAAATAGC	4800
50	AATGCTTCAA CTACAGAAGA AAAACAAGCT GCATATACAG AATTAGATAC TAAAAAGCAA	4860
	GAAGCAAGAA CAAATCTTGA TGCTGCAAAT ACAAACAGTG ATGTAACAAC AGCTAAAGAC	4920

55

EP 0 786 519 A2

	GCGGAAATCG	CTCAAAAAGC	AAGTGAACGT	AAAACAGCAA	TTGAAGCAAT	GAATGATTCTG	5040
	ACTACTGAAG	AACAACAAGC	AGCGAAAGAC	AAAGTGGATC	AAGCAGTAGT	TACTGCAAAC	5100
5	GCTGATATAG	ATAATGCTGC	AGCAAACAAT	GATGTGGATA	ATGCAAAAAC	TACAAATGAA	5160
	GCTACAATCG	CAGCCATTAC	ACCTGATGCA	AATGTTAAAC	CAGCAGCAAA	ACAAGCAATT	5220
	GCAGATAAAG	TACAAGCTCA	AGAAACAGCA	ATTGATGGAA	ATAACGGCTC	AACAAC TGAA	5280
10	GAAAAAGCAG	CTGCTAAACA	ACAAGTTCAA	ACTGAAAAAA	CAACAGCTGA	TGCCGCAATA	5340
	GATGCAGCAC	ATACAAATGC	GGAAGTTGAA	GCGGCTAAAA	AAGCAGCAAT	TGCTAAAATT	5400
	GAAGCGATTG	AGCCAGCAAC	AACAAC TAAA	GATAATGCGA	AAGAAGCAAT	TGCTACGAAA	5460
15	GCGAATGAAC	GTAAAACAGC	AATCGCTCAA	ACGCAAGACA	TTACTGCTGA	AGAAATTGCA	5520
	GCGGCTAATG	CGGACGTAGA	TAATGCTGTG	ACACAAGCAA	ATAGCAACAT	TGAAGCTGCT	5580
	AATAGTCAAA	ATGATGTAGA	CCAAGCGAAA	ACGACAGGTG	AAAATAGTAT	TGATCAAGTA	5640
20	ACACCAACAG	TTAATAAAAA	AGCAACTGCA	CGTAATGAAA	TCACAGCAAT	TTTAAATAAC	5700
	AAATTGCAAG	AGATTCAAGC	tACGCCAGAT	GCAACAGATG	AAGAAAAACA	AGCAGCTGAT	5760
25	GCTGAAGCAA	ATACTGAAAA	TGGTAAAGCA	AATCAAGCCA	TTTCAGCAGC	AACTACTAAC	5820
	GCACAAGTTG	ATGAAGCTAA	AGCAAATGCA	GAAGCAGCGA	TTAATGCGGT	AACACCAAAA	5880
	GTTGTGAAGA	AACAAGCGGC	TAAAGATGAA	ATTGATCAAT	TACAAGCAAC	GCAAACAAAT	5940
30	GTTATCAATA	ATGATCAGAA	CGCTACAACA	GAAGAAAAAG	AAGCAGCTAT	TCAACAATTA	6000
	GCAACAGCAG	TTACAGACGC	GAAAAATAAT	ATTACAGCTG	CAACTGATGA	TAATGGTGTA	6060
	GATCAGGCGA	AAGACGCTGG	AAAGAATTCA	ATTCAAAGCA	CGCAACCAGC	AACAGCGGTT	6120
35	AAATCAAATG	CTAAAAATGA	TGTTGATCAA	GCTGTGACAA	CTCAAAATCA	AGCAATTGAT	6180
	AATAEAACTG	GTGCTACAAC	TGAAGAGAAA	AATGCAGCAA	AAGATTTAGT	TTTAAAAGCT	6240
	AAAGAAAAAG	CGTATCAAGA	TATCTTAAAT	GCACAAACAA	CTAATGATGT	TACGCAAATT	6300
40	AAAGATCAAG	CAGTTGCTGA	TATTCAAGGT	ATTACTGCAG	ATACAACAAT	TAAAGATGTT	6360
	GCGAAAGATG	AATTAGCAAC	AAAAGCAAAC	GAACAAAAAG	CGCTTATTGC	ACAAACTGCA	6420
	GATGCGACTA	CTGAAGAAAA	AGAACAAGCA	AATCAACAAG	TAGACGCACA	ATTAACACAA	6480
45	GGTAATCAAA	ATATTGAAAA	TGCACAGTCA	ATCGATGATG	TAAACACTGC	AAAAGATAAT	6540
	GCAATTCAAG	CAATTGACCC	AATTCAAGCA	TCAACAGATG	TTAAAACGAA	TGCAAGAGCG	6600
50	GAATTGCTAA	CTGAAATGCA	AAATAAAATA	ACTGAAATAC	TTAATAATAA	TGAGACTACT	6660
	AATGAAGAAA	AAGGTAACGA	TATTGGACCA	GTTAGAGCAG	CATATGAAGA	AGGTTTAAAT	6720

55

EP 0 786 519 A2

	AAAGTTCAAC AACTTCATGC AAATCCTGTT AAGAAACCAG CAGGTAAAAA AGAATTAGAT	6840
	CAAGCTGCAG CTGATAAGAA AACACAAATA GAACAAACAC CAAATGCATC ACAACAAGAA	6900
5	ATTAATGATG CAAAACAAGA AGTTGATACT GAATTAAATC AAGCGAAAAC AAATGTCGAT	6960
	CAATCATCAA CAAATGAATA TGTTGATAAT GCAGTTAAAG AAGGAAAAGC TAAAATTAAT	7020
	GCAGTTAAAA CATTTAGTGA GTACAAAAAA GATGCTTTAG CTAAAATTGA AGATGCATAT	7080
10	AATGCTAAAG TAAACGAAGC GGATAACTCT AACGCATCGA CTTCAAGTGA AATTGCTGAA	7140
	GCGAAACAAA AACTTGCTGA ATTAATAACAA ACTGCGGATC AAAATGTTAA TCAAGCTACT	7200
	TCTAAAGATG ACATTGAAGT TCAAATTCAT AATGACTTAG ATAATATTAA CGATTACACA	7260
15	ATTCCAACAG GTAAAAAAGA ATCAGCTACA ACAGATTTAT ATGCTTATGC AGATCAGAAG	7320
	AAAAATAATA TTTCAGCTGA CACTAATGCA ACACAAGATG AAAAGCAACA AGCAATTAAG	7380
20	CAAGTTGACC AAAATGTTCA AACTGCATTA GAAAGCATTAA ATAATGGTGT GGATAATGGT	7440
	GACGTTGATG ATGCATTAAC ACAAGGTAAA GCAGCAATTG ATGCTATTCA AGTAGATGCT	7500
	ACTGTTAAAC CTAAAGCGAA CCAAGCTATT GAAGTTAAAG CAGAAGATAC GAAAGAATCT	7560
25	ATTGATCAAA GTGACCAGTT AACTGCTGAA GAAAAAAGT AAGCATTAGC AATGATTAAA	7620
	CAAATTACAG ATCAAGCTAA ACAAGGTATT ACTGATGCAA CAACAACTGC TGAAGTTGAA	7680
	AAAGCGAAAg cTcAAGGACT TGAAGCATTT GATAACATTC AAATCGACTC AACAGAAAAA	7740
30	CAAAAAGCTA TCGAAGAATT AGAAACTGCA CTAGACCAGA TTGAAGCAGG TGTAATGTCT	7800
	AACGCTGATG CTACAACTGA AGAAAAAGAA GCGTTTACGA ATGCTTTAGA AGACATTTTA	7860
	TCAAAAGCAA CTGaAGATAT TTCTGATCAA ACTACAAATG CAGAAATCGC TACTGTCAAA	7920
35	AATAGTGC GC TTGAACAAC TAAAGCACAA CGTATTAATC CTGAAGTTAA GAAAAATGCT	7980
	TTGGAAGCAA TCAGAGAAGT GGTTAACAAG CAAATAGGAA tAATTAAAAA TGCAGATGCA	8040
	GATGCATCGG CGGAAAGAnA TTGCACGTAC GGGATTTAGG TAGATATTTT GGACCGATTT	8100
40	GCTGGATAAA TTTAGGGTnA AACCCCAACC AATGCCGAAG TTGCCTGAAT TACCA	8155

(2) INFORMATION FOR SEQ ID NO: 64:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1630 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 64:

	CTGTTTTATT TGCAGCACCC ATACTGGAAA TCACTTTAAT CCCTCGGTCA AGACACTCTT	120
	TCATTAAGTG TACTTTGTAC ATTATTGTAT CACTTGCATC TACAAAATAA TCTATATCGT	180
5	AGTTATCGAA AATTTCTTCA TATGTCTCTT CTGTATAAAA CATATGTAAG GCGGTGACTT	240
	TACAATCTGG ATTAATTAAT TTAATACGTT CTTCCATCAA AGAAACTTTA CTTTGTCCCTA	300
	CCGTTGTAGT TAAAGCGTGT AATTGTCTGT TTACATTTGT AATATCAACA TCATCTTTAT	360
10	CTATTAATAT AATATGACCA ATATTCGTTT TTGCTAATGC TTCAGCAGCA AATGAACCAA	420
	CACCTCCAAC GCCAAGTATG ACAACAGTTT GTTGCTTCAA TAAATCTAAA CCTTGTGTGC	480
	CAATCGCTAG TTCATTTCTT GAAAATTGAT GTTTCATTAT TTTACCTCTT TCACTGATTT	540
15	ATACATAAGT ACATAGTAAC TTAAAATTTT ATATTTAGCA TTATCACTTT GATTATTTTC	600
	CCAAAATTCA ACGAGGAAAC ATTTATTAAA CGCTATAAAA CCCAACTAAT TCTTTATTAA	660
	AAACTTAAAG AAACGCATAA AAATACGCAA GACAAAGTCT TGCATATCGA TAGAGTCCGT	720
20	ATTGCCGTAG TTATAATAGC TTGATCATTC GGCCTGTTAT ATACAGGTGG GTGCCCTGTT	780
	TCTTGTTTTG TACGTCCTTC ATATAAGGCG TGTACGCTGC AAGAAAACCC ATTGGGCTCC	840
	CTTGATCAAA GAGTGTTAGG CCCAAATTAA AAAGCAAAC TACGAACAAC TCAGATGACT	900
25	ATCTTATGAT GTTATATTAC CACATAATTA AAATTAATGA AATTATAACA AACCAAAGTT	960
	TATTGATTTT TTAAAATTTA GTGACGAATT CGCAAAGAAA GTTCTTCTAA TTGTTTATCA	1020
30	GAAACTTCAC TAGGCGCATT CGTTAATAAA CATGTAGCAG ATGCTGTTTT AGGGAATGCG	1080
	ATTGTATCTC TCAAGTTTGT TCTATTAGTC AATAACATGA CTAATCGGTC TAATCCTAAT	1140
	GCAATACCGC CATGTGGTGG TGCACCATAT TTAAATGCAT CTAGTaAGAA GCCGAACTGT	1200
35	TCCTGTGCTT GTTCTTTAGT AAATCCAAGA ACTTCGAACA TTTTTTCTTG TAACTCACCA	1260
	TCATGAATTC TGATTGAACC GCCACCTAAT TCATAACCAT TTAATACTAT GTCATAAGCA	1320
	TTTGCTCAG CTTCTTCTGG CGCAGTGCCA AGCTTAGCAA TATCAGCTTC TTTTGGAGAT	1380
40	GTAAATGGAT GATGTGCTGC AACGTAACGT TTCGCATCTT CATCATATTC TAATAATGGC	1440
	CAATCTGTCA CCCATAAGAA GTTTAATTTT GTTTCATCGA TTAAACCTAA TTCTTTAGCT	1500
	AATTTGACAC GTAATGCACC TAAACTTTGT GCAACGACAT TTGGTtGTC TGCAACAAAC	1560
45	ATTACTAAGT CACCAGCTTC AGCACCAGTT AATGTAAGTA ATGTTTCAAC ATTTTCTGTT	1620
	CAAAGAAACG	1630

(2) INFORMATION FOR SEQ ID NO: 65:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 732 base pairs

(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 65:

	CAATTGGACA TCTTGATGA AAAGGACAAC CTTGCGGCGG ATTACTTGGC GAAGGTAATT	60
10	CTCCTTTTAA TATAATTCTA TTGTTATTAT GTTTATCAAT TTGTGGTATT GATGAAATCA	120
	ACGCTTTTGT ATATGGATGT TTGGGATTTT CATAAATTTT TTTATCAGAT GCGATTTCAA	180
	CTATATGACC TAAATACATA ACTCCAATGA CATCACTTAT ATGTTTTACT ACACTTAAAT	240
15	CATGTGCGAT AAATAAATAG CTTAAGTTAA ATTGTTCTTG TAAATCTTTT AATAAATTCA	300
	GTAATTGAGA TTGAACAGAT ACATCTAATG CACTTACAGG CTCATCAGCA ACAATTAAAC	360
	TCGGACGCAA AGCCAATGCT CTTGCAATTC CCACTCTTTG TCTCTGTCCA CCTGAAAATT	420
20	CATGTGCATA TTtATAATAT GCATCTTCAC TTAGGCCAAC ACATTTTAAT AAATATAGTA	480
	CTTCTTTTTT TATTTCTTCT TTTGGCAATT TTTTATAATT TAAAATAGGT TCTGAAATGA	540
	TATCTCCAAC CATTTGCATC GGATTCAATG ATGCATACGG ATCTTGAAAT ATCATCTGAT	600
25	ATTGTTGTCG TGATTTTCTG AGTTTTTTAC CTTGTAATCT TGTTATATCT TCACCATTAA	660
	CAATTATTGA GCCTGAAGTT GCATCTTCAA GCCTGATAAT CACTTTACCT AACGTTGACT	720
30	TACCACAACC CG	732

(2) INFORMATION FOR SEQ ID NO: 66:

(i) SEQUENCE CHARACTERISTICS:

35

(A) LENGTH: 5838 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

40

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 66:

	AATATATTCA TATGTTTCAT CAACAATATT AGCTGCTTTT TGAATTAAAG CAATTTTCGTC	60
45	AGCATCTTTG ACGTCTCTAA TTTTATCTAC AGTATTAGAA ATGCTTATTA ATGATATACG	120
	GCTTTTATTT AATTCAAGGT ATGTATCATA ACTTACATGA TGCCCCCTCAA AACCTACATT	180
	TTCAAAATTT TCTTGGTGTA GCAATTCTTT AATCTCACCA ATAATAGTAG ATTTACGATT	240
50	AATAATTTCA TAATTTGGCG CCTGCTTAGT TGCTTGATCA ATATATCTAA AGTCTGTTAT	300
	CAAATATTGT TTATCTTTAG ATATGATAAG TGCTCCACTG GTACCAGTAA AACCTGATAA	360
	ATATCTTCTA TTGTAATCCG AAAGAATGaT AATCGCATCT AAATGTTTTT GTTCTAAAAT	420

55

	CAACTTTTATA CATTAAAATA ATATCATAAT AAGGATAAAA AATAATAGAT ATTGATTTTA	540
	GGGAGATAGT AATGAAAAAA TTGGTTTCAA TTGTTGGCGC AACATTATTG TTAGCTGGAT	600
5	GTGGATCACA AAATTTAGCA CCATTAGAAG AnAAAAACAAC AGATTTAAGA GAAGATAATC	660
	ATCAACTCAA ACTAGATATT CAAGAACTTA ATCAACAAAT TAGTGATTCT AAATCTAAAA	720
	TTAAAGGGCT TGAAAAGGAT AAAGAAAACA GTAAAAAAC TGCATCTAAT AATACGAAAA	780
10	TTAAATTGAT GAATGTTACA TCAACATACT ACGACAAAGT TGCTAAAGCT TTGAAATCCT	840
	ATAACGATAT TGAGAAAGAT GTAAGTAAAA ACAAAAGGCGA TAAGAATGTT CAATCGAAAT	900
	TAAATCAAAT TTCTAATGAT ATTCAAAGTG CTCACACTTC ATACAAAGAT GCTATCGATG	960
15	GTTTATCACT TAGTGATGAT GATAAAAAAA CGTCTAAAAA TATCGATAAA TTAAACTCTG	1020
	ATTTGAATCA TGCATTTGAT GATATTAAAA ATGGCTATCA AAATAAAGAT AAAAAACAAC	1080
20	TTACAAAAGG ACAACAAGCG TTGTCAAAAT TAACTTAAA TGCAAAATCA TGATAGGAGT	1140
	CTTTTAATGC GTAATATAAT ATTTTATCTT GTACTTATTA TTGCTGCGAT TGGATTAGTA	1200
	ATGAATCTAG ATGCCTTTAT TTTTTCATC GTCAGAATGT TAATCAGCTT TGcgTAaTAG	1260
25	CTGGTATTAT TTATCTGATT TATTATTTCT TCATCTTAAC TGAAGACCAA CGCAAATATC	1320
	GCAAAGCAAT GCgTrAaGTA TAAAAGAAAT CAAAGAAGAA AATAGATAAA AAAACGGAAG	1380
	CACTTGTAGG TAAAATAGTC TACGTGCTTC CATTTTTTAT TCTAAAACT ACTTTCTAAA	1440
30	CATCCATTCA TCTGAACGAT ATTTTTCAGT TAATTCTTCC ACTTCTGCCA ATTGAGCTTC	1500
	TGtTAATTCA AGTGGCTTTA ATTCTATATT TAAACCTTTC TTAAAACCTT TCTCGAAAGC	1560
	TTCTTCCATT TGACTAATAG TAATGTGTTT ATCTGAAATA TCATTGATGG CAACTGCTTT	1620
35	TTCAACGAAT GCCTCTTTCA TTTTAAATTT TAATCTTTCA TTTTATAAAA TrAACATATC	1680
	AAACAGTTCA TCAATATCAA TATCTTGTA AATCGAACCG TGTTGGAGGA TTACGCCCTT	1740
40	TTGTCTCGTT TGAGCACTCC CAGCAATCTT ACGGCCTTCA ACAACTAGCT CATACCAACT	1800
	TGGTGATCA AAACACACTG AACTTCGAGG TTGTTTTAAT TTTTGACGCT CTTCAGGCGT	1860
	TTTAGGTACC GCAAAATAAG TATCAAATCC TAAGTTTTTA AATCCTTCTA ATAATCCTTG	1920
45	TGAAATCACT CTGTACGCTT CTGTAAGTGT AGAAGGCATA TTCGGATGCG ATTCAGGCAC	1980
	AATCACACTG TAAGTTAACT CTTTATCATG TAGCACCCCA CGGCCACCAG TTTGACGCCT	2040
	TACGAGACCA AAACCTTTCT CTTTAACCTT ATCAATATCA ATTTCTTTTT GTAGCCTTGT	2100
50	GAAATACCCT ATTGATAATG TTGCAGGATT CCATGTGTAA AAACGTATAA CTGGATCAAT	2160
	TTCACCTCTA GAGACAAAAT TTAATAACGC TTCATCCATT GCCATATTAT AATATGGGTC	2220

EP 0 786 519 A2

	AAATGTATAA TATTTGATTC GCTAATTAAT CAATTTAACCT AAATGAATAA TAATTGCAAT	2340
	TCTTTAGTGA AATATTTTGA TAATTTGACC TAACAGTCTT ATAATTATAT TATCGTTTAA	2400
5	TTAGGGAGGA TGCAAGATGA GTGCTAGTTT GTACATCGCA ATAATTTTAG TTATAGCAAT	2460
	TATTGCTTAT ATGATTGTTT AACAAATTCT TAACAAGCGA GCTGTAAAG AATTAGATCA	2520
10	AAATGAATTC CATAATGGGA TTAGAAAAGC TCAAGTCATC GATGTTAGAG AGAAAGTTGA	2580
	CTATGACTAC GGTCACTTA ATGGGTCTCG CAATATTCCT ATGACAATGT TCAGGCAACG	2640
	ATTCCAAGGA TTAAGAAAAG ATCAACCGGT ATACTTATGT GATGCCAATG GGATTGCTAG	2700
15	CTATAGAGCC GCTCGTATTT TGAAAAAGAA TGGATATACA GATATCTATA TGTAAAAGG	2760
	CGGCTATAAA AAATGGACTG GAAAAATAAA GTCTAAAAAA TAGTTTTTGT AAATTTAATA	2820
	TACGATTTAA TAAATCTGA GTGTTAATTG ATCATCAATA ACAATACTCA GATTTTAATT	2880
20	TTTTAACAAA GTCTGTACT ATATTTCTCT AGCTTCACTG ATCATTAAAC TTAGTTTCAG	2940
	CATAATAAAG AAAGTTCAGC TCATTTTCAA TACGATTCAA TTACCGCAAT CTAAAAATG	3000
	AAAAGACAAT TTCTATGAAA GAATAATACC AAACCCTAAG AGTTATTACT TCGGTTTAGT	3060
25	TTTCTTGTTT AAATAGAAAT TGTCTTTTTC AATTGATTTT GAAACCATTA TCCTTAAATC	3120
	TTCATACAAA GTTAGAATAA TAATTCTCGG AATATGTGTT TAATACTTTA TTTTTCCTGT	3180
	TTAAGATTTT CAAACTTTAA TATTGGTTTA CGAGCAGCTG TAGCTTCGTC TAATCGATCA	3240
30	ATCACAGTTG TATGTGGTGC TTCTAGCacT TTATCAGGAT CATTTTTAGC TTCTTCAGCA	3300
	ATACTAATTA ATGTATCGAT AAAATAATCA AGTGTTTCTT TAGACTCTGT CTCAGTCGGT	3360
35	TCAATCATCA TACCTTCTTC AACATTTAAT GGAAGTATA TTGTTGGTGG ATGTACACCG	3420
	AAATCTAATA ATCGCTTAGC CATGTCTAAA GTACGTACAC CAAATTCTTT TTGACGCACA	3480
	CCACTTAACA CAAACTCGTG TTTACAATAT TGTTTATAAG GTATTTCAA GTGTTTAGAT	3540
40	AAACGTGCTT TAATATAATT CGCATTAAGA ACCGCTGCTT CAGAAACCTC TTTAAGTCCA	3600
	GTTGCTCCCA TAGTTCGAAT ATACGTATAA GCTCTTAAGT AAATACCAA GTTACCATAA	3660
	AATGGTTTTA CACGTCCGAT AGAATTTTTA ATGTCATTAT CATATTTAAA TTTGTCGCCA	3720
45	TCTTTAATAA CCATTGGCTT TGGTAAGTAA CTTGCTAGTT CTTTTACTAC ACCGACTGGA	3780
	CCTGAACCAG GACCGCCACC ACCATGTGGA CCAGTAAATG TTTTATGCAA GTTTAAATGA	3840
	ACAGCATCAA ATCCCATATC TCCTGGGCGA ACTTTGTCCA TAATAGCGTT TAAATTCGCA	3900
50	CCATCATAAT ATAATAGACC ACCAGCATT TGGACGATTT CACGGATTTT CATAATATTT	3960
	TTTTCGAAAA TACCTAAAGT GTTTGGATTA GTTAACATAA TAGCTGCTGT ATTTTCATTT	4020

55

EP 0 786 519 A2

	GATTTAAATC CTGCAAATGa AGCTGAGGCT GGaTTCGTAC CATGCGCAGA ATCTGGcACA	4140
	ATGACTTCAT CACGATGACC TTCACCATTA TTCTCATGGT AAGCTTTAAA TATCATCAAT	4200
5	GCAGTCCATT CACCATGTGC GCCAGCAGCT GGTGTGAATG TCACCTCATC CATAACAGTA	4260
	ATTTCTTTTA ATTCTTCTTG CAAACTATAA ATAATTTCTA ATGAACCTTG AACTTGATCT	4320
	TCATCTTGTA ATGGATGTGA TTCACTAAAT CCTGGTATTC TAGCAACCTT TTCATTAATT	4380
10	TTAGGGTTAT ACTTCATCGT ACATGAACCC AATGGATAAA ATCCGTTGTC TACACCGAAA	4440
	TTTTTATTTG AAAGTTCAGT ATAATGACGT ACTAAGTCTA GTTCAGCAAC TTCAGGAAAC	4500
	TCCGCTTTGT TTTTACGAAT AAATTTATCA TCTAACAATG ACTCAACAGA ATTTGTTTTA	4560
15	ATATCACTTT TTGGTAATGA ATATGCATAT CTGCCTTCAC GAGATCTTTC AAAAATTAAT	4620
	GGACTTGATT TACTAGTCAT TTAACTCACC AGCCTTTTCT ACAAATGTAT CGATTTTCATC	4680
	TTTTGTTCTT AATTCAGTTA CAGCTATTAA CATGTGATTT TTAAAGTCGT CTGAAACAAC	4740
20	ACCTAAATCA AAACCACCGA TAATATTGTA CTTCACTAAT TCCTCGTTAA CTTGTTGAAT	4800
	TGGTTTGTCA AATTTGACTA CAAACTCATT GmnAAGnTGT ACCATCTAAT ACTTCAAAAC	4860
25	CTTTTTTAAT AAATTGTTGT TTAGCATAGT TAGCATGTTT TATATTTTGA ACTGCAATAT	4920
	CATAGATACC TTGTTTACCA AGTGCTGACA TTGCAATTGA TGaCGcTAAA GCATTTAATG	4980
	CTTGTTAGA ACAAATATTA GATGTCGCTT TATCGCGTCG AATATGTTGT TCACGTGCTT	5040
30	GTAATGTAA TACAAAGCCA CGATTACCTT CATCATCTTG TGTTTGACCG ACTAATCTAC	5100
	CTGGCACTTT ACGCATTAAC TTTTTCGTCG TTGCAAAATA TCCACAATGT GGCCCACCGA	5160
	ATTGAGCAGG AATTCCGAAT GGCTGAGTAT CACCTACAAC AATATCTGCA CCAAATGAAC	5220
35	CTGGAGGTGT AAGTAATCCC AATGCTAATG GATTTGCATA TACGATAAAT AATGCTTTTT	5280
	TATCTTCAAT AAAGCTATGA ATCTTTTCAA GATCTTCAAT TGAACCGTAA AAGTTTGGAT	5340
40	ATTGTACTGC AACAGCTGCT GTTTCATCAT CCACTGCTGC TTCTAATTTT TTCAAATCTG	5400
	TAACAGTGCC ATCTAAATCG ATTTCCACTA CTTCGAATTC CTTACGCGTC TTAGCATAAG	5460
	TATGAAGTAC TTGTAATGCT TGATAATGTA AACCTTTTGA GACTACAATT TTATTTTTCT	5520
45	TTGTTTGAAT AAATGCTAAG ATACATGCTT CAGCAAAGCT AGTCATCCCA TCATACATAG	5580
	AAGAATTTGC TACATCCATA TCTGTTAATT CACAAATTAA AGTTTGGAAC TCAAAAATGG	5640
	CTTGTAATTC ACCTTGAGAA ATTTCCGTT GATATGGCGT ATATGCTGTG TAAAATTCTG	5700
50	ATCTTGAAAT CATAGCATCC ACAACTGATG GCGCGTAATG ATCATAAACA CCAGCACCCA	5760
	rAAATGATGT ATGCGTTTCT TTAGTGATAT tCTTGCTkGC AATGGGGATT TAAACnTCTA	5820

55

(2) INFORMATION FOR SEQ ID NO: 67:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 18355 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 67:

ATnATAATTG GCTTTGCTAA TAATTACTTC CCTGAATTAC aAGTATTAGC AAACGAAATA 60
 AAATCTGATA TGGCTAGTTC ATTA AAAACAA TGATATTTT ATTTAAATTT TTaAAGCTTT 120
 GTACGAAATT GTACAAAGCT TTTTGGTGC GTATTGTATG GGCAACAAC TGACGATGAA 180
 AATCCGTTAC AGGATTGGTA ATAGGAAATG TTAGCGAAAG ACAAGGGTAT CCATTGTAGA 240
 TTAACAAAAG GACGTTTCCA CAAGTG TGGG TTATTCTCAC TAAAGCAATA CGCAGAGACA 300
 ACTTACGTAA AATTTTGAAC TGA CTAGAAC GGA ACTTCTA CTCAATTATT GATAAAAATT 360
 TTCAAAAAGA CTTGAATGTG CTGAGAATAC GAAGTTTATG GAAGGATTAT CAAAATATAA 420
 ATGTGCATT CATTACAACC TTTATTGACA ATGATTCTCA ACTAATATAG TATATAATCA 480
 AATCGTAATA GTTACGATTT GTTTTCTGCA ACTTTTTTGA AGTTTTAGTT GAGGTGAAAA 540
 CAATAAAAGC ATCTAAGTGA ATGTAGTTAA CGGACAAC TG CATTCGCTTG TAGAGCCACA 600
 AGAAGCAACT TTAAATAAGG TTTACGGTTG CATTTTGATA CAACAACCGA TTACTAAGTC 660
 ATGCTTTCCA CTTTGCGGGT TAGCATGACT TACCTAATAG ATAGAGCTAT TAGGTT CAGC 720
 TTCTAAAAAA TTACAGTTTT AGAGGAATAC AGTTGcTTGc tTCGCAACAA CTGCATAAGA 780
 GCCATGGTTT TCGCTTTTGC GAATTAGCAT GACTTACCTA CTAGATAGAG CTATTAGGTT 840
 CATCTTCTAA AAAATTACAG GTTTAGAGGA ATACAGTTGT TTGcTTCGCA ACAACTGCAT 900
 AAGAGCCTCT AGTAATTAAA ATTACAGAGG CTCTAAAAAT ACATCTAAAG GAGTGTCGTA 960
 TGAATCGGCA GGTTATAGAA TTTTCTAAGT ATAATCCTTC GGGGAATATG ACGATACTTG 1020
 TTCATTCAA ACATGATGCT AGTGAATATG CATCTATCGC CAATCAGTTG ATGGCCGCAA 1080
 CACATGTATG CTGTGAACAG GTAGGCTTTA TAGrATCAAC ACAAATGAT GATGGTAATG 1140
 ATTTTCACTT AGTTATGAGC GGTAATGAAT TTTGCGGTAA TGCGACGATG TCATATATAC 1200
 ATCATTTGCA GGAAAGTCAT TTGCTTAAAG ACCAACAGTT TAAGGTGAAG GTGTCTGGCT 1260
 GTTCGGATTT AGTGCAATGC GCAATTCATG ATTGCCAATA CTATGAAGTT CAAATGCCAC 1320
 AAGCCCATCG TGTTGTGCCA ACAACAATTA ATATGGGTAA TCATTCATGG AAAGCAATAG 1380

EP 0 786 519 A2

	TTCAACATTT	GGTTGAAGCG	TTTGTGCGTG	AgcAACAAATG	GAGTCACAAA	TATAAAACAG	1500
	TAGGTATGAT	GCTTTTTGAT	GAACAACGTC	AATTTTTTACA	GCCATTAATC	TATATACCAG	1560
5	AAATTCAAAG	TTTAATTTGG	GAAAATAGCT	GTGGTTCTGG	TACAgCATCA	ATTGGGGTTT	1620
	TTAATAATTA	TCAACGTAAT	GACGCATGCA	AAGATTTTAC	AGTACATCAG	CCAGGGGGCA	1680
	GTATTTTAGT	GACATCAAAG	CGATGTCATC	AATTGGGATA	TCAAACCTCA	ATTAAAGGAC	1740
10	AGGTTACAAC	TGTAGCTACA	GGaAAAGCAT	ATATAGAATA	AGGAGCCTAC	AATGAATAAC	1800
	TTTAATAATG	AAATCAAATT	GATATTACAA	CAATATTTAG	AAAAGTTTGA	AGCGCATTAC	1860
	GAGCGTGTAT	TACAAGACGA	TCAATATATC	GAAGCATTAG	AAACATTGAT	GGATGACTAT	1920
15	AGTGAATTTA	TTTTAAATCC	TATTTATGAA	CAACAATTTA	ATGCTTGGCG	TGACGTTGAA	1980
	GAAAAAGCAC	AATTaATAAA	ATCACTGCAA	TATATTACAG	CGCAGTGTGT	TAAACAAGTG	2040
	GAAGTCATTA	GAGCGAGACG	TCTATTAGAC	GGACAGGCGT	CTACCACAGG	TTACTTTGAC	2100
20	AATATAGAAC	ATTGTATTGA	TGAAGAGTTT	GGACAATGTA	GTATAGCTAG	CAATGACAAA	2160
	TTATTGTTAG	TTGGTTCAGG	TGCATATCCA	ATGACGTTAA	TTCAAGTAGC	AAAAGAAACA	2220
25	GGTGCTTCAG	TTATCGGTAT	TGATATTGAT	CCACAAGCCG	TTGACCTAGG	GCGCAGAATC	2280
	GTTAACGTCT	TAGCACCAAA	TGAAGATATA	ACAATTACGG	ATCAAAAGGT	ATCTGAACTT	2340
	AAAGATATCA	AAGATGTGAC	GCATATCATA	TTCAGCTCGA	CAATTCCTTT	AAAGTACAGC	2400
30	ATTTTAGAAG	AATTATATGA	TTTAACAAAT	GAAAATGTG	CGGTTGCAAT	GCGCTTTGGT	2460
	GATGGCATCA	AAGCAATATT	TAATTATCCG	TCACAAGAAA	CAGCGGAAGA	TAAGTGGCAA	2520
	TGTGTGAATA	AACATATGAG	ACCACAGCAA	ATTTTGTGATA	TAGCACTTTA	TAAAAAAGCA	2580
35	GCTATAAAGG	TAGGTATTAC	GGATGTCTAA	ATTATTAATG	ATAGGCACTG	GTCCgGTCGC	2640
	AATGCAATTA	GCGAATATTT	GCTATTTAAA	ATCAGATTAT	GAGATTGATA	TGGTTGGACG	2700
40	TGCCTCAACA	TCAGAAAAAT	CAAAACGCTT	ATATCAAGCG	TATAAAAAAG	AGAAACAATT	2760
	TGAAGTCAAA	ATACAAAACG	AGGCGCATCA	ACATCTGGAA	GGTAAGTTTG	AAATTAATCG	2820
	TTTGTATAAA	GATGTTAAAA	ACGTTAAGGG	TGAATACGAA	ACGGTTGTCA	TGGCATGCAC	2880
45	AGCAGATGCT	TATTATGACA	CACTACAGCA	ATTGTCGTTA	GAACTTTTGC	AAAGTGTCAA	2940
	ACATGTCATT	TTAATATCAC	CGACATTTGG	TTCGCAAATG	ATTGTCGAAC	AATTTATGTC	3000
	TAAATTTAAT	AAAGATATCG	AAGTGATTTT	ATTCTCAACT	TATCTTGGCG	ATACACGTAT	3060
50	TGTTGATAAA	GAAGCGCCTA	ATCATGTGTT	GACAACAGGT	GTAAAAAAGA	AATTGTACAT	3120
	GGGATCGACA	CATTCAAAC	CAACAATGTG	TCAACGAATC	TCTGCTTTAG	CTGAGCAATT	3180

EP 0 786 519 A2

	TTATGTGCAC CCACCACTAT TTATGAATGA CTTTTCATTG AAAGCCATTT TCGAAGGAAC	3300
	AGATGTACCG GTTTATGTGT ATAAGTTATT TCCTGAAGGA CCGATAACGA TGACACTAAT	3360
5	CCGTGAAATG CGTTTAATGT GGAAGGAAAT GATGGTTATT TTACAAGCAT TTAGAGTGCC	3420
	GTCAGTCAAC CTGCTTCAAT TTATGGTGAA GGAAAATTAT CCAGTACGTC CTGAAACTTT	3480
10	GGATGAAGGT GATATTGAGC ATTTTCGAAAT CTTGCCAGAT ATCTTACAAG AATATCTGCT	3540
	TTATGTAAGA TATACCGCAA TCCTCATTGA TCCATTTTCA CAGCCAGACG AAAACGGACA	3600
	TTACTTTGAT TTTTCAGCTG TACCATTTAA GCAAGTCTAT AAAAAATGAAC AGGATGTTGT	3660
15	TCAAATTCCA AGAATGCCAA GTGAAGATTA TTACAGAACG GCGATGATTC AGCATATTGG	3720
	GAAAATGCTA GGTATCAAAA CGCCAATGAT TGATCAGTTC CTAAGTCGCT ATGAAGCAAG	3780
	TTGCCAGGCG TACAAGGATA TGCATCAAGA TCAACACTTA TCTTCTCAAT TTAATACAAA	3840
20	TCTATTTGAA GGAGATAAAG CACTCGTCAC AAAATTTTGG GAAATCAATA GAACGCTTTC	3900
	ATAATAAGGG TTTGAAGTTT TATAATAGAA AAAAATTATT GAATTATGTT TGACATTTAC	3960
	ATAAAAAATA GCAAATAATT GAGAAAAATA ATCATTACGA TTTGATTAAAG TAATGCAACT	4020
25	TATCAATTTA GAAAGAGGAA AAGCAAATGA GAAAACCTAAC TAAATGAGT GCAATGTTAC	4080
	TTGCATCAGG GCTAATTTTA ACTGGTTGTG GCGGTAATAA AGGTTTAGAG GAGAAAAAAG	4140
30	AAAACAAGCA ATTAACGTAT ACGACGGTTA AAGATATCGG TGATATGAAT CCGCATGTTT	4200
	ACGGTGGATC AATGTCTGCT GAAAGTATGA TATACGAGCC GCTTGACGT AACACGAAAG	4260
	ATGGTATTAA GCCTTTACTA GCTAAAAAGT GGGATGTGTC TGAAGATGGG AAGACATACA	4320
35	CGTTCCATTT GAGAGATGAC GTTAAATTCC ATGATGGTAC GCCATTTGca TGctGACGCA	4380
	GTTAAGAAAA ATATTGACGC AgTTCAAGAA AACAAAAAAT TGCATTCTTG GTTAAAGATT	4440
	TCGACATTAA TTGACAATGT TAAAGTTAAA GATAAGTACA CGGTTGAATT GAATTTGAAA	4500
40	GAAGCATATC AACCTGCATT GGCTGAATTA GCGATGCCTC GTCCATATGT ATTTGTGTCT	4560
	CCAAAAGACT TTaAAAACGG TACAACAAAA GATGGCGTTA AAAAGTTCGA TGGTACTGGT	4620
	CCATTTAAAT TAGGTGAACA CAAAAAAGAT GAGTCTGCAG ACTTTAACAA AAATGATCAA	4680
45	TACTGGGGCG AAAAGTCTAA ACTTAACAAA GTACAAGCAA AAGTAATGCC TGCTGGTGAA	4740
	ACAGCATTCC TATCAATGAA AAAAGGTGAA ACGAACTTTG CCTTCACAGA TGATAGAGGT	4800
	ACAGATAGCT TAGACAAAGA CTCTTTAAAA CAATTGAAAG ATACAGGTGA CTATCAAGTT	4860
50	AAGCGTAGTC AACCTATGAA TACGAAAATG TTAGTTGTCA ATTCTGGTAA AAAAGATAAC	4920
	GCTGTGAGTG ACAAACAGT CAGACAAGCG ATTGGTCATA TGGTAAACAG AGATAAAATT	4980
55		

	ACAGACATTA	ATTTGATAT	GCCAACACGT	AAGTATGACC	TTAAAAAAGC	AGAATCATT	5100
	TTAGATGAAG	CTGGTTGGAA	GAAAGGTAAA	GACAGCGATG	TTCGTCAAAA	AGATGGTAAA	5160
5	AACCTTGAAA	TGGCAATGTA	CTATGACAAA	GGTTCTTCAA	GTCAAAAAGA	ACAAGCAGAA	5220
	TACTTACAAG	CAGAATTTAA	GAAAATGGGT	ATTAAGTTAA	ACATCAATGG	CGAAACATCA	5280
	GATAAAATTG	CTGAACGTCG	TACTTCTGGT	GATTATGACT	TAATGTTCAA	CCAAACTTGG	5340
10	GGATTATTGT	ACGATCCACA	AAGTACTATT	GCAGCATTTA	AAGAGAAAAA	TGGTTATGAA	5400
	AGTGCAACAT	CAGGCATTGA	GAACAAAGAT	AAAATATACA	ACAGCATTGA	TGACGCATTT	5460
	AAAATCCAAA	ACGGTAAAGA	GCGTTCAGAC	GCTTATAAAA	ACATTTTGAA	ACAAATTGAT	5520
15	GATGAAGGTA	TCTTTATCCC	TATTTACAC	GGTAGTATGA	CAGTTGTTGC	ACCAAAAGAT	5580
	TTAGAAAAAG	TATCATTAC	ACAATCACAG	TATGAATTAC	CATTCAATGA	AATGCAGTAT	5640
20	AAATAAAGGA	GCAATTAGAT	GTTCAAATTT	ATCTTAAAC	GTATTGCGCT	CATGTTTCCA	5700
	TTGATGATTG	TAGTAAGTTT	TATGACATTT	CTATTGACGT	ATATTACAAA	TGAAAATCCA	5760
	GCTGTGACAA	TTTTACATGC	ACAAGGGACG	CCAAATGTAA	CACCAGAGTT	GATTGCAGAA	5820
25	ACGAATGAGA	AGTACGGTTT	CAATGATCCA	TTATTAATTC	AATATAAAAA	TTGGTTACTT	5880
	GAAGCGATGC	AATTTAATTT	TGGTACAAGC	TACATTACAG	GTGACCCAGT	TGCTGAACGT	5940
	ATTGGTCCAG	CATTTATGAA	TACATTGAAA	TTAACAATAA	TTCAAGTGT	TATGGTGATG	6000
30	ATTACATCAA	TTATTTTAGG	TGTAGTTAGT	GCATTAAAAA	GAGGAAAGTT	CACTGATCGT	6060
	GCGATACGTT	CAGTGGCTTT	CTTTCTAACT	GCATTACCAT	CATATTGGAT	AGCTTCAATA	6120
	CTTATTATTT	ACGTTTCAGT	GAAGTTAAAC	ATATTGCCGA	CTTCTGGATT	AACAGGTCCA	6180
35	GAAAGTTACA	TATTGCCAGT	GATCGTTATT	ACGATTGCCT	ATGCTGGTAT	TTACTTTAGA	6240
	AATGTTAGAC	GCTCGATGGT	GGAACAATTA	AATGAAGATT	ATGTACTTTA	TTAAGAGCA	6300
40	AGCGGTGTGA	AATCTATCAC	ATTAATGTTG	CATGTGTTGC	GTAATGCTTT	ACAAGTTGCG	6360
	GTATCAATCT	TTTGATATGC	TATACCAATG	ATAATGGGTG	GACTAGTTGT	TATCGAGTAT	6420
	ATCTTTGCAT	GGCCTGGACT	AGGTCAATTA	AGTTTAAAG	CAATACTTGA	ACACGATTTT	6480
45	CCAGTCATTC	AAGCATATGT	ATTAATTGTA	GCGGTATTAT	TTATTGTATT	TAATACATTA	6540
	GCAGATATCA	TTAATGCGCT	ATTAAATCCA	AGATTAAGGG	aGGGCGCACG	ATGATAATTT	6600
	TAAAmCGATT	ATTmCArGwT	AAAGGTGCAG	TAATTGCTTT	AGGCATTATT	GTATTATATG	6660
50	TCTTTTTTAGG	ATTAGCAGCA	CCACTTGTGA	CATTTTATGA	TCCTAACCAT	ATCGATACAG	6720
	CAAACAAATT	TGCTGGCATG	AGTTTTCAAC	ATCTACTAGG	TACTGACCAT	TTAGGTAGAG	6780

55

	TATTTGTTTC TGTACTTATT GGATCTATTT TAGGATTCTT ATCAGGATAT TTCCAAGGGT	6900
	TTGTTGACGC CTTAATCATG CGTGCGTGTG ATGTTATGTT GGCATTCCCA AGTTATGTTG	6960
5	TAACGTTAGC ATTAATTGCA TTGTTTGGAA TGGGTGCCGA AAATATTATC ATGGCATTTA	7020
	TTTTGACGCG TTGGGCATGG TTCTGTCGTG TTATACGTAC AAGTGTTATG CAGTACACTG	7080
10	CTTCTGACCA TGTAAGATTT GCTAAAACAA TCGGTATGAA TGATATGAAA ATTATTCACA	7140
	AACATATTAT GCCATTAACA TTAGCAGATA TTGCTATCAT CTCTAGTAGC TCGATGTGTT	7200
	CAATGATCTT GCAAATATCT GGCTTTTCAT TTTTAGGATT AGGTGTCAAA GCGCCTACTG	7260
15	CAGAGTGGGG CATGATGCTT AACGAaGCTA GAAAAGTGAT GTTTACACAT CCTGAAATGA	7320
	TGTTTGCGCC AGGTATTGCC ATAGTGATTA TAGTGATGGC ATTTAACTTC TTATCCGATG	7380
	CTTTACAAAT TGCTATTGAT CCCCCGATCT CTTCTAAAGA TAAACTTCGT TCTGTGAAAA	7440
20	AAGGAGTGGT GCAATCATGA CATTGTAAAC AGTTAAACAT TTGACGATTA CAGATACCTG	7500
	GACAGATCAA CCACTCGTGA GTGATGTGAA TTTTACATTA ACTAAGGGTG AAaCTTTAGG	7560
	CGTTATTGGA GAAAGTGGTA GTGGTAAATC AATCACTTGT AAATCGATTA TTGGTTTGAA	7620
25	TCCCGAACGA CTCGGGGTGA CAGGTGAAAT TATCTTTGAT GGTACatCAA TGTTGTCATT	7680
	ATCTGAATCG CAATTGAAAA AGTACCGTGG TAAAGACATT GCGATGGTCA TGCAACAAGG	7740
	TAGTCGTGCC TTTGACCCAT CAACTACTGT CGGTAAACAA ATGTTTGAGA CTATGAAAGT	7800
30	ACATACGTCA ATGTCTACAC AAGAAATTGA AAAGACATTG ATTGAATATA TGGATTATTT	7860
	AAGTTTGAAA GATCCTAAAC GTATATTAAA ATCATACCCT TACATGTTAT CAGGAGGAAT	7920
	GTTACAGCGA TTGATGATTG CTTTAGCGTT AgcTTTgAAA CCAAAGTTAA TCATTGCTGA	7980
35	TGAGCCGACA ACGGCTTTAG ATACAATTAC ACAATATGAT GTACTGGAAG CATTTATAGA	8040
	TATTAAAAAA CACTTTGACT GTGCGATGAT TTTcATTtCA CATGATTtAA CGGTTATTAA	8100
40	CAAGATTGCA GACCGTGTTG TTGTGATGAA AAATGGTCAG CTTATTGAAC AAGGGACACG	8160
	TGAATCAGTC TTGCATCATC CAGAACATGT TTATACGArt ATtkTATTAT CAACGAAGAA	8220
	GAAGATTAAT GATCATTTTA AACATGTGAT GAGGGGTGAT GTACATGATT AAAATTAAAG	8280
45	ATGTTGAAAA GTCATATCAA AGCGCACATG TTTTAAAGCG TCGTCGAACA CCTATCGTGA	8340
	AAGGTGTGTC ATTTGAGTGT CCAATCGGTG CGACGATTGC GATTATCGGA GAAAGTGGTA	8400
	GCGGTAAATC GACGTTGAGT CktATGATAT TAGGTATTGA GAAACCGGAT AAAGGTTGTG	8460
50	TAACCTTAAA TGATCAACCG ATGCATAAGA AGAAAGTGAG ACGTCATCAA ATTGGTGCTG	8520
	TATTTCAAGA TTATACGTCA TCATTACATC CATTTCAGAC TGTTAGAGAA ATCTTATTTG	8580

55

	TGTTGGAAGA	AGTCGGTCTA	TCTAAGGCAT	ACATGGATAA	ATATCCTAAT	ATGTTATCAG	8700
	GTGGAGAGGC	GCAACGTGTT	GCGATTGCGC	GTGCAATATG	TATTAACCCT	AAATATATTT	8760
5	TGTTTGATGA	AGCCATTAGT	TCACTCGACA	TGTCAATTCA	AACACAAATA	TTAGATTTAT	8820
	TGATTCATTT	ACGTGAAACG	CGTCAGTTGA	GTTATATTTT	TATCACACAT	GATATTC AAG	8880
	CTGCCACGTA	TTTATGTGAT	CAATTAATTA	TTTTTAAAAA	CGGAAAAATA	GAAGAACAAA	8940
10	TTCCGACAAG	CGCATTGCAT	AAAAGTGACA	ATGCTTATAC	AAGAGAATTA	ATAGAAAAAC	9000
	AACTATCATT	CTAAGGAGTG	AGATAATGAA	AGGTGCAATG	GCTTGCCCT	TTTTGAGATT	9060
	ATATATATTA	ACATTGATGT	TCTTTAGTGC	CAATGCAATC	TTAAACGTGT	TTATACCTTT	9120
15	ACGAGGGCAT	GATTTAGGCG	CAACGAATAC	GGTTATCGGT	ATCGTTATGG	GGGCATACAT	9180
	GTAAACAGCA	ATGGTATTTT	GACCATGGGC	AGGACAAATT	ATTGCTCGTG	TCGGTCCCAT	9240
20	TAAAGTATTA	AGAATTATTT	TGATTATCAA	TGCCATAGCT	TTAATTATTT	ATGGTTTTAC	9300
	TGGCTTAGAA	GGTTATTTTC	TAGCACGTGT	TATGCAAGGT	GTGTGTACGG	CATTCTTTTC	9360
	TATGTCTTTA	CAGCTAGGTA	TTATTGATGC	ATTACCAGAG	GAACATCGTT	CTGAAGGTGT	9420
25	ATCATTGTAC	TCGCTATTTT	CAACGATTCC	AAACTTAATC	GGACCATTAG	TTGCCGTAGG	9480
	TATTTGGAAT	GCAAATAATA	TTTCACTATT	TGCAATTGTC	ATTATCTTTA	TCGCATTAAC	9540
	AACAACATTC	TTTGsTATCG	CGTGACCTTT	GCTGAACAGG	AACCCGATAC	GTCAGATAAG	9600
30	ATTGAAAAAA	TGCCGTTTAA	CGCTGTAAC	GTTTTTGCGC	AATTTTTCAA	AAATAAAGAG	9660
	TTGTTGAACA	GTGGTATTAT	CATGATTGTT	GCATCGATTG	TATTTGGTGC	AGTTAGTACA	9720
	TTTGTACCGT	TATACACAGT	GAGTTTAGGA	TTCGCGAATG	CGGGAATCTT	TTTGACAATA	9780
35	CAGGCCATCG	CAGTTGTTGC	GGCAAGATTT	TACTTAAGGA	AATACATTCC	GTCAGATGGT	9840
	ATGTGGCATC	CTAAATATAT	GGTATCTGTA	CTATCATTAT	TAGTAATCGC	GTCATTTGTA	9900
40	GTGGCATTTG	GTCCGCAAGT	AGGTGCAATT	ATTTTCTATG	GTAGTGCGAT	ATTAATAGGA	9960
	ATGACGCAAG	CAATGGTGTA	CCCAACATTA	ACATCATACT	TAAGCTTCGT	CTTACCAAAA	10020
	GTAGGTCGTA	ATATGTTGTT	AGGTTTATTT	ATTGCCTGTG	CAGACTTAGG	TATATCGTTA	10080
45	GGTGGCGCAT	TGATGGGACC	TATTTCCGAT	TTAGTAGGAT	TTAAATGGAT	GTATCTAATT	10140
	TGTGGTATGT	TAGTCATTGT	AATAATGATT	ATGAGTTTCT	TGAAAAAGCC	AACACCACGT	10200
	CCAGCGAGTA	GTCTTTAATG	AAGTGAATTA	AAGCATATTA	AGTTAATGAA	TATTTAAATT	10260
50	TTAAAAGGTA	TATTGaGCAT	GGCGATT CAT	GTGCTTCATG	CTAGGACATG	AAACATTCTA	10320
	TATGGCTCGT	TTTTAGAACG	ACATATATCT	AAATAAAGCA	CGCTTAaAAG	TGAGTTTTGA	10380

55

EP 0 786 519 A2

	TTACATGAAA ATATGCAAAA CGAGTATAAC TGCTAATTGA TAGAAATAGC TCACCATAAA	10500
	ATTACGGTAT GATTTTAAAT ATAAGTAAAGT CGCACTACCT GCTAGTATCA ATGCTGGAAT	10560
5	GAATTCCCAC CATGTATTAA TGTATGGATA GTAGAACAGA GTTCAAGGA TAATGGACAA	10620
	TACTATTGTA ATCTTTAAAG GTATTAATCT GCTTAATTCT TGAATTAAAA TATGACGGAA	10680
	AATAAGTTGA CAAATCAAAG TATTTAATAT AATGGTTAAC GAAAATATAG CTATTAAACT	10740
10	GATGGAaCCA TACCCTTTAA TGAGCGGGTA AATGTCAAAG ACAGTAAAGG AATCTACATT	10800
	TAGTGCGAAA ATATTGAAAT GATTTAAAAG TAAAAAGAGT ACGACACTTA GTGTAAATGA	10860
	TATAAGAATA TGCCATTTAT ATTTAGCACT AGCAACGATT TGCGAACGTA TCATTGGAAT	10920
15	AAACGCATCT TCATGCATCA GACGAAAAAT AGCTAGTGAA ATAATAACTG CGAGTAAATA	10980
	GCTAATGTTT ATTGAAATAG GAAAAGAGAA ACCCCACGGA GCTTGTTGAG TGAATACAGC	11040
20	TACTAACCCA AAAGTTAAAA AGACGATAAT GATCGGCAAG ATGTTAACCA AAAATATGTA	11100
	AAGGAAAATA AATCCAATAT CACGTTTGAA AAAACGCGAT TGTTCCGGTAG CGTATTCTTC	11160
	TTCTATGTAA TGTTTATTTG TATTTGACAT AGTATACCTC TTAAATAGTT GTATTATATA	11220
25	GATACTTTAG CACATATTAC TTTGTATTGT ATGTTTTATA CATTAAAATT TAAAATGAAA	11280
	AACATATCAT AAAATTGTTT TATAAAATGA AGCGCTTCCA TTGTGTTTTG TTTTGTAAGG	11340
	TGTATCATAA ATATTGAATT GAAATTTTGG GGGGAGGTAT TGTAATGACG TTTCTTACAG	11400
30	TCATGCAATT TATAGTTAAC ATTATCGTTG TAGGATTCAT GCTTACGGTT ATTGTTATCG	11460
	GGCTTATTTG GTTAATTAAA GATAAAAGAC AATCACAACA TAGTGTATTA AGGAATTATC	11520
	CTTTACTAGC ACGTATTAGA TATATTTCAG AAAAAATGGG ACCGGAATTA CGTCAGTATT	11580
35	TATTTTCTGG GGATAATGAA GGGAAACCTT TTTCACGTAA TGATTATAAA AATATCGTTT	11640
	TGGCTGGAAA ATATAACTCT CGTATGACCA GCTTCGGTAC TACTAAAGAT TATCAAGACG	11700
40	GCTTTTACAT ACAGAACACA ATGTTTCCGA TGCAACGTAA TGAGATTTCA GTAGATAATA	11760
	CAACATTGTT ATCAACATTC ATTTATAAAA TCGCGAATGA GCGTTTATTT AGTCGTGAAG	11820
	AATATCGTGT GCCGACAAAG ATTGATCCGT ATTACTTAAG TGATGACCAT GCAATAAAAT	11880
45	TAGGTGAACA TTTAAAACAT CCATTTATTT TAAAACGTAT CGTAGGACAA TCTGGTATGA	11940
	GTTATGGCGC TTTAGGAAAA AATGCCATTA CAGCTTTATC TAAAGGTCTA GCTAAAGCGG	12000
	GCACTTGGAT GAATACAGGT GAAGGTGGCT TATCAGAATA TCATTTAAAA GGTAATGGGG	12060
50	ATATCATTTT CCAAATTGGT CCCGGTTTAT TTGGTGTTCTG TGATAAAGAA GGTAATTTTA	12120
	GTGAAGGTTT ATTTAAAGAG GTTGACACAGT TATCTAACGT ACGCGCATTT GAGCTGAAGT	12180

55

EP 0 786 519 A2

	TTGCTAAAAT	CCGAAATGTT	GAACCTTATA	AAACAATCAA	TTCACCTAAC	CGTTACGAAT	12300
	TTATTCATAA	TGCTGAAGAT	TTGATTTCGTT	TCGTCGATCA	GTTGCAGCAA	TTAGGTCAAA	12360
5	AACCAGTAGG	ATTCAAAATT	GTAAGTAAGCA	AAGTTTCAGA	AATTGAAACA	CTTGACGTA	12420
	CGATGGTGGG	ACTAGATAAG	TATCCAAGCT	TTATTACGAT	TGATGGTGGT	GAAGGTGGTA	12480
	CTGGTGCAAC	ATTCCAAGAA	TTACAAGATG	GTGTTGGCTT	ACCGCTATTT	ACAGCTCTAC	12540
10	CTATTGTGTC	TGGCATGTTA	GAAAAATATG	GTATTTCGAGA	TAAAGTGAAA	TTGGCGGCAT	12600
	CTGGTAAGTT	AGTGACACCA	GATAAAATTG	CGATTGCACT	AGGTTTAGGT	GCAGATTTTG	12660
	TAAATATCGC	ACGTGGGATG	ATGATTAGTG	TCGGTTGTAT	AATGAGTCAA	CAATGTCACA	12720
15	TGAATACGTG	TCCTGTAGGT	GTTGCAACGA	CAGATGCGAA	GAAAGAAAAA	GCATTGATTG	12780
	TTGGAGAAAA	GCAATATCGT	GTCACAAACT	ATGTAACAAG	TTTGCATGAA	GGCTTATTCA	12840
20	ATATTGCAGC	AGCTGTTGGC	GATCCAGTC	CTACAGAAAT	TACTGCTGAT	CATATTGTAT	12900
	ATCGAAAAGT	CGATGGTGAG	TTACAAACGA	TACATGATTA	TAAATTAAAA	CTCATTAGTT	12960
	AACTTAATTA	TTTCGGGAAA	TTGAAAGCAG	CGGATTTTAG	CGTTACTGCA	AATAATTTTA	13020
25	TATTAGTAGT	GGATGCTGGT	CACACAAGAA	CTTCAAATAT	TAAAGCCCTC	AGAATATGAA	13080
	TTAAGGTTTG	TAACCTTAGT	CTTATCTGAG	GGCATTTTTTA	AGTTATAAAC	TATTTGTCGT	13140
	CCATTTTATC	TTTTTCTTTT	AAACCTCTGT	GCTTTAATTG	CTTTTCAAGT	TTTTCAAAAC	13200
30	TAATATCTTT	ATTTTCTTTA	GTCGAAACAC	CAAGACGTTT	ATTTAATTTT	TTCATGTCAA	13260
	CTTCTGTGTA	ATCTATGTCT	AAGTGyTCAA	TTGCTTTTTT	ATCTTTATAG	TCTACTTTGT	13320
	ATTTTACGCC	TTTAAGGTCT	TTGAAAATAC	TTTCAGATTT	GGCGAATAAC	TTTTTGGCTT	13380
35	CGTCTTTATC	CATACCTAGA	TCGTCATATT	TAATTGTGTT	GATTGTAGAC	TGTTTTAAAA	13440
	CTTCTATCATC	TTTATATGTG	ATAGAAGTTA	GTACATGTTT	ACCACTAACA	TCACCTCAT	13500
40	ATGTTTTGGT	TTGTTCTTTA	CCACAAGCTG	ATAATGCAAT	GATACAAACT	AATGCTACTA	13560
	CAATTAATGA	ACATAATTTT	TTCAAAGTCA	GTCGCCTTCT	TTGATATTTT	GTATTATAAA	13620
	GAAATTATAA	CATTTACTAA	AAAATGATGT	TATTCAAAAA	TTTAAATTTT	GTCATTTTTT	13680
45	TTGAAGATAT	GAGTTTTTTT	AAGCGGATTC	CTCACAAAAT	TTTAAAAATA	TTTAAGCCTk	13740
	AAAATGATAA	AGCGkTAGGG	AACGTTTTTC	TGAAAGTTAG	TGATACAATA	GTTTTAAGTT	13800
	GAAATACAGG	AGGATGAATA	ACATGAATCA	GTCAGTCAAA	TTACTTAAAC	ATTTAACAGA	13860
50	TGTAAACGGC	ATTGCTGGTT	ATGAAATGCA	AGTTAAAGAA	GCAATGCGTa	ACTATATAGA	13920
	GCCTGTCAGT	GATCAAATTA	TTGAAGATAA	CTTGGGTGGC	ATTTTTGGAA	AGAAAAATGC	13980

55

EP 0 786 519 A2

	AACAAAGATT	GATAAACATG	GTTTTATTTT	ATTTACGCCA	kTgGTGGATG	GTGGAATCAA	14100
	GTCATGCTAT	CTCAAAAAGT	AACGATTACA	ACAGATTCGG	GCAAAGAAAT	TAGAGGTATC	14160
5	ATCGGTTCTA	AACCGCCACA	TGTCTTAACG	CCTGAAGAAC	GTAAAAAGCC	AATGGAAATC	14220
	AAAAATATGT	TTATAGATAT	TGGTGTTAGT	AGCAAGGAAG	AAGCTGAAGA	AGCTGGCGTT	14280
	GAAGTAGGCA	ATATGGTTAC	GCCATATAGT	GAATTTGAAG	TGCTTGCAAA	TGATAAATAT	14340
10	TTAACTGCGA	ATCATTTGAT	AATCGCTATG	GCTGTGCATT	AGCTATTGAG	GTATTAAAC	14400
	GTTTAAAGA	TGAAAATATT	GGCATTAACT	TATACAGTGG	TGCCACAGTG	CAAGAAGAAG	14460
	TTGGTTTGCG	TGGTGCGAAA	GTGGCAGCGA	ATACGATTAA	ACCAGACTTG	GCGATAgcTG	14520
15	TcGATGTAGG	TATTGCTTAT	GATACCCCAG	GTATGTCAGG	TCAAACGAGC	GATAGTAAAC	14580
	TAGGCGGTGG	TCCAGTTGTC	ATTATGATGG	ATGCTACAAG	TATTGCTCAC	CAAGGTTTGC	14640
20	GAAAgcATaT	TAAAGATGTA	GCTAAGGAAC	ATAACATCGA	AGTACAATGG	GATACGACAC	14700
	CAGGTGGAGG	TACAGATGCG	GGAAGTATTC	ATGTCGCAAA	TGAAGGTATT	CCAACGATGA	14760
	CAATCGGTGT	TACGCTGCGA	TACATGCATT	CTAATGTTTC	AGTGCTCAAT	GTAGATGATT	14820
25	ATGAAAATTC	TATCCGTCTT	GTTACTGAAA	TTGTCCGTTT	ATTGAATGAT	GAAAGTTATA	14880
	AAAATATCAT	GTGGTAATCA	AATCCATAAA	TAATAAAGAA	TCCTTTTAAT	ATGGTAGGTT	14940
	GTAAACAAT	TGTCTAATTT	TAATTCTTAG	TCATTAGACA	GTATCCATGT	TAATAGGATT	15000
30	TTTTGTTTTT	AATTTAAATG	CTGAAAATCA	ATTATGCCTA	AATTTTGATA	TTACAAGAAA	15060
	ATGATTTTTT	CTTAAATGTA	ATTGCACTAA	AAACCAAAAA	AACGGGAATA	ATATACCTGA	15120
	TATATTACAT	GAGGAGCGGT	GCAAATGTTG	TTAGAAATTA	AAGATTTAGT	GTATAAAGCG	15180
35	AGCGATAGAA	TCATACTAGA	TCATATCAGT	CTAAAAGTAG	ATAAAGGCGA	GAGTATTGCC	15240
	ATTATAGGTC	CATCAGGTAG	TGGTAAAAGT	ACATTTCAAA	AGCAAATATG	TAATTTGTTT	15300
40	AGTCCAACCTA	GTGGAGAACT	TTATTTTAAA	GGTAAACCTT	ATAATGATTA	TGACCCGGAA	15360
	GAATTGCGTC	AACGAATCAG	TTATTTGATG	CAGCAAAGTG	ACTTGTTTGG	TGAAACGATT	15420
	GAAGATAACA	TGATATTCCC	ATCACTTGCA	CGTAATGATA	AATTTGATAG	AAAACGTGCA	15480
45	AAGCAATTAA	TTAAAGATGT	CGGTTTGCGA	CATTATCAAT	TAAGTTCGGA	AGTGGAAAAT	15540
	ATGTCGGGTG	GTGAGCGGCA	AAGAATTGCT	ATAGCGCGCC	AACTGATGTA	TACACCGGAT	15600
	ATTCTTTTAT	TAGATGAATC	GACCAGTGCA	TTAGACGTTA	ATAATAAAGA	AAAGATAGAA	15660
50	AATATCATTT	TTAAATTAGC	AGATCAAGGC	GTGGCAATTA	TGTGGATTAC	CCACAGCGAT	15720
	GACCAAAGTA	TGCGACACTT	TCAAAGCGT	ATAACAATTG	TTGATGGTCA	AATTTCTAAT	15780